DETAIL A
SCALE 1 : 64

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/08/13

DECK SPECIFICATIONS:

Size: 12 X14
Material: Pressure Treated
Size:
- Footings: 12 in Dia, 4' Deep
- Columns : 6 X 6
- Joists: 2 X 8, 16 in. OC
- Decking 5/4 Pressure Treated - Screwed
- Railings 2 X 6
- Beam: 2 X10 Doubled
- Ledger 2 X 8
- Facial 2 X 10

Fasteners
- Ledger Board - 1/4 X 4" Lag Bolts. 2 Per location top/Bottom 16 in O.C.
  Attach joists to Ledger using DTT2 with galvinized nails
- Joists - Use Joist Hangers with galvinized nails
  Attached using metal anchors into footings
- Decking- Decking screws

Stairs
- Width: 36 in
- Stringers 2 X10 or 2 X12
- Attachment: Use Joist Hangers
- Footing: Stair Footing to be used mid span to stiffen stairs
  Bottm of stairs to include a cement landing

Balusters
- All balusters are to be spaced 3 1/2 or less.

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL
FINISH
DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		

COMMENTS:

TITLE:
DECK PLAN
139-141 SHERWOOD

SIZE	DWG. NO.	REV
B		

SCALE: 1:1 | WEIGHT: | SHEET 1 OF 1