

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 81 Jordan Street 04102		Owner: Ancina & Steve Bagden		Phone: 207-761-8125		Permit No: 990578	
Owner Address: 3AA		Lessee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: Anthony N. Bryant		Address: 189 Brackett St. Portland, ME 04102		Phone: 773-6996		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED Permit Issued: JUN 8 1999 CITY OF PORTLAND </div>	
Past Use: 2-Family		Proposed Use: Same		COST OF WORK: \$ 23,400		PERMIT FEE: \$ 135.00	
		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group <i>R3</i> Type <i>5B</i> <i>BOCA 96</i>		Zone: CBL: 429-U-016	
Proposed Project Description: Remove old deck and small porch, build and L shaped 3 seasons porch on Frost wall.		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>		Signature: _____ Date: _____		Zoning Approval: _____ Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: <i>VB</i>		Date Applied For: <i>6-2-99</i>					

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

#4

**PERMIT ISSUED
WITH REQUIREMENTS**

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

6-2-99

SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: _____

CEO DISTRICT

2

COMMENTS

6/14/99 T. Bryant Called for Pre-Conn - discussed Treads/Risers / Guardrails - anchor Bolts will be 1/2" J Bolts - will start demo 6/14 & plan to pour w/ko of 6/21 will call B4 Pour. (10)

6/21/99 Met on site w/ contractor, excavation underway. He will call when footings are in place. JTB

6/16/99 - Wall poured. OK to begin Framing JR

7/26/99 - Framing inspection checked Framing, sizing, and dimensions. No Electrical started yet JR

Inspection Record	
Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <i>81 Jordan St Portland 04102 - Side + Back of house</i>		
Total Square Footage of Proposed Structure <i>462</i>	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# <i>429</i> Block# <i>H</i> Lot# <i>014</i>	Owner: <i>Anchira + Steve Bagden</i>	Telephone#: <i>207 761-8125</i>
Owner's Address: <i>81 JORDAN ST</i>	Lessee/Buyer's Name (If Applicable)	Cost Of Work: <i>\$ 23,400</i> Fee: <i>\$ 135</i>
Proposed Project Description: (Please be as specific as possible) <i>Remove old deck and small porch - Build an (L) shaped three seasons porch on Frost wall.</i>		
Contractor's Name, Address & Telephone <i>ANTHONY M BRYANT 773 6996 189 BRACKETT ST PORTLAND 04102</i>		Rec'd By <i>WB</i>
Current Use: <i>Laundry Room + Deck 2 fam</i>		Proposed Use: <i>Three Season Porch 2 fam</i>

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans


Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.



Signature of applicant: <i>Anthony M Bryant</i>	Date: <i>6/2/99</i>
---	---------------------

Building Permit Fee: \$25.00 for the 1st \$1000. cost plus \$5.00 per \$1,000.00 construction cost thereafter.
Additional Site review and related fees are attached on a separate addendum

Picture 3
Bugden

Old Porch
To be Removed



DECK
To be
Removed

BUILDING PERMIT REPORT

DATE: 5 June 99 ADDRESS: 81 Jordan St. CBL: 429-H-016
 REASON FOR PERMIT: Remove old deck and build "L" shape porch
 BUILDING OWNER: Bagden
 PERMIT APPLICANT: _____ (Contractor A. M. Bryant)
 USE GROUP R-3 BOCA 1996 CONSTRUCTION TYPE 5B


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: *1, *2, *4, *11, *13, *26, *27, *29, *32, *33

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- *2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- *4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- *11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- *12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- *13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
 In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- *26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- *27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
- *29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
- *32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
- *33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
34. _____
35. _____
36. _____


 P. Samuel Hoffses, Building Inspector
 cc/ Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

199 DELETE 505-533

500 V VACANT (D) DWELLING O OTHER

505 STORY HEIGHT
1.0 1.5 (2.0) 2.5 3.0

506 EXTERIOR WALLS
1 FRAME 4 BLOCK 7 STONE
2 BRICK 5 STUCCO 8 ASBESTOS
3 MAS. & FRAME (6) ALUM./VINYL 9 CONCRETE

507 STYLE
1 RAISED RANCH 7 CONDO 13 MANSION
2 SPLIT LEVEL 8 CONTEMP. 14 GAMBREL
3 RANCH 9 TOWNHSE/ROW 15 GARRISON
4 CAPE 10 COTTAGE 16 OTHER
(5) OLD STYLE 11 BUNGALOW
6 COLONIAL 12 DUPLEX

508 AGE
ERECTED 1 910 EST 11 REMODELED 19 11

509 LIVING ACCOMMODATIONS
TOTAL ROOMS 12 BED ROOMS 09 FAMILY ROOMS 0
FULL BATHS 3 HALF BATHS 0 ADD'L FIXT. 3 TOTAL FIXT. 14

510 NO. KITCHEN REMODELED 0 YES 2-NO 511 NO. BATH REMODELED 0 YES 2-NO

512 BASEMENT
1 NONE 2 CRAWL 3 PART (4) FULL

HEATING
1 NONE (2) BASIC 3 CENTRAL AIR COND.

513 HEATING FUEL TYPE
1 NONE 2 GAS 3 ELEC (4) OIL 5 COAL 6 SOLAR

HEATING SYSTEM TYPE
1 NONE 2 WARM AIR 3 ELEC (4) HOT WATER 5 STEAM

514 ATTIC
1 NONE 2 UNFIN 3 PT FIN (4) 5 FULL FIN FULL FIN/WH

515 INTERIOR CONDITION
1 BETTER (2) SAME 3 POORER

516 PHYSICAL CONDITION
1 EX (2) AV 3 FR 4 PR 5 VP 6 UN 7 UN

SFLA

517 CONDO LEVEL --- 518 CONDO TYPE 1-INTERIOR 2-CORNER

520 OTHER FEATURES
1 BRICK TRIM ---
2 STONE TRIM ---
3 REC ROOM ---
4 FIN. BSMT LIVING AREA ---
5 WB FP: STACKS --- OPENINGS ---
6 METAL FP: STACKS --- OPENINGS ---
7 WOOD COAL BURNING ---
8 BSMT GARAGE NO. OF CARS ---
9 UNFINISHED AREA (-) ---
10 UNHEATED AREA (-) ---


530 GROUND FLOOR AREA ---

521 GRADE FACTOR AA A B (C) D E []

532 COST & DESIGN FACTOR (H) 05 %

533 CDU EX VG GD (AV) FR PR VP UN 295

534 MARKET ADJUSTMENT --- %



NOTES

471

472

473

474

BUILDING PERMIT RECORD

NUMBER	DATE	AMOUNT	DESCRIPTION
461			
462			
463			
464			
465			

599 DELETE 601-608 ADDITIONS

ADD	CD	LWR	1ST	2ND	3RD	AREA
601	A1	<u>50</u>	<u>10</u>	<u>10</u>		
602	A2		<u>31</u>			
603	A3		<u>12</u>			
604	A4		<u>21</u>			
605	A5		<u>22</u>			
606	A6					
607	A7					
608	A8					

RESIDENTIAL	POOLS	ADDITION CODES	DWELLING COMPUTATIONS																																																							
RC1 Carport RC2 Canopy RG1 Frame/CB Detached Garage RG2 Brick/Stone Detached Garage RS1 Frame Shed RS2 Metal Shed	RP1 Plastic Liner RP2 Prefabricated Vinyl RP3 Reinforced Concrete RP4 Fiberglass RP5 Gunitite	10 1s Frame 11 OFF 12 EFP 13 Frame Garage 14 Frame Utility 15 Frame Bay 16 Frame OH 17 1/2s Frame 18 Unfin. Attic 19 Fin. Attic 20 1s Mas 21 OMP 22 EMP 23 Mas. Garage 24 Mas. Utility 25 Mas. Bay 30 Carport 31 Wood Deck 32 Canopy 33 Conc. Patio 34 Stone Patio 35 Mas. Stoop 36 Att. Greenhouse 50 Unfin. Bsmt. 99 Misc. Value	<p>— • — STORY —</p> <p>— — SF</p> <p>BASE PRICE</p> <p>BASEMENT —</p> <p>HEATING ±</p> <p>PLUMBING ±</p> <p>ATTIC ±</p> <p>ADDITIONS +</p> <p>OTHER FEATURES ±</p> <p>SUB TOTAL</p> <p>x GRADE FACTOR x</p> <p>x C & D FACTOR x</p> <p>= BASE VALUE</p> <p>x MARKET ADJ. x</p> <p>= TRUE VALUE</p>																																																							
799 DELETE 801-810 OTHER BUILDINGS & YARD IMPROVEMENTS																																																										
<table border="1"> <thead> <tr> <th>TYPE CODE</th> <th>QTY</th> <th>YR</th> <th>SIZE</th> <th>G</th> <th>COND</th> <th>RATE</th> <th>BASE VALUE</th> <th>MA</th> <th>MOD CODES</th> <th>TRUE VALUE</th> </tr> </thead> <tbody> <tr> <td>801</td> <td><u>(1)</u></td> <td><u>01</u></td> <td><u>30</u></td> <td></td> <td><u>C</u></td> <td><u>P</u></td> <td><u>22x032</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td>802</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>803</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>804</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				TYPE CODE	QTY	YR	SIZE	G	COND	RATE	BASE VALUE	MA	MOD CODES	TRUE VALUE	801	<u>(1)</u>	<u>01</u>	<u>30</u>		<u>C</u>	<u>P</u>	<u>22x032</u>				802											803											804										
TYPE CODE	QTY	YR	SIZE	G	COND	RATE	BASE VALUE	MA	MOD CODES	TRUE VALUE																																																
801	<u>(1)</u>	<u>01</u>	<u>30</u>		<u>C</u>	<u>P</u>	<u>22x032</u>																																																			
802																																																										
803																																																										
804																																																										
810 MISCELLANEOUS IMPROVEMENTS																																																										
800 1 SEE DETAILED CARD 2 SEE DETAILED REPORT																																																										
TOTAL GROSS VALUE																																																										

3 SEISMIC BOLTS ATTACH

4' or bedrock
33" ABOVE GROUND
FROST LEVEL APPROX

