



ICE SHIELD CONSIST OF TWO LAYERS OF UNDERLAYMENT CEMENTED TOGETHER OR A WATERPROOF MEMBRANE EXTENDING FROM THE EAVES EDGE TO A POINT 24" INSIDE EXTERIOR WALL LINE OF THE BUILDING (ICE SHIELD TO BE INSTALLED PER STATE CODE REQUIREMENTS)

PFS Corporation
 Northeast Region
 APPROVED
 H Raup - 3
 2/27/15
 Approval limited to
 Factory Built Portion

PTL#: Kim 4355 STATE: ME
 PD QN SN SD

BUILDER: MTR DEV., LLC

CUSTOMER/PROJECT: COPE



THIS DRAWING WAS EXTRACTED FROM APPROVED PLANS AND/OR APPROVED SYSTEMS DRAWINGS

NAME: DATE:

THIS DRAWING AND DESIGN IS THE PROPERTY OF EXCEL HOMES GROUP, LLC. ANY REPRODUCTION OF THE DRAWING OR DESIGN IS PROHIBITED WITHOUT THE EXPRESS WRITTEN CONSENT OF EXCEL HOMES GROUP, LLC.

ADJUSTMENTS MADE FOR CODE COMPLIANCE AND PRODUCTION CAPABILITY
 DRAWING MAY BE REVERSED

CHECKED: VNC
 DRAWN: SLP
 SLP
 SLP

DESCRIPTION:

DATE: 1-22-15
 NO: PD1 1-29-15
 PD2

DRAWING TITLE: SECTION

SCALE: NTS SHEET: 6

A5-Section