

NOTES:

1. Trench width shown is payment width for rockexcavation & replacement of unsuitable material.
2. Do not mechanically compact directly over flexible pipe (e.g. PVC, Poltyethylene)
3. Concrete pipe shall have sand bedding.
4. Perforations along invert required on storm drain pipes per AASHO standards.



TYPICAL TRENCH DETAIL
Storm Drain & Sanitary Sewer

NTS





PRECAST CONCRETE
FIELD INLET DETAIL

N.T.S.



LOCATION MAP
SCALE: 1" = 2 MILES

R S Zone
Front 20' Req 50+ shown
Rear 20' Req 21' shown
Side 8' Req 40+ shown
Side yard on side st.
15' Req' 16' shown

NOTE:

1. BENCH MARK: TOP OF COPPER BOLT IN GRANITE MONUMENT FOUND ON 3 FOOT OFFSET LINE (MS #200) ON NORTHWESTERLY SIDELINE OF VERANDA STREET AT THE INTERSECTION WITH THE SOUTHWESTERLY SIDELINE OF WORDSWORTH STREET. ELEVATION = 15.634 CITY DATUM.
2. LOT COVERAGE:

HOUSE 1137.3 S.F.
GARAGE 864.0 S.F.
TOTAL 2001.3 S.F.

% COVERAGE = $\frac{2001 S.F.}{10217 S.F.}$ = 19±%

LEGEND

SYMBOL	DESCRIPTION
	GRANITE MONUMENT FOUND
	IRON PIPE/IRON ROD FOUND
	5/8" IRON ROD W/ CAP TO BE SET
	UTILITY POLE
	STOCKADE FENCE
	DECIDUOUS TREE
	CONIFEROUS TREE
	BOX WIRE FENCE
	PROPERTY LINE
	3' R.O.W. OFFSET LINE
	EDGE PAVEMENT
	FLOW ARROW
	SANITARY SEWER MANHOLE
	WATER VALVE
	CATCH BASIN
	HYDRANT
	TELEPHONE MANHOLE
	GAS VALVE
	CHAINLINK FENCE
	SPOT ELEVATION
	PROPOSED ELEVATION
	PROPOSED CONTOUR

NO.	DATE	REVISION DESCRIPTION

BH2M
Henry * Huff * McDonald * Milligan Inc.
ENGINEERS * SURVEYORS * PLANNERS
Scarborough, Maine, U.S.A. (207) 883-2771

FOR
Diane M. Cunningham
141 Veranda Street
Portland, Maine 04103

GARAGE PLAN

LAND OF
DIANE M. CUNNINGHAM &
LAURA E. ELLINGER
VERANDA STREET & ARMORY STREET
PORTLAND, MAINE

DESIGNED	DATE
R. Libby, Jr.	Oct. 2003
DRAWN	SCALE
C. Logan	1" = 10'
CHECKED	JOB. NO.
L. Berry	03133

SHEET
2

REPRODUCTION OR REUSE OF THIS DOCUMENT WITHOUT THE EXPRESSED WRITTEN CONSENT OF BH2M INC. IS PROHIBITED

G:\2003\03133\dwg\3Sheet.dwg, 10/17/03 12:45:41 PM