

PERMIT ISSUED

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 01-0434	Issue Date: MAY - 2 2001	CBL: 433 F005001
-----------------------	-----------------------------	---------------------

Location of Construction: 21 Victoria St	Owner Name: Reynolds Susan E	Owner Address: 25 Victoria St CITY OF PORTLAND	Phone: 207-842-6328
Business Name: n/a	Contractor Name: no contractor/self	Contractor Address: n/a n/a	Phone
Lessee/Buyer's Name n/a	Phone: n/a	Permit Type: Additions - Dwellings	Zone: R-5

Past Use: Single Family	Proposed Use: Same; Build 88 SqFt Addition To be used as a Mudroom. Call Susan Reynolds At 842-6328.	Permit Fee: \$60.00	Cost of Work: \$11,000.00	CEO District: 2
----------------------------	---	------------------------	------------------------------	--------------------

Proposed Project Description: Build 88 SqFt Addition To Be Used As A MudRoom.	FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: 93 PERMIT ISSUED 3 WITH REQUIREMENTS 1999
--	--	---

Signature:	Signature:
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	Date:

Permit Taken By: cjh	Date Applied For: 04/20/2001	Zoning Approval	
-------------------------	---------------------------------	------------------------	--

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. 2. Building permits do not include plumbing, septic or electrical work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	<input checked="" type="checkbox"/> Special Zoning or Reviews <input checked="" type="checkbox"/> Shoreland/Shorewater 75' from HWY <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date: OK 5/1/01	<input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	<input checked="" type="checkbox"/> Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date:
	Zoning Appeal		

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
------------------------	---------	------	-------

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	DATE	PHONE
---	------	-------

Inspected w/ Permit # 02-0939

9/17/02 - Never Called for Inspections -
 All Built (except Stairs not finished)
 Setbacks Front / Rear / Right Side ok
 Left Side Requires 8 ft clear shows 12 ft
 Actual to fence is 11' 4" - appears ok
 Owner not home - could not inspect
 Framing - will contact owner for
 access

07/12/01 TIME
 2.43

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 21 Victoria Street, Portland ME 04103

Total Square Footage of Proposed Structure 88 Square Footage of Lot 6400

Tax Assessor's Chart, Block & Lot Number: Chart# 433 Block# F Lot# 5
Owner: Susan E. Reynolds Telephone#: 207, 842-6328

Lessee/Buyer's Name (If Applicable) Owner's/Purchaser/Lessee Address: 21 Victoria St. Cost Of Work: \$2000 Fee: \$60.

~~Current use:~~ must room for coats and boots laundry
If the location is currently vacant, what was prior use:
Approximately how long has it been vacant:

Proposed use:
Project description: Add one single room with two windows and an exterior door at back of house off kitchen

Contractor's Name, Address & Telephone:
Applicants Name, Address & Telephone: Susan E. Reynolds, 21 Victoria Street, Portland 842-6328
Who should we contact when the permit is ready: Susan E. Reynolds Telephone:
If you would like the permit mailed, what mailing address should we use: 21 Victoria Street Portland, ME 04103
Rec'd By:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches; a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
 - Floor Plans & Elevations
 - Window and door schedules
 - Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS


- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Minor/Minor Site Review Fee for New Single Family homes: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: 	Date: 4-19-01
---	---------------

BUILDING PERMIT REPORT

DATE: 28 APRIL 2001 ADDRESS: 21 Victoria ST. CBL: 443-F-005

REASON FOR PERMIT: To Construct mud room

BUILDING OWNER: Susan E. Reynolds

PERMIT APPLICANT: CONTRACTOR OWNER

USE GROUP: A-3 CONSTRUCTION TYPE: 53 CONSTRUCTION COST: \$2,000. PERMIT FEES: \$60.00

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: #1, #2, #11, #13, #30, #33, #35, #36, #38, #32

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve.
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts.
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating.
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code.
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level.
12. Headroom in habitable space is a minimum of 7'6".
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/4" maximum rise.
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue.
17. Each apartment shall have access to two (2) separate, remote and approved means of egress.
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's.
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment.

A/20

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)

22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.

23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.

24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)

25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.

27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).

28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. **No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.**

29. All requirements must be met before a final Certificate of Occupancy is issued.

30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).

31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

32. Please read and implement the attached Land Use Zoning report requirements.

to remain a single family

33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

34. Bridging shall comply with Section 2305.16.

35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

36. All flashing shall comply with Section 1406.3.10.

37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

38. *Your plans did not show a Framing detail, but due to fact the structure is already in place, check to see if a minimum of 2x6 @ 16" O.C. were use for Floor joist, Also the rafters should be a minimum of 2x6 @ 16" O.C. That the Framing member between the (Sore Tubes) piers were double 2x8 minimum, If this is not the case change shall be done to correct this matter -*

P. Samuel Horvath, Building Inspector

cc: Li McDougall, PFD

Marge Schmuckal, Zoning Administrator

Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

01-04324

21 Victoria Street
Portland, Maine

April 19, 2001

Mr. Sam Hoffses
Mr. Chris Harris
City of Portland
Inspections Department
389 Congress Street
Room 315, Third Floor
Portland, Maine 04101

433-F-5215

RE: Building permit application for one-room addition to 21 Victoria Street, Portland


Dear Mr. Hoffses and Mr. Harris:

I spoke with Mr. Harris earlier this week. I am the moron who thought that the builder of my addition had applied for a building permit before he built it, and the builder (who now lives in California) thought I had applied for it. I discovered this because my house is now for sale, and in going through my paperwork regarding the house, I came across the application (which was only one page long) and his set of (very detailed) drawings. I sent the application and his drawings in immediately to the address on the application. But when I called to check on my application, a man I spoke to in your department said you had never received the drawings or the application!

There is no way I can reproduce those drawings; I did the very best I could, and I would be happy to answer any questions (you will probably have) about the drawings I did do. The house has been sold (closing on June 20); it has been inspected and appraised, and the addition (and the whole house) passed with flying colors, so I know that everything is done properly. I can even give you the name of the banker who will have the appraisal and inspection information, if you wish.

I have also enclosed a check for \$60.00, as I suspect I will probably have to pay double the fee or something like that. Please call me with any questions during the day at 772-8373. I am sorry about this and feel pretty stupid, but it was a simple mistake, and the addition is completely within your requirements.


Sincerely,


Susan E. Reynolds

Enclosures

--- = fence
Double lot

PLOT PLAN




R-5

- REAR: 20' reg - 24' slow
- Side: 8' reg - 12' & 18' slow
- Front: N/A


scale = none / approximate

CROSS-SECTION

28/APR/2008



- 2x4 construction
- R19 → 24 in ceiling
- R11 in walls and floor
- insulated steel exit door
- new insulated windows
- wooden exit steps to yard
- sheetrock walls
- shingled roof
- outlet per walk (ground level)



Foundation



CITY OF PORTLAND, MAINE
Department of Building Inspection

4/30 20 01

Received from Susan Reynolds a fee

of Sixty dollars /100 Dollars \$ 60.00

for permit to install
erect
alter Build 88 SqFT Bedroom

at move
demolish 21 Victoria St. Est. Cost \$ 2,000.00

CB4 433-F-005

CKH 0258

Inspector of buildings

Per Ch H

THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy
YELLOW - Office Copy
PINK - Auditors Copy