

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND

BUILDING PERMIT

This is to certify that BAYMEDICAL PENOBSCOT

Located At 331 VERANDA

Job ID: 2011-03-629-ALTCOMM

CBL: 434 - - C - 001 - 001 - - - -

has permission to Interior renovation of mechanical & plumbing finishes provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statutes of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be

Fire Prevention Officer

Code Enforcement Officer / Plan Reviewer

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY.
PENALTY FOR REMOVING THIS CAR**

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.**
 - **Permits expire in 6 months. If the project is not started or ceases for 6 months.**
 - **If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
1. Close in inspection of framing, plumbing, electrical required prior to covering walls.
 2. Final inspection required upon completion of work prior to occupancy.

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.



PORTLAND MAINE

Strengthening a Remarkable City, Building a Community for Life • www.portlandmaine.gov

Director of Planning and Urban Development
Penny St. Louis

Job ID: 2011-03-629-ALTCOMM

Located At: 331 VERANDA

CBL: 434 - - C - 001 - 001 - - - -

Conditions of Approval:

Fire

Fire Conditions:

Emergency lights and exit signs are required. Emergency lights and exit signs are required to be labeled in relation to the panel and circuit and on the same circuit as the lighting for the area they serve.

A separate Fire Alarm Permit is required for new systems; or for work effecting more than 5 fire alarm devices; or replacement of a fire alarm panel with a different model.

Fire Alarm system shall be maintained. If system is to be off line over 4 hours a fire watch shall be in place. Dispatch notification required 874-8576.

Fire extinguishers are required. Installation per NFPA 10.

All construction shall comply with City Code Chapter 10.

This permit is being approved on the basis of the plans submitted. Any deviation from the plans would require amendments and approval.

If commercial cooking is going to take place in the proposed kitchen area then plans shall be submitted that show the space meets current code.

Capt. Gautreau

Building

1. Separate permits are required for any electrical, plumbing, sprinkler, fire alarm HVAC systems, heating appliances, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
2. Application approval based upon information provided by applicant. Any deviation from approved plans requires separate review and approval prior to work.

3. Installation shall comply with the 2003 International Mechanical Code Section 607 for smoke or fire dampers or combination F/S dampers including actuation and access panels.
4. This permit authorizes non-bearing work only. It does not authorize any structural work.

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, FAX: (207) 8716

Job No: 2011-03-629-ALTCOMM	Date Applied: 3/22/2011	CBL: 434 - - C - 001 - 001 - - - - -	
Location of Construction: 331 VERANDA ST	Owner Name: BAY MEDICAL PENOBSCOT	Owner Address: PO BOX 9746 PORTLAND, ME - MAINE 04104	Phone:
Business Name:	Contractor Name: Ballard, Jared	Contractor Address:	Phone:
Lessee/Buyer's Name: Martins Point Health	Phone:	Permit Type: BLDG - Building	Zone: R-P
Past Use: Health Care and Offices	Proposed Use: Same: Health Care and Offices - to make interior renovations in the Marine Hospital 1 st flr for Health Ed	Cost of Work: 50000.00	CEO District:
		Fire Dept: <input checked="" type="checkbox"/> Approved w/conditions <input type="checkbox"/> Denied <input type="checkbox"/> N/A	Inspection: Use Group: B Type: 29 IBC 09
		Signature: <i>R. Soutter</i>	Signature: <i>[Signature]</i>
Proposed Project Description: 331 Veranda St- Martins Point		Pedestrian Activities District (P.A.D.)	

Permit Taken By:	Zoning Approval		
<p>1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.</p> <p>2. Building Permits do not include plumbing, septic or electrical work.</p> <p>3. Building permits are void if work is not started within six (6) months of the date of issuance. False informatin may invalidate a building permit and stop all work.</p>	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetlands <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <input type="checkbox"/> Maj <input type="checkbox"/> Min <input type="checkbox"/> MM Date: <i>3/22/11</i>	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	Historic Preservation <i>w/this</i> <input type="checkbox"/> Not in Dist or Landmark <input type="checkbox"/> Does not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date: <i>requires a separate review & approval</i>
	CERTIFICATION <i>3/22/11</i>		

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		DATE	PHON

Fire Conditions:

Emergency lights and exit signs are required. Emergency lights and exit signs are required to be labeled in relation to the panel and circuit and on the same circuit as the lighting for the area they serve.

A separate Fire Alarm Permit is required for new systems; or for work effecting more than 5 fire alarm devices; or replacement of a fire alarm panel with a different model.

Fire Alarm system shall be maintained. If system is to be off line over 4 hours a fire watch shall be in place. Dispatch notification required 874-8576.

Fire extinguishers are required. Installation per NFPA 10.

All construction shall comply with City Code Chapter 10.

This permit is being approved on the basis of the plans submitted. Any deviation from the plans would require amendments and approval.

If commercial cooking is going to take place in the proposed kitchen area then plans shall be submitted that show the space meets current code.

Capt. Gautreau

Job Summary Report
Job ID: 2011-03-629-ALTCOMM

Report generated on Mar 22, 2011 4:38:46 PM

Page 1

Job Type:	Adds/Alter Commercial	Job Description:	331 Veranda St	Job Year:	2011
Building Job Status Code:	Initiate Plan Review	Pin Value:	923	Tenant Name:	
Job Application Date:		Public Building Flag:	N	Tenant Number:	
Estimated Value:	50,000	Square Footage:	5,000		
Related Parties:		BAY PENOBSCOT		<i>Property Owner</i>	
		Pizzagalli Construction - Jared Ballard		<i>GENERAL CONTRACTOR</i>	

Job Charges

Fee Code Description	Charge Amount	Permit Charge Adjustment	Net Charge Amount	Payment Date	Receipt Number	Payment Amount	Payment Adjustment Amount	Net Payment Amount	Outstanding Balance
----------------------	---------------	--------------------------	-------------------	--------------	----------------	----------------	---------------------------	--------------------	---------------------

Location ID: 44238

Location Details

Alternate Id	Parcel Number	Census Tract	GIS X	GIS Y	GIS Z	GIS Reference	Longitude	Latitude
P13710	434 C 001 001		M				-70.246939	43.687684

Location Type	Subdivision Code	Subdivision Sub Code	Related Persons	Address(es)
1				331 VERANDA STREET WEST

Location Use Code	Variance Code	Use Zone Code	Fire Zone Code	Inside Outside Code	District Code	General Location Code	Inspection Area Code	Jurisdiction Code
RETAIL & PERSONAL SERVICE		RESIDENTIAL PROFESSIONAL						EAST DEERING

Structure Details

Structure: Martin's Point Medical Clinic

Occupancy Type Code:

Structure Type Code	Structure Status Type	Square Footage	Estimated Value	Address
Hospitals & Institutional Buildings	0			331 VERANDA STREET WEST

Longitude	Latitude	GIS X	GIS Y	GIS Z	GIS Reference	User Defined Property Value
-----------	----------	-------	-------	-------	---------------	-----------------------------

Permit #: 20112058

Permit Data

Job Summary Report
Job ID: 2011-03-629-ALTCOMM

Report generated on Mar 22, 2011 4:38:46 PM

Page 2

Location Id	Structure Description	Permit Status	Permit Description	Issue Date	Reissue Date	Expiration Date
44238	Martin's Point Medical Clinic	Initialized	Interior renovation of mechanical/plumb finishes			

Inspection Details						
Inspection Id	Inspection Type	Inspection Result Status	Inspection Status Date	Scheduled Start Timestamp	Result Status Date	Final Inspection Flag

Fees Details								
Fee Code Description	Charge Amount	Permit Charge Adjustment	Permit Charge Adj Remark	Payment Date	Receipt Number	Payment Amount	Payment Adjustment Amount	Payment Adj Comment
Job Valuation Fees	\$520.00							

emailed plans



General Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 331 Veranda Street		
Total Square Footage of Proposed Structure/Area 5,000 sf		Square Footage of Lot
Tax Assessor's Chart, Block & Lot Chart# Block# Lot# 434 C001 001		Applicant * must be owner, Lessee or Buyer * Name Martin's Point Healthcare Address 331 Veranda Street City, State & Zip Portland, ME 04103
Telephone: 791-3172		
Lessee/DBA (If Applicable) N/A	Owner (if different from Applicant) Name Same Address City, State & Zip	Cost Of Work: \$ 50,000 C of O Fee: \$ Total Fee: \$ 520
Current legal use (i.e. single family) <u>Business</u> If vacant, what was the previous use? <u>N/A</u> Proposed Specific use: <u>Health Education</u> Is property part of a subdivision? <u>No</u> If yes, please name _____ Project description: Interior renovation of mechanical, plumbing and architectural finishes.		
Contractor's name: <u>Pizzagalli Construction Company</u> Address: <u>131 Presumpscot Street</u> City, State & Zip <u>Portland, ME 04103</u> Telephone: <u>899-0575</u> Who should we contact when the permit is ready: <u>Jared Ballard</u> Telephone: <u>899-0575</u> Mailing address: _____		

Tapp

RECEIVED
MAR 22 2011
Dept. of Building Inspections
City of Portland Maine

Please submit all of the information outlined on the applicable Checklist. Failure to do so will result in the automatic denial of your permit.

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information or to download copies of this form and other applications visit the Inspections Division on-line at www.portlandmaine.gov, or stop by the Inspections Division office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature: *Jared Ballard* Date: 3/22/2011

This is not a permit; you may not commence ANY work until the permit is issue



Commercial Interior & Change of Use Permit Application Checklist

All of the following information is required and must be submitted. Checking off each item as you prepare your application package will ensure your package is complete and will help to expedite the permitting process.

One (1) complete set of construction drawings must include:

Note: Construction documents for costs in excess of \$50,000.00 must be prepared by a Design Professional and bear their seal.

- Cross sections w/framing details
- Detail of any new walls or permanent partitions
- Floor plans and elevations
- Window and door schedules
- Complete electrical and plumbing layout.
- Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment or other types of work that may require special review
- Insulation R-factors of walls, ceilings, floors & U-factors of windows as per the IECC 2003
- Proof of ownership is required if it is inconsistent with the assessors records.
- Reduced plans or electronic files in PDF format are required if originals are larger than 11" x 17".
- Per State Fire Marshall, all new bathrooms must be ADA compliant.

Separate permits are required for internal and external plumbing, HVAC & electrical installations.

For additions less than 500 sq. ft. or that does not affect parking or traffic, a site plan exemption should be filed including:

- The shape and dimension of the lot, footprint of the existing and proposed structure and the distance from the actual property lines.
- Location and dimensions of parking areas and driveways, street spaces and building frontage.
- Dimensional floor plan of existing space and dimensional floor plan of proposed space.

A Minor Site Plan Review is required for any change of use between 5,000 and 10,000 sq. ft. (cumulatively within a 3-year period)



Certificate of Design Application

From Designer: PDT Architects - Ann Fontaine-Fisher, AIA
 Date: 3/21/11
 Job Name: Martin's Point Health Care - Marine Hospital - Health Education
 Address of Construction: 331 Veranda Street, Portland, Maine

2003 International Building Code

Construction project was designed to the building code criteria listed below:

Building Code & Year IBC 2009 Use Group Classification (s) Business
 Type of Construction Type 2 Unprotected & Type 5 (Roof)
 Will the Structure have a Fire suppression system in Accordance with Section 903.3.1 of the 2003 IRC Yes
 Is the Structure mixed use? No If yes, separated or non separated or non separated (section 302.3) _____
 Supervisory alarm System? Yes Geotechnical/Soils report required? (See Section 1802.2) _____

Structural Design Calculations Not Applicable

_____ Submitted for all structural members (106.1 - 106.11)

Design Loads on Construction Documents (1603)

Uniformly distributed floor live loads (7603.11, 1807)

Floor Area Use	Loads Shown
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Wind loads (1603.1.4, 1609)

_____ Design option utilized (1609.1.1, 1609.6)
 _____ Basic wind speed (1809.3)
 _____ Building category and wind importance Factor, w
 table 1604.5, 1609.5)
 _____ Wind exposure category (1609.4)
 _____ Internal pressure coefficient (ASCE 7)
 _____ Component and cladding pressures (1609.1.1, 1609.6.2.2)
 _____ Main force wind pressures (7603.1.1, 1609.6.2.1)

Earth design data (1603.1.5, 1614-1623)

_____ Design option utilized (1614.1)
 _____ Seismic use group ("Category")
 _____ Spectral response coefficients, S_D & S_1 (1615.1)
 _____ Site class (1615.1.5)

_____ Live load reduction
 _____ Roof *live* loads (1603.1.2, 1607.11)
 _____ Roof snow loads (1603.7.3, 1608)
 _____ Ground snow load, P_g (1608.2)
 _____ If $P_g > 10$ psf, flat-roof snow load P_f
 _____ If $P_g > 10$ psf, snow exposure factor, C_e
 _____ If $P_g > 10$ psf, snow load importance factor, I_s
 _____ Roof thermal factor, C_t (1608.4)
 _____ Sloped roof snowload, P_s (1608.4)
 _____ Seismic design category (1616.3)
 _____ Basic seismic force resisting system (1617.6.2)
 _____ Response modification coefficient, R , and
 deflection amplification factor, C_d (1617.6.2)
 _____ Analysis procedure (1616.6, 1617.5)
 _____ Design base shear (1617.4, 1617.5.1)

Flood loads (1803.1.6, 1612)

_____ Flood Hazard area (1612.3)
 _____ Elevation of structure

Other loads

_____ Concentrated loads (1607.4)
 _____ Partition loads (1607.5)
 _____ Misc. loads (Table 1607.8, 1607.6 1, 1607.7,
 1607.12, 1607.13, 1610, 1611, 2404)



Certificate of Design

Date: 3/21/11

From: PDT Architects - AnnFontaine-Fisher, AIA

These plans and / or specifications covering construction work on:

Fit-up of approx. 3,320 sf of space in an existing business occupancy.

Have been designed and drawn up by the undersigned, a Maine registered Architect / Engineer according to the **2003 International Building Code** and local amendments.



(SEAL)

Signature: *Ann Fontaine-Fisher*

Title: Principal

Firm: PDT Architects

Address: 49 Dartmouth Street, Portland

Phone: 207-775-1059

For more information or to download this form and other permit applications visit the Inspections Division on our website at www.portlandmaine.gov




Accessibility Building Code Certificate

Designer: PDT Architects - Ann Fontaine-Fisher, AIA

Address of Project: 331 Veranda Street, Portland

Nature of Project: Interior fit-up of existing business occupancy

The technical submissions covering the proposed construction work as described above have been designed in compliance with applicable referenced standards found in the Maine Human Rights Law and Federal Americans with Disability Act. Residential Buildings with 4 units or more must conform to the Federal Fair Housing Accessibility Standards. Please provide proof of compliance if applicable.



Signature: *Ann Fontaine-Fisher*

Title: Principal

Firm: PDT Architects

Address: 49 Dartmouth St., Portland

Phone: 207-775-1059

For more information or to download this form and other permit applications visit the Inspections Division on our website at www.portlandmaine.gov

Outline Specification, Fit-Up Schedule & Materials Legend

Martin's Point Health Care
Marine Hospital – Health Education
First Floor Fit-Up

331 Veranda Street
Portland, Maine

March 11, 2011



DIVISION 1 - GENERAL REQUIREMENTS

Intent of Documents: The Outline Specification is schematic. Components or systems not listed, but necessary for a complete project shall be considered a requirement of these documents.

Codes and Standards: All work shall meet or exceed applicable codes and regulations of building, zoning, fire department and other governmental agencies having jurisdiction. These shall include applicable local, state, federal, public utilities, transportation and/ or environmental regulations, applicable handicapped accessibility regulation and standards including, but not limited to, the Maine Human Rights Act, and The Americans with Disabilities Accessibility Guidelines. Where there are conflicts between codes and regulations, the most stringent shall be applicable.

General Conditions

The General Contractor's responsibility includes but is not limited to the following:

- A. Full time supervisor during construction.
- B. Coordination between Owner, Architect, and Manufacturers.
- C. Testing from an independent testing laboratory may be required by authorities having jurisdiction.
- D. Building permit fees, plan review fees
- E. All applicable sales tax.
- F. Trash Removal during construction.
- G. Construction period security as required.
- H. Reproduction of plans, drawings, specifications, etc.

DIVISION 2 – SITE WORK

Not Used

DIVISION 3 - CONCRETE

Not Used

DIVISION 4 - MASONRY

Not Used

DIVISION 5 - METALS

Not Used

DIVISION 6 – WOOD AND PLASTICS

06100 Rough Carpentry

Wood blocking

Provide lumber for support or attachment of other construction. For items of dimension lumber size, provide No. 2 grade lumber with 15 percent maximum moisture content and any of the following species: Spruce-pine-fir (south) or Spruce-pine-fir; NELMA

- 08710** **Door Hardware**
 Rockwood Lever Locksets – Match building standard
 Rockwood Kickplate, Standard Duty, stainless steel, 26D finish.
 Door stops as required.
 Closers: LCN 4040 Series

All Other Hardware (To match standard established in building)

- 08800** **Glazing**
 Laminated Safety Glass – Clear

Clear Tempered Float Glass: ASTM C 1048; Type I (transparent glass, flat); Quality q3 (glazing select); Class I (clear), Kind FT (fully tempered), 1/4 inch (6 mm) thick.

Aluminum Slides for Sliding Glass Doors: Rollers and track system for sliding glass doors, Hafele Eku-Clipo 35/GK Series System or equal. Complete assembly consisting of running gear with mounting part, stopper, guide, frame mounting angle, and running rail support clip. Also provide rails, covering profile, glass gasket, hardware, and glass fixing profiles. Size: 4'-0" wide x 4'-2" high (verify in field)

DIVISION 9 – FINISHES

- 09260** **Gypsum Board Assemblies**
 Gypsum Wall Board, Non Load Bearing Steel Framing and Accessories

 Gypsum Board: ASTM C36; 5/8" inch thick, maximum available length in place; ends square cut, tapered edges.

 Mold and moisture resistant gypsum board at wet locations: "Dens Armor Plus" by G-P Gypsum.

 Studs and Tracks: ASTM C645; galvanized sheet steel, 20 gage, C shape.

 Sound Attenuation Blankets: ASTM C 665, Type I; Unfaced blankets; Passing ASTM E 136 for combustion characteristics.

- 09511** **Acoustical Ceiling Panels**
 Ceiling Tile (SAT-I) (Verify match to existing)
 Tile: USG Radar Illusion, N92742, Two/24 Panels, 2'x4'x3/4", White
 Suspension System: USG, 15/16", White.

- 09650** **Resilient Flooring**
 Resilient Wall Base
 Johnsonite, 4" and 6" high rolled cove base; See Materials Legend

 Plank Flooring
 To Market; Ozoloc; Staggered joints; See Materials Legend

- 09680** **Carpeting**
 See Materials Legend

- 09900** **Painting**
 Paint (Use Low-VOC products for all coating systems)
 New gypsum bd surfaces: 1 coat interior latex-based primer; 2 coats interior eggshell latex enamel.

Primer: SW Harmony® Interior Latex Primer, BIIW900 Series.

Finish: SW Harmony® Interior Latex Eg-Shel, B9 Series.

Existing gypsum bd. & plaster surfaces: 2 coats interior eggshell latex enamel.

Finish: SW Harmony® Interior Latex Eg-Shel, B9 Series.

Hi-Build Primer for Mold Resistant Gypsum Board: Latex based interior primer applied at spreading rate recommended by the manufacturer.

Finish: SW PrepRite High Build Interior Latex Primer/ Surfacer B28W60I.

DIVISION 10 – SPECIALTIES

10400 Signage

ADA required signage in materials and design to match owner standards.

10800 Toilet and Bath Accessories

Paper Towel Dispensers

Supplied by Owner, installed by GC.

Soap Dispensers

Supplied by Owner, installed by GC.

10950 Building Specialties

Demonstration Mirror

Meek, model M5914; Adjustable angle demonstration mirror; 23" x 64", deck mounted above kitchen island; field verify length of mirror support and mounting plate attachment.

Chair Rails

(CR-I designation) See Materials Legend

Window Treatments

Existing to remain; GC to coordinate with Owner, the removal, secure storage and re-installation of window treatments.

DIVISION 11 - EQUIPMENT

Not Used

DIVISION 12 – FURNISHINGS

Not Used

DIVISION 13 - SPECIAL CONSTRUCTION

Not Used

DIVISION 14 - CONVEYING SYSTEMS

Not Used

DIVISION 15 – MECHANICAL

Not Used

DIVISION 16 – ELECTRICAL

Not Used – See drawings for notes

MATERIALS LEGEND

MATERIAL	CODE	MANUFACTURER	COLOR	NO.	REMARKS
PAINT	P-1	SHERWIN WILLIAMS	Kilim Beige	SW6106	
	P-2	SHERWIN WILLIAMS	Divine White	SW6105	
	P-3	SHERWIN WILLIAMS	Accent Color	SW	
	P-4	SHERWIN WILLIAMS	Accent Color	SW	
CARPET	CPT-1	BIGELOW - TEASEL TWO	Cinko Leaf	.	Existing Carpet to Remain
	CPT-2	C & A "AFTERMATH II"	MINERAL	23519	(Powerbond) Alternate I
RESILIENT PLANK FLOORING	RP-1	TO MARKET- OZOLOC	Granite	TM71183	
WALL BASE	WB-1	JOHNSONITE	TBD	.	4" Rubber Base
	WB-2	JOHNSONITE	TBD		6" Rubber Base (In areas without canted concrete)
	WB-3	JOHNSONITE	Matches Existing		4" Vinyl Base
PLASTIC LAMINATE	PLAM-1	NEVAMAR	Painted Woodlands Textured	PPOG002T	Located at Staff IIS Countertop
	PLAM-2	WILSONART	Amber Cherry	7919-78	Located on all cabinets
SOLID SURFACE	SS-1	CORIAN	Rosemary		Located at Demon. Kitchen I01 Countertops
CHAIR RAIL	CR-1	INPRO CORP.	Honey Nut	535	Profile: 2700W
				.	
				.	
				.	
				.	

FIT-UP SCHEDULE - MPHIC - MARINE HOSPITAL - HEALTH EDUCATION

REMARKS	DOOR NO.	DOOR	DOOR FRAME	FIRE RATING	DOOR HARDWARE	KEYING	HARDWARE REMARKS
	101	3'-0" X 7'-0" WOOD FLUSH TYPE 2	HM		LEVER/ LOCKSET; FUNCTION: CLASSROOM ; HINGES; SILENCERS; DOOR STOP		
CARPET-2 / ALTERNATE I	NA						
	NA						
CARPET-2 / ALTERNATE I	NA						
CARPET-2 / ALTERNATE I	105	EXISTING TO REMAIN	EXISTING TO REMAIN				
	105A	EXISTING TO REMAIN	EXISTING TO REMAIN				
	106	3'-0" X 7'-0" WOOD FLUSH TYPE 3	HM		LEVER/ LOCKSET; FUNCTION: OFFICE ; HINGES; SILENCERS; DOOR STOP; COAT HOOK		
CARPET-2 / ALTERNATE I	NA						
	108	3'-0" X 7'-0" WOOD FLUSH	HM		LEVER/ LOCKSET; FUNCTION: OFFICE ; HINGES; SILENCERS; DOOR STOP		
	109	3'-0" X 7'-0" WOOD FLUSH	HM		LEVER/ LOCKSET; FUNCTION: OFFICE ; HINGES; SILENCERS; DOOR STOP; COAT HOOK		
	110	3'-0" X 7'-0" WOOD FLUSH	HM		LEVER/ LOCKSET; FUNCTION: OFFICE ; HINGES; SILENCERS; DOOR STOP; COAT HOOK		
	111	3'-0" X 7'-0" WOOD FLUSH TYPE 2	HM		LEVER/ LOCKSET; FUNCTION: CLASSROOM ; HINGES; CLOSER; KICKPLATE; SILENCERS; DOOR STOP		
	NA						
	113	3'-0" X 7'-0" WOOD FLUSH	HM		LEVER/ LOCKSET; FUNCTION: PASSAGE ; HINGES; SILENCERS; DOOR STOP		
	114	3'-0" X 7'-0" WOOD FLUSH	HM		LEVER/ LOCKSET; FUNCTION: OFFICE ; HINGES; SILENCERS; DOOR STOP; COAT HOOK		
	114A	3'-0" X 7'-0" WOOD FLUSH	HM		LEVER; FUNCTION: DUMMY TRIM ; HINGES; SILENCERS; DOOR STOP		
	115	3'-0" X 7'-0" WOOD FLUSH TYPE 2	HM		LEVER/ LOCKSET; FUNCTION: OFFICE ; HINGES; SILENCERS; DOOR STOP; COAT HOOK		
	116	3'-0" X 7'-0" WOOD FLUSH	HM		LEVER/ LOCKSET; FUNCTION: CLASSROOM ; HINGES; SILENCERS; DOOR STOP		



CITY OF PORTLAND, MAINE

Department of Building Inspections

Original Receipt

March 29 2011

Received from Martin's Point Health Care

Location of Work 331 Veranda St

Cost of Construction \$ _____ Building Fee: _____

Permit Fee \$ _____ Site Fee: _____

Certificate of Occupancy Fee: _____

Total: 500.00

Building (1L) Plumbing (1S) _____ Electrical (12) _____ Site Plan (U2) _____

Other _____

CBL: 434 001

Check #: 180384 Total Collected \$ 500.00

**No work is to be started until permit issued.
Please keep original receipt for your records.**

Taken by: Rayle

WHITE - Applicant's Copy
YELLOW - Office Copy
PINK - Permit Copy

THIS RECEIPT REMAINS VALID UNTIL THE PERMIT IS ISSUED