4 FLOOR PLAN – PENTHOUSE
1/16" = 1'-0"

3 FLOOR PLAN – THIRD FLOOR
1/16" = 1'-0"

2 FLOOR PLAN – FIRST FLOOR
1/16" = 1'-0"

METAL STUD FULL HEIGHT 1-HOUR FIRERATED	2A3-1	METAL STUD PARTITION FULL HEIGHT	2A3 2A6 2A8	METAL STUD FURRING EXTEND GWB 3" ABOVE FINISHED CEILING U.N.O.	2F1 2F2 2F3

PARTITION TYPES

NOTE: THIS HATCH DENOTES STRUCTURAL BAY TO RECEIVE 1 HR RATED SPRAY APPLIED FIRE-RESISTIVE MATERIAL. SFRM TO BE APPLIED TO ALL STRUCTURAL MEMBERS WITHIN THE STRUCTURAL BAY, INCLUDING COLUMNS AND BRACES, AS WELL AS THE BEAMS, JOISTS, AND METAL DECK OF THE FRAMED FLOOR ABOVE.

GRAPHIC LEGEND:

- EXISTING WALLS TO REMAIN
- NEW WALLS
- T300 DOOR #
- 2C3 PARTITION TYPE
- 5 / A200 INTERIOR ELEVATION TAG
- AREA NOT IN SCOPE OF WORK

1 FLOOR PLAN – SECOND FLOOR
3/16" = 1'-0"

PDT ARCHITECTS
49 DARTMOUTH STREET
PORTLAND, MAINE 04101
207-775-1059
www.pdtarchs.com

Reviewed for Code Compliance Inspections Division Approved as Noted Date: 03/20/18

COPYRIGHT 2018 PDT Architects

Reuse or reproduction of the contents of this document is not permitted without written permission of PDT Architects.

MPHC - Building 4 - Contact Center

331 VERANDA STREET, PORTLAND, MAINE

REGISTERED ARCHITECT ANN M. FONTAINE-FISHER NO.1439 STATE OF MAINE

JOB NO. 17114

DRWN. CHK

SCALE: As Noted

ISSUE: Permit Set January 31, 2018

TITLE: Floor Plans, Partition Types, Notes

SHEET: A100

K:\MP - 17114 - VERANDAST - BUILDING 4 - CALL CENTER\17114 - WORKING FILES\CAD CDS\1-31-18 - MPHC-BLDG 4 - CALL CENTER BASE.DWG