



D1 SECOND LEVEL FLOOR PLAN
1/8" = 1'-0"

144 Fore Street, 20, Box 618
Portland, Maine 04101
Tel: (207) 773-8866
Fax: (207) 773-8867
www.smrtd.com

ARCHITECTURE
ENGINEERING
PLANNING
INTERIOR DESIGN
COMMISSIONING

SMRTI
MARTIN'S POINT HEALTH CARE
MEDICAL OFFICE BUILDING
PORTLAND, MAINE

PROJECT TITLE: SECOND LEVEL: PARKING GARAGE
DWY PIPING PLAN

REV.	DESCRIPTION	DATE

ISSUED FOR G.M.P. & PERMITTING
4-3-09

CURRENT ISSUE STATUS:

PROJECT NORTH

AS NOTED	DATE

PROJECT MANAGER	SUB	GRAPHIC SCALE
		0'

JOB CAPTAIN	TITLE	SCALE

DATE OF RECORD	SCALE	SHEET NO.
PL 02-08133	75%	PL 102

PROJECT NO. 08133

NOTE:

- SEE 0001 FOR PROJECT GENERAL NOTES
- SEE SHEET PLOOT FOR PLUMBING LEGEND AND ABBREVIATIONS.

KEYED NOTES CONTINUED:

- ① NOT USED.
- ② ROUTE 4" SANITARY PIPING THROUGH HOLE PROVIDED IN STEEL BEAM. (RESTRICT). (TYP. FOR ALL)
- ③ INVERT ELEVATION = 97'-7".
- ④ INVERT ELEVATION = 97'-3".
- ⑤ INVERT ELEVATION = 96'-0".
- ⑥ INVERT ELEVATION = 97'-0".
- ⑦ INVERT ELEVATION = 98'-6".
- ⑧ PROVIDE 2" INSULATION ON VERTICAL PIPE ON EXTERIOR FOUNDATION WALL TO A POINT 8" BELOW GRADE = MINIMUM.
- ⑨ PROVIDE 2" RIGID INSULATION 4' TO EITHER SIDE OF HORIZONTAL PIPING TO A POINT 8" BELOW GRADE = MINIMUM.
- ⑩ INVERT ELEVATION = 94'-0".

KEYED NOTES:

- ① NOT USED.
- ② ROUTE 4" SANITARY PIPING THROUGH HOLE PROVIDED IN STEEL BEAM. (RESTRICT). (TYP. FOR ALL)
- ③ INVERT ELEVATION = 97'-7".
- ④ INVERT ELEVATION = 97'-3".
- ⑤ INVERT ELEVATION = 96'-0".
- ⑥ INVERT ELEVATION = 97'-0".
- ⑦ INVERT ELEVATION = 98'-6".
- ⑧ PROVIDE 2" INSULATION ON VERTICAL PIPE ON EXTERIOR FOUNDATION WALL TO A POINT 8" BELOW GRADE = MINIMUM.
- ⑨ PROVIDE 2" RIGID INSULATION 4' TO EITHER SIDE OF HORIZONTAL PIPING TO A POINT 8" BELOW GRADE = MINIMUM.
- ⑩ INVERT ELEVATION = 94'-0".