



CITY OF PORTLAND, MAINE
FOOD SERVICE HEALTH
INSPECTION REPORT

87

435-A-6

Send to state

Owner Name: Crossroads of Maine
Establishment Name: Evodia House
Address: 79 Allen Ave
Zip Code: 04103
Location: Portland

MCD #: 05170
ESTAB #:
SANI #: 58013
ROOMS SITES:
SEATS:
DATE: 02/20/16
PURPOSE: 1
DEMERITS: 5 PT, 4 PT, 2 PT, 1 PT

FOOD SUPPLY AND SOURCE

- 1. Spoiled and/or adulterated foods are being used and/or served. Rule 2.1.A.1. 5 DEMERITS.
2. Unpasteurized milk, milk products, cracked eggs, unpasteurized egg products being used and/or served. Rules 2.1.B.4. 5 DEMERITS.
3. Canned foods from an unapproved source on premises, being used and/or served. Rule 2.1.A.3. 5 DEMERITS.

FOOD PREPARATION AND PROTECTION

- 8. Cooked and/or prepared foods are subjected to cross contamination, from raw foods or other sources of contamination. Rules 2.2.A.1. and 2.3.B.5. 2 DEMERITS
9. Employees handle raw and cooked or prepared food products without thorough hand-washing in between. Rules 2.2.A.1. and 2.3.B.5. 5 DEMERITS.
10. Raw fruits and/or vegetables are not washed before being used and/or served. Rule 2.4.B.1. 2 DEMERITS.

FOOD TEMPERATURES

- 18. Potentially hazardous food(s) not being reheated/cooked long enough to be adequately heated to all parts Rule 2.4.G.3. 5 DEMERITS.
19. Prepared potentially hazardous foods requiring refrigeration are not being rapidly cooled to 45° or below. The measured temperature was 100°F. Rule 2.3.C.3. 5 DEMERITS.
20. Frozen food not being kept at 0°F, or below; improper thawing. The measured temperature was 30°F. Rule 2.3.C.4. 5 DEMERITS.

PERSONNEL

- 26. No certified food handler/manager. Rules 3.5.
27. Personnel with communicable disease(s), boils, infected wound(s), respiratory or gastrointestinal infection, are preparing and serving food. Rule 3.1.A. 5 DEMERITS.
28. Personnel with dirty hands and/or smoking when preparing and serving food, with poor hygienic practice, eating, drinking, in food preparation and/or dish-washing areas. Rules 3.2.A., 3.2.B., and 3.4.A. 5 DEMERITS.

FOOD EQUIPMENT AND UTENSILS

- 30. Food/non food contact surfaces of equipment: in disrepair (cracks, chips, pits, open seams), not easily cleanable. Rules 4.1.A., 4.2.A., and 4.2.B. 2 DEMERITS.
31. Single service articles improperly stored, dispensed, handled, reused. Rules 4.4.A. and 5.2.C. 2 DEMERITS.
32. Wiping cloths: dirty, not stored properly in sanitizing solutions Rule 5.1.B. 1 DEMERIT.

DISHWASHING

- 33. Dishes/utensils not being scraped, soaked, preflushed. Rule 5.1.C.4. 1 DEMERIT.
34. Dishes/utensils are not being washed in a detergent solution having a temperature of at least 120°F. The measured temperature was 100°F. Rule 5.1.C.5. 2 DEMERITS.
35. Dishes/utensils are not being sanitized by immersion for 30 seconds in clean hot water with a temperature of at least 170°F. The measured temperature was 100°F. Rule 5.1.C.5.a. 4 DEMERITS.

MECHANICAL DISHWASHING

- 38. Hot water sanitization: The wash-water temperature was not at least 140°F. The measured temperature was 100°F. Rule 5.1.D.3.b. 2 DEMERITS.
39. The final sanitization rinse water temperature was not at least 180°F. The measured temperature was 100°F. Rule 5.1.D.3.b. 4 DEMERITS.
40. Sustained 165°F hot water dishwashing machine. Rule 5.1.D.3.a. 4 DEMERITS.

TOXIC MATERIALS

- 47. Toxic materials, personal medications and/or first-aid supplies were: improperly stored, labeled, used in food. Rule 7.12. 5 DEMERITS.

WATER SUPPLY

- 48. A copy of the current water analysis was not available at the facility. Further testing may be required. Rule 6.1.E.3. 2 DEMERITS.
49. Water tested and found to be unsatisfactory. Rule 6.1.A.1. 5 DEMERITS.
50. The free chlorine was less than 0.25 ppm. The measured chlorine residual was 0 ppm. Rule 6.1.A.2. 5 DEMERITS.

WASTEWATER DISPOSAL

- 53. The subsurface disposal system was found to be surfacing. Rule 6.2.A. 4 DEMERITS.
54. Wastewater was being improperly discharged onto the ground. Rule 6.2.A. 4 DEMERITS.
55. (Mobile food units): waste water storage tank does not have adequate storage. Rule 8.1.C.2. 4 DEMERITS.

PLUMBING

- 56. Kitchen sink, utility sink, grease trap, drain, plumbing; is improperly sized, installed and/or maintained. Rules 6.4.F. and 7.8. 2 DEMERITS.
57. A cross-connection, without backflow device, exists between the drinking and the wastewater systems at the: faucet hose, hot water heater, water closets, other: 5 DEMERITS.

TOILET AND HANDWASH FACILITIES

- 58. Toilets rooms: Completely enclosed, Equipped with self-closing, tight fitting doors, properly vented, tissue provided, covered waste receptacle (ladies). Rules 6.5, 6.6, and 6.7. 2 DEMERITS.
59. Inadequate number of male and/or female toilets. The number of toilets are: 1 male and 1 female. Rule 6.5 1 DEMERIT.
60. Handwash lavatories: clean, adequate number, accessible, fixtures maintained, hand cleansing soap, sanitary towel/hand drying devices not provided common towel. Rules 6.3. and 6.8 4 DEMERITS.

RUBBISH

- 61. Inadequate, uncovered containers were being used. Rule 6.9. 2 DEMERITS.
62. Storage areas were not clean, free of litter, Rule 6.9.B.4. 2 DEMERITS.
63. Storage areas are not constructed to be: inaccessible to vermin, easily cleaned, refuse bin of questionable safety. Rules 6.9 and 6.10. 2 DEMERITS.

INSECT, RODENT & ANIMAL CONTROL

- 64. Flies, rodents, roaches, live animals (other than security or guide dogs) were found on the premises. Rule 6.10. and 7.12.G. 4 DEMERITS.
65. Food service facilities: The outer doors, windows, skylights, transoms were not adequately screened. Rule 6.10.D. 4 DEMERITS.

CONSTRUCTION OR MAINTENANCE OF PHYSICAL FACILITIES

- 66. Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces. Rules 7.1-7.6. 1 DEMERIT.
67. Lighting ventilation inadequate, fixture(s) not shielded, dirty ventilation hoods, ductwork, filters, exhaust fans. Rules 7.6, 7.9, 7.10. 1 DEMERIT.
68. Premises littered, unnecessary equipment and articles present. Rule 7.11.A.1. 1 DEMERIT.
69. Improper storage of cleaning equipment, linens. Rule 7.11.B. 1 DEMERIT.

LODGING

- 70. The sleeping room(s) are: inadequately ventilated, unclean, in disrepair, undersized; improper bed spacing. Rules 12.9 and 12.11. 1 DEMERIT.
71. The Toilets, lavatories, showers, were not: clean, in good repair. Rules 12.3. and 12.9.D. 2 DEMERITS.
72. Hand cleansers, towels, were: not found, inadequate. Rule 12.4 2 DEMERITS.
73. The carpeting is not: clean, in good repair. Rule 12.9.C. 1 DEMERIT.
74. Drinking glasses not suitably sanitized and packaged. Rule 12.6. 2 DEMERITS.
75. Gas Appliances: hot water heaters, refrigerators, clothes dryers, floor furnaces found in sleeping rooms were not: adequately vented, equipped with automatic pilots, equipped with an automatic control valve. Rule 12.10. 4 DEMERITS.

ITEMS IN GRAY SHADED ARE 4 AND 5 DEMERITS ITEMS - CORRECT AS SOON AS POSSIBLE; NOTIFY DEPARTMENT WHEN CORRECTED - 874-8300 X 8703

Please call with Dishwasher test results.

*Keep Spring hinge on bathroom

Dianne Bourke 874-8715
Code Enforcement Officer

Establishment Representative