22-24 MAPLEWOOD STREET

SHAW-WALKER
Full cut #920R - Half cut #9202R - Third cut #9203R - Fifth cut #9205R

PERMIT TO INSTALL PLUMBING

Address [illegible] Hazelwood Street — PERMIT NUMBER 16183

Installation For:

Owner of Bldg.: [illegible] McCullum

Owner's Address: [illegible] Hazelwood Street

Plumber: [illegible]

Date: 5/6/66

Date Issued 5/6/66

Portland Plumbing Inspector

By ERNOLD R. GOODWIN

App. First Insp.

Date MAY 1[illegible] 1966

By ERNOLD R. GOODWIN

App. Final Insp.

Date MAY 1[illegible] 1966

By ERNOLD R. GOODWIN
CHIEF PLUMBING INSPECTOR

Type of Bldg.

- ☐ Commercial
- ☐ Residential
- ☐ Single
- ☐ Multi Family
- ☐ New Construction
- ☐ Remodeling

NEW	REPL.		NO.	FEE
		SINKS		
		LAVATORIES		
		TOILETS		
		BATH TUBS		
		SHOWERS		
		DRAINS FLOOR SURFACE	1	2.00
		HOT WATER TANKS		
		TANKLESS WATER HEATERS		
		GARBAGE DISPOSALS		
		SEPTIC TANKS		
1		HOUSE SEWERS	1	2.00
		ROOF LEADERS		
		AUTOMATIC WASHERS		
		DISHWASHERS		
		OTHER		
		TOTAL	2	4.00

Building and Inspection Services Dept.: Plumbing Inspection

FILL IN AND SIGN WITH INK

PERMIT ISSUED
JUN 16 1954
CITY of PORTLAND

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, June 11, 1954

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 21 Maplewood Ave. Use of Building 2-family dwelling No. Stories ____ New Building ____ Existing "

Name and address of owner of appliance Miles L. Smith, 21 Maple Hot St. 4/2-11

Installer's name and address Matthews Sales & Service, 114 Fore St. Telephone 2-1401

General Description of Work

To install new oil burning equipment in connection with ~~existing~~ forced hot water heating system

IF HEATER, OR POWER BOILER

Location of appliance ____ Any burnable material in floor surface or beneath? ____

If so, how protected? ____ Kind of fuel? ____

Minimum distance to burnable material, from top of appliance or casing top of furnace ____

From top of smoke pipe ____ From front of appliance ____ From sides or back of appliance ____

Size of chimney flue ____ Other connections to same flue ____

If gas fired, how vented? ____ Rated maximum demand per hour ____

Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? ____

IF OIL BURNER

Name and type of burner SEARS Underfeed Labelled by underwriter's laboratories? yes

Will operator be always in attendance? ____ Does oil supply line feed from top or bottom of tank? bottom

Type of floor beneath burner concrete Size of vent pipe 1"

Location of oil storage basement Number and capacity of tanks 1-275 gal.

Low water shut off ____ Make ____ No. ____

Will all tanks be more than five feet from any flame? yes How many tanks enclosed? ____

Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance ____ Any burnable material in floor surface or beneath? ____

If so, how protected? ____ Height of Legs, if any ____

Skirting at bottom of appliance? ____ Distance to combustible material from top of appliance? ____

From front of appliance ____ From sides and back ____ From top of smokepipe ____

Size of chimney flue ____ Other connections to same flue ____

Is hood to be provided? ____ If so, how vented? ____ Forced or gravity? ____

If gas fired, how vented? ____ Rated maximum demand per hour ____

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Owner will install heating system

Amount of fee enclosed? 2.00 ($2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED: 6-18-54 RH

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Matthews Sales & Service

Signature of Installer by: K T Matthews

INSPECTION COPY

7-3

Permit No. 54/830

Location 24 Maplewood St.

Owner Charles A. Doughty

Date of permit 6/18/54

Approved

1 Fill Pipe

2 Vent Pipe

3 Kind of Heat Natural Gas

4 Burner Rigidity & Supports

5 Name & Label

6 Stack Control

7 High Limit Control

8 Remote Control

9 Piping Support & Protection

10 Valves in Supply Line

11 Capacity of Tanks

12 Tank Rigidity & Supports

13 Tank Distance

14 Oil Gauge

15 Instuction Card

16 Low Water Shut-off

NOTES

FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED
JUL 18 1951
CITY of PORTLAND

Portland, Maine, June 18, 1951

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 14 Maplewood St Use of Building Hmy No. Stories 2½ New Building / Existing "

Name and address of owner of appliance Charles H & Edith G Coughlin 24 Maplewood City

Installer's name and address myself Telephone 4-2018

General Description of Work

To install hot water heating boiler with tankless heater in place of warm air heating syster

IF HEATER, OR POWER BOILER

Location of appliance cellar Any burnable material in floor surface or beneath? no

If so, how protected? Kind of fuel? oil

Minimum distance to burnable material, from top of appliance or casing top of furnace 15½ "

From top of smoke pipe 20" From front of appliance 1' 1" From sides or back of appliance 10" "

Size of chimney flue 8"x8" Other connections to same flue none

If gas fired, how vented? no Rated maximum demand per hour

Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?

IF OIL BURNER

see separate permit

Name and type of burner Lewis Robuck Labelled by underwriter's laboratories? yes

Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? Bottom

Type of floor beneath burner cement Size of vent pipe 1¼ "

Location of oil storage in cellar Number and capacity of tanks 275 Gals

Low water shut off yes Make No.

Will all tanks be more than five feet from any flame? yes How many tanks enclosed? 1

Total capacity of any existing storage tanks for furnace burners 275

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?

If so, how protected? Height of Legs, if any

Skirting at bottom of appliance? Distance to combustible material from top of appliance?

From front of appliance From sides and back From top of smokepipe

Size of chimney flue Other connections to same flue

Is hood to be provided? If so, how vented? Forced or gravity?

If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 ($2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED: OK. 6.18.51 WPT

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of Installer Charles H Coughlin

INSPECTION COPY

Permit No. 57482 9


Location 24 Mapleward Rd

Owner Charles L. Quigley

Date of permit 6/18/62

Approved

NOTES



Location, Ownership and detail must be correct, complete and legible.
Separate application required for every building.
Plans must be filed with this application.

Application for Permit for Alterations, etc.

To the *Portland, July 20th, 1916.*

INSPECTOR OF BUILDINGS:

The undersigned applies for a permit to alter the following-described building:—

Location 24 Maplewood St. Ward, 9 in fire-limits? no

Name of Owner or Lessee, A. S. Bigbee Address 247 Allen Ave.

" " Contractor, owner. " "

" " Architect, " "

Description of Present Bldg.

Material of Building is wood Style of Roof, pitch Material of Roofing, shingles

Size of Building is 15 feet long; 20 feet wide. No. of Stories, one ½

Cellar Wall is constructed of posts is inches wide on bottom and batters to inches on top.

Underpinning is is inches thick; is feet in height.

Height of Building, Wall, if Brick; 1st, 2d, 3d, 4th, 5th,

What was Building last used for? office bldg. No. of Families?

Building to be occupied for dwelling Estimated Cost, $ 100

DETAIL OF PROPOSED WORK

Build addition to building formelly used as a private office which will be used as a dwelling.

IF EXTENDED ON ANY SIDE

Size of Extension, No. of feet long? 10 ; No. of feet wide? 20 ; No. of feet high above sidewalk? 9 ft.

No. of Stories high? one ; Style of Roof? flat ; Material of Roofing? roberoid

Of what material will the Extension be built wood Foundation? posts

If of Brick, what will be the thickness of External Walls? inches; and Party Walls inches.

How will the extension be occupied? dwelling How connected with Main Building?

WHEN MOVED, RAISED OR BUILT UPON

No. of Stories in height when Moved, Raised or Built upon? Proposed Foundations?

No. of feet high from level of ground to highest part of Roof to be?

How many feet will the External Walls be increased in height? Party Walls

IF ANY PORTION OF THE EXTERNAL OR PARTY WALLS ARE REMOVED

Will an opening be made in the Party or External Walls? in Story.

Size of the opening? How protected?

How will the remaining portion of the wall be supported?

Signature of Owner or Authorized Representative A S Bigbee

Address 247 Allen Ave.

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK

22-24 Maplewood St. #D

PERMIT GRANTED

July 30, 1916

Permit filled out by _____

Permit number _____

Location 22 & 24 Maplewood St.

HO

FINAL REPORT

_____ _____ 191.

Has the work been completed in accordance with this application and plans filed and approved?

_____

Law been violated? ____ Doc. No. ____ of 191__

Nature of violation? _____

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

Violation removed, when? _____ 191__

Estimated cost of alterations, etc., $ _____

Inspector of Buildings.

OFFICE HOURS
10 TO 12 M.
2 TO 5 P.M.

City of Portland.

OFFICE OF INSPECTOR OF BUILDINGS

9-16-13, 191

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on
22-24 Forest Ave & Maplewood street, at number 65 to be
1-C stories high 30 feet long, 22
feet wide; also an addition to be stories high,
feet long, feet wide, and to be used as a Dwelling

CELLAR WALL—To be constructed of Concrete to be 16 inches wide on bottom and batter to 12 inches on top.

UNDERPINNING—To be Blocks Height of underpinning from top of cellar wall to bottom of sill 2 ft. 8 inches to be 8 inches in thickness.

EXTERIOR WALLS—To be constructed of Wood If of Brick, Stone, etc. Total Height of wall ft. inches. Thickness of 1st 2d 3d 4th 5th 6th story walls. If of reinforced concrete state mix and reinforcing system to be used.

If wood construction, sills to be 6-7 Girders 6-8" Floor Timbers 2-7"
Posts 4-6" Girts 4-4" Studs 2-4" to be spaced 16 in. on C
This building will be used for the purposes of Dwelling (If for apartments, tenements, or other family uses state number of families accommodated and number on each floor. If for manufacturing or mercantile purposes state character of business and amount of estimated weight to be carried by the floor.)
Number of families on floor One
Total number of families One
Manufacturing (state character)
Estimated load on floors per sq. ft.
Mercantile business (state character and load per sq. ft.)

If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary.


STAIRWAYS—No. in building location to be enclosed with walls to be lathed with lathing.

ROOF—To be constructed of Wood Rafters to be 2-6" inches to be spaced 24 inches on centers. Roof to be covered with Shingled

Gutters to be made of Cornices to be made of
Bay windows to be made of to be covered with
Dormer windows to be made of to be covered
Chimneys, Smoke flues to be lined with Flue Lining and provided with a 10-inch outside collar and an inside collar to go to the inside of the flue.
Estimated Cost of Building $2,000
INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begun.
The Building is Owner by the day Address
The Architect is Address
The Owner is W. H. Rolfe Address Woodfords
No Deviation will be made from the above application without written permission from the Inspector of Buildings.
The above petition was granted the 16 day of Sept. 191 3.

(Applicant to sign here W. H. Rolfe

43 Maplewood St.
32-24



PERMIT NO. 4044
DATE OF ISSUE 9-15-12
LOCATION
Maplewood