WARRANTY DEED

Know All Men By These Presents That Lisa Wife, Inc.

of 573 Ocean Street, South Portla County of Cumberland	and, and State of Maine,
for consideration paid, grant to Carson G.	Lynch
of 224 South Street, Hingham, County of	and State of MA
with WARRANTY COVENANTS:	
	with any buildings thereon situated in y of Cumberland escribed in Exhibit A attached hereto and
In Witness Whereof, I/we have hereun March, 2001.	to set my/our hand(s) this 15th day of
	Lisa Wife, Inc.
Vitness	By: Kaile R. Warren, Jr.,
State of Maine County of Cumberland ss.	
On this 15th day of March, 2001 above named Kaile R. Warren, Jr.,,	, personally appeared before me the of Lisa Wife, Inc.
and acknowledged the foregoing to be his/her/their f free act and deed of said Corporation.	ree act and deed in his/her/their said capacity and the
	Notary Public, Attorney at Law
Return to: Carson G. Lynch	

File No: 01030614

Reviewed for Code Compliance Inspections Division Division Division Londinors 12/23/14

Exhibit A - Deed

A certain lot or parcel of land with the buildings thereon, situated on the southwesterly side of Washington Avenue, in the city of Portland, county of Cumberland and state of Maine, described as follows: Beginning on Washington Avenue, at the southeasterly corner of land now or formerly of Philip O,. Bruns, et al by deed dated November 20, 1954 and recorded in the Cumberland County Registry of Deeds in Book 2204, Page 342, being 62 feet southeasterly from Fobes Street; thence southeasterly by said line of Washington Avenue 62 feet to land formerly of Thurlow; thence southwesterly by said Thurlow land 100 feet, more or less, to the easterly corner of land conveyed by Fremont L. Wescott to Nellie S. Marston by deed dated May 2, 1903 and recorded in the said Registry in Book 733, Page 22; thence northwesterly by said Marston land 66.62 feet to the southwesterly corner of said Bruns land thence northeasterly by said Bruns land 100 feet to Washington Avenue at the point of beginning.

Meaning and intending to convey and hereby conveying the same premises described in a deed from Ocwen Federal Bank, FSB dated November 24, 1997 to Lisa Wife, Inc. and recorded in the Cumberland County Registry of Deeds in Book 13470, Page 314.



PORTLAND MAINE 12/23/14

Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

Jeff Levine, AICP, Director Director of Planning and Urban Development

Tammy Munson Director, Inspections Division

Electronic Signature and Fee Payment Confirmation

Notice: Your electronic signature is considered a legal signature per state law.

By digitally signing the attached document(s), you are signifying your understanding this is a legal document and your electronic signature is considered a *legal signature* per Maine state law. You are also signifying your intent on paying your fees by the opportunities below.

I, the undersigned, intend and acknowledge that no permit application can be reviewed until payment of appropriate permit fees are *paid in full* to the Inspections Office, City of Portland Maine by method noted below:

Within 24-48 hours, upon receipt of an e-mailed invoice from Building Inspections, which signifies that my electronic permit application and corresponding paperwork have been received, determined complete, entered by an administrative representative, and assigned a permit number, I then have the following four (4) payment options:

	options.
	to provide an on-line electronic check or credit/debit card (we now accept American Express, Discover, VISA, and MasterCard) payment (along with applicable fees beginning July 1, 2014),
	all the Inspections Office at (207) 874-8703 and speak to an administrative representative to provide a credit/debit card payment over the phone,
	hand-deliver a payment method to the Inspections Office, Room 315, Portland City Hall,
	or deliver a payment method through the U.S. Postal Service, at the following address:
79	City of Portland Inspections Division 389 Congress Street, Room 315 Portland, Maine 04101
	once my payment has been received, this then starts the review process of my permit. After all approvals have been met and completed, I will then be issued my permit via e-mail. No work shall be started until I have received my permit. Applicant Signature:
	Lhave provided digital copies and sent them on: Phank Date: 10/5/14

NOTE: All electronic paperwork must be delivered to <u>buildinginspections@portlandmaine.gov</u> or by physical means ie; a thumb drive or CD to the office.

Room 315 - 389 Congress Street-Portland, Maine 04101 (207) 874-8703 - Fax: 874-8716 - TTY: 874-8936

Inspections Division
Approved with Conditions
12/23/14

DRIVEWAY 32'

ENTRANCE VINDOW MINDON (FIRST FLOOR) SEVER MAIN MALEN met ours O Avenue BASEMENT WASHINGTON (M-001 SMORTH N (MESSWATM) CHS BOINER から いちんしかいの (WHILED) 8x422 MAN 635098 PROPOSES GAS SERVICE PIPE CIP CULT BREAKED MOONIN GÁS METER PROPOSED VENT ELECTRICAL SERVICE HAWGERS (EXISTING) CEXISTING) BURIED MATURAL GAS PIPELINE - UNITIL (EXISTING) YARD 510E





HVAC / Power Equipment Checklist

All of the following information is required and must be submitted. Checking off each item as you prepare your application package will ensure your package is complete and will help to expedite the permitting process.

 Information on how the unit is being vented & hanging details if appropriate. Details of the specific equipment being installed; ie; specifications and any heating technical specifications. Often this information can be obtained from the manufacturer's spec sheet or retail advertisements. A plot plan showing the shape and dimension of the lot, with the distance from the actual property lines and the principal structure. Proof of ownership is required if it is inconsistent with the assessors records. 	V	A floor plan that includes structural details, size and dimensions of the floor the equipment is going to be installed.
Often this information can be obtained from the manufacturer's spec sheet or retail advertisements. A plot plan showing the shape and dimension of the lot, with the distance from the actual property lines and the principal structure.	V	Information on how the unit is being vented & hanging details if appropriate.
and the principal structure.		Details of the specific equipment being installed; ie; specifications and any heating technical specifications. Often this information can be obtained from the manufacturer's spec sheet or retail advertisements.
Proof of ownership is required if it is inconsistent with the assessors records.	V	A plot plan showing the shape and dimension of the lot, with the distance from the actual property lines, and the principal structure.
	\checkmark	Proof of ownership is required if it is inconsistent with the assessors records.

All HVAC installations must be conducted in compliance with the IRC 2009 Building Code

Separate permits are required for plumbing and electrical installations, as required.

Separate permits are also required based on different properties (different Chart, Block and Lot.)

Permit Fee: \$25.00 for the first \$1000.00 construction cost, \$11.00 per additional \$1000.00 cost

This is not a Permit; you may not commence any work until the Permit is issued.



FILL IN AND SIGN WITH INK



Application for Heating, Ventilation, Air Condition (HVAC) Cooking or Power Equipment

Date: _	12/23


To the Inspector of Buildings, Portland Maine:

The undersigned hereby applies for a permit to install the following HVAC, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Address/CBL: 1308 hostington Ave Use of I	Building: 12-5-2014	
Name and Address of Owner: Carson Lynch 1308		
Phone Number Owner: 409 THO E-Mail		
Name and Address of Installer: Boardon Halnes 6		
Phone Number Installer 201239-6340 E-Mail		
Location of Appliance:	Type of Venting: (Plan required for submittal)	
\square' Basement \square Floor	☐Masonry Lined	
	☐ Factory Built:	
☐ Attic ☐ Roof	□Metal	
Towns of Free L	☐Factory Built UL Listing:	
Type of Fuel:	☑Direct Vent	
☐ Gas NATURAL ☐ Oil ☐ Solid	Type: UL #:	
Appliance Name: Viesmoun Vibolens	# of Tanks:	
UL Approved: ✓ Yes □ No	Type of Fuel Tank:	
	☐ Gas ☐ Oil	
Will appliance be installed in accordance with the		
manufacturer's installation instructions? 🗸 Yes 🗆 No	Size of Tank:	
Type of License of Installer:	Distance from tank to center of flame:	
Master Plumber #:		
Solid Fuel #:		
Oil #:	Cost of Work: \$ 7,000,00	
Gas #: PNT 8944	1/00	
Other:	Permit Fee: \$ \$9 . 00	

Signature of Installer:

E:Mail: Decredos 14 62 Yours. Com





VITODENS

Gas-fired wall-mounted conder 37 to 118 MBH / 10.8 t



Technical Data Manual

Model Nos. and pricing: see Price List





Vitodens 100-W

WB1B Series

Gas-Fired Wall-Mounted Condensing Boiler with modulating stainless steel MatriX cylinder burner and stainless steel Inox-Radial heat exchanger for room air independent operation (using a direct vent system) or room air dependent operation













Product Information



VITODENS 100-W

Equipped with a Viessmann stainless steel heat exchanger for lasting performance and reliability and a modulating MatriX cylinder gas burner, the Vitodens 100-W wall-mounted condensing boiler is the perfect combination of value, quality and Viessmann technology.

The benefits at a glance:

■Outstanding efficiency of 94.0 % A.F.U.E. on all models.

■Lasting performance

with Viessmann-made SA240 316Ti stainless steel Inox-Radial heat exchanger constructed to ASME Section IV and CSA B51.

■Low-emission

with fully-modulating stainless steel MatriX cylinder burner. Factory calibration eliminates adjustments in the field.

- < 29 ppm NO $_{\rm x}$ (at 3% O $_{\rm 2}$)
- < 40 ppm CO (at 3% O₂)

■Control variety

Integrated boiler control interfaces with any level of external control - from room thermostat to outdoor reset and more.

■Compact, lightweight design

and zero clearance to combustibles make it a great choice for limited-space installations.

■Extremely quiet operation;

quieter than most refrigerators. < 50 dBA (at 1 meter / 3.3 ft.)

■ Easy installation, service and maintenance with all pipe connections located at the bottom and serviceable components easily accessible from the front.

■Multiple venting options

- Horizontal or vertical sealed combustion coaxial vent system (factory supplied).
- Horizontal, vertical or hybrid sealed combustion double-pipe vent system (field supplied).
- Horizontal or vertical single-wall vent system (field supplied).

■Suitable for high altitude levels of up to 10,000 ft. / 3,000 m without deration.

■Built-in automatic frost protection

allows boiler to be shut off for an extended period of time while protecting it against freeze-up.

■Limited lifetime warranty

in residential applications.

Product Inf Cross






- A Stainless steel MatriX cylinder burner
- Inox-Radial stainless steel heat exchanger
- © Burner blower
- D Gas and hydronic connections
- Boiler control

Standard Equipment:

Wall-mount boiler and installation fittings c/w 30 psi pressure relief valve, pressure gage, gas shut-off valve, two fill/drain valves, all mounting hardware, outdoor temperature sensor, and LP conversion kit.



Product may not look exactly as illustrated.

Technical Data



Technical Data

			Standard heating boiler
Boiler Model	Model No.	WB1B 26	WB1B 35
Natural gas and LPG			
CSA input	MBH	37-91	37-118
*4	kW	10.8-26.7	10.8-34.6
CSA output/DOE *1	MBH	34-83	34-108
heating capacity	kW	9.9-24.3	9.9-31.6
Net I = B = R rating *2	MBH	72	94
Heat exchanger surface area	ft. ²	10.23	10.23
	m ²	0.86	0.86
Min. gas supply pressure			
Natural gas	"w.c.	4	4
LPG	"w.c.	10	10
Max. gas supply pressure *3			
Natural gas and LPG	"w.c.	14	14
A.F.U.E.	%	94.0	94.0
Weight	lbs	78	78
	kg	34.1	34.1
Shipping weight	lbs	95	95
	kg	43	43
Boiler water content	USG	0.87	0.87
	ltr	3.3	3.3
Boiler max. flow rate *4	GPM	6.2	6.2
	ltr/h	1400	1400
Max. operating pressure	psig	45	45
at 210°F / 99°C	bar	3	3
Boiler water temperature			
 Adjustable high limit (AHL) range 			
 space heating (steady state) 	°F / °C		/ 30 to 80
– DHW production (set-point)	°F / °C	172	/ 78
- Fixed high limit (FHL)	°F / °C	210	/ 99
Boiler connections			
Boiler heating supply and return NPTI	VI (male) "	3/4	3/4
	(female) "	3/4	3/4
Drain valve (male	e thread)	3/4	3⁄4
Dimensions			
Overall depth	inches	14 ¹ / ₈	14 ¹ / ₈
	mm	360	360
Overall width	inches	15¾	15¾
	mm	400	400
Overall height	inches	281/2	28½
	mm	725	725

 $^{^{*1}}$ Output based on 140°F / 60°C, 120 °F / 49°C system supply/return temperature.

^{*2} Net I = B = R rating based on piping and pick-up allowance of 1.15.

^{*3} If the gas supply pressure exceeds the maximum gas supply pressure value, a separate gas pressure regulator must be installed upstream of the heating system.

^{*4} See "Maximum Flow Rates" on pages 15 to 17 in this manual.

Vitoder



Approved with Condition 12/23/14

		Standard heating boiler		
Boiler Model	Model No.	WB1B 26	WB1B 35	
Gas supply connection	NPTF "	3/4	3/4	
Flue gas *5				
Temperature (at boiler return				
temperature of 86°F / 30°C)				
 at rated full load 	°F / °C	127 / 53	131 / 55	
 at rated partial load 	°F / °C	90 / 32	90 / 32	
Temperature (at boiler return temperature of 140°F / 60°C)	°F / °C	167 / 75	172 / 78	
Flue gas value				
Mass flow rate (of flue gas)				
- at rated full load	lbs/h	79.2	100.1	
	kg/h	36.0	45.5	
- at rated partial load	lbs/h	33.0	33.0	
·	kg/h	15.0	15.0	
Available draught	Pa	100	100	
Available draught	mbar	1.0	1.0	
Flue gas temperature sensor				
limit	°F / °C	230 / 110	230 / 110	
Average condensate				
flow rate*6				
with natural gas				
$-T_S/T_R = 122/86^{\circ}F / 50/30^{\circ}C$	USG/day	1.95-2.3	2.5-2.8	
	ltr/day	8-9	9.4-10.5	
Condensate connection *7	hose			
	nozzle			
	Ø in	1	1	
Boiler flue gas connection *8	Ø			
	in/mm	2 ³ / ₈ /60	2 ³ / ₈ /60	
Combustion air supply	outer			
connection *8	Ø in/mm	4/100	4/100	
Noise level (at 1 meter)				
– at full load	(dB)	47	49	
– at partial load	(dB)	40	42	
High altitude (factory set) *9				
	ft. / m	0-5,000 / 0-1,500	0-5,000 / 0-1,500	

 $^{^{*5}}$ Measured flue gas temperature with a combustion air temperature of 68 $^{\circ}$ F / 20 $^{\circ}$ C.

For information regarding other Viessmann System Technology componentry, please reference documentation of respective product.

^{*6} Based on typical boiler cycles, including partial load conditions.

^{*7} Requires 1" / 25 mm tubing. See Vitodens 100-W Installation Instructions for details.

^{*8} For an overview of venting options refer to the appendix starting on page 19. For detailed information refer to the Vitodens Venting System Installation Instructions.

^{*9} For 5,000 to 10,000 ft / 1,500 to 3,048 m operation, a coding address change is required. Refer to the Installation and Service Instructions for details.

Vitodens 100-W



Vitodens 100-W, WB1B 26/35 without piping connections




Fig. 1 Front view

Connections Vitodens 100-W, WB1B 26, 35

Legend

Connections

- A Condensate drain, plastic hose Ø 1" / 25mm
- B Boiler water supply, NPT ¾ " (male
- © Gas connection, NPT ¾" (male thread)
- D Boiler water return, NPT ¾" (male thread)
- **(E)** Combustion air opening for double pipe
- F Combustion air opening for co-axial system

Dimensions

- a See fig. 2 for dimensions
- 15¾" / 400 mm
- 2⁵/₈" / 68 mm
- d 28½" / 725 mm
- 4⁷/₈" / 123 mm
- $6^{1}/8''$ / 156 mm
- 14¹/₈" / 360 mm
- h 5" / 125 mm
- $9^{7}/8$ " / 250 mm
- k 1¹/₄" / 31 mm
- m 7⁷/₈" / 200 mm
- $n 3^{1}/8'' / 80 m$

Vitoder



Vitodens 100-W, WB1B 26/35 with piping connections





Fig. 2



Piping connections for Vitodens 100-W, WB1B 26 and 35 (factory supplied)

Legend

BWR Boiler water return, ¾" BWS Boiler water supply, ¾" BD Boiler drain

BF Boiler fill

GC Gas connection, ¾" NPTM

(male thread)

PRV Pressure relief valve PG Pressure gage

VC Venting connection


CAI Combustion air inlet connection

(optional)

Vitodens 100-W/Technical Data



Recommended Minimum Service Clearances






Fig. 5

Minimum Clearances to Combustibles

Тор	Front	Rear	Left	Right	Vent pipe* 1
0	0 AL, CL	0	0	0	0

 $\overline{AL} = Alcove$

CL = Closet

Note:

The Vitodens 100-W boiler has passed the zero inches vent clearance to combustibles testing requirements provided by the boiler Harmonized Standard ANSI Z21.13. CSA 4.9.2005 and therefore is listed for zero clearance to combustibles when vented with a single wall special venting system (AL-29-4C material) or UL/ULC-listed CPVC gas vent material. The zero inches vent clearance to combustibles for the Vitodens 100-W boiler supercedes the clearance to combustibles listing that appears on the special venting system label.

^{*1}Refer to the Installation Instructions of the Vitodens Venting System for details.


Technical Data/Heating Circu



Waterside Flow (boiler circuit)

The Vitodens 100-W is designed only for closed loop, forced circulation hot water heating systems.

Pressure drop (primary circuit) of Vitodens 100-W



A low-loss header **must** be used when the **system** flow rate exceeds the maximum or falls below the minimum flow rate of the Vitodens 100-W boiler. An alternative method may be used, such as primary secondary piping using closely spaced tees. A low-loss header offers additional benefits not provided by a pair of closely spaced tees. Viessmann strongly recommends and prefers the use of a low-loss header over closely spaced

Please see page 13 for details.

Use standard friction loss method for pipe sizing.

Observe boiler maximum and minimum flow rate limitations. If system flow rate exceeds boiler maximum flow rate (as stated on page 13) or if system flow rate is unknown, Viessmann strongly recommends the installation of a low-loss header. See page 13 for low-loss header information.

Heating Circuit Pumps

Recommended heating pumps with Vitodens 100-W, WB1B 26, 35:

- Grundfos 15-58 (3-speed)
- Taco 00R or equivalent

Refer to the graph above for the proper waterside boiler friction loss calculations.

IMPORTANT

Pump selection must be based on accurate system flow and pressure drop calculations (incl. DHW sizing).

DHW Production/Wall Mounting



Domestic Hot Water Production via DHW Storage Tank

Vitodens 100-W boilers can be used in conjunction with the stand-alone DHW storage tanks offered by Viessmann (a separate DHW controller should be field supplied). All Viessmann DHW storage tanks sold in North America are available in "Vitosilver" finish only.

Size and select the DHW storage tank based on the forecast DHW consumption of the building in question.

For further technical information on DHW storage tanks, see the Vitocell-V Technical Data Manuals.

Wall Mounting Information

The Vitodens 100-W (model WB1B 26 and 35) comes with a template, which allows you to easily mark the location of the screws for the mounting bracket and the location of the flue gas pipe on the wall (Viessmann coaxial PPS vent system only).

The connection to the heating circuits must be made on site (installation fittings are supplied in the Installation Fittings package supplied with the boiler).




Fig. 6

Legend

A Mounting template

Condensate Connection/Neutraliza



Reviewed for Code Compliance Inspections Division Approved with Conditions 12/23/14

Condensate Connection

Install the condensate drain pipe (Ø $^{7}/_{8}''$ / 22mm) with a suitable gradient (min. 2.5%). Discharge condensate from the boiler into the drainage system, either directly or (if required) via a neutralization unit (accessory).


The condensate drain of the Vitodes 100-W boiler is equipped with a built-in siphon trap in order to keep flue gases from being discharged via the condensate drain.

IMPORTANT

Pipe ventilation must take place between the siphon trap and the neutralization unit (if applicable).

Condensate connection for Vitodens 100-W

■ model WB1B 26, 35



A Discharge tubing

Fig. 7

Condensate Drainage and Condensate Neutralization

The condensate formed both in the condensing boiler and in the flue gas pipe must be discharged into the public sewage system in accordance with all applicable local regulations. The condensate produced by a gas-fired heating system has a pH value between 3 and 4.

Some local codes may require the use of a separate neutralization unit to treat the aggressive and corrosive condensate. With a neutralization unit installed, all condensate from the boiler and the flue gas pipe enters into the neutralization unit where it is treated and released into the public sewage system with a safe pH value of above 6.5.

The use of neutralization granulate (performing the neutralizing process) is dependent on the operation of the heating system. To determine the required refill amount, check granulate level several times during the first year of operation. In some cases one granulate fill may last an entire year.

Contact Viessmann to order a neutralization unit for the Vitodens 100-W boiler. See Viessmann Price List for order information.

The condensate discharge outlet to the drainage system connection must be clearly visible. It must be installed with a suitable gradient and provided with a stench trap.

If the condensate outlet of the Vitodens 100-W boiler is lower than the drain, a condensate pump must be used.

Only corrosion-resistant materials may be used for condensate drainage purposes (e.g. braided hose). Do not use galvanized materials or materials containing copper for piping, couplings etc. The condensate drain must have a trap to prevent flue gas leakage.

Please note that other requirements may apply depending on local regulations and/or project-specific details.

It is advisable to contact your local waterworks office (authority responsible for waste water regulations) well before commencing with the installation of the neutralization unit in order to establish details of local regulations that apply.

The following table shows the concentration of (effluent) substances (e.g. heavy metals) contained in the waste water from the Vitodens 100-W condensing boiler.

Condensate (effluent) substances	Values measured in mg/ltr	
Lead Cadmium Chromium Copper Nickel Zinc Tin	< 0.01 < 0.005 < 0.01 < 0.01 < 0.01 < 0.05 < 0.05	

Venting Options / Electrical Connection



Vitodens 100-W Venting Options

For an overview of venting options refer to the appendix starting on page 19. For detailed information refer to the Vitodens Venting System Installation Instructions.

Electrical Connection

All electrical connections are made to the boiler's integrated power pump module (120 VAC/60 Hz). Use disconnect means and power service switch as per local code requirements.

Control Unit

Function and construction

The control is integrated into the Vitodens 100-W boiler.

- Integrated diagnostic system
- For room temperature-dependent operation, an external control or a room temperature thermostat may be connected
- To control DHW temperature, a separate DHW controller may be connected
- External heat demand
- 0-10 V (field wiring)
- Viessmann outdoor temperature sensor (field wiring)
- Open Therm (field wiring)

The control unit consists of:

- LCD Display
- Selector dial for boiler water temperature adjustment
- Selector dial for service setting
- Temperature adjustable high limit
- Boiler temperature sensor
- Burner fault display
- Burner fault resetPressure gage
- Fuse

Boiler temperature sensor

The boiler temperature sensor is connected to the control unit and built into the boiler.

Frost protection

Frost protection is continuously active. The burner is switched ON when the boiler water temperature reaches 41°F / 5°C and is switched OFF again when the boiler water temperature reaches at least 59 °F / 15°C (but not more than 68°F / 20°C).



For details on the control, please refer to the Vitodens 100-W Operating Instructions.

Vitodens 100-W Acc


12/23/14

Accessories for the Vitodens 100-W

Neutralization Unit for Single-Boiler Applications

with neutralizing granulate

for Vitodens 100-W, WB1B 26, 35 Part No. 7134 231



Low-Loss Header

-Type 80/50 Part No. 7134 791

(max. flow rate 17.6 GPM / 4 m³/h)

-Type 120/80 Part No. 7134 792

(max. flow rate 35.2 GPM / 8 m³/h)






Fig. 9

A low-loss header offers additional benefits not provided by a pair of closely spaced tees. Viessmann strongly recommends and prefers the use of a low-loss header over closely spaced tees. When used in conjunction with the Vitodens 100-W boiler, the low-loss header acts as hydraulic break, decoupling boiler and system circuits from each other (no sensor required). It is recommended to use the low-loss header in applications in which the total system flow rate exceeds the maximum or falls below the minimum flow rate of the Vitodens 100-W boiler. For maximum boiler flow rates, see the table on page 9 in this manual.

Viessmann strongly recommends the use of a low-loss header in cases where the system head and flow rates are unknown. In addition, the low-loss header helps eliminate air and debris [D] from the heating system. See illustrations below for the principle of operation.



Low-loss header design



Principle of Operation

Product does not look exactly as illustrated.

The low-loss header is available in the following sizes. Select the size based on the maximum system flow rate of your application.

Model No.	Max. system flow rate	
Type 80/50	17.6 GPM / 4 m ³ /h	
Type 120/80	35.2 GPM / 8 m ³ /h	

Legend

AB Air Bleed

BR Boiler Return

BS Boiler Supply

BY Bypass (with laminar flow)

Debris and/or air

DV Drain Valve

SR System Return

SS System Supply

TS Viessmann Temperature Sensor (not used)

SW Sensor Well

T1 Boiler supply temperature

T2 Boiler return temperature

T3 System supply temperature

T4 System return temperature

 $\begin{array}{lll} V_{primary} & Boiler circuit flow rate \\ V_{secondary} & Heating circuit flow rate \\ V_{bypass} & Bypass flow rate \\ Q_{primary} & Heat supplied by boiler \\ Q_{secondary} & Heat consumed by system \end{array}$

 $V_{primary} < V_{secondary}$

T1 > T3

T2 = T4

 $Q_{primary} = Q_{secondary}$

 $T1 \leq 176$ °F / 80°C

 $V_{secondary} = V_{primary} + V_{bypass}$

IMPORTANT

When installing a low-loss header, system mixed supply temperature (T3) must be calculated as follows:

$$T3 = \frac{T1 \times V_{primary} + T4 V_{bypass}}{V_{secondary}}$$

Standard Equipment/How the Vitodens 100-W Operates.../ Installation Examples



Standard Equipment

The Vitodens 100-W gas-fired condensing boiler with Inox-Radial heat exchanger surfaces, modulating stainless steel MatriX cylinder gas burner c/w

- installation fittings with 30 psig pressure relief valve, air vent and pressure gauge
- two fill/drain valves
- all mounting hardware

The boiler comes fully piped and prewired.

Venting material (coaxial) is to be supplied by Viessmann only. Side wall vent installations must include Viessmann protective screen!

Wall mounting componentry

The following wall mounting components are supplied with the Vitodens 100-W boiler:

- Mounting bracket
- Mounting bolts
- Installation fittings
- Screws for mounting bracket on
 - wood studs (2" x 4")
- metal studs
- brick/concrete wall

How the Vitodens 100-W boiler operates...

The Vitodens 100-W boiler uses a premix combustion system, which is designed to deliver a certain air-gas mixture to the burner for complete combustion. The gas is injected upstream of the blower. The burner and heat exchanger are part of a forced-draft design. The benefits of forced-draft systems are lower component temperatures, direct air-fuel connection (premix) for improved mixing, and longer service life of the boiler due to mild to moderate ambient conditions. The MatriX cylinder burner, blower and the combination gas valve are factory calibrated and pre-adjusted. A pneumatic link between combustion air and gas flows quarantees optimal boiler performance at all firing rates. Blower speed is automatically increased or decreased based on heat demand, thereby regulating the amount of combustion air drawn. The pneumatic link between air and gas introduces the required amount of gas for optimal combustion to meet the current heat demand, based on a linear relationship between Δ P air and Δ P gas.

Installation Examples

IMPORTANT


The examples on the following pages depict possible piping layouts of the Vitodens 100-W boiler.

Please note that the following examples are simplified conceptual drawings only! Piping and necessary componentry must be field verified. A low water cut-off (LWCO) must be installed where required by local codes. Proper installation and functionality in the field is the responsibility of the heating contractor.

Installation I



System Layout 1 Vitodens 100-W, WB1B 10-26, 10-35 with one heating circuit



System Layout 1 - Alternate Option




Fig. 11

Please note! The use of a low-loss header is recommended if the water flow rate is less than 1.7 GPM / 400 ltr/h or more than 6.2 GPM / 1400 ltr/h. The low-loss header is available as accessory part.

Maximum Flow Rates

Model	WB1B	10-26	10-35
Δ t			
Output B	tu/h	83,000	108,000
30 °F ris	e (GPM)	5.5	
35 °F ris	e (GPM)	4.7	6.2
40 °F ris	e (GPM)	4.2	5.4

Legend

AV Air vent PRV Pressure relief valve

- Vitodens 100-W
- (B) Room thermostat
- Heating circuit
- Heating circuit pump (field supplied)
- Expansion tank
- Pressure Activated By-Pass

Please note:

Heating circuit © in the examples should be designed to 30°F to 40°F / 16.7°C to 22.2°C. For lesser delta T design, system layout designer must use one of the examples (3 or 4) on the following pages.

IMPORTANT

Ensure that a pressure activated by-pass is installed if there are system component(s) in (C) that may isolate the flow to the pump D.


Installation Examples



System Layout 2

Vitodens 100-W, WB1B 10-26, 10-35 with...

- DHW storage tank
- low-loss header
- one heating circuit



AV Air vent PRV Pressure relief valve TPV Temperature and pressure relief

- A Vitodens 100-W gas-fired condensing boiler
- External boiler/DHW controller (field supplied)
- © Heating circuit
- (D) Heating circuit pump (field supplied)
- E DHW storage tank
- DHW tank temperature aquastat or sensor
- G DHW circulating pump (field supplied)
- H Low-loss header
- K Expansion tank
- Primary pump (boiler circuit, field supplied) with low-loss header only

IMPORTANT

Primary pump ump into the boiler (as illustrated).

Please note!

The use of a low-loss header is recommended if the water flow rate is less than 1.7 GPM / 400 ltr/h or more than 6.2 GPM / 1400 ltr/h.

The low-loss header is available as accessory part.

Maximum Flow Rates

Model WB1B	10-26	10-35
Δ t		
Output Btu/h	83,000	108,000
30°F rise (GPM)	5.5	
35°F rise (GPM)	4.7	6.2
40°F rise (GPM)	4.2	5.4

IMPORTANT


DHW supply and return piping between boiler DHW connections and the Viessmann DHW tank connections, shall be a minimum of 1" nominal pipe diameter (irrespective of the ¾" DHW connection outlet sizes provided on the boiler and the DHW tank). This ensures that the head of the pump is fully utilized to overcome the resistance of the DHW heat exchanger coil and to provide sufficient water flow to the boiler heat exchanger. In non-Viessmann DHW tank applications, perform, in addition to the above, accurate calculations for DHW tank coil pressure drop versus boiler pump head to ensure sufficient water flow to the boiler heat exchanger. Failure to heed the above instructions may cause boiler short-cycling and inadequate DHW supply.

Installation I



System Layout 3

Vitodens 100-W, WB1B 10-26, 10-35 with DHW storage tank and one heating circuit



IMPORTANT

Primary pump ① must pump into the boiler (as illustrated).

Please note!

The use of a low-loss header is recommended if the water flow rate is less than 1.7 GPM / 400 ltr/h or more than 6.2 GPM / 1400 ltr/h.

The low-loss header is available as an accessory part.

Maximum Flow Rates

Model	WB1B	10-26	10-35
Δ t			
Output Btu/h		83,000	108,000
30 °F ris	e (GPM)	5.5	
35 °F ris	e (GPM)	4.7	6.2
40 °F ris	e (GPM)	4.2	5.4

AV Air vent PRV Pressure relief valve TPV Temperature and pressure relief valve

- A Vitodens 100-W gas-fired condensing boiler
- (B) External boiler/DHW controller (field supplied)
- © Heating circuit
- D Heating circuit pump (field supplied)
- E DHW storage tank
- F DHW tank temperature aquastat or sensor
- G DHW circulating pump (field supplied)
- (H) Closely spaced tees, 4xpipe Ø or 12" / 305mm*
- K Expansion tank
- Primary pump (boiler circuit, field supplied) with low-loss header only

*A low-loss header offers additional benefits not provided by a pair of closely spaced tees. Viessmann strongly recommends and prefers the use of a low-loss header over closely spaced tees.

Please see page 13 for details.

IMPORTANT

DHW supply and return piping between boiler DHW connections and the Viessmann DHW tank connections, shall be a minimum of 1" nominal pipe diameter (irrespective of the ¾" DHW connection outlet sizes provided on the boiler and the DHW tank). This ensures that the head of the pump is fully utilized to overcome the resistance of the DHW heat exchanger coil and to provide sufficient water flow to the boiler heat exchanger. In non-Viessmann DHW tank applications, perform, in addition to the above, accurate calculations for DHW tank coil pressure drop versus boiler pump head to ensure sufficient water flow to the boiler heat exchanger. Failure to heed the above instructions may cause boiler short-cycling and inadequate DHW supply.

System Design Considerations

IN THE COMMONWEALTH OF MASSACHUSETTS...

- -this product shall be installed by a licensed plumber or gas fitter.
- -the flexible connector (if used) may not exceed 36".
- -any level type shutoff used must be of tee handle type.

Reviewed for Gode Compliance inspections Division Approved with Conditions 12/23/14

Boiler location

As a direct vent appliance, the Vitodens 100-W may be installed for room air independent operation (sealed combustion) regardless of size and ventilation method of the room in which it is located. The Vitodens 100-W may be installed, for example, in the main living area of a house, in non-ventilated utility rooms, cupboards, closets and alcoves with no clearance required from combustible materials, as well as in attics with a direct outlet for the flue gas/fresh air system. Follow all local and national codes.

Flue gas system

Viessmann coaxial PPS (Polypropylene flame retardent) concentric flue gas/fresh air systems and two-pipe stainless steel/CPVC systems for room air independent operation (sealed combustion) and side wall venting are tested to ANSI Z21.13 - CSA 4.9 -2007 standards and are certified together with the Vitodens 100-W boiler as a constructional unit. The Vitodens 100-W boiler may also be vented vertically or horizontally, using a metallic AL29-4C® special stainless steel, or non-metallic CPVC single-wall, room air dependent venting system (UL/ULC listed for category IV). For a more detailed description of the direct vent and single-wall vent system, please refer to the Vitodens Venting System Installation Instructions.

Flue gas temperature protection

Viessmann coaxial PPS (Polypropylene - flame retardent) flue pipes used for the Vitodens 100-W are rated for max. flue gas temperatures of up to 248 °F/120 °C. Flue gas temperature protection is also included although the maximum permissible flue gas temperature will not be exceeded in any operating condition or in the event of malfunctioning.

Low water cut-off

A low water cut-off may be required by local codes. If the boiler is installed above the radiation level, a low water cut-off device of approved type must be installed in all instances. An approved low water cut-off device that meets government and local regulations must be provided by the heating contractor. Do not install an isolation valve between the boiler and the low water cut-off. The Vitodens 100-W boiler has a built-in flow switch, which may be accepted by local codes in lieu of a low water cut-off.

System layout

- The max. boiler water temperature for ... -space heating is 180°F / 82°C.
- -DHW production is 172°F / 78°C. To minimize distribution losses, Viessmann recommends that the heating and domestic hot water systems be based on a maximum boiler supply temperature of 158 °F/70 °C.
- Due to the low return temperatures required for gas condensing, avoid the use of mixing valves in the heating circuit whenever possible. If mixing valves are required, e.g. for multi-circuit systems or underfloor heating systems, only 3-way mixing valves may be used.
 - Do not use 4-way mixing valves in a system with condensing boilers.

Water connections

Vitodens 100-W boilers can be used in any fully pumped hot water heating system.

Minimum system pressure is 0.8 bar/12 psig.

Chemical corrosion protection products

Corrosion does not typically occur in sealed heating systems which have been correctly installed and are correctly operated.

Many manufacturers of plastic pipes recommend the use of chemical additives. In this case, only commercially available corrosion protection products that have been approved for boilers with domestic hot water heating via single-wall heat exchangers (instantaneous plate heat exchangers or DHW tanks) may be used.

Underfloor heating systems

For underfloor heating systems Viessmann recommends the use of plastic tubing with an oxygen diffusion barrier in order to prevent the diffusion of oxygen through tubing. If plastic tubing without an oxygen diffusion barrier is used in underfloor heating systems, Viessmann recommends that such systems be separated from the boiler with a heat exchanger.

Oxygen diffusion barrier underfloor tubing

The boiler warranty does not cover leaks resulting from corrosion caused by the use of underfloor plastic tubing without an oxygen diffusion barrier. Such systems must have the non-oxygen diffusion barrier tubing separated from the boiler with a heat exchanger. Viessmann recommends the use of underfloor plastic tubing with an oxygen diffusion barrier.

Water quality

Treatment for boiler feed water should be considered in areas of known problems, such as where a high mineral content and hardness exist. In areas where freezing might occur, an antifreeze may be added to the system water to protect the system. Please adhere to the specifications given by the antifreeze manufacturer. Do not use automotive silicate based antifreeze. Please observe that an antifreeze/water mixture may require a backflow preventer within the automatic water feed and influence components such as diaphragm expansion tanks, radiation, etc. Maximum antifreeze content is 50% for the Vitodens 100-W boiler. Do not use antifreeze other than specifically made for hot water heating systems. The system may also contain components which might be negatively affected by antifreeze. Check total system frequently when filled with antifreeze. Advise system operator/ultimate owner that system is filled with a glycol mix. The heating contractor must provide a MSDS (Material Safety Data Sheet) for the antifreeze used to the system operator/ultimate owner.

Warranty

Our warranty does not cover damages resulting from the following:

- installation or service by unqualified and unlicensed personnel.
- attempting to perform any repair work on the boiler other than that mentioned in the boiler literature.
- tampering with or attempting to readjust the factory settings of the combination gas valve
- leaks resulting from corrosion caused by the use of underfloor plastic tubing without an oxygen diffusion barrier.

For detailed warranty information, please read warranty sheet supplied with product.



Vitodens 100-W Venting Alternatives

Venting Alterna	atives	Vent Sys	Vent System Diameter							
		Viessmann Coaxial PPs Vent ¹		Stainless Steel Vent ²		CPVC Vent ³			Туре	
Max. Equivalent Le	ngth (EqL)	60/100	80/125	100/150	3″	4"	2″	3″	4"	Diameter
Horizontally Vented	d EqL	82 / 25	98 / 30	118 / 36	164 / 50	200 / 61	86 / 26	164 / 50	200 / 61	ft. / m
Vertically Vented	EqL	82 / 25	98 / 30	118 / 36	164 / 50	200 / 61	86 / 26	164 / 50	200 / 61	ft. / m
	See Page(s)		20-21		22-2	23		24-25		Page
Horizontal Intake / Vertically Vented	EqL	_	-	_	164 / 50	200 / 61	_	164 / 50	200 / 61	ft. / m
	See Page(s)				26 26				Page	
Select vent material based on vent configuration, preferred material, and necessary maximum equivalent length. Always follow Viessmann venting installation instructions. - Do not common vent Vitodens 100-W with any other appliance. - Layouts on the following pages are for illustrative purposes only . - Do not use Price List for installation purposes. This is not a design tool.										

³ CPVC vent material **must** be ULC/UL listed, for Category IV boilers. Suggested source: IPEX Inc.

Standard Equipment:

Wall-mount boiler and installation fittings c/w 30 psig pressure relief valve, pressure gage, gas shut-off valve, two fill/drain valves, all mounting hardware, outdoor temperature sensor, and LP conversion kit.

Sealed combustion, coaxial vent material to be supplied by Viessmann only.
 Stainless steel vent material must be ULC/UL listed, stainless steel AL29-4C[®] for Category IV boilers. Suggested sources: Flexmaster Canada Ltd. / Z-Flex (US) Inc., Heat-fab, ProTech Systems Inc., or Security Chimneys Int'l.

[▶] Boiler standard working pressure: 30 psig; maximum: 45 psig. For 45 psig, order optional PRV 9549 944.

[▶] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).

Reviewed for Code Compilance Inspections Division Approved with Conditions 12/23/14

Coaxial PPs Vent System

Vent System ¹	Vent System Diameter				
		60/100	80/125	100/150	Diameter
Horizontally Vented	Maximum Equivalent Length (EqL)	82 / 25	98 / 30	118 / 36	ft. / m
Room Air Independent Operation	Basic Horizontal Vent Kit Venting pieces can be ordered individually, or as a convenient kit using the Order No. to the right; Basic Vent Kit includes one of each of the items num- bered ② to ⑤, and two Mounting Clips ⑥.	7424 119	_	_	Order No.
	① Boiler Vent Pipe Adaptor 60/100		included with boiler		
	Adaptor, coaxial 60/100 to 80/125 (not shown)	_	7424 112	_	Order No.
B (A)	Adaptor, coaxial 60/100 to 100/150 (not shown)	_	_	7424 113	Order No.
	② 90° Elbow EqL = 1.6ft. / 0.5m	7424 094	7424 095	7424 096	Order No.
	③ Straight Pipe ² 3.3ft. / 1m	7424 091	7424 092	7424 093	Order No.
A Combustion Air Intake B Flue Gas Outlet	4 Vent Termination 2.6ft. / 0.8m	7424 100	7424 101	7424 102	Order No.
	(5) Protective Screen ¹		7134 237		Order No.
	6 Mounting Clip ² (each)	7424 109	7424 110	7424 111	Order No.
Other Available Vent Pieces not shown in illustration above	Sliding Coupling 1.25ft. / 0.4m	7424 106	7424 107	7424 108	Order No.
	Straight Pipe ² 1.6ft. / 0.5m	7424 088	7424 089	7424 090	Order No.
	45° Elbow (Set of 2) EqL = 1.0ft. / 0.3m	7424 097	7424098	7424 099	Order No.

¹ PPs coaxial vent material **must** be ULC S-636 certified for Category IV boilers. Do **not** mix non-ULC S-636 with ULC S-636 venting. Side wall venting installation **must** include Viessmann Protective Screen!

² Order 1 Mounting Clip for each straight length of vent pipe installed.

[▶] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).

[▶] A maximum of 5 elbows may be installed in the vent system; do not exceed maximum equivalent vent length.

[►] Always follow Viessmann venting installation instructions 5368 815.



Coaxial PPs Vent System (continued)

Vent System ¹	Vent System Diameter				
		60/100	80/125	100/150	Diameter
Vertically Vented	Maximum Equivalent Length (EqL)	82 / 25	98 / 30	118 / 36	ft. / m
Room Air Independent Operation	1 Boiler Vent Pipe Adaptor 60/100	included with boiler			
	Adaptor, coaxial 60/100 to 80/125 (not shown)	_	7424 112	_	Order No.
	Adaptor, coaxial 60/100 to 100/150 (not shown)	_	_	7424 113	Order No.
•	② 90° Elbow EqL = 1.6ft. / 0.5m	7424 094	7424 095	7424 096	Order No.
(a)(b)(c)(d)(d)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)(e)<l< td=""><td>(6) Mounting Clip ² (each)</td><td>7424 109</td><td>7424 110</td><td>7424 111</td><td>Order No.</td></l<>	(6) Mounting Clip ² (each)	7424 109	7424 110	7424 111	Order No.
	8 Sliding Coupling 1.25ft. / 0.4m	7424 106	7424 107	7424 108	Order No.
0268 96	9 Straight Pipe ² 1.6ft. / 0.5m	7424 088 <i>or</i>	7424 089 <i>or</i>	7424 090 <i>or</i>	Order No.
2	Straight Pipe ² 3.3ft. / 1m	7424 091	7424 092	7424 093	Order No.
1111	10 45° Elbow (Set of 2) EqL = 1ft. / 0.3m	7424 097	7424 098	7424 099	Order No.
A Combustion Air Intake B Flue Gas Outlet	(1) Vent Termination 3.9ft. / 1.2m	7424 103	7424 104	7424 105	Order No.
	Roof Flashing and Storm Collar (B-Vent material or better)	field supplied			

¹ PPs coaxial vent material must be ULC S-636 certified for Category IV boilers. Do not mix non-ULC S-636 with ULC S-636 venting.

5 2 Order 1 Mounting Clip for each straight length of vent pipe installed. ² Order 1 Mounting Clip for each straight length of vent pipe installed.

[▶] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).


[►] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).

► A maximum of 5 elbows may be installed in the vent system; do not exceed maximum equivalent vent length.

► Always follow Viessmann venting installation instructions 5368 815.



Stainless Steel Vent System



¹ Stainless steel vent material must be ULC/UL listed, stainless steel AL29-4C® for Category IV boilers. Suggested sources: Flexmaster Canada Ltd. / Z-Flex (US) Inc., Heat-fab, ProTech Systems Inc., or Security Chimneys Int'l.

Boiler cannot support weight of vent system. Support venting as prescribed in vent manufacturer's installation instructions.

³ Combustion air supply pipe may be made of the following materials: ABS, CPVC, PVC, or stainless steel.

[▶] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).

Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).
 A maximum of 5 x 90° elbows may be installed in the air intake and flue outlet combined; do not exceed maximum equivalent vent length.

[►] Always follow Viessmann venting installation instructions 5368 815.



Stainless Steel Vent System (continued)

12/23/14

Vent System ¹	Vent System Diameter	Vent System Diameter				
			3"	4"	Diameter	
Vertically Vented	Maximum Equivalent Length (EqL)	a + b ≦	164 / 50	200 / 61	ft. / m	
Room Air Independent Operation	1 Boiler Vent Adaptor		included v	vith boiler		
(a)	2 Adaptor, for stainless steel 60/100 to 80/125 (outer shell removed)		7424	1 112	Order No	
	3 Adaptor(s), stainless steel 80mm to 3"		field supplied	field supplied and		
3	-(8) 3" to 4" -(4) (not shown)		_	field supplied		
	4 Venting Support ²		field su	upplied		
①	Material ¹ for EqL calculations, ■ 45° Elbow EqL = 2ft. / 0.6m	 ⑤ ULC/UL listed Stainless Steel Vent Material ¹ for EqL calculations, use: ■ 45° Elbow EqL = 2ft. / 0.6m ■ 90° Elbow EqL = 3ft. / 0.9m 		field supplied		
	6 Adaptor(s), CPVC 60mm to 2"			7134 769		
	7 2" to 3" or 2" to 4"	7 2" to 3" or 2" to 4"		field supplied		
(A) Combustion Air Intake	8 Combustion Air Intake Vent M	aterial ³	field su	upplied		
B Flue Gas Outlet	Bird Screen c/w Termination		field su	upplied		
Room Air Dependent Operation	① Boiler Vent Adaptor	1 Boiler Vent Adaptor		included with boiler		
6	2 Adaptor, for stainless steel 60/100 to 80/125 (outer shell removed)		7424	1 112	Order No	
•	3 Adaptor(s), stainless steel 80mm to 3"		field supplied	field supplied and		
	3" to 4" (not shown)		-	field supplied		
① H. H.	4 Venting Support ²	4 Venting Support ²		field supplied		
A) Combustion Air Intake	 ⑤ ULC/UL listed Stainless Steel V Material ¹ for EqL calculations, ■ 45° Elbow EqL = 2ft. / 0.6m ■ 90° Elbow EqL = 3ft. / 0.9m 	use:	field su	upplied		
B Flue Gas Outlet C Air Opening	Bird Screen c/w Termination for stainless steel		field su	upplied		

Stainless steel vent material must be ULC/UL listed, stainless steel AL29-4C® for Category IV boilers. Suggested sources: Flexmaster Canada Ltd. / Z-Flex (US) Inc., Heat-fab, ProTech Systems Inc., or Security Chimneys Int'l.

³ Combustion air supply pipe may be made of the following materials: ABS, CPVC, PVC, or stainless steel.

- ▶ Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).
- ► A maximum of 5 x 90° elbows may be installed in the air intake and flue outlet combined; do not exceed maximum equivalent vent length.

▶ Always follow Viessmann venting installation instructions 5368 815.


Boiler cannot support weight of vent system. Support venting as prescribed in vent manufacturer's installation instructions.

IMPORTANT:

Do not use any DWV plumbing pipes to vent this boiler.



CPVC Vent System



CPVC vent material **must** be ULC/UL listed, for Category IV boilers. Suggested source: IPEX Inc.

² Boiler cannot support weight of vent system. Support venting as prescribed in vent manufacturer's installation instructions.

³ Combustion air supply pipe may be made of the following materials: ABS, CPVC, PVC, or stainless steel.

[▶] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).

A maximum of 5 x 90° elbows may be installed in the air intake and flue outlet combined; do not exceed maximum equivalent vent length.


[►] Always follow Viessmann venting installation instructions 5368 815.

IMPORTANT:

Do not use any DWV plumbing pipes to vent this boiler.

Reviewed for Code Compliance Inspections Division Approved with Conditions 12/23/14

CPVC Vent System (continued)



¹ CPVC vent material **must** be ULC/UL listed, for Category IV boilers. Suggested source: IPEX Inc.

² Boiler cannot support weight of vent system. Support venting as prescribed in vent manufacturer's installation instructions.

³ Combustion air supply pipe may be made of the following materials: ABS, CPVC, PVC, or stainless steel.

[▶] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).

A maximum of 5 x 90° elbows may be installed in the air intake and flue outlet combined; do **not** exceed maximum equivalent vent length.

[►] Always follow Viessmann venting installation instructions 5368 815.

IMPORTANT:

Do not use any DWV plumbing pipes to vent this boiler.



CPVC or Stainless Steel Vent System

Vent System ¹	Vent System Diameter				
		2"	3″	4"	Diameter
Hybrid Vent System Horizontal Intake / Vertically Vented	$\begin{array}{ll} \text{Maximum Equivalent} & \text{a + b} \leqq \\ \text{Length (EqL)} & \end{array}$	86 / 26	164 / 50	200 / 61	ft. / m
Room Air Independent Operation	1 Boiler Vent Adaptor	Vent Adaptor included			
® ⑨ ▼□	② Adaptor, for stainless steel 60/100 to 80/125 (outer shell removed)	7424 112		Order No.	
	② Adaptor(s), CPVC 60mm to 2"	7134 769		Order No.	
4	3 Adaptor(s), stainless steel 80mm to 3"	_	field supplied	field supplied and	
<u> </u>	3" to 4" (not shown)	_	_	field supplied	
b	3 Adaptor(s), CPVC 2" to 3"	-	field supplied	field supplied and	
4 9	3" to 4" (not shown)	_	_	field supplied	
(9)	4 Venting Support ²		field supplied		
	ULC/UL listed Stainless Steel Vent Material ^{1a} for EqL calculations, use: 45° Elbow EqL = 2ft. / 0.6m 90° Elbow EqL = 3ft. / 0.9m or				
(A) Combustion Air Intake (B) Flue Gas Outlet	(5) ULC/UL listed CPVC Vent Material ¹b for EqL calculations, use: ■ 45° Elbow EqL = 3ft. / 0.9m ■ 90° Elbow EqL = 5ft. / 1.5m	field supplied			
	6 Adaptor(s), CPVC 60mm to 2"		7134 769	Order No.	
	7 2" to 3" or 2" to 4"	field supplied			
	8 Combustion Air Intake Vent Material field supplied Allowable materials: see note below 3		ied		
	Bird Screen c/w Termination for stainless steel or	field supplied		ied	
^{1a} Stainless steel vent material must be ULC/UL listed, stain	Bird Screen (Set of 2) for CPVC .	7134 780	7134 781	7134 782	Order No.

^{1a}Stainless steel vent material **must** be ULC/UL listed, stainless steel AL29-4C® for Category IV boilers.

Suggested sources: Flexmaster Canada Ltd. / Z-Flex (US) Inc., Heat-fab, ProTech Systems Inc., or Security Chimneys Int'l.

^{1b}CPVC vent material **must** be ULC/UL listed, for Category IV boilers. Suggested source: IPEX Inc.

² Boiler cannot support weight of vent system. Support venting as prescribed in vent manufacturer's installation instructions.

³ Combustion air supply pipe may be made of the following materials: ABS, CPVC, PVC, or stainless steel.

[▶] Do not include first 90° elbow in equivalent vent length calculations (this applies to all vent materials).

[►] A maximum of 5 x 90° elbows may be installed in the air intake and flue outlet combined; do not exceed maximum equivalent vent length.

[►] Always follow Viessmann venting installation instructions 5368 815.



12/23/14

5369 277 v1.5

Viessmann Manufacturing Company (U.S.) Inc. 45 Access Road Warwick, Rhode Island • 02886 •USA 1-800-288-0667 • Fax (401) 732-0590 www.viessmann-us.com • info@viessmann-us.com Viessmann Manufacturing Company Inc. 750 McMurray Road Waterloo, Ontario • N2V 2G5 • Canada 1-800-387-7373 • Fax (519) 885-0887 www.viessmann.ca • info@viessmann.ca