



# Pro Deck Design™



## Deck Information

Deck 1

Construction Method - Beam on Top of Post  
Footing Type - Pier In-Ground  
Live Load - 60  
Dead Load - 10  
Decking Spacing - 1/8 in  
Joist Spacing - 16 in  
Beam Spacing - 96 in  
Post Spacing - 57 1/4 in  
Decking - L5/4x6 Treated Southern Pine No. 2  
Beams - L2x6 Treated Southern Pine No. 1  
Joists - L2x6 Treated Southern Pine No. 1  
Posts - L4x4 Treated Southern Pine No. 2  
Deck Height - 28 in  
Diagonal Bracing - No  
Joist Overhang - 0 in  
Beam Overhang - 0 in  
Decking Deflection Factor - 360  
Joist Deflection Factor - 360  
Beam Deflection Factor - 360  
Pref Decking Size - 5/4x6  
Pref Joist Size - NONE  
Pref Beam Size - NONE  
Pref Post Size - NONE

Railing 3

Railing Height - 36 in  
Baluster Spacing - 3 3/4 in

Railing 5

Railing Height - 36 in  
Baluster Spacing - 3 3/4 in

Railing 6

Railing Height - 36 in  
Baluster Spacing - 3 3/4 in

Railing 4

Railing Height - 36 in  
Baluster Spacing - 3 3/4 in

Railing 9

Warning and Important Instructions: This is not a final design plan or estimate. EDGENET, INC. assumes no responsibility for the correct use or output of this program. All information contained on this page is subject to the terms in the disclaimer located at the end of this document.

Advertencia e instrucciones importantes: Esto no es un plan ni una estimación final del diseño. EDGENET, INC. no asume ninguna responsabilidad del uso o de la salida correcto de este programa. Toda la información contenida en esta página está conforme a los términos en la negociación, situada en el extremo de este documento.