


TYPICAL ROOF ASSEMBLY:
 EPDM ROOFING MEMBRANE
 POLYISOCYANURATE INSULATION
 PLYWOOD SHEATHING
 WOOD ROOF TRUSS SYSTEM
 1/2" FURRING CHANNELS @ 16" O.C.
 5/8" TYPE 'X' GWB



TYPICAL EXTERIOR METAL SIDING:
 HORIZONTALLY ORIENTED FIRESTONE
 UR-PRO OMEGA PANEL OR EQUAL
 VERTICALLY ORIENTED HAT CHANNEL
 TYVEK BUILDING WRAP
 1/2" PLYWOOD SHEATHING
 2x6 FRAMING W/ CONT. INSULATION
 5/8" TYPE 'X' GWB

TYPICAL 8" MASONRY VENEER EXTERIOR WALL ASSEMBLY:
 WITH INSULATED METAL STUD FURRING. REFERENCE
 PARTITION SCHEDULE FOR FURTHER INFORMATION.

TYPICAL STRUCTURAL SLAB ASSEMBLY:
 REF. STRUCTURAL DRAWINGS FOR
 MORE INFORMATION

TYPICAL FOUNDATION WALL SYSTEM:
 REF. STRUCTURAL DRAWINGS FOR
 MORE INFORMATION

TYPICAL GRADE BEAM SYSTEM:
 REF. STRUCTURAL DRAWINGS FOR
 MORE INFORMATION

**2" RIGID INSULATION CONTINUOUS
 FOR THE ENTIRE PERIMETER OF
 STRUCTURAL SLAB.**