



HEADER SCHEDULE			
MARK	HEADER SIZE	JACK STUDS	KING STUDS
RH1	(3)2x10	(2)2x6	(2)2x6
RH2	(3)2x12	(2)2x6	(2)2x6
RH3	(2)2x8	(1)2x6	(2)2x6
RH4	(2)1 3/4x9 1/2 LVL	(2)2x6	(2)2x6
RH5	(2)1 3/4x11 7/8 LVL	(2)2x6	(3)2x6

ROOF BEAM SCHEDULE		
MARK	BEAM SIZE	POST (EA END, U.N.O.)
RB1	(2)1 3/4x9 1/2 LVL	(2)2x6
RB2	(2)1 3/4x11 7/8 LVL	(2)2x6

**ROOF FRAMING PLAN**  
1/16"=1'-0"

- NOTES:
- COORDINATE T/PLATE ELEVATIONS WITH ARCHITECTURAL DWGS.
  - INDICATES AREA OF FIRE TREATED ROOF SHEATHING.
  - COORDINATE EXTENDS WITH ARCH.
  - INDICATES SPAN DIRECTION OF ROOF SHEATHING.
  - TYPICAL HEADER IN EXTERIOR WALL SHALL BE RH3, U.N.O.
  - SWx INDICATES WOOD SHEAR WALL. SEE SHEAR WALL SCHEDULE DWG S4.2
  - FOR SHEATHING AND NAILING REQMTS.
  - SEE DWG S4.3 FOR WOOD TRUSS PROFILES AND LOADING DIAGRAMS.
  - BWx INDICATES BEARING WALL. SEE SCHEDULE, DWG S1.3.
  - NOTE: FOR WALLS NOT INDICATED, REFER TO TYP WALL STUD SCHEMATIC, DWG S1.3

