



NOTE:  
SEE ARCHITECTURAL DRAWINGS FOR BUILDING RELATED FINISH FLOOR DETAILS. THIS INCLUDES INSERTS REQUIRED FOR COLUMN CONNECTION, BEARING/SHEAR WALL CONNECTIONS AND SEISMIC JOINT.

BAR SIZE	MINIMUM LAP SPlice LENGTH	HOOK LENGTH
#4	3'-4"	8"
#5	5'-2"	10"
#10	8'-6"	1'-10"

NOTE:  
ALL REBAR SHALL BE EPOXY COATED

811 First Avenue, Suite 570  
Seattle, Washington 98104  
Phone: (206) 424-1387  
Fax: (206) 424-1388  
E-Mail: [info@spudnet.com](mailto:info@spudnet.com)

**CONSULTING ENGINEERS**  
**Incorporated**

STATE OF MAINE  
DEPARTMENT OF TRANSPORTATION  
PROJECT NUMBER 009215.00  
PIN 009215.00

STATE OF MAINE  
DEPARTMENT OF TRANSPORTATION  
PROJECT NUMBER 009215.00  
PIN 009215.00

PROJ. MANAGER	PAUL POTLIE	DATE	REVISIONS
DESIGN-DETAILED	RJ	09/01/04	
CHECKED-REVIEWED	DH	09/01/04	
DESIGN2-DETAILED2	DP		
DESIGN3-DETAILED3			
REVISIONS 1			
REVISIONS 2			
REVISIONS 3			
REVISIONS 4			
FIELD CHANGES			

CITY OF PORTLAND  
OCEAN GATEWAY PHASE 1  
PIER A  
DECK DETAILS

W301-A  
95 OF 288