



Filename:



Note:
See site drawings for exact locations of gas meters. Provide a unistrut support for the meters and regulators.


Note:
1. Provide 3" gutter downspouts (to 1'-0" above finished pavement elevation); insulation, electric heat trace and PVC jacketing at canopy. See the Architectural Drawings for quantities and locations.
2. Provide continuous electric heat tracing for the gutter, as indicated on the Architectural Drawings.

RECEIVING STATION FIRST FLOOR PLAN
SCALE: 1/8" = 1'-0"



BENNETT ENGINEERING
CONSULTING ENGINEERS

STATE OF MAINE
DEPARTMENT OF TRANSPORTATION
PROJECT NUMBER 009215.00
PIN
009215.00



PROJ. MANAGER	PAUL POTTLE	DATE	10/05/04
DESIGN-DETAILED	SMR	BY	DOEL
CHECKED-REVIEWED	SMR	DATE	10/05/04
DESIGN-DETAILED	SMR	SIGNATURE	STEPHEN P. DOEL
DESIGN-DETAILED	SMR	P.E. NUMBER	3807
REVISIONS 1		DATE	10/5/04
REVISIONS 2			
REVISIONS 3			
REVISIONS 4			
FIELD CHANGES			

CITY OF PORTLAND
OCEAN GATEWAY PHASE 1
RECEIVING STATION
PLUMBING FIRST FLOOR PLAN

P100-R