

PERMIT ISSUED

City of Portland, Maine - Building or Use Permit Application
389 Congress Street, 04101 Tel: (207) 874-8703; Fax: (207) 874-8716

Permit No: 01-0385
Issue Date: APR 25 2001
CB#: 397 A 0101

Location of Construction: 55 Heather Road	Owner Name: Reynolds, Denise & Mark	Owner Address: 55 Heather Rd.	Permit No: 01-0385	Issue Date: APR 25 2001	CB#: 397 A 0101
Business Name: n/a	Contractor Name: E.A. Brown Company	Contractor Address: 14 Anchorage South Portland	CITY OF PORTLAND		
Lessee/Buyer's Name n/a	Phone: n/a	Permit Type: Additions - Dwellings	Permit No: 01-0385	Issue Date: APR 25 2001	CB#: 397 A 0101
Past Use: Single Family Home	Proposed Use: Single Family / 10 x shed and addition above existing garage. **Call owner @797-0422 or 776-2791.	Permit Fee: \$276.00	Cost of Work: \$41,121.00	CEO District: 2	Zone: R-2

Proposed Project Description: Build Addition & Shed	Proposed Use: Single Family / 10 x shed and addition above existing garage. **Call owner @797-0422 or 776-2791.	Permit Fee: \$276.00	Cost of Work: \$41,121.00	CEO District: 2	Zone: R-2
Signature: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	Signature: <i>[Signature]</i>	FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: <i>9-3</i>	PERMIT ISSUED PER 5-3. DO NOT SIGN PERMITS WITH RED PENCILS	
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	Signature: <i>[Signature]</i>	Date:	Date:		

Permit Taken By: *gg* Date Applied For: 04/20/2001

Zoning Approval

Special Zone or Reviews	Zoning Appeal	Historic Preservation
<input type="checkbox"/> Shoreland <i>Constructed 1969</i> <input type="checkbox"/> Wetland <i>8, 256# of land</i> <input type="checkbox"/> Flood Zone <i>land</i> <input type="checkbox"/> Subdivision <i>above existing</i> <input type="checkbox"/> Site Plan <i>14-436</i> <input type="checkbox"/> Major <i>Minor</i> <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> <i>Denial</i> <input type="checkbox"/> Denial Date: <i>4/28</i>	<input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	<input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date:

PERMIT ISSUED WITH REQUIREMENTS

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT _____ ADDRESS _____ DATE _____ PHONE _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ DATE _____ PHONE _____

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE
PERMIT IS ISSUED

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 55 Heather Road Portland ME

Total Square Footage of Proposed Structure Square Footage of Lot

Tax Assessor's Chart, Block & Lot Number	Owner: <u>Mark V. Denise A Reynolds</u>	Telephone#: <u>797-0422</u>
Chart# <u>397</u> Block# <u>A</u> Lot# <u>07D</u>		

Lessee/Buyer's Name (If Applicable) <input checked="" type="checkbox"/>	Owner's/Purchaser/Lessee Address: <u>55 Heather Rd</u>	Cost Of Work: <u>\$ 41121</u>	Fee: <u>\$ 270.00</u>
--	---	-------------------------------	-----------------------

Current use: Single family home Shed 1475
addition 39,000
53755

If the location is currently vacant, what was prior use: N/A 41121

Approximately how long has it been vacant: N/A

Proposed use: Single family home / add shed

Project description: we are building over existing garage: bedroom, bathroom, closet space; will be accessible from existing bedroom on 2nd floor. Also adding a shed to (existing) property.

Contractor's Name, Address & Telephone: E.A. Brown Company Inc. 799-6435 For Shed
Call
Ewerett
Grover
883-8529

Applicants Name, Address & Telephone: Mark & Denise Reynolds 797-0422

14 Anchorage Pl
S. Portland, ME 04106

55 Heather Rd
Portland ME 04103

Who should we contact when the permit is ready: Denise Reynolds

Telephone: 797-0422 home

770-2791 cell

If you would like the permit mailed, what mailing address should we use:

55 Heather Rd

Portland, ME 04103

Rec'd By:

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE
PERMIT IS ISSUED**

PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches; a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- ✓ Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

**SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC
AND ELECTRICAL INSTALLATIONS**

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Minor/Minor Site Review Fee for New Single Family homes: \$300.00/Building Permit Fee: \$30.00 for the 1st
\$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

**ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE
PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER
THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED**

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:

Dennis Repetto

Date:

4/18/01

BUILDING PERMIT REPORT

DATE: 20 APRIL 2001 ADDRESS: 55 Heather Rd. CBL: 397-0-010

REASON FOR PERMIT: Addition over garage

BUILDING OWNER: Mark & Denise B. Reynolds

PERMIT APPLICANT: owner CONTRACTOR: E. A. Brown, Comp. Inc.

USE GROUP: A-3 CONSTRUCTION TYPE: 5B CONSTRUCTION COST: \$211,219 PERMIT FEES: \$2200

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1 *2 *3 *4 *5 *6 *7 *8 *9 *10 *11 *12 *13

1 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING"

3 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2

4 Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17

5 Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

6 Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

7 It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

8 Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

9 All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211

10 Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

11 Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B, H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12 Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13 Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14 The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

15 The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36". Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

17 Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)


18 All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's.

19 (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

A120

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
- In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics)
28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
29. All requirements must be met before a final Certificate of Occupancy is issued.
30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1999).
31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
32. Please read and implement the attached Land Use Zoning report requirements.
33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
34. Bridging shall comply with Section 2305.16.
35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
36. All flashing shall comply with Section 1406.3.10.
37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code. (The BOCA National Building Code/1999).


Samuel Hennes, Building Inspector
cc: Lt. McDougall, PFD
Marge Schmuekel, Zoning Administrator
Michael Nugent, Inspection Service Manager

PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

**THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

****CERTIFICATE OF OCCUPANCY FEE \$50.00

LAND USE - ZONING REPORT

ADDRESS: 55 Heather Rd DATE: 4/24/01

REASON FOR PERMIT: 10x10 Shed + Addition Above existing garage

BUILDING OWNER: Reynolds C-B-I: 397-A-010

PERMIT APPLICANT: owner

APPROVED: with conditions; #1, #6, #10

CONDITION(S) OF APPROVAL

1. This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
2. During its existence, all aspects of the Home Occupations criteria, Section 14-410, shall be maintained.
3. All the conditions placed on the original, previously approved, permit issued on _____ are still in effect for this amendment, and/or revised permit.
4. The footprint of the existing _____ shall not be increased during maintenance reconstruction.
5. Your present structure is legally nonconforming as to setbacks. If you are to demolish this structure on your own volition, you will only have one (1) year to replace it in the same footprint (no expansions), with the same height, and the same use. Any changes to any of the above shall require that this structure meet the current zoning standards.
6. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
7. Our records indicate that this property has a legal use of _____ units. Any change in this approved use shall require a separate permit application for review and approval.
8. Separate permits shall be required for any new signage.
9. Separate permits shall be required for future decks, sheds, pool(s), and/or garage.
10. This is not an approval for an additional dwelling unit. You shall not add any additional kitchen equipment including, but not limited to items such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals.
11. All of the attached Floodplain forms shall be appropriately filled out, signed, and returned prior to the issuance of any certificates of occupancy.
12. Other requirements of condition _____

Marge Schmuckel
Marge Schmuckel, Zoning Administrator

MORTGAGE LOAN INSPECTION

Cumberland Title Company

P.O. Box 4843

Portland, ME 04112

1-207-774-1773

1-207-774-2278 (fax)

CL No.: 010744

Job No.: CTC03-15.

Date: 3/11/96

Country: Cumberland

Plan Bk. 00072 Pg. 33

Lot(S): 00030

Scale: 1" = 20'


Borrower(S): Mark V. Reynolds and
Denise A. Reynolds
St. No.: 00055
Street: Heather Road
Town: Portland, ME
Source Deed Bk. 06669 Pg. 00314

HEATHER ROAD

(PAVED)

PINELOCH DRIVE

(PAVED)



85'+- (PLAN)

100'+- (PLAN)


78'+- (PLAN)

99'+- (PLAN)

29

30

100' +/- under boundary be 5' from side & rear lines



SECTION 186 - ZONING

LESS THAN 5 FEET FROM GARAGE

proposed site for shed.

NOTE: THIS IS NOT A BOUNDARY SURVEY. This plan is made for the purposes of determining that the improvements are within the apparent boundary lines. THE PREPARER IS NOT LIABLE FOR ANY OTHER USE BY ANY OTHER PERSON OR ENTITY.

CERTIFICATION: I hereby certify to *Norrest Mortgage, Inc.*

and its mortgage title insurer that based upon inspection made with reasonable certainty, that:

a) this plan was made from an inspection of the site.

b) there ARE apparent violations of municipal ordinances regarding building setbacks in effect at time of construction.

c) the principal structure(s) located on the premises ARE NOT in a flood hazard zone as delineated on the flood maps used by the Federal Emergency Management Agency.

Denise A. Reynolds

[Signature]

Shop Plans

WALLS - 7'-11" 9 SHEETS
 FLOOR/ROOF - 5/8 CDX 5 SHEETS

BRACKETS - 2X6X12' - 6 PCS.

FLOOR FRAMING - 2X6X10' - 8 PCS ✓

WALLS 2X2X8' - 8 PCS


WALL/ROOF FRAMING - 2X4X10 - 16 PCS.
 1X4-5/8" - 2X4-5/8" - 2-10' 1X4-1/2" 1/2"

BRACKETS - 2X4X12' - 2 PCS

DRIP EDGE - 44 LIN FT.



SHIMBLES - 1/2" 5/8"


WALLS - 10
 CEILING JOISTS - 10




FLOOR

Shed





Shed



PLUMBING APPLICATION

397-A-010

Department of Human Sciences
Division of Health Engineering

S.W.

PROPERTY ADDRESS

Town or Plantation: Holland W.
 Street: 55 Heather Rd.
 Subdivision Lot #: PROPERTY OWNERS NAME

Last: Reynolds First: Walter

Applicant Name: Robert S. Dyer

Mailing Address of Owner/Applicant (If Different): P.O. Box 6822 Scarborough W.

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspectors to deny a Permit.

Signature of Owner/Applicant: [Signature] Date: 6/25/01

Local Plumbing Inspector Signature

Date Approved

PERMIT INFORMATION

This Application is for:

1. NEW PLUMBING
 2. RELOCATED PLUMBING

Type of Structure To Be Served:

1. SINGLE FAMILY DWELLING
 2. MODULAR OR MOBILE HOME
 3. MULTIPLE FAMILY DWELLING
 4. OTHER - SPECIFY _____

Plumbing To Be Installed By:

1. MASTER PLUMBER
 2. OIL BURNERMAN
 3. MFG'D. HOUSING DEALER/MECHANIC
 4. PUBLIC UTILITY EMPLOYEE
 5. PROPERTY OWNER
 LICENSE # 188566

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

PORTLAND
 Date Permit Issued: 6/25/01
 7745 TOWN COPY
 \$ 129.00 FEE Double Fee Charged
 Local Plumbing Inspector Signature: _____ L.P.I. # 0121

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Number	Column 2 Type of Fixture	Number	Column 1 Type of Fixture
HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.		Hosebibb / Sillcock	1	Bathrub (and Shower)
		Floor Drain		Shower (Separate)
OR		Urinal		Sink
		Drinking Fountain	1	Wash Basin
HOOK-UP: to an existing subsurface wastewater disposal system.		Indirect Waste	1	Water Closet (Toilet)
		Water Treatment Softener, Filter, etc.		Clothes Washer
OR		Grease / Oil Separator		Dish Washer
		Dental Cuspidor		Garbage Disposal
PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.		Bidet		Laundry Tub
		Other: _____		Water Heater
TRANSFER FEE [\$6.00]		Fixtures (Subtotal) Column 2	0	Fixtures (Subtotal) Column 1

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

Fixtures (Subtotal) Column 2	0	Fixtures (Subtotal) Column 1	3
Total Fixtures			
Fixture Fee		Transfer Fee	
Hook-Up & Relocation Fee		Permit Fee	
(Total)		29.00	

TOWN COPY

ELECTRICAL PERMIT

City of Portland, Me.



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 6/20/16

Permit # 1624

CBL # 397 A 016

LOCATION: 55 Heather Rd METER MAKE & # _____
 CMP ACCOUNT # _____ OWNER Made + Denise Reynolds
 TENANT _____ PHONE # _____

						TOTAL EACH FEE
OUTLETS	15	Receptacles	Switches	Smoke Detector		20
FIXTURES	13	Incandescent	Fluorescent	Strips		20
SERVICES		Overhead	Underground	TTL AMPS	<800	15.00
		Overhead	Underground		>800	25.00
Temporary Service		Overhead	Underground	TTL AMPS		25.00
METERS		(number of)				25.00
MOTORS		(number of)				1.00
RESID/COM		Electric units		Exterior		2.00
HEATING		oil/gas units	Interior	Wall Ovens		1.00
APPLIANCES		Ranges	Cook Tops	Fans		5.00
		Insta-Hot	Water heaters	Dishwasher		2.00
		Dryers	Disposals	Washing Machine		2.00
		Compactors	Spa			2.00
MISC. (number of)		Others (denote)				2.00
		Air Cond/win		Pools		3.00
		Air Cond/cent		Thermostat		10.00
		HVAC	EMS			5.00
		Signs				10.00
	<u>Snake</u>	Alarms/res				5.00
	<u>1</u>	Alarms/com				15.00
		Heavy Duty(CRKT)				2.00
		Circus/Carnv				25.00
		Alterations				5.00
		Fire Repairs				15.00
		E Lights				1.00
		E Generators				20.00
PANELS		Service	Remote	Main		4.00
TRANSFORMER		0-25 Kva				5.00
		25-200 Kva				8.00
		Over 200 Kva				10.00
INSPECTION:		MINIMUM FEE/COMMERCIAL 45.00		TOTAL AMOUNT DUE		35.00
		Will be ready Fri 6/22/16		MINIMUM FEE		35.00
				or will call		35.00

CONTRACTORS NAME Jim Anselmitt Electric MASTER LIC. # 13861
 ADDRESS 42 Lehigh meadow Rd Scarborough ME LIMITED LIC. # _____
 TELEPHONE 883-9428 Cell # 831-6583

SIGNATURE OF CONTRACTOR Jim Anselmitt