

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 12 Collidge Avenue		Owner: Dung Huynh		Phone:		Permit No: 000445	
Owner Address:		Lessee/Buyer's Name:		Phone:		Business Name:	
Contract Name: AAA Construction Co.		Address: 19 Industrial RD. Saco		Phone: *** LEO 282-7697		<div style="border: 1px solid black; padding: 5px;"> PERMIT ISSUED Permit Issued: MAY 9 2000 CITY OF PORTLAND </div>	
Past Use: single family		Proposed Use: same		COST OF WORK: \$ 13,000		PERMIT FEE: \$ 102.00	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: <i>A-3 Type 5-3</i> <i>BOCA 999</i>	
Proposed Project Description: 12x16 addition to right side of house				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied: <input type="checkbox"/>		Signature: _____ Date: _____ Signature: <i>Hoffman</i>	
Permit Taken By: UEA		Date Applied For: May 2, 00				Zoning Approval: Zone: <i>R-2</i> CBL: <i>347-R-018</i> Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PLEASE CALL WHEN READY LEO @000-282-769

Noor
 3/2/00

PEF
WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT	ADDRESS:	DATE: May 2, 00	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:

Action:

Approved
 Approved with Conditions
 Denied

Date: _____

PERMIT ISSUED
WITH REQUIREMENTS
CEO DISTRICT

BUILDING PERMIT REPORT

DATE: 3 MAY 2008 ADDRESS: 12 Coalidge Ave. CBI: 347-E-018

REASON FOR PERMIT: 12'x16' add. Top

BUILDING OWNER: Dang Huyuh

PERMIT APPLICANT: _____ CONTRACTOR Pm Const. Co.

USE GROUP: R-3 CONSTRUCTION TYPE: 5-B CONSTRUCTION COST: 13,000.00 PERMIT FEES: 1000

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITIONS OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: *1 *2 *11 *13
*19 *22 *24 *32 *34 *36 *37 #31

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the ~~Department Review Committee~~ and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. Section 1813.5.2
Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6" O.C. between bolts. Section 2305.17
4. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
5. Preparation must be taken to protect concrete from freezing. Section 1908.0
6. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
7. Private garages attached spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
8. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
9. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
10. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A,B,H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
11. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
12. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
13. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
14. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
15. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self-closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
16. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceilings, or by providing automatic extinguishment. (Table 302.1.1)

5/2

- *19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard
- 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year"
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawlspaces & attics).
- *27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls with electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- *29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1999).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16) *see Attached*
- 31. Please read and implement the attached Land Use Zoning report requirements.
- *32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. Bridging shall comply with Section 2305.16.
- *33. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- *34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code. (The BOCA National Building Code/1999).
- *35. *The proposed PRR at address 1107 on 3.12.11 Piers shall be placed on Footings on 10 Keebler - There shall be fasteners between Footings Piers - Piers - Columns and Framing. You must amend plans does not show stairs or deck from doors - you must have plot plan work is to be done with this info is shown and approved. (Approved New Plans) OK*

P. Samuel Hoffes, Building Inspector
 Lt. McDougall, PFD
 Marge Schmuckel, Zoning Administrator

PS# 12600

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval

**THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

***CERTIFICATE OF OCCUPANCY FEE \$50.00

**** ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 14.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.

LAND USE - ZONING REPORT

ADDRESS: 12 Colidge Ave DATE: 5/9/00


REASON FOR PERMIT: To Add A 12' X 16' Addition

BUILDING OWNER: Dwight Haysen C.B.I.: 347-E-18

PERMIT APPLICANT: PM Construction Co.

APPROVED: #1, #6, #10, #11
with conditions DENIED: _____
CONDITION(S) OF APPROVAL

1. This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
2. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
3. The footprint of the existing _____ shall not be increased during maintenance reconstruction.
4. All the conditions placed on the original, previously approved, permit issued on _____ are still in effect for this amendment.
5. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will not be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the _____ in place and in phases.
6. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
7. Our records indicate that this property has a legal use of _____ units. Any change in this approved use shall require a separate permit application for review and approval.
8. Separate permits shall be required for any signage.
9. Separate permits shall be required for future decks, sheds, pool(s), and/or garage.
10. This is not an approval for an additional dwelling unit. You shall not add any additional kitchen equipment, such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals.
11. Other requirements of condition you required front setback is 25 feet from your front property line, not restreetline, you are showing setback of your setback was measured from other than your front property line, work must cease as you sign Schumackal
Marge Schumackal, Zoning Administrator
This office



R-3 Zone

The front setback from the front property line shall be no less

than 25'

Rear setback is 25' - 25' + slope
 side yards are not affected - is located between the house & garage

HUYNH JOB
 PM CONSTRUCTION
 5/4/2000

COMMENTS

3/16/00 Spoke w/ Sam ~~Wagner~~ Re: Conditions on deck
stairs, guardrails, handrails, etc. - all understood

5/17/00 - Called for framing insp - framing OK - rear stairs only temp
Guardrails do not meet & stairs have issues - discussed w/ contractor -
Unable to verify front setback - discussed w/ contractor (GM)

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED
Building or Use Permit Pre-Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 12 Coaklee Ave - Coolidge Ave

Tax Assessor's Chart, Block & Lot Number	Chart# <u>347</u> Block# <u>E</u> Lot# <u>018</u>	Owner: <u>DUNG HUYNN</u>	Telephone#:
Owner's Address: <u>Coolidge</u>	<u>12 Coaklee Ave</u>	Lessee/Buyer's Name (If Applicable)	Cost Of Work: <u>\$13,000</u> Fee: <u>\$102.00</u>

Proposed Project Description: (Please be as specific as possible)
12 X 16 Addition - Right side of house

Contractor's Name, Address & Telephone: PM CONSTRUCTION CO. 19 INDUSTRIAL PARK RD, Saco, ME 04072 Recd By: [Signature]

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must include the following with you application:


- 1) A Copy of Your Deed or Purchase and Sale Agreement
 - 2) A Copy of your Construction Contract, if available
 - 3) A Plot Plan (Sample Attached)
- For Pln 282-7697*

Please call Leo

- If there is expansion to the structure, a complete plot plan (Site Plan) must include:
 The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

4) Building Plans (Sample Attached)

- A complete set of construction drawings showing all of the following elements of construction:
 - Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
 - Floor Plans & Elevations
 - Window and door schedules
 - Foundation plans with required drainage and dampproofing
 - Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.



I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: [Signature] Date: 5/2/00

Building Permit Fee: \$30.00 For the 1st \$1000 cost plus \$6.00 per \$1,000.00 construction cost thereafter.
 ONLINE CORRESPONDENT ADAPDFD.WPD

PLUMBING APPLICATION

9002-8170

Department of Human Sciences
Division of Health Engineering

PROPERTY ADDRESS

Town or Plantation: PORTLAND
 Street: 12 COLLAGE AVE.
 Subdivision Lot #: PROPERTY OWNERS NAME

Last: HUYUH First: DUNGE

Applicant Name: GAS HEAT PIP
 Mailing Address of Owner/Applicant (if Different): PO BOX 345 SACO 04072

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspectors to deny a Permit.

Signature of Owner/Applicant: [Signature] Date: 5/13/09

PORTLAND
 Date: 5/13/09 8087 TOWN COPY
 Permit Issued: [Signature] \$ 2410.00 Double Fee
 Local Plumbing Inspector Signature: [Signature] L.P.I. # 07732

Caution: Inspection Required
 I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: _____ Date Approved: _____

PERMIT INFORMATION

This Application is for:

<input type="checkbox"/> NEW PLUMBING <input checked="" type="checkbox"/> RELOCATED PLUMBING	Type of Structure To Be Served: <input checked="" type="checkbox"/> SINGLE FAMILY DWELLING <input type="checkbox"/> MODULAR OR MOBILE HOME <input type="checkbox"/> MULTIPLE FAMILY DWELLING <input type="checkbox"/> OTHER - SPECIFY _____	Plumbing To Be Installed By: Ledo Plumbing <input checked="" type="checkbox"/> MASTER PLUMBER <input type="checkbox"/> OIL BURNERMAN <input type="checkbox"/> MFG'D. HOUSING DEALER/MECHANIC <input type="checkbox"/> PUBLIC UTILITY EMPLOYEE <input type="checkbox"/> PROPERTY OWNER LICENSE # <u>5769</u>
---	---	--

Hook-Up & Piping Relocation		Number	Column 2 Type of Fixture	Number	Column 1 Type of Fixture
HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.			Hosebibb / Sillcock	01	Bathtub (and Shower)
HOOK-UP: to an existing subsurface wastewater disposal system.			Floor Drain		Shower (Separate)
PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.			Urinal		Sink
OR			Drinking Fountain	01	Wash Basin
HOOK-UP: to an existing subsurface wastewater disposal system.			Indirect Waste	01	Water Closet (Toilet)
PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.			Water Treatment Softener, Filter, etc.		Clothes Washer
OR			Grease / Oil Separator		Dish Washer
TRANSFER FEE [56.00]			Dental Cuspidor		Garbage Disposal
OR			Bidet		Laundry Tub
TRANSFER FEE [56.00]			Other: _____		Water Heater
			Fixtures (Subtotal) Column 2	03	Fixtures (Subtotal) Column 1
			Fixtures (Subtotal) Column 2	8.0	Fixtures (Subtotal) Column 1
			Total Fixtures	3	Total Fixtures
			Fixture Fee		Fixture Fee
			Transfer Fee		Transfer Fee
			Hook-Up & Relocation Fee		Hook-Up & Relocation Fee
			Permit Fee (Total)	84	Permit Fee (Total)

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

TOWN COPY

84
84/34

ELECTRICAL PERMIT

City of Portland, Me.

S/F JR

Ⓚ



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 5/17/08
 Permit # 424
 CBL# 347-E-018

SITE LOCATION: 12 Cadogan Ave

OWNER Doug Huxbh TENANT Doug Huxbh

					TOTAL EACH FEE	
OUTLETS	Receptacles	6	Switches	5	Smoke Detectors	20
FIXTURES	Incandescent	4	fluorescent		Strips	20
SERVICES	Overhead		Underground		TTL AMPS	<800 15.00
	Overhead		Underground		>800	25.00
Temporary Service	Overhead		Underground		TTL AMPS	25.00
METERS	(number of)					25.00
MOTORS	(number of)					1.00
RESID/COM	Electric units					2.00
HEATING	oil/gas units		Interior		Exterior	1.00
APPLIANCES	Ranges		Cook Tops		Wall Ovens	5.00
	Insta-Hot		Water heaters		Fans	2.00
	Dryers		Disposals		Dishwasher	2.00
	Compactors		Spa		Washing Machine	2.00
	Others (denote)					2.00
MISC. (number of)	Air Cond/win				Pools	3.00
	Air Cond/cent				Thermostat	10.00
	HVAC		EMS			5.00
	Signs					10.00
	Alarms/res					5.00
	Alarms/com					15.00
	Heavy Duty(CRKT)					2.00
	Circus/Carmv					25.00
	Alterations					5.00
	Fire Repairs					15.00
	E Lights					1.00
	E Generators					20.00
PANELS	Service		Remote		Main	4.00
TRANSFORMER	0-25 Kva					5.00
	25-200 Kva					8.00
	Over 200 Kva					10.00
INSPECTION:	MINIMUM FEE/COMMERCIAL	35.00			TOTAL AMOUNT DUE	
	Will be ready 5/17/08				MINIMUM FEE	25.00
	or will call					35.00


CONTRACTORS NAME C + P Electric MASTER LIC. # MS 60617401
 ADDRESS Rt 1 Goshuings Mills Rd. Lyman LIMITED LIC. # _____
 TELEPHONE 499-7299
 SIGNATURE OF CONTRACTOR [Signature]

ELECTRICAL PERMIT

City of Portland, Me.

S/F JR

Ⓡ



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 5/17/05
 Permit # 424
 CBL# 307-F-018

SITE LOCATION: 12 Colgate Ave

OWNER Doug Hupsh TENANT Doug Hupsh

				TOTAL EACH FEE			
OUTLETS	Receptacles	1	Switches	5	Smoke Detectors		.20
FIXTURES	Incandescent	4	fluorescent		Strips		.20
SERVICES	Overhead		Underground		TTL AMPS	<800	15.00
	Overhead		Underground			>800	25.00
Temporary Service	Overhead		Underground		TTL AMPS		25.00
METERS							25.00
MOTORS	(number of)						1.00
RESID/COM	(number of)						2.00
HEATING	Electric units		Interior		Exterior		1.00
APPLIANCES	oil/gas units				Wall Ovens		5.00
	Ranges		Cook Tops		Fans		2.00
	Insta-Hot		Water heaters		Dishwasher		2.00
	Dryers		Disposals		Washing Machine		2.00
	Compactors		Spa				2.00
MISC. (number of)	Others (denote)						2.00
	Air Cond/win				Pools		3.00
	Air Cond/cent				Thermostat		10.00
	HVAC		EMS				5.00
	Signs						10.00
	Alarms/res						5.00
	Alarms/com						15.00
	Heavy Duty(CRKT)						2.00
	Circus/Carnv						25.00
	Alterations						5.00
	Fire Repairs						15.00
	E Lights						1.00
	E Generators						20.00
PANELS	Service		Remote		Main		4.00
TRANSFORMER	0-25 Kva						5.00
	25-200 Kva						8.00
	Over 200 Kva						10.00
INSPECTION:	MINIMUM FEE/COMMERCIAL	35.00	TOTAL AMOUNT DUE		MINIMUM FEE		
	Will be ready	5/17/05	or will call				
							25.00
							35
							55.00

CONTRACTORS NAME C + P Electric
 ADDRESS 201 Goodwin Mills Rd. Lyman
 TELEPHONE 499-7297
 MASTER LIC. # MS 60617461
 LIMITED LIC. # _____
 SIGNATURE OF CONTRACTOR [Signature]

2002-4419

ELECTRICAL PERMIT City of Portland, Me.



To the: Chief Electrical Inspector, Portland Maine:
The undersigned hereby applies for a permit to make electrical installations
in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
National Electrical Code and the following specifications:

Date 5/13/02

Permit #

CBL # 347-ED18

METER MAKE & #

LOCATION: 12 Saddle Ave OWNER Ring Hynah
CMP ACCOUNT # _____ PHONE # _____
TENANT _____

							TOTAL EACH FEE
OUTLETS	2	Receptacles	3	Switches		Smoke Detector	.20
FIGURES	2	Incandescent		Fluorescent		Strips	.20
SERVICES		Overhead		Underground		TTL AMPS	15.00
		Overhead		Underground		>800	25.00
Temporary Service		Overhead		Underground		TTL AMPS	25.00
METERS		(number of)					25.00
MOTORS		(number of)					1.00
RESID/COM		Electric units		Interior		Exterior	2.00
HEATING		oil/gas units		Cook Tops		Wall Ovens	5.00
APPLIANCES		Ranges		Water heaters	/	Fans	2.00
		Insta-Hot		Disposals		Dishwasher	2.00
		Dryers		Spa		Washing Machine	2.00
MISC. (number of)		Others (denote)					2.00
		Air Cond/win				Pools	3.00
		Air Cond/cent		EMS		Thermostat	10.00
		HVAC					5.00
		Signs					10.00
		Alarms/res					5.00
		Alarms/com					15.00
		Heavy Duty(CRKT)					2.00
		Circus/Carnv					25.00
		Alterations					5.00
		Fire Repairs					15.00
		E Lights					1.00
		E Generators					20.00
PANELS		Service		Remote		Main	4.00
TRANSFORMER		0-25 Kva					5.00
		25-200 Kva					8.00
		Over 200 Kva					10.00
		MINIMUM FEE/COMMERCIAL	45.00			TOTAL AMOUNT DUE	
						MINIMUM FEE	35.00
							35

CONTRACTORS NAME C + P Electric MASTER LIC. # MS60017901
ADDRESS 201 Goodwins Mills Rd. Lyman LIMITED LIC. # _____
TELEPHONE 499-7297
SIGNATURE OF CONTRACTOR Craig Guilleaunt