Location of Construction:	Owner:	Phone	* \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Permit No:
Owner A ddress:	Lessee/Buyer's Name:		essName:	061178/11/01
Contractor Name:	Address:	Phone:		Permit Issued:
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE:	OCT   9 2000
Siciale Pamily	Same	FIRE DEPT. ☐ Approved ☐ Denied	INSPECTION: Use Group: Type:	Zone; CBL:
Proposed Project Description:		Signature:	Signature:	Zoning Approval:
Troposed rioject Description:		PEDESTRIAN ACTIVIT	· · ·	1 21/
i de elà		Approved	nditions:	☐ Shoreland
			Date:	□ Flood Zone □ Subdivision
Permit Taken By: Gayla	Date Applie			☐ Site Plan maj ☐minor ☐mm ☐
<ol> <li>This permit application does not preclude</li> <li>Building permits do not include plumbin</li> <li>Building permits are void if work is not station may invalidate a building permit and</li> </ol>	g, septic or electrical wor tarted within six (6) montl		PERMIT ISSUED WITH REQUIREMENTS	☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied  Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review  Action:
I hereby certify that I am the owner of record of authorized by the owner to make this applicat if a permit for work described in the application	ion as his authorized agent and I agree (	ed work is authorized by the owner o to conform to all applicable laws of al's authorized representative shall h	of record and that I have been this jurisdiction. In addition, nave the authority to enter all	□ Approved □ Approved with Conditions □ Denied  Date:
areas covered by such permit at any reasonab				-0
SIGNATURE OF APPLICANT	'ADDRESS:	September 22, 2008 DATE:	PHONE:	PERMIT ISSUED PERMIT ISSUED WITH REQUIREMENTS

## STATUTORY WARRANTY DEED

business in the Town of Windham, County of Cumberland and State of Maine, ROYAL RIVER DEVELOPMENT COMPANY, a Maine corporation with a place of

For Consideration Paid, GRANTS with WARRANTY COVENANTS TO

address of 27 Main Street, Windham, Maine 04062 CUSTOM BUILT HOMES OF MAINE, INC., a Maine Corporation with a mailing

The following described real property situated in Portland, Cumberland County, Maine:

affecting title set forth or referred to in said Declaration, as amended and restated herein are a part; this conveyance is also made subject to the easements and other matters association formed to manage the condominium property of which the premises described plans and the Bylaws of the Portland Ocean Woods Owners Association, the incorporated to in said Maine Condominium Act, Declaration, as amended and restated, survey, floor subject to but with the benefit of the terms, provisions and easements set forth or referred the surveys and floor plans to which reference is made therein; this conveyance is made described in said Declaration, as amended and restated, the Annexes attached thereto and common areas and facilities appurtenant to the unit herein conveyed and more fully by Sebago Technics, dated February 22, 1999 and recorded at the Cumberland County Registry of Deeds in Plan Book 199, Page 273, being a condominium living unit subject to and with the benefit of the Declaration of the Ocean Woods Condominium establishing condominium or common areas and facilities and the use of certain condominium limited Act of the State of Maine; including within this conveyance the percentage interest in 15256, Page 243, which Declaration has been made pursuant to the Maine Condominium September 1, 1999 and recorded in Cumberland County Registry of Deeds in Book Registry of Deeds in Book 14752, Page 1, Third Amendment to Declaration, dated Page 119, and the Second Amendment thereto dated May 3, 1999 and recorded in the said dated September 25, 1992 and recorded in the said Registry of Deeds in Book 10306, Ocean Woods Condominium, dated December 7, 1988 and recorded in the Cumberland County Registry of Deeds in Book 8584, Page 75, and the First Amendment thereto AMENDED CONDOMINIUM PLAT OF OCEAN WOODS CONDOMINIUMS made Portland, County of Cumberland, and State of Maine, as shown on the SECOND Unit No. - of OCEAN WOODS CONDOMINIUM, situated in the City of

OCEAN WOODS TOWNHOUSES, made by Sebago Technics, and recorded at the Cumberland County Registry of Deeds in Plan Book 199, Page 238. Reference is made to PHASE II SUBDIVISION/RECORDING PLAT OF

recorded in the said Registry of Deeds in Plan Book 199, Pages 274-281. Reference is made to the Condominium Plans for Building A and Building B,



Side Yard -Front Yard -Rear Yard -Lot Street Frontage -Servage Disposal - . Proposed Use/Work -Interior or corner lot -Zone Location - R . 3 Date - 27/SCPT/OK Address: 96 Ashley Lang The Beilstein's CHECK-LIST AGAINST ZONING ORDINANCE アスユフー to all exterior to Thre 32 Show 3 um Ts C-B-L: 423-Date: Sep 1, 22, 2006

Width of Lot -

Projections -

Height -

Lot Area -

Lot Coverage/Impervious Surface

Area per Family -

Off-street Parking -

Loading Bays -

Site Plan -

Shoreland Zoning/Stream Protection -

Flood Plains -

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling

To Detached Single Family Dwelling

Has the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the

Date: 9/15/00	Signature of applicant:
y this permit at any reasonable hour to enforce the provisions of the	representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.
that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized	that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable law of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized
Certification  I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and	Certifi I hereby certify that I am the Owner of record of the named property
Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.	equipment, HVAC equipment (air handling) or other type
ofing	Foundation plans with required drainage and dampproofing
	Floor Plans & Elevations Window and door schedules
vings showing all of the following elements of construction:  (including porches, decks w/railings, and accessory structures)	A complete set of construction drawings showing all of the following elements of construction.  **Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
s (Sample Attached)	Building Plans
	Scale and required zoning district setbacks
windows cantilever sections and roof overhangs, as well as sheds//	property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, nools, garages and any other accessors structures.
nd the distan	The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance
3) A Plot Plan (Sample Attached)	If there is expansion to the structure a complete plot plan (Site Plan) must include
	2) A Copy of your Constru
· Purchase and Sale Agreement	You must include the following with you application:  1) A Conv of Your Deed or P
•HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.	•HVAC(Heating, Ventilation and Air Conditioning) install
•All plumbing must be conducted in compliance with the State of Maine Plumbing Code.	• All plumbing must be conducted in complia
Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation. $\Box$	Separate permits are required for Internal & External Plumbing, HVAC and Electrical is All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by
New Dy.	X J. B. D
David Br	1
•	droser colour caso
0,000	COTTLEAS ME 04/03
Losser/Buyer's Name (If Applicable)  Cost Of Work:  Fee  Cost Of Work:	رمدد
x 207-879- 6320	
Ourres & Rouston Registern Telephone#:	Tax Assessor's Chart, Block & Lot Number Owner. Oc. 71
	χ
ortland	Location/Address of Construction: 98 Ashley lane
de before permits of any kind are accepted.	city, payment arrangements must be made before permits of any kind are accepted.

Building Permit Fee: \$30.0 O:UNSPICORRESPINDUGENTIAPADSFD.WPD

\$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

BUILDING PERMIT REPORT	
DATE: 27 SOUT 2K ADDRESS: 96 A Shley Land	CBL: 4/23-A- Qd2
REASON FOR PERMIT: Deck - 14/x 20'	
BUILDING OWNER: The Beils Tria's	
PERMIT APPLICANT: /CONTRACTOR OWNER	199
USE GROUP: R-3 CONSTRUCTION TYPE: 5 B CONSTRUCTION COST: 5000, OPERMIT FEES 54 o	OPERMIT FEES! 54.0

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993) CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions Shall be met: オスク チュス メンソ メン/

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

  Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.

  24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
- Foundations anchors shall be a minimum of ½" in diameter, T into the foundation wall, minimum of 12" from corners of foundation and a maximum 6" O.C. between bolts. Section 2305.17

  Wasternooffer and formal. less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not thickness shall be such that the bottom of the drain is not the bottom of the base under the floor, and that the top of the drain is not thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not the bottom. protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone,

- 1 0 M Waterproofing and dampproofing shall be done in accordance with <u>Section 1813.0</u> of the building code.

  Precaution must be taken to protect concrete from freezing. <u>Section 1908.0</u>

  It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the roper setbacks are maintained.
- 00 Frivate garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the atto area by means of ½ inch gaysum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

  All chimneys and verits shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- Ø
- In occupancies in Use Group A,B.H.4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38". Use Group R-3 shall not be less than 30", but not 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section with an outside diameter of at least 1 ½" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

  Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

  Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7½" maximum rise. All other Use Group minimum 11" tread,
  7" maximum rise. (Section 1014 0) Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 7 maximum rise. (Section 1014.0)
- net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4) The minimum headroom in all parts of a stainway shall not be less than 80 inches. (6'8") 1014.4

  Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separative.

  Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All
- 2 Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 7 All vertical operatings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
  The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic
- 18

- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the Cir Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
- In the immediate vicinity of bedrooms

- In each story within a dwelling unit, including basements
   A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- The Fire Alarm System shall maintained to NFPA #72 Standard
- City's Building Code. (The BOCA National Building Code/1999)
  Section 25 135 of the Municipal Code for the City of Pordand states, "No person or utility shall be granted a permit to excavate or open The Sprinkler System shall installed and maintained to NFPA #13 Standard.
  All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0
- 7,
- 25 street or sidewalk from the time of November 15 of each year to April 15 of the following year.

  The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection
- Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & artics).

  All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

  All requirements must be met before a final Certificate of Occupancy is issued.

  All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building

- Code/1993). (Chapter M-16) Yentilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical
- Please read and implement the attached Land Use Zoning report requirements.

  Boring, cutting and notching small be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code, Building shall comply with Section 2305.16.
- (Safety Glazing Section 2405.0)
- Glass and glazing shall meet the requirements of Chapter 24 of the building code. All signage, shall be done in accordance, with Section 3102.0 signs of the City's Bu I be done in accordance with Section 3102.0 signs uilding Code, A National Building Code/1999)

Marge Schmuckal, Zoning Administrator McDougall, PFD ses, Building Inspector

\*\*This Permit is herewith issued,on the basis of plans submitted and conditions placed the plans, any deviations shall require a separate approval

SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR ---THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE

Certificate of Occupancy Fees: S50.00 each

OF THE BUILDING CODE ) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO \*\*\*\*\* All PLANS THAT REQUIRE A PROFESSIONAL DESIGN'S SEAL,( AS PER SECTION 114.0 2000 OR REQUIVALENT.