

11 ANDERSON STREET

SHAW WALKER

Full cut #920R - Half cut #9202R - Third cut #9205R - Fifth cut #9205R



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR
HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, Feb. 2, 1973

PERMIT NO. 1010

FEB 5 1973

1010

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 11 Anderson St. Use of Building apt. No. Stories 3 New Building Existing "Name and address of owner of appliance James Marshall, same Installer's name and address Wayne's Plumbing & Heating 52 Chapel St. Telephone "

General Description of Work

To install oil fired forced hot water heating system

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no Kind of fuel? oil
If so, how protected? Minimum distance to burnable material, from top of appliance or casing top of furnace 4'
From top of smoke pipe 3¹/₂" From front of appliance 5" From sides or back of appliance 5"
Size of chimney flue 10" Other connections to same flue no
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?

IF OIL BURNER

Name and type of burner American Standard Labelled by underwriters' laboratories? yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner dirt Size of vent pipe 1¹/₂"
Location of oil storage basement Number and capacity of tanks 1 - 275
Low water shut off Make No.
Will all tanks be more than five feet from any flame? How many tanks enclosed?
Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? Height of Legs, if any
If so, how protected? Distance to combustible material, from top of appliance?
Skirting at bottom of appliance From sides and back From top of smokepipe
From front of appliance Other connections to same flue
Size of chimney flue If so, how vented? Forced or gravity?
Is hood to be provided? Rated maximum demand per hour
If gas fired, how vented?

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? \$10. (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED:

O.H. - 2/5/73 - Allen

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Wayne's Plumbing & Heating

Robert Wayne Charles
#1568 Robert Charles

CS 200

Signature of Installer

INSPECTION COPY

December 10, 1959

Mr. Elmer E. Berry
11 Anderson Street
Portland, Maine

Dear Mr. Berry:

Re: 11 Anderson Street

We recently made an inspection of the property held by you at 11 Anderson Street, Portland, Maine. As a result of the inspection, you are hereby ordered to correct the following substandard housing conditions:

GENERAL STRUCTURAL

Repair and put in good order all dilapidated and hazardous parts of the structure as follows:

- a. Repair or replace the missing bricks and point up the loose joints on the front wall around the cellar window of the cellar.

ELECTRICAL EQUIPMENT

Check and have repaired all defective electric wiring and electrical equipment throughout the structure.

- a. Install convenience outlets in all the rooms where there is a dangerous excessive use of extension cords. Particular attention is directed to the bedrooms of the 1st and 2nd floor apts., and in the sitting room of the 3rd floor apt.*

The above mentioned conditions are in violation of the City Ordinance, MINIMUM STANDARDS FOR CONTINUED OCCUPANCY and AUTHORITY TO VACATE BUILDINGS, and must be corrected on or before January 10, 1960.

Very truly yours,

Douglas H. Brown, M.D.
Health Director

By:

Gordon E. Merrill
Housing Supervisor

GEM:ar