271-273 CUMBERLAND AVENUE

City of Portland, Maine Fire Department

January 25, 1980

Mrs. Dorothy Berry

273 Cumberland Avenue

Portland, Maine

Re: Fire @ 271 Cumberland Avenue

Dear Mrs. Berry:

On <u>Jan. 8, 1980</u> a fire cocurred in the building listed above, of which you are reported to be the owner ( ).

If permanent repair work is required for this building, you must obtain a permit from the Building & Inspection Dept, in City Hall before starting such work.

Very Truly Yours,

Locape & Mic Donoryh

Joseph E. McDnnough Chief

Portland Fire Department

cc: Building & Inspection Dept. Corporation Counsel Health Dept. (Housing Div.) City Assessor's (Mr. Lucci)

NOTE: The fire was located on the first floor in a one room apartment.

	Portland Plumbing Inspector	Owne	ess 273 Cumberland Averdron For one family or of Bldg . Mrs. Dorothy Ber Address 273 Cumberla FREPT Ballard Oll & Equip.	9 <del>7.7.</del> 4	IIT NUMBE	
	By ERNOLD R. GOODWIN	HEW	REPEATOR OLL & Equip.	-Co	NO. 11	13-74
	App. First Insp.		SINKS		1.10.	11 E.L.
	Date		LAVATORIES		<del> </del>	<del></del>
	Ву	1	TOILETS		<del> </del>	<del></del>
	Бү		BATH TUBS		<del> </del> -	
	App. Eine Bb.		SHOWERS		<del> </del>	-+
	App. Fire 196.		DRAINS FLOOR	SURFAC	CE.	<del></del>
	Mo.		HOT WATER TANKS	·····	<del></del>	
	Ву		TANKLESS WATER HEA	TERS	1-1-	
	Type of Bldg.		GARBAGE DISPOSALS		<del> </del>	<del>-</del> }
	☐ Commercial		SEPTIC TANKS		<del> </del>	
	☐ Residential		HOUSE SEWERS			
<b>.</b> .	Single		ROOF LEADERS			<del></del>
<b>)</b> .	Multi Family		AUTOMATIC WAS HERS		1	+
AF.	☐ New Construction		DISHWASHERS			
	Remodeling		OTHER			1
			Dase fce			3,0
	ı			I TO	TAL	+

#### B2 BUSINESS ZONE APPLICATION FOR PERMIT

Third Class Class of Building or Type of Structure .....

December 11, 1969

CITY of PORTLAND

	Portland, Maine,		, <del>,</del> , , , , , , , , , , ,	······		
The undersigned hereby on accordance with the Laws of pecifications, if any, submitted Location .271.—273 Cumber: Owner's name and address	LDINGS, PORTLAND, M. applies for a permit to erective State of Maine. the Bite herewith and the following land Ave. William Berry, 2' Raymond J Leger	AINE  It alter repair de  It alter repair de	molish install the molish install the control of th	following build ance of the City mits?	ling structure equivolet of Portland, plan  Dist. No Telephone Telephone Telephone Tolephone Telephone Yelphone	4801
	11	11			IVO. Idillines	********
Material frame No. sto	ries Heat Heat	Style	OI FOOI	***************************************		
Other buildings on some lot	***************************************			***************************************	Fee \$ 3.00	
Estimated cost \$ 350.00	4111414141414				Pee Q	
•	General Des	cription of	New Work			
To cut in (2) -30" op To erect (1) non-bear 2x4 studs. 16" o.c. c	·	st rioor ir	I Hattaan	on 1st and	l 2nd. floors	•

Rec'd from Fire DeRt It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO contractor the name of the heating contractor. PERMIT TO BE ISSUED TO Details of New Work .....Is any electrical work involved in this work? .... Is any plumbing involved in this work? ..... Is connection to be made to public sewer? \_\_\_\_\_\_ If not, what 1s proposed for sewage? \_\_\_\_\_ Has septic tank notice been sent? \_\_\_\_\_Form notice sent? \_\_\_\_ Height average grade to top of plate ....... Height average grade to highest point of roof... Size, front\_\_\_\_\_earth or rock? \_\_\_\_earth or rock? \_\_\_\_\_ Material of foundation \_\_\_\_\_\_ Cellar .\_\_\_\_ bottom \_\_\_\_\_ cellar .\_\_\_\_ No. of chimneys \_\_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_ Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. 1st floor....., 2nd...., 3rd ...., roof ...., Joists and rafters: 1st floor....., 2nd...., 3r:1 ...., roof .... On centers: ., 2nd\_\_\_\_, 3rd \_\_\_\_, roof \_\_\_\_, 1st floor..... Maximum span: height?.... If one story building with masonry walls, thickness of walls?..... If a Garage Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?.... Miscellaneous Will work require disturbing of any tree on a public street? no Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? \_\_yes Signature of owner by: Raymond of Legles? CS 301

Sin CORed Deputs Chief 12-1609 0.14. B. C. 8.8.8: 12/17/169

INSPECTION COPY

1/21/10 - Was close Form Check Notice Final Notif. Date of permit Cert. of Occupancy issued Staking Out Notice Final Inspn. Inspn. closing-in

Date Issued April 8, 1969	Addr Insta Owne	lation l			IT N	UMBER	
Portland Plumbing Inspector By ERNOLD R. GOODWIN	Owne Plumi NEW	er's Ado oer: M	Ires: 273 Cumberland Ave	MMJa	Date:		
App. First Insp.		1	SINKS		NO.	4/8/0	<b>9</b>
Date FRANCIS		<del> </del>	LAVATORIES		7		
EMMOLD R ROOMING		<del> </del>	TOILETS		1		
LUMING NSPECTOR.			BATH TUBS				
App. Final Insp.			SHOWERS				
Date							
William & Control of the Control of			DRAINS FLOOR HOT WATER TANKS	SURFAC	E		
ERNOLD R. GOODWIN			TANKLESS WATER HEAT				
Type of Bldg.			GARBAGE DISPOSALS	ERS			
Commercial -			SEPTIC TANKS				
Residential			HOUSE SEWERS				
☐ Single			ROOF LEADERS				
☐ Multi Family			AUTOMATIC WASHERS				
New Construction			DISI. NAS HERS				
Remodeling  -			OTHER				
		1	LEAD BYAND				
			DIEGO DE LA CONTRACTOR		Ţ.,		2.05

App. First Insp.		mie Date	
Date ERNOLD R. GOODWIN By CHIEF PLUMDING INSPECTOR App., Final Insp., Date By FRNOLD R. GOODWIN DHIEF PLUMDING INSPECTOR Type of Bidg.  [] Commercial [] Residential [] Single [] Multi Family [] New Construction [] Remodeling	SINKS LAVATORIES TOILETS BATH TUBS SHOWERS DRAMM	NO. SURFACE	4/8/69 FEE

Memorandum from Department of Building Inspection, Portland, Maine

FIRE ALARM SYSTEM

November, 1969

## Location: #271-273 Cumberland Ave.

inen such a syntem has been installed, the owner and lessee of the building are responsible for keeping the system in working order, at all of the pullding are responsible for keeping the system in working order, at al times so that the system may always be on guard to warn the occupants of the outling in case a fire starts. To discharge this responsibility and to have By assurance that he will not be held either financially or criminally liable By assurance that he want not be need extrer ananogatry or organizary accurate in dase of injury or loss of life in his building due to fire, it is my belief that the owner and desses must see to it that the alarm system is tested over twenty-four hours. This may be done by merchy pressing very briefly the test butten

Nost of times systems have dry batteries for their power, and the batteries will deteriorate in time so that they will not ring the alarm bells cacteries will deteriorate in time so that they will had allow being the atom colls exitisfactorily, if at all. If the batteries are used briefly by this test every

Because this is a safety device whenever it in found that the bells do not ring loud and alwar or any other defect appears in the system, the betts do not the sent should notify is negletely some bradetermined party who has agreed in advance to come at once and senate the adaptorization burch and pental action or the agent amount mountains amount of the agent amount mountains and pental actions of the agents amount mountains and action and action and action and action of the agents amount and action action and action and action and action and action action and action and action action and action action and action action

It is recommended that the name of such a party and the address and telephone number be posted permanently on or in the control box of the nystem.



#### B2 BUSINESS ZONE

#### APPLICATION FOR PERMIT

SS ZONE PERMIT ISSUED NOV 20 1954

Class of ...... Installation CITY of PORTLAND Portland, Maine, ...... November 17, 1969..... To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

271-273 Cumberland Ave. ..... Within Fire Limits? ...... Dist. No. Owrer's name and address William Berry, 373 Cumberland Ave. Lessee's name and address ... .... Contractor's name and address Geller Electric Company, 7 Mackworth St. Telephone... Proposed use of building \_\_\_\_\_Apt.Building .... No. families Material frame No. stories 3 Heat ......Style of roof .......Roofing ...... Other buildings on same lot ..... Estimated cost \$..... General Description of New Work To install automatic fire alarm system(Protectowire Cabinet with Ademco heads) covering all halls and cellar. Gongs of such strength as to ring loud a d clear. System to be checked at least once a year; installed in steel or well seasoned wood cabinet in dry clean place, not less than 6" above floor and where temperature will not go below 10 deg. Took all of the staller will not go below 40 deg. nor above 100 deg. Installer will fasten to control box full instructions for operating and servicing system. Gongs are located in halls. Edwards-6". It is understood that this permit does not include installation of heating apparatus which is to be hiken toll separately the name of the heating contractor. PERMIT TO BE ISSUED TO contractor Details of New Work plumbing involved in this work? .... Is any electrical work involved in this work? ...... ction to be made to public sewer? \_\_\_ If not, what is proposed for sewage? \_\_\_\_ tic tank notice been sent? \_\_\_\_ Form notice sent? verage grade to top of plate ...... Height average grade to highest point of roof..... ...... bottom...... cellar ...... oof ..... Rise per foot ...... Roof covering ....... mnevs ..... umber-Kina. Studs (ou side walls and carrying partitions) 2x4-16" O. C. Budging in every floor and flat roof span over 8 feet. 1st floor....., 2nd....., 3rd ....., roof ...., roof .... On centers: 1st floor....., 2nd...., 3rd ...., roof ... Maximum span: If one story building with masonry walls, thickness of walls?.... If a Garage No. cars now accommodated on same lot......, to be accommodated......neamber commercial cars to be accommodated....... Will automobile repairing be done other than minor repairs to care haldenthy stored in the proposed building?..... Miscellaneous Will work require disturbing of any tree on a public street?..... Will there be in charge of the above work a person compete to to see that the State and City requirements pertaining thereto are observed? yes Geller Electric Company

INSPECTION COPY

Signature of owner .....

Marine Julie

 $\sqrt{}$ 

NOTES Form Check Notice Sicking Out Notice Cert. of Occupancy issued Final Inspn. Final Notif. Notif. closing-in Inspn. closing-in 12/17/69- MO worls 1/30/70-

18

March 4, 1969

Mrs. Dorothy Borry 271-273 Cumberland Avenue Portland, Maine 04111

> Re: 271-273 Cumberland Avonue Portland, Maine

Dear Mrs. Berry:

As the result of an inspection of the 3-story wooden duplex structure on Friday, February 28, 1969, located at 271-273 Cumberland Avenue, reportedly owned by you and inspected by me, the following violations were found:

On the 271 aide of the building there is only one inside stairway from the first to the third floor. The second means of egross from the two upper floors is reached by going through an apartment on the second floor and third floor rear to reach the outside wood fire escape.

On the 273 side of the building there is only one inside stairway from the first to the third floor. The second means of egress from the two upper floors is reached by soing through a bathroom on the second floor and third floor rear to reach the outside wood fire escape.

This is a violation of the Safety Requirements of the City of Portland Municipal Code, Chapter 314, Section 1 which reads "All excisting buildings and parts thereof in the City of Portland used for lodging house, tenement or apartment house, hotel, dormitory, convalescent or nursing home or home for children or for the rade shall be made to conform to the standards of safety established herein or better from the standpoint of safety to the occupants; ......"

Section 2. Subject to exceptions, allowances and additions hereafter provided, no less than two separate and distinct means of egress shall be provided for every occupant of all parts of buildings occupied for any use regulated herein.

Section 3. b. "hach required means of egrees shall extend to a place of safety in the open air, shall, at all times, be kept free from obstruction, and shall be accessible to every person it is designed to serve."

you to install an approved standard automatic fire detection and alarm system covering office basement or cellar and sub-cellar, if any, all public and stair halls, all closets off talls or under stairs, all hazardous rocan and attached garages may be accepted to compensate for such location and arrangement of means of agrees that a hazard involving one of them would be likely to make any other impassable or inaccessible.

The State of Maine Regulations Governing Exits In All Buildings Chapter 1, Section 10 FUNDAMENTAL RECURREMENTS, Paragraph 1001 reade: "Every building or structure, new or old, designed for human occupancy shall be provided with exits sufficient to permit the prompt escape of occupants in case of fire or other energency. The design of exits and other safeguards shall be such that reliance for safety to life in case of fire or other energency will not depend on any single safeguard; additional safeguards shall be provided for life safety in case any single safeguard is ineffective due to some human or mechanical failure."

Before any allegrations are made and the alarm system is installed, a permit rout be obtained from the Department of Building Inspection, and be posted on the practices where the work is to be done.

Sincerely,

50/j

Samuel Gerber Captain Fire Prevention Bureau

Copy: Corp. Counsel Ruilding Inspector File

ERTIFIED MAIL R.R.R. 685961

MAR - 4 1900 DEPT. OF BLDG. ASP. CITY OF PORTLAND

74C DA

Committee of the second page of the second of the second

toriginal make a

THE RESERVE OF THE PARTY OF THE

PERMIT TO INSTALL P	LUMBIN	2 NG	1965. Well.	1	483
<b>'</b> ,	Address		273 Cumberland Ave.	PER	MIT No. 💛
			F4774am F. Borry		
Date 1/20/65			- Same		
PORTLAND PLUMBING					
INSPECTOR			ess: Same	1/20	0/65
* ** 1.5.** . f.			FL HOMELOS	NUMBER	FEE
By J.P. Welch	NEW.	· REP'L	PROPOSED INSTALLATIONS	- 10,500	
APPROVED, FIRST INSPECTION			SINKS	<del>-1</del> 1	\$2.00
1. /./		<u></u>	LAVATORIES	1 T	2,00
Date 1/26/65		_1	TOILETS	<del>-   ; -  </del>	2.00
(00)			SATH 1UBS	<del>-   -  </del>	
orb ( ) genelu			SHOWERS		
APPROVED FINAL INSPECTION			DRAINS		
LI -OPO	Ī		HOT WATER TANKS		<del></del>
Date 2/3/65 501 9		L	TANKLESS WATER HEATERS		a
			GARBAGE GRINDERS		3
BLOSEPH R WEL	AU.		SEPTIC TANKS		
CHIEF HE OF BUILDING	<del>pii</del>		HOUSE SEWERS		
CHIEF COMMENTENING INSP	<b>ECTOR</b>		ROOF LEADERS (Conn. to house drain)		<del></del>
WESIDEMIIAL		1	Washing Machine		2.00
SINGLE MULTI FAMILY	1				
NEW CONSTRUCTION		T			
			T	OTAL >	₩8.00
POI	ETLAND	HEAL	LTH DEPT. PLUMBING INSPECTION L		
		, ,	•		
Anna transmission or the state of the state				-	

:

1.4

Soft war

#### APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED
OUNT 1962

	Portland, Maine,	July 20, 1962	<u> </u>	TTY of PORTLAND
To the INSPECTOR OF BUILDINGS, 1			-	ar routhwill
The undersigned hereby applies for nnce with the Laws of Maine, the Building	a permit to install the Code of the City of F	e following heating, co Portland, and the follo	ooking or powe owing specificat	r equipment in accord- ions:
Location 273 Cumberland Ave.  Name and address of owner of appliance Installer's name and address Ballard.	Use of Building	Aut.House Carland, 475 Co	No. Stories	3 New Building Existing "
	General Descript			
To install Oil burning equipment left hand side of building.	·····			
The following information is II for Incinerator Basement & Location of appliance Basement & Minimum distance to burnable material, from top of smoke pipe 4' From Size of chimney flue 8x12 Other If gas fired, how vented?	Any burnable mater	Kind of fuel? Kind of fuel? r casing top of furnace	des or back of prinerum demand pe	appliance 6!
Will sufficient fresh air be supplied to the ap	opliance to insure prop	er and safe combustion	1?yos	
Will operator be always in attendance?  Type of floor beneath burner concret  Location of oil storage basement  Low water shut off yes  Will all tanks be more than five feet from a  Total capacity of any existing storage tank	Does oil sup to Si  Make Mo My flame? Yes	Labelled by upply line feed from to ze of vent pipe	p or bottom of 1 http://www.pf tanks 2 Noclosed?	tank? bottom 75 gal
Total capacity of any existing storage tank				
	IF COOKING A			-4.3
Location of appliance  If so, how protected?	From sides and back or connections to sam	bustible material from From Reflue  dd?	egs, if any top of appliance om top of smol	ce?
-		OR SPECIAL IN	FORMATION	1
94° 7.20.62 15m	see t	-	ity requirement	ck a person competent to

Date of permit Permit No. 62/

4



# APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

SEP 24 1959

Portla	ind, Maine; Sept.	24, 1,959	CITY !	THAT AND
To the INSPECTOR OF BUILDINGS, PORTLAN	ID, ME.			
The undersidued hereby applies for a perm	it to install the follo	wing heating, cooking or	power equipn	tent in accord-
ance with the Laws of Maine, the Building Code of	the City of Portlan	d, and the following spe	cifications:	
Location 271 Cumberland Ave. Use	at Dudding Dwel	ling No. St	ories	Max Building
	ranother Canla	nd, 271 Cumberland		Existing "
				-1991
Installer's name and addressBallard.Oil2.	.Equipmentvo	TDD St. Stristman 1	. crephone &	
	al Description of			
To install Gravity hot water boiler-(re	eplacement) and	cil burning equip	ment (conv	ersion)
from coal-fired system.				
	TER, OR POWE	R BOILER		
Location o appliance Basement Any			none	
		Kind of fuel?	oil	
Minimum distance to burnable material, from top		_	1	
			ck of appliant	e 61
From top of smoke pipe 2! From front				
Size of chimney flue12x12 Other conne				
If gas fired, how vented?				•
Will sufficient fresh air be supplied to the appliance	to insure proper and	i sate combustion?	.63	
	IF OIL BURNE	R		
Name and type of burner Essoguntype		. Labelled by underwrite	ers' laboratorio	es? yes
Will operator be always in attendance?		ne feed from top or bott		
	Size of	• •		
Location of oil storage . basement		r and capacity of tanks.	. 1-275 gal	•
Low water-shut off			No.	
		many tanks enclosed?	• • • •	
Will all tanks be more than five feet from any flam	=	•		
Total capacity of any existing storage tanks for fu	imace numers 114		"	
IF (	COORING YEAR			
Location of appliance	Any burnable r	naterial in floor surface o		
If so, how protected?	.,	Height of Legs, if any	у	•
Skirting at bottom of appliance?	istance to combustib	ole material from top of a	ppliance?	
	sides and back .	From top o	f smokepipe	
Size of chimney flue Other conn	ections to same flue	<b>!</b> .		
• • •	so, how vented?		or gravity? .	
If gas fired, how vented?	·	Rated maximum dem	ard per hour	
MISCELLANEOUS E	QUIPMENT OR	SPECIAL INFORMA	MION	
		P = 1		
***************************************				
Amount of fee enclosed? 2,00 (\$2.00 for		cents additional for each	additional her	iter, etc., in same
building at same time.)				•
	<del>                                      </del>			
PROMOTO DA TO MENT				
M. 4. 27 17 18 1911 -	Will there	be in charge of the abo	ve work a per	son competent to
$\sim 1.5 \sim 1.$		he State and City requi		
	observed?	yes		_
	Ballard	-9il & Gquippent C	52 A, /	30
		1/19/02	25700	Herenz.
300 Signature of	Installar by:	Theres of	61/14	<u></u>
	AMARGAST & C	ALAN COUNTERSTONE TOUT 1 NOVE A		

INSPECTION COPY

NOTES · · · 3 14 1301 10 - 11 - 6 " 11 - 13

0355



## APPLICATION FOR PERMIT TO REPAIR BONEDINGSULD

Third Class Building March 50, 1985 30 1935 Portland, Maine, To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to repair the following described building in accordance with the The undersigned hereby applies for a permit to repair the following specifications:

Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Ward

Ward

Within fire limits?

YEB Dist. No. 270.

Therefore 272 Cumberland Avonus Owner's name and address Fred R. Small, Trustee, 67 North St.

Contractor's name and address Homing Small, 238 Reconford St. Telephone 1709 four family temement house Use of building\_\_\_\_ \_sq. ft., Style of roof. \_\_\_ft., Gross area. No. stories 8&B Height Type of present roof covering General Description of New Work REGISTERENT OF OCCUPANO 1 1 To Ropair after Fire to Corner condition. No alternations (Cause - cigarotte) damage 2d floor If Roof Covering is to be Repaired or Renewed yas, Area then repaired. When last repaired?\_ .. If so, what area damaged?. Are repairs or renewal due to damage by fire? Area of roof to be repaired now? No. plies. Type of roofing to be used... Trade name and grade of roof covering to be used. Fee S. Signature of owner Wanted No. Estimated cost \$ 800. INSPECTION COPY

Ward 4 Location 273 Cumberland an Owner Fred H. Small, Truster
Date of permit 3/30/35 Notif. closing-in Inspn. closing-in Final Notif. Final Inspn. 4/4/35

Cert. of Occupancy issued November Notes

4/1/35 - Repare ber made - O. G.

1. 用心心可以即形式 5. 5. 5. 5.



### Application for Permit for Alterations and Miscellaneous Structures

CLASS OF BUILDING OR TYPE OF STRUCTURE To the INSPECTOR OF BUILDINGS, PORTLAND Me pplication and the Inspection and the Inspection and the following described building according to the following described structures according to the following described structur Ward - i Location 270 Curberland avo. Owner's name and address? Thereio Homenay, 276 Curborland Avo. Contractor's name and address? g. R. Mitson, 15 220 St. Architect's name and address?.\_ \_No. Families?\_ Last use of building?\_\_nonemont No. Families? Proposed use of building?\_\_\_ Tonuscus Description of Present Building \_\_\_\_\_Style of Roof\_ \_\_No. of Stories\_\_\_\_ Date General Description of New Work Build autoide wooden in alread in none composing platform at each floor level and orthogolog to the ground. The stairen will be at locat 8:-0" with and platform at it four fact wide. The rigars will be no many then by and the treats no loss Patform to be as leasted as that all compares of the building me rivion ther without hindrarco etval times Tosts under platforms will be no lose than 25 Inches in every-section Size of New Braming Members \_Raiters or roof beams?\_ \_Sills ?\_ Material and size of columns under girders?\_\_\_\_ Ledger board used? Size? Studs (outside walls and carrying partitions) 2 x 4 16" O.C. Girders, 6" x 8" or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts will be all one piece in cross section. 1st floor , 2nd On centers: \_, 3rd\_ Span: 1st floor.... If 1st or 2nd Class Construction External walls thickness 1st story (1st story , 2nd story , \_\_\_, 2nd story\_\_\_\_ Other Details New Construction -. To be erected on solid or filled land?

Material of foundation?

Thickness, top? \_earth or rock? Material of foundation?\_\_\_\_\_ Material of underpinning? \_\_\_\_\_over 4 ft. high?\_\_ Kind of rooting? Kind of roof (pitch, hip, etc.)? Kind of roof (pitch, hip, etc.)? Material of chimneys? \_\_\_\_of lining? If a Private Garage No. cars now accommodated on lot?

Total number to be accommodated?

Distance to the accommodated? Distance from nearest present building to proposed garage? All parts of garage, including eaves, will be at least 2 ft. from all lot lines. Garage will be at least \_\_\_\_\_\_\_leet from nearest windows of adjoining property Miscellaneous Will the above construction require the removal or disturbing of any shade tree on the public street? Hor-Plans filed as part of this application? \_\_\_\_No. sheets ?\_\_ Estimated total cost \$ 200.00

Signature of owner or authorized representative? Howards Howards

272 Cumbaland Haves Gennesy June 7/26 Ork, except put an over daploands 12 and sect, area of 13 hosts which is only abt 14" (3\frac{2}{4}\times \frac{3}{4}\times \frac{3}{4}\ti

Inspection Services Samuel P. Hoffses Chief



Planning and Urban Development Joseph E. Gray Jr

AND ANY CONTRACTOR OF THE RESIDENCE OF LEGISLAND AND THE SECOND OF THE S

#### CITY OF PORTLAND

August 3, 1993

RE: 271-273 Cumberland Avenue

Debbie Napolitano Boulos Co. 2 City Center Portland, ME 04101

Dear Ms. Napolitano,

This letter will confirm that 271 to 273 Cumberland Avenue is grandfathered as a l unit dwelling and 28 lodging rooms. City records indicate that this use existed prior to June 5th, 1957 when we adopted our Land Use Codes. This letter does not attempt to address any other codes which apply to the property such as (building, electrical, fire codes).

Sincerely,

William D. Giroux Zoning Administrator

/e1