

Ward 3 Permit No. 33/905

Location 134 Federal Street

Owner City of Portland

Date of permit 7/12/33.

Notif. closing-in

Inspn closing-in

Final Notif.

Final Inspn.

Cert. of Occupancy issued

NOTES

~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~  
~~\_\_\_\_\_~~



FILL IN COMPLETELY AND SIGN WITH INK

# APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Permit No. 2206  
RECORDED  
OCT 3 1930

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

Portland, Maine, October 3, 1930

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 201 Newbury Street (134 Federal St.) Use of Building rooming house

Name and address of owner Mrs. Agnes Hughes, 201 Newbury St.

Contractor's name and address R. J. Garland, 22 Summit St. So. Portland Ward 3  
Telephone F 629 H

## General Description of Work

To install steam heat for first only

### IF HEATER, POWER BOILER OR COOKING DEVICE

Is heater or source of heat to be in cellar? yes If not, which story \_\_\_\_\_ Kind of fuel coal

Material of supports of heater or equipment (concrete floor or what kind) concrete

Minimum distance to wood or combustible material, from top of boiler or casing top of furnace, 3'  
from top of smoke pipe 3', from front of heater 4' from sides or back of heater 4'

### IF OIL BURNER

Name and type of burner \_\_\_\_\_

Location oil storage \_\_\_\_\_ Approved by Underwriters' Laboratories? \_\_\_\_\_

Will all tanks be more than seven feet from any flame? \_\_\_\_\_ No. and capacity of tanks \_\_\_\_\_

Amount of fee enclosed? 1.00 How many tanks fireproofed? \_\_\_\_\_

((\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

INSPECTION COPY

Signature of contractor R. J. Garland

324 4A

Ward 3 Permit No. 30/2206

Location 201 Newbury St.

Owner Miss Agnes Hughes

Date of permit 10/3/3

Notif. closing-in

Inspn. closing-in

Final Notif.

Final Inspn.

Cert. of Occupancy issued

NOTES

11/7/30 Installation  
O.K. Woodwork close to  
chimney but this location  
has had water connected  
to it. New work by S. J. [unclear]  
O.K. A.Y.

~~RECORDS OF THE BOARD OF HEALTH  
CITY OF BOSTON  
DEPARTMENT OF HEALTH  
BOSTON, MASS.~~

(G) GENERAL BUSINESS ZONE



# APPLICATION FOR PERMIT

Class of Building or Type of Structure First Class

PERMIT ISSUED  
Permit No. 11295  
JUL 28 1929

Portland, Maine, July 22, 1929

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter ~~install~~ the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 134 Federal Street Ward 5 Within Fire Limits? Yes Dist. No. 1  
Owner's or Lessee's name and address City Of Portland Telephone \_\_\_\_\_  
Contractor's name and address Brown & Berry, Inc. 22 Monument Sq. Telephone F 4695  
Architect's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
Proposed use of building Police Station No. families \_\_\_\_\_  
Other buildings on same lot \_\_\_\_\_

### Description of Present Building to be Altered

Material brick No. stories 8 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Last use police station No. families \_\_\_\_\_

### General Description of New Work

To cut in one new door on first floor from office into corridor

CERTIFICATE OF OCCUPANCY  
FROM CITY OF PORTLAND  
NOTIFICATION BY MAILING  
OR PERSONAL SERVICE

### Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Distance, heater to chimney \_\_\_\_\_  
If oil burner, name and model \_\_\_\_\_  
Capacity and location of oil tanks \_\_\_\_\_  
Is gas fitting involved? \_\_\_\_\_ Size of service \_\_\_\_\_  
Corner posts \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-1b O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joist and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be more other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Plans filed as part of this application? no No. sheets \_\_\_\_\_  
Estimated cost \$ 50. Fee \$ .50

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

INSPECTION COPY

Signature of owner City of Portland  
By Brown & Berry, Inc.

Ch. Berry

7833

Ward 3 Permit No. 29/1395

Location 134 Federal St.

Owner City of Portland

Date of permit 7/23/29

No. of closing-in \_\_\_\_\_

Inspn. closing-in \_\_\_\_\_

Final Notif. \_\_\_\_\_

Final Inspn. \_\_\_\_\_

Cert. of Occupancy issued \_\_\_\_\_

NOTES

7/27/29 - Talked with  
Capt White re painted  
and location of door  
opening to be set down,  
but date has not yet  
been put in. A J.





OFFICE HOURS  
8 TO 12 M  
4 TO 5 P. M.

# City of Portland

## OFFICE OF INSPECTOR OF BUILDINGS

June 20th, 1912 191

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on  
Federal St. street, at number 302 3/4 to 18 1/2 W  
Two stories high 145 feet long,  
feet wide; also an addition to be stones high, Police Station  
feet long, feet wide, and to be used as a

CELLAR WALL—To be constructed of Concrete to be 24 inches wide on bottom and  
batter to 24 inches on top. Footing 36in.

UNDERPINNING—To be Height of underpinning from top of cellar wall to bottom of  
sill ft. inches to be inches in thickness.

EXTERIOR WALLS—To be constructed of If of Brick, Stone, etc. Total length of wall  
ft. inches Thickness of 1st. 2d. 3d. 4th. 5th. 6th. story walls. If of reinforced concrete state mix and reinforcing system  
to be used.

If wood construction, sills to be Girders  
Posts. Girts. Studs. to be spaced.

This building will be used for the purposes of. (If for apartments,  
tenements, or other family uses state number of families accommodated and number on each floor.  
If for manufacturing or mercantile purposes state character of business and amount of estimated  
weight to be carried by the floor.)

Number of families on floor.  
Total number of families.  
Manufacturing (state character).  
Estimated load on floors per sq. ft.  
Mercantile business (state character and load per sq. ft.)

If building is used for tenement house or family use and more than one family, the following provis-  
ions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap  
and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in  
tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of  
Buildings may consider necessary.

STAIRWAYS—No. in building. location. to be enclosed  
with walls to be lathed with lathing.

ROOF—To be constructed of Rafters to be inches to be spaced.  
inches on centers. Roof to be covered with  
Gutters to be made of Cornices to be made of.  
Bay windows to be made of to be covered with.  
Dormer Windows to be made of to be covered.  
Chimneys, Smoke flues to be lined with and provided with a 10 inch outside collar and an  
inside collar to go to the inside of the flue

Estimated Cost of Building

INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at least  
24 hours before the lathing is begun.

The Builder is City of Portland Address 120 Exchange St.

The Architect is George Burnham Address 3 Center St.

The Owner is F. A. Rumery Co. Address  
No Deviation will be made from the above application without written permission from the Inspector of  
Buildings.

The above petition was granted the day of 191

(Applicant to sign here)

F. A. Rumery Co.

~~134-6~~ Federal St.

PERMIT NO. 37  
DATE OF ISSUE 6/2/72  
LOCATION  
Federal St.