KIMBALL CHASE COMPANY, INC.

COMPANY, INC.

COMPANY, INC.

COMPANY, INC.

CANCELLATED BY NA H

CANCELLATED BY

CHECKED BY

CHE

PROJECT CHARDLEDS 12HART JOBHO! KIMBALL CHASE DETAIL CALCULATED BY YAM COLEVALUI RAMP CHECKED BY SEHEME NEW INTERMEDIALE PLOAT PLAI FURM 6 PILLS REDO PLAH (RAMES HE SHO H) (DLSIGHED TO SPAN BETWEEN 12 THE'S WITOTAL RAMP " LOAR OF 9000#) FIRME WIRPH DIN CONT TO E-BRG PILL GUIDL PILL FILL BUONS SIZET FO MOVEMENT OF (EXACT DIPPENSIONS OF FLOAT REIDE)

KIMBALL CHASE company, in. COHOCPTUAL. ROLLIN I'Y 45' RAME أغالاقلا لممارحين

CONCEPTIAL RATE CONCEPTIAL RATE CHECKED BY CHECKED

PLACEL DIMEONALLY

PLACEL DIMEONALLY

- HX4 TIMBER

CURE (TYP)

VECTICAL (L4

2X4 BLOCKIN

OVER STVOS

2X4 TOP PE

2X4 STUD 12

2Y BOTTOM PE

4' G.C.

-FLOKT

Service Co.

NOTES ! ALL TIMBER .4 4/ct P.T.

7. ALL TIMEET TL > 1200 psi

3. ALL HAIDWAIT TO BE HIC. GALV.

4. FLANT MANUE TO SUPPLY MATTHCH MENT DETHILS

Notes from Meeting

Date:

July 23, 1986

RE:

Chandler's Wharf

Building 7

Location:

Portland Planning Board Office

Present: David Cope, Jamie Corriveau - Liberty Group; Paul Frenko - Bernstein, Shur, Sawyer & Nelson; Sam Hoffsis, Joe Gray, Alex Jaegerman, Richard Flewelling - City; Bill Hopkins, CynDee Sabin - Archtellic.

t mystaria

Presentation to city was to trace history of Building 7 and public access around Building 7 to assure we are constructing Building 7 as proposed.

Bill gave presentation:

-During our office move presentation boards were thrown out. We have material that look like presentation boards.

-In March 1985 Planning Board reviewed drawings showing conceptuals for Building 7. At that time, a building was in the center of the project. Alex remembered that.

-At May 14, 1985 Planning Board presentation we showed public access and fisherman ramp through Buidling 7. We were aware of need for a 10' ramp to reach deck.

-June 5, 1985 no offsets for Building 7. We had the walkway and driveway included. First schematics of Building 7 with 10' drive through and 15' total public access. Showed set of elevations.

-Subdivision plan showed 5' public access inside Building 7. We had plenty of room at south end of Building 7. Subdivision plan used as base for drafting site plan which city signed. In the reurafting an error occured by ommitting north end of Building 7. It was different from anything else we were drafting and we are sure it was a drafting error.

-Sam agreed his drawings submitted by Jamie last summer/fall indicate what is being built.

-Alex and Joe thought a 10' ramp abutted north property line.

-Bill explained during the presentation the staff said we needed a walkway separate from ramp so we moved the ramp inside building.

Notes to Meeting July 23, 1986 Page 2 of 3

-Alex - site plan says Building 116' long but unclear where ends of building are so they couldn't agree about location of end of building and unclear if we are moving the building.

45

-Bill - We have separate issues here.

-Joe questioned if recording plat newded to be changed.

-Alex suggested an as built drawing $\ensuremath{\text{pe}}$ drafted and approved by Planning Board.

-Alex asked if our building affects the 5', 10' access. Bill - No, we are buildign it with both allowed for.

-This is a technical question.

-Jamie - He will change site plan to reflect as built for any "sidewalk superintendant" who migh' go to city hall to check if we are building according to plan. Would this mean we would get a go ahead to continue work?

-Alex would like an as-built.

-Joe - Note technical change on as-built.

-Jamie - he has talked with staff about changing commercial space on 1st floor to 3 residential units; consolidate public access to rundown westside of Building 7 and turn to east of southern wall of Building 7 and west of project; eliminate end deck and replace east fixed deck with floating deck. Planning Board has a board requesting this change and will be discussed at August 19th meeting.

-Question about what can be dealt with internally by Planning Staff and what must go to the Planning Board. Change of use must go to Planning Board but the deck issues can be dealt with internally.

-Alex thinks everything (including north end of Building 7) should go to Planning Board.

-Warren Turner advised Joe Gray that the sode says we must set back from piles - keeping piles intact.

-David said one year ago he met often with Malcolm Ward who always said edge of wharf is to be used, not decks, for setback. Thus we never put a deck along west side.

Notes to Meeting July 23, 1986 Page 3 of 3

-Paul - Also they had meetings with Planning Staff, Fire Chief and Corporation Council who all agreed on that same interpretation. There are ties between the structure and piling and that determined to be the structure.

-Joe - if the issue of north end of Building 7 can be handled administratively, Archtellic is to submit an as-built and the stop work order will be rescinded. If Planning Board must decide, it will be August 19, 1986 before work can progress.

-Paul - Ordinance says issues go to Planning Board if relating to a condition or requirement of Planning Board.

-Richard - Feels Joe can handle this adminstratively with a revised partial site plan.

-Archtellic - to submit revised partial site plan today.

-Liberty Group to look through files for any documentation regarding 5' setback.

-David - every plan we submitted was based on the approval of the Planning Board that requirements were met.

-Richard - Is no connection between retention plan and fixed deck .

-Will be one more workshop before planning board public hearing regarding retention plan.

Mar was the second of

CENTRAL WHARF ASSOCIATES 38 PREBLE STREET PORTLAND, MAINE 04101 (207) 772-0548

November 18, 1986

Mr. Jack H. Humeniuck, Chairman Portland Planning Board Portland City Hall 389 Congress Street Portland, Maine 04101

Re: Central Wharf

Dear Mr. Humeniuck and Members of the Planning Board:

Please accept my apologies for the lateness of this submission, but due to circumstances beyond my control (outside entities), it could not be helped.

I am in hopes that the Bonne will consider the following items in reference to the staff outline dated November 14, 1986:

- Relocation of 700' of fish boat berthing to Hobson's Wharf and acceptance of 90' of fish boat berthing at Union Wharf.
- Substitution of floating deck for fixed decks. Please find attached from Kimball Chase Company, Inc. two letters substantiating the strength and durability of the floating deck system. These two letters are marked Attachment A. As stated in this letter, the system will handle up to an 80' boat without any structural changes.
- 3. Truck and pedestrian access along Building 7. Please find attached Plan No. 1 that shows the vehicular access to the east side as approved by the Planning Board on August 13, 1985. Also, please note Plan No. 2, which shows our proposed change to the vehicular and pedestrian access on the east side. The diagram shows that the 10' access strip will be provided, if necessary, directly adjacent to Building 7. This was accomplished by obtaining a 5' easement from Harris Company and combining it with our 5' setback from our property line giving us a total of 10'. This access area has always been there and interfaces with the existing platform and ramp.
- 4. Public access. Please refer to the attached site plan, which shows the new public access circulation system. Basically, the change here has only been one of simplification.

KIMBALL CHASE

company, inc.

Civil Environmental Engineers Landscape Architecture P.O. Box 537 40 Bridge Street Portsmouth New Hampshire 03801

603-4 11-2520

Liberty Group, Inc. 38 Preble Street

Novembe. 17, 1986

Portland, ME 04101
Attn: Jamie Corriveau

Re: Chandlers Wharf Marina Modifications - East 86-1333

Dear Jamie:

Enclosed please find my letter summarizing my analysis of the existing float system on the east side of Chandlers Wharf.

I would like to expand on what "minor" modifications may entail in using this facility for year round commercial fishing vessels.

Blake Wood at Thompson Floatation Inc. (TFI) feels that without a 3/8" top skin underneath the deck as there is on the fingers, we will have to modify the fendering to induce loads into the floats at the piles.

In order to maintain reasonable lateral deflections in the system we will require that compression struts be placed on all existing piles to tie back the piles to the bulkhead.

Chris Clark has informed me that they have doubled up on heavy duty cleats on the east side and used 5/8" O bolts which should be acceptable for the intended use. Chris also feels that the power posts have been recessed but I feel we should look at this relative to the actual hulls that will be berthed on this side.

Enclosed also please find conceptual details of proposed modifications.

Once you have made a final determination of the necessity to berth commercial fishing vessels on this system and have a list of vessels we can finalize this assessment and prepare final details.

If you have any questions, please feel free to contact me.

Sincerely,

KIMBALL CHASE COMPANY, INC.

Bob

Robert M. Snover, P.E. Project Manage:

RMS/sjo

Enclosure

CLIENT LISERT / GEOLG KIMBALL CHASE PROJECT ChANDLELS WHARE DETAIL EAST - MADIFICHTIONS PAGE NO 1 11 company, inc. DATE 11 16/86 CALCULATED BY PMS PRELIMINARY NOV 17 1986 EXIST: GRANTE WALL CONC WALL EXIST: PILE (TYP) NEW FENDERS NEW STRUTY (TYP.) EAST e characens minare CHANNEL FLONT SYSTEM CHUMPICEUS & CONF MILAYE HEW FEHOER

P) FIRE RESISTANT GYPSUM/SHEATHING



GYPSUM ASSOCIATION

1603 Orrington Avenue, Evanston, Illinois 60201

DESCRIPTION

Gypsum sheathing manufactured to meet the requirements of ASTM C-79 and Federal Specification SS-L-30 has the following characteristics:

	5/8* Type X
1/2" Shesthing**	SheathIng**
*4'	4'
8′	8'
2 0 lbs./SF	2.5 lbs/SF
*square	square
plain or water resistant	plain or water resistant
water repellent	water repellent
	*4' 8' 2 0 lbs:/SF *square plain or water resistant

Also available 2' wide with T & G edges **ASTM C-79 also covers other lengths and thicknesses Consult manufacturers for specifications.

USES

Gypsum sheathing is used with a variety of exterior finishes such as siding, masonry veneer, stucco and shingles

FUNCTION AND UTILITY

FIRE PROTECTION

The noncombustible core of gypsum sheathing protects the framing from the hazards of external fire, ever when covered by combustib's siding. When exposed to high temperatures, water contained in the chemical composition of the gypsum is gradually released, and this provides addit onel protection until the sheathing is completely calcined. Gypsum shouthing has a low flame spread rating (less than 25 as compared to 100 for Red Oak when tested by ASTM E-84).

WEATHER PROTECTION

The edges of vertically applied 4' wide sheathing panuls fall over the stud so it provides a barrier to minimize wind and water infiltretion. The T & G edges of 2' wide panels properly applied, also resist the passage of wind and water. The surfaces of gypsum sheathing are water repellent. These special features make the use of building felt unnecessary in mort cases, although it may be required when regular core sheathing is used or square edge sheathing is applied horizontally, or in exterior stucco curtain valls. (See Limitations of Use).

BTRUCTURAL


Racking tests have been conducted for the Gypsum Association by an independent laboratory according to ASTM Mathod E 72-77. Average ultimate

moning load talues well as	IUIIUWS:	
	Shear Load in lbs	per linear ft.
	Dry	` Wet*
1/2" × 4' wide sheathing	540	332
5/8" × 4' wide type X	654	522

Studs spaced 16" o.c. fasteners 7" o.c. In field and 4" o.c. on edges and ends for 5/8" gypsum sheath ng, 8" o.c. in field and 4" o.c. on edges and ands for 1/2" gypsum sheathing


Corner Bracing — Where continuous diagonal brecing is required, many building codes allow the use of four foot wide panels of 1/2 inch gypsum sheathing applied vertically to be used in place of 1 inch by 4 inch wood let-in

Shear Walls — Where wind or selsmic forces require shear walls to resist these lateral forces, most building codes provide allowable shear values for walls having gypsum sheathing applied to wood franing. Specific values with construction requirements and limitations are contained in the major model building codes (Basic/National Building Code, Standard Building Code and Uniform Building Code).




WOOD, VINYL, COMPOSITION, AND METAL SIDINGS

These sidings are applied directly over gypsum cheathing with festeners driven through the sheathing and into the studs




MASONAY VENEER Masonry veneer can be applied over gypwashing veneel can be applied over gyp-sum sheathling in the same manner as over rany other type of sheathing. The wall ties are secured by nalls driven through the gypsum sheathling and into

the stude




PLYWOOD SIDING

Plywood siding is applied directly over gypsum sheathing with nails driven through the sheathing and into the studs.



EXTERIOR STUCCO

Self furfing stucco mesh may be directly applied over gypsum sheathing with nails driven through the sheathing into the studs. Wood furfing strips or self furfing nails may be used for attachment of flat stucco reinforcement.



DETAILS FOR FRAMED OPENINGS

Standard 4 1/2" window and door frames permit the use of 1/2" sheathing without alteration. There is no need to use shimming unless a desper reveal is desired. Thicker wall constructions require thicker jambs or extension jambs in the frame.

VAPOR PERMEABILITY

Gypsum sheathing typically has an average vapor permeance of 20 perms (dry cup), which provides for the escape of normal water vapor. This exceeds the accepted minimum of five perms when the "U" value of the wall is less than 0.25 and a vapor barrier not exceeding one perm is installed on the interior side.

ECONOMY

Material cost is low for gypsum sheathing, and there is a minimum of waste. Gypsum sheathing panels are applied quickly and easily. In some cases fewer nalls are required to cover a given area than with other sheathing materials. Low material and labor costs, plus possible elimination of the need for building felt, are important economic advantages gained by the use of gypsum sheathing.

PERMANENCE

Since gypsum is an inert material, gypsum sheathing provides long-lasting stability to a structure's vital framing elements. Inspections of residences 25 years old have shown the original gypsum sheathing to be in excellent condition.

LIMITATIONS OF USE

- 1. Should not be used as a nalling base.
- 2 Exterior cladding applied over gypsum sheathing should be applied with mechanical fasteners through the sheathing into the wall framing
- 3 Application of gypsum sheathing to framing by adhesives only is not recommended
- 4. Maximum stud spacing is 24" o.c.
- 5 Not recommended for extenor ceilings, soffits, or sills
- 6 May be stored outside for up to one month, .f stacked off the ground under protective covering
- 7. May be left exposed to the elements for one month after application, or up to six months if cutouts, corners and joints in the sheathing are filled with a flexible sealant at the time of application. Building felt, applied immediately after the sheathing application, properly lapped, attached and anchored by metal lath or exterior stucco, is an alternate for the flexible sealant.

RECOMMENDED SPECIFICATIONS

SCOPE OF WORK

All exterior walls should be covered with gypsum sheathing.

FRAMING

Framing members should be installed not to exceed 24" o.c.

MATERIALS

Gypsum Sheathing: Sheathing should be (plain or water resistant core) water repellent gypsum sheathing 1/2" or 5/8" thick 4' wide with square edges, or 1/2" thick 2' wide with tongue and groove edges. All sheathing shall meet the requirements of ASTM C-79.

Nails: Nails shall be galvanized 11 gauge, 7/18" head, 1 1/2" long for 1/2" shoathing, and 1 3/4" long for 5/8" shouthing.

Staples: Staples for 1/2" sheathing shall be galvanized 16 gauge, 7/16" \times 1 1/2" long with divergent points.

Screws: Consult the sheathing manufacturer for screw spacing and attachment detail for wood and metal framing.

Metal studs: Consult the sheathing manufacturer for recommended systems with metal framing.

ADDLICATION

Nail heads or screw heads or the crown of staples should bear tightly against the face of the shoathing, but not cut into the face paper. Staples should be driven with the crown parallel to the framing. Fasteners should be no less than 2.8" from the ends and edges of the sheathing.

GYPSUM SHEATHING - 4 FT. WIDE

Apply 4 ft. wide gypsum sheathing vertically with vartical edges over framing members. Fit sheathing snugly around all window and door openings. Flashings should be installed around all openings. When using nalls, secure sheathing to studs 4" o c., around the perimeter of the board, and 8" o c. in the field of the board. (When using staples, secure sheathing to studs 3" o c. around the perimeter of the board and 6" o.c. in the field.)

For horizontal application, and for screw application, consult manufacturer.

GYPSUM SHEATHING - 2 FT. WIDE

Apply 2 ft. wide gypsum sheathing with the long dimension at right angles to the framing members, with grocved edges down, interlocking the tongue of the adjacent panel, bring long edges into contact with each other without forcing. Ends of panels should abut over the centers of framing members and all end joints should be staggered. Fit sheathing snugly around all windows and door openings. Flashing should be installed around all openings. Secure sheathing to studs with fasteners spaced approximately 4" o.c. (8" o.c. where wood siding or diagonal bracing is used.)

EXTERIOR CLADDING:

- Note 1: Building felt is not needed over gypsum sheathing but may be required by local building codes.
- Note 2. Exterior cladding applied over gypsum sheathing should be applied with mechanical fasteners through the sheathing into the wall framing.

Exterior insulation Finish Systems (EIFS): Exterior insulation Finish Systems incorporating gypsum sheathing may be used with either mechanical fasteners or adhesives. The performance of these systems and recommendation of the proper method of attachment are the sole responsibility of the EIFS manufacturer.

Sidings: Apply horizontal siding directly over gypsum sheathing. Fasteners should have a minimum penetration of 1" into the framing. End joints of siding should abut over framing members.

Stone or Brick Veneer: Fasten masonry ties for the veneer securely through the sheathing and into the framing, spacing ties as required by masonry courses. Use an 8d nail or larger.

Stucco: Apply stucco mash according to manufacturer's directions, using self-furring material, furring strips or furring nails. Nail through the sheathing using nails which penetrate at least 1 in, into the framing.

Wood Shingles or Shakes: Apply 1 \times 2 htt. wood furring strips horizontally over the gypsum sheathing, spaced to correspond to the shingle exposure apecified. Use nails of sufficient length to provide at least 1 in ponetration into the studs. Nail through the sheathing into the framing with a minimum of one nail at each intersection of stud and furring.

Plywood Panel Siding: Apply siding directly over gypsum sheathing. Nails shall have a minimum penetration of one inch into the framing. Vertical edge joints of siding should occur over framing members.

Characteristics, properties or performance of materials or systems herein described are based on data obtained under controlled test conditions. The Gypsum Association and the member companies make no warranties or other representations as to their characteristics, properties or performance under any variation from such conditions in actual construction.

MEMBERS

The Celotex Corporation
Centex American Gypsum Company
Donitar Gypsum America Inc.
Domtar Industries Inc.
Genstar Gypsum Products Co
Georgia-Pacific Corporation
Gold Rond Building Products
Norwest Gypsum
Pabco Gypsum
Repub!lc Gypsum Company
Temple-Yastex Inc.
United States Gypsum Company
Western Gypsum Company
Windsor Gypsum Company
Windsor Gypsum Company

At antic Gypsum Limited Dumtar Construction Materials Weshoo Industries Limited



1603 Orrington Avenue, Evanston, Illinois 60201

1110 Fidler Lane, Suite 413 Silver Spring, Maryland 20910

1800 North Highland Avenue Hollywood, California 90028

		AF
--	--	----

PLICATION FOR AMENDMENT TO PERMIT

FEB S

EAMIT

Amendment No.....

Portland, Maine, Feb. 2, 1987 ---

ity Of I

Additional fee none

To the INSPECTOR OF BUILDINGS, FORTLAND, MAINE

Increased cost of work none

The undersigned hereby applies for amendment to Permit N85-1477 pertaining to the buildi in the original application in accordance with the Laws of the State of Maine, the Building Code the City of Portland, plans and specifications, if any, submitted herewith, and the following specific	ng or structure and Zoning Of cations:
Incation Chandlers Wharf - Bldg # 7	Diet No. N
Owner's name and address Central Wharf Assoc x38 Preble St	. Telephone . 77
Lessee's name and address	. Telephone
Contractor's name and address Yankee Construction 84 Middle St	Telephone
Architect Plans filed	No. of sheet
Proposed use of building 90 condominium units	No. families3
I act use Same	XV. ()! \$

Description of Proposed Work

To change use of Bldg. # 7 from commercial to residentail (2 units) for a total of 90 units

Change 1st floor use of bldg. # 7 from 1 commercial unit to 3 resider units for a total of 90 units due to the joining of 2 units on the top floor

Details of New Work

Is any plumbing involved in	this work?yes	Is any electrica	al work involv	ed in this work?	Ves
Height average grade to top	of plate	Height average gra	ide to highest	point of roof	
Size, front dept					
Material of foundation					
Material of underpinning					
Kind of roof	Rise per foot	Roof covering	************	, 4, 44,	************************
No. of chimneys					
Framing lumber—Kind					
Corner posts					
Girders Size					
Studs (outside walls and ca					
Joists and rafters:		, 2nd			
On centers:		, 2nd			
Maximum span:	1st floor		ard	roof	د اهره در د
Approved:		Signature	of Owner T	1. in the	
**************************************		The state of the s	Če	ntral W/a	Mars of



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Receipt and Permit number D 09444
To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:	in corps and I count number _ D 03444
The undersigned hereby applies for a permit to make electrical inst	allations in accordance with the laws of
Maine, the Portland Electrical Ordinance, the National Electrical Code	and the following specifications:
OWNER'S NAME: Liberty Group ADDRESS:	38 Preble St.
OUTLETS:	FEES .
Receptacles 560 Switches 258 Plugmold 0 ft. TO	OTAL <u>818</u> 80.80
FIXTURES: (number of)	
/Incandescent X Flourescent (not strip) TOTAL	320 34.00
SERVICES: ft	· · · · · · · · · · · · · · · · · · ·
Overhead Underground X Temporary TO	OTAL amperes 1600 . 7.00
METERS: (number of) 19	9.50
MOTORS: (number of)	
Fractional	
7 1 HP or overRESIDENTIAL HEATING:	
"Oil or Gas (number of units)	•
Oil or Gas (number of units) Electric (number of rooms)	90.00
COMMERCIAL OR INDUSTRIAL HEATING:	·
Oil or Gas (by a main boiler) Oil or Gas (by separate units)	*********
Electric Under 20 kws Over 20 kws	
APPLIANCES: (number of)	
Ranges 18 Water Heaters	19
Cook Tops Disposals	18
Wall Ovens 0 Dishwashers	18
Dryers18 Compactors Fans18 Others (denote)	
Fans18 Others (denote) TOTAL _108	140.40
MISCELLANEOUS: (number of)	
Branch Panels 19	19.00°
Transformers	
Air Conditioners Central Unit	
Signs 20 sq. ft. and under	
Over 20 sq. ft	
Swimming Pools Above Ground	
In Ground	
Fire/Burglar Alarms Residential Commercial	5,00
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and ur	der
over 30 amps	· · · · · · · · · · · · · · · · · · ·
Circus, Fairs, etc.	*******************
Alterations to wires	5e
Repairs after fire Emergency Lights, battery <u>5</u> each floor	2.50
Emergency Generators	
INSTALL	ATION ERR DUR.
FOR REMOVAL OF A "STOR OF DEPT" (SALIS)	UBLE FEE DUE:
FOR REMOVAL OF A "STOP ORDER" (304-16.b)	LACOTTO DATE
•	L AMOUNT DUE:388_20
INSPECTION:	
Will be ready on 5/20/87, 19; or Will Call	
CONTRACTOR'S NAME: Warren Elec.	
ADDRESS: 39 Warren Ave. Pertland-Westbrook	· · · · · · · · · · · · · · · · · · ·
MASTER LICENSE NO.: 02580 OK SIGNATURE OF	CONTRACTOR: \
	(Beine
	

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — CREEN

To be the second of the second	Charles to the state of the sta	्य स्टब्स	Town Control of the C
INSPECTIONS:	Service 1600 amp by friend Service called in 5/19/87 Closing-in 5/15/17 by fry usso	Owner	ELECTRICAL Permit Number Location
PROGRESS INS	alle ma I la	Owner	RICAL INSTALL
	5/15/8211111	age No. 150	ATIONS -
DATE:	REMARKS:		Comme !
3/27/87	Closing 5th I'l Bloby #7	<u> </u>	
			B. 37. 4
4/14/87	Closing 2nd, 3t4 x 4th f/	Aldy#7	
///			· Mr
5/15/87	Closing 1st A - Aldg # 7.		" Ma
10/2/81	Branch Panels in indevidual	units ore impupul	Murkel
16/2/81	final for Cof 0 - Co	meleted this class	
///		<u>// </u>	7/4.
			· • • • • • • • • • • • • • • • • • • •
	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
ģ			يُعَادِينُ مِنْ الْمُ

CODE COMPLIANCE COMPLETED DATE 10/2/87



CITY OF PORTLAND, MAINE

Department of Building Inspection Certificate of Occupancy

LOCATION.

Issued to Chandler's Want Association

Chandler's Wharf Chis is to certify that the building, premises, or part thereof, at the above location, built-eltered -changed as to use under Building Per, vir No. substantially to requirements of Zoning Codinance and Building Code of the City, and is hereby approved for

Building 7 units 9

APPROVED OCCUPANCY Single family condominiums

Limiting Conditions:

This certificate supersedes

certificate issued Approved:

Laspector

Notice: This certificate is entities lawful use of building or premises, and ought to be transferred from owner to Cuner when property changes hands. Copy will be furnished to owner or lessee for one dolls

PLUMBING	APPLICA	TION			Department of Human Services Division of Health Engineering (207) 289-3826
Plantation Port 1s		1400.10			
Street SubdivisionLet # Chandle	SionLot# Chandlan a Wheek Bad- an		PORTLAND	PERMIT #	2 250 TOUR COOV
PARTIE PROPER	TY OWNERS NA	MEass		1_87	\$ L L FEE BOOKS FOR
Last. Applicant	First Libert	у	Lacal Plumbing Pracedo	FOILOWS	L.P. I. #
	Machanical,	lnc.			
	× 149, Westb	τιοk, He.			
	pplicant Stateme		Cautio	n: Inspectio	on Required
Phymbro force Carte V and D	isincation is reason for the	my 9 Local	I have inspected the compliance with the Ma	levedollation a set -	rized above and found it to be in iles.
Engineer of Owner Signature of Owner	r/Applicam	4/6/F Date	Local Flumber	g Inspector Signa	OCT 19
(1992年) [1993]	计包图像创作	PERM	TINFORMATION	The Market State	Date Approved
Thia Application is for	Type Of Str	ructure To Be	Served:		g To Be Installed By:
1. If NEW PLUMBING	1 🖺 SINGLEFA	AMILY DWELLIN	g.		TERPLUMBER
2 RELOCATED PLUMBING		MODULARORM		. –	BURNERMAN
	3. 🖰 MULTIPLE		ING		O HOUSING DEALER/MECHANIC
APR 1 0 1987	4. [] OTHER - :	SPECIFY·			PERTY OWNER
		·		LICENSE #	0, 1, 1, 9, 6
ਕੋਪਮਸber Hook-Ups And Pi	ping Relocation	Number	Column 2 Type of Fixture	Number	Column 1 Type Of Fixture
1 HOOK-UP- to publik	Sewerin	3 H	osebibb / Sillcock	2	Dalbub /a-d St
those cases where it is not regulated and it the local Sanitary Dis	nenacted by	1 FI	oor Drain		Shower (Separate)
		U	กกล่	18	3 Sink
HOOK-UP: to an ext	sting subsurface	Di	rinking Fountain		Wash Basin
wastewater disposal	system,	In	direct Waste	29	
		W	ater Treatment Soltener, Filter, etc		Clothan Washer
PIPING RELOCATIO	N: of sanitary	Gr	ease/Oil Separator	18	Dish Washer
lines, drains, and pipir new fixtures.	ng without	De	ental Cuspidor	18	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1		Blo	Jet ^	 '-'-	Laundry Tub
Hook-Ups (Subto	otal)	Ou	her:	18	Welesting A. V. St. 1991.
Hook-Up Fee		4	Fixtures (Subtotal) Column 2		Fixtures (Subtotal)
	<u> </u>	Y			Fixtures (Subtotal)
A Second	SEE PERMIT	reet pour		100	Total Fixtures
	FOR CALC	Culating F	EE EE	, 145 \$175.00	A STATE OF THE STA
To house for the	-	· .	-	-	
Rege 1 of 1 2		3		181.00	Alpho Rivies
The second of the second		4	FOUNT CODY	\$ 101.00	(total)
resultable es de a d	Marian :		TOWN COPY	٠,	a satisfication of the same of the same of

. 1



APPLICATION FOR PERMIT DEPARTMENT OF DUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

Date <u>July 25</u> Receipt and Permit num	, 19 <u>_86</u> iber <u>D 243</u> 56
To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine: The undersigned hereby applies for a permit to make electrical installations in accordance with Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specific LOCATION OF WORK: COMMERICAL St- Chandler, S. Wharf	the laws of ations:
OWNER'S NAME: Liberty Group ADDRESS: 38 Preble St.	TEES
OUTLETS:	
Receptacles 2313 Switches 1618 Plugmold ft. TOTAL 3931	392.10
FIXTURES (number of) Incandescent ** 1659 urescent (not strip) TOTAL 1659 Strip Flourescent 1t.	167.30
Strip Flourescent R. SERVICES: 5- 600 amp -1 800 Overhead Underground X Temporary FlorAL amperes	
Overhead Underground X Temporary TOTAL amperes	-36.00
MOTORS: (number of) 82 Frautional Frautional	3-40-00
Fractional I HP or over	
RESIDENTIAL HEATING	
Oil or Gas (number of units) 72	216,00
Electric (number of rooms)	108.00-
Oil or Gas (by separate units) Electric Under 20 kws Over 20 kws	
Oil or Gas (by separate units)	
Electric Under 20 kws Over 20 kws	
APPLIANCES. (number of) Ranges 72 Water Heaters 72.	
Cook Tops Disposals 72	
Wall Ovens Dishwashers 72	
Dryers Compactors	
Dryers 72 Compactors 1 Fans 195 Others (denote) TOTAL	734.00
TOTAL MISCELJ ANEOUS: (number of) Branch Panels _82	
Transformers	
Air Conditioners Central Unit	
Class Of an ft and under	
Over 20 sq. ft.	
Swimming Pools Above Ground	 -
Fire/Burglar Alarma Residential	-7.00
Fire/Burglar Alarms Residential 1	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under	
Circus Fairs atc.	
Altanations to mires	
Repairs after fire Emergency Lights, battery 22	
Emergency Lights, battery 42 Emergency Generators	
Emergency Generators INSTALLATION FEE DUE:	
INSTALLATION FEE DUE: FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT DOUBLE FEE DUE:	
FOR REMOVAL OF A "STOP ORDER" (301-16.b)	1,795.00
INSPECTION:	
CONTRACTOR'S NAME: ADDRESS: 19 Warren Ava. Westbrook	
CONTRACTOR'S NAME:Uarren_Electric	
ADDRESS: 19 Warren Ava. Weathrook	• 1
MASTER LICENSE NO: 2580 SIGNATURE OF CONTRACTOR:	
INSPECTOR'S COPY - WHITE	
• INSARCION 2 COLS — ALLEIN	

INSPECTOR'S COPY — WHITE OFFICE COPY — CANARY CONTRACTOR'S COPY — GRIEN





Certificate of Occupancy

LOCATION Changler's Wharf

Date of Issue August 26, 1987 Issued to Chandler's Wharf Association

This is to certify that the building, premises, or part thereof, at the above location, built-altered substantially to requirements of Zoring Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below. Single ramily condominiums

PORTION OF BUILDING OR PREMISES

Building 7 units

Limiting Conditions:

This certificate supersedes certificare issued

Notice: This certificate identifies lawful use of building or premises, and pught to be transferred

and considered tourishes having use of pulliments of premisers and the property changes hands. Copy will be furnished to



Certificate of Occupancy

Chandler's Wharf LOCATION

Chandler's Wharf Association Issued to

Date of Issue

October 7

This is in certify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Bldg. 7 Unit 17

Single family condominium

Limiting Conditions.

This certificate supersedes certificate issued

(Date)

Notice: Anie cert'frate identifies lawful use of building or premises, and ought to be transferred from oner when property changes hands. Copy will be furnished to owner or lessee for one dollars.



Certificate of Occupan

LOCATION

Chandler's Wharf

Chandler's Wharf Association

Date of Issue August 25,

This is to certify ther the building, premises, or part thereof, at the shove location, built-altered -changed as to use under Building Permit No. , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby eperoved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Building 7 units

19

Single family condominium

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

Inspectorief Bildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or levee for one dollar.



Certificate of Occupancy

LOCATION

Chandler's Warr

Central Wharf Assoc. Issued to

Date of Issue

August 4, 1987

Thin is in certify that the building, premises, or part thereof, at the above location, built-altered , has had final inspection, has been found to conform -changed as to use under Building Permit No. substantially to requirements of Zoning Ordinance and Building Code or the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Berthing

Fast Side Slips #57 thru 77

Limiting Conditions:

This certificate supersedes

certificate issued Approyed:

1) Russa

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands . Copy will be furnished to owner or lesser for one dollar



Certificate of Occupancy

Issued to Central Wharf Assoc.

Chandler's Whorf

This is to certify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for , has had final inspection, has been found to conform

APPROVED OCCUPANCY

East Side Slips #57 thru 77 Limiting Conditions:

Berthing

This certificate supersedes certificate issued

Approved:

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands Copy will be furnished to owner or lesses for one dollar.



Certificate of Occupancy:

Chandler's Wharf LOCATION Chandler's Wharf Association Issued to Octbber 1, 1987 Date of Issue

the second secon

This is to certify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below. PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Bldg. 7 Unit 713

Single family dondominium

Limiting Conditions:

This certificate supersedes certificate issued

Notice: This certificate identifies lawful use of building or premises, and ought to be transcerred owner to owner when property changes hands. Copy will be furnished to owner or lesses for one dollar.



Certificate of Occupancy

LOCATION Chandler's Wharf Association Issued to

October 1, Date of Issue

This is to certify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. - -, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below. PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Chandler's Whaff

Bldg. 7 Unit 712

Single family condominium

Limiting Conditions:

This certificate supersedes ertificate issued

Notice: This certificate identifies lawful use of building or



Certificate of Occupancy

Ohand er's Wharf Chandler's Wharf Association

Cctoberl, 1987

Date of Issue

Issued to

This is to perfifty that the building, premism, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVET OCCUPANCY

Bldg. 7 Unit 711

Single family condomanium

Limiting Conditions:

This certificate supersedes certificate issued

Natice: This certificate identifies lawful use of building or premises, and ought to be transferred life owner to owner when property changes hands. Copy will be furnished to owner or lessee for one doltar

Inspector of Builds



Certificate of Occupancy

Issued to

LOCATION Chandler's Wharf Association Chaudler's Wharf

Date of Issue

October 1.

Chis to to certify that the building, premises, or past thereof, at the above location, built-altered -changed as to use under Building Permit No. , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or oth twise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANC

31dg. 7 Unit 708

Single family condominium

Inspector of Build

Limiting Conditions:

This certificate supersedes certificate issued

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be intraished to owner or lessee for one dollar,



Certificate of Occupancy

LOCATION

Chandler's Wharf

Chandler's Wharf Association Issued to

Date of Issue

October 1, 1987

This is to rertify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Bldg. 7 Unit 707

Single family condominium

Limiting Conditions:

This certificate supersedes certificate- issued

his certificate identifies lawful use of building or premises, and ought to be transferred from er to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.



Certificate of Occupa

Changler's Wharf Association

Chandler's Wharf

Issued to

Date of Issue

Tiens in to rertify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No.

. has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

FORTION OF BUILDING OR PREMISES Bldg. 7 Unit 706

APPROVED OCCUPANCY

Single family condomizium

Limiting Conditions:

This certificate supersedes certificate issued

Inspector of Bulle

certificate identifies lawful use of building or premises, and ought to be transferred from then property changes hands. Copy will be furnished to owner or lessee for one dollar



Certificate of Occupancy

Issued to Chandler's Wharf Association

Chandler's Wharf

Date of Issue

october 17 1980

This is to rertify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No.

has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR FREMISES

APPROVED OCCUPANCY

Bldg. 7 Unit705

Single family condominium

Limiting Conditions:

This certificate supersedes

certificate issued

C(Date)

Hfsl2

Inspector of Building

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or issee for one dollar.



Certificate of Occupancy

LOCATION

Chandler's Wharf

Issued to

Chandler's Wharf Association

Date of Issue

This is to certify that the building, premises, or part thereof, at the above location, built-altered , has had fit al inspection, has been found to conform -changed as to use under Building Permit No. substantially to requirements of Zoning Ordinance and Luilding Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Bldg. 7 Un. 1 704

Single family condominion

Limiting Conditions

This certificate supersedes certificate issued

Inspector of Buildi

Notice: This certificate dentifies lawfut use of building or premises, and ought to be transferred from owner to owner whith property changes hands. Copy will be furnished to owner or lessee for one dollar-



Certificate of Occupancy

Chandler's Wharf Association

Chandler's Wharf Date of Issue

This is to certify that the building, premises, or part thereof, at the above location, built-altered -changed as to use under Building Permit No. substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for , has had final inspection, has been found to conform PORTION OF BUILDING OR PREMISES

Bldg. 7 Unit 703

APPROVED OCCUPANCY Single family condominium

Limiting Conditions:

This certificate supersedes certificate issued

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands Copy will be furnished to owner or lesses for one dollar.



Certificate of Occupancy

LOCATION

Chandler's Wharf

October 1, 1997

Issued to Chandler's Wharf Association

Date of Issue

This is to use under Building Permit No.

substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

Bldg. 7 Unit 702

APPROVED OCCUPANCY

Single family condominium

Limiting Conditions:

This certificate supersedes

certificate issued

(Date)

. .

Inspirator

nspectorief Buildings

Notice: Trils exciling to identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes bands. Copy will be furnished to owner or lesses for one dollar

2 acom

.



Certificate of Occupance

LOCATION Chandler's Wharf Association Issued to

Octbber 1 Date of Issue This is in rertify that the building, premises, or part thereof, at the above location, built-altered -changed as to vse under Building Permit No. , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below. PORTION OF BUILDING OR PREMISES

Bldg. 7 Unit 714

APPROVED OCCUPANCY Single family condominium

Chandler's Wharf

Limiting Conditions:

This certificate supersedes certificate issued

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.



Certificate of Occupancy

Issued to

LOCATION !! Chandler's Wharf Association

Chandler's Wharf Octbber 1, 1987

Date of Issue

This is to certify that the building, premises, or part thereof, at the above location, built-altered . has had final inspection, has been found to conform -changed as to use under Building Permit No. substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Bldg. 2 Unit 715

Singeo family condominium

Limiting Conditions:

This certificate supersedes certificate issued

Inspect

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands Copy will be furnished to owner or lessee for one dollar.



Issued to

Journal Agent St. Middle with what the second

CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION Chandler's Wharf Association

LOCATION Chandler's Wharf

Cotober 1, 198

This is to rertify that the building, premises, or part thereof, at the above location, built—altered—changed as to use under Building Permit No.

substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

POPTION OF BUILDING OR PREMISES

Bldg. 7 Unit 716

APPROVED OCCUPANCY

Date of Issue

Single family condominium

Limiting Conditions:

This certificate supersedes certificate issued

30/Sep1

:) '- Inspectary |

specior of Bustings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when properly changes hands. Copy will be furnished to owner or lessee for one tigilar

CENTRAL WHARF ASSOCIATES 38 PREBLE STREET PORTLAND, MAINE 04101 (207) 772-0548

June 27, 1986

HAND DELIVERED

Sam Hoffses, Building Inspector City of Portland City Hall, 389 Congress Street Portland, Maine 04101

RE: Chandler's Wharf - Building 7

Dear Sam:

For the record and as per our conversation, the footprint of Building 7 has not changed since the aubmittal of our original site plan. It should also be noted that whether or not we obtain approval of our "conditional use" request, the footprint of Bulding 7 will not change.

Sincerely,

Jamie Corriveau Project Manager

JC/rec

cc: Rick Knowland Alex Yaegermann Joel Gray David Cope



APPLICATION FOR AMENDMENT TO PERMIT SHAPE ISSUED

Amendment No.... #.. 1 Portland, Maine, Feb 2 . . 1987...

EB 8 MAT

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit 185-1477 pertain the original application in accordance with the Laws of the State of Maine, the City of Portland, plans and specifications, if any, submitted herewith, and the Location Chandlers Wharf - 1185 # 7	ining to the building or structure comprised to Building Code and Zoning Ordinance of
Location Chandlers Wharf - Bldg. # 7 Within Fi Owner's name and address Central Wharf Assocxxx Preble Lessee's name and address	on Limited
Owner's name and address . Central Wharf Assoc - 38 Broble	Ct. Dist. No
Lessee's name and address	St., Telephone .7.72-02548
Lessee's name and addressYankee Construction - 84 Midd	le St. v maia and
Architect	37. ftt.
Last use	TATE A SECOND CONTRACTOR OF THE PARTY OF THE
Increased cost of work none	
the manufacture of the second of the second of	Additional fee none

Description of Proposed Work

To change use of Bldg. # 7 from commercial to residentail (2 units) for a total of 90 units

send permit to # 1 04101

Details of New Work

To one of the state of the stat	A.F. A.B. A.B. A.B. A.B. A.B. A.B. A.B.
as any plumbing involved it	n this work? . yes Is any electrical work involved in this work?
Height average grade to to	p of plate Height average grade to highest point of roof
Size, front den	th No. stories solid or filled land? earth or rock?
Material of foundation	and the stories sond or niled land? earth or rock?
Victorial of automitant	Thickness, top bottom ceilar
". authorized of miner butting	Thickness
restrict of 1001	Rise per foot Roof covering
No. of chimneys	Material of chimneys of lining of lining
Framing lumber-Kind	Dressed or full size?
Corner wasts	Sills City and the state of the size of th
Circles Passa man , man, m.,	Sills Girt or ledger board? Size
Griders Size	Columns under girders Size Max on control
Studs (outside walls and ca	arrying partitions) 2x4-16" O. C. Bridging in every floor and fiat roof span over 8 feet.
Joists and rafters:	1st floor , 2nd , 3rd , roof , roof
On centers:	1st floor, 2nd, 3rd , 3rd , roof
Maximum s an:	let floor
Approved:	1st floor, 2nd, 3rd, 10067
	() \li\l\ \l\ \l\ \l\ \l\ \l\ \l\ \l\ \l\
69134171334349 4849449 93459448 489494 4844944444	Si mature of Organt Mary Defette for
	Liter Whay Cheorists
INSPECTION COPY	Apployed
	Insucctor of Huildings