

367 CUMBERLAND AVENUE



Full cut • 920R • Half cut • 9202R • Thin cut • 9203R • Fifth cut • 9205R



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, Aug 21, 1950

01479

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 367 Cumberland Road Building Semi-council No. Stories New Building Existing
Name and address of owner of appliance E. M. Cunningham Co., 363 Cumberland Ave.
Installer's name and address Gould Farmer Co., 76 Free St Telephone 3-8187

General Description of Work

To install oil burner in circulating hot water system

IF HEATER, OR POWER BOILER

Location of appliance or source of heat Type of floor beneath appliance
If wood, how protected? Kind of fuel
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace
From top of smoke pipe From front of appliance From sides or back of appliance
Size of chimney flue Other connections to same flue
If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Leath Mowcoub EMZ Labeled by underwriter's laboratories? Yes
Will operator be always in attendance? No Does oil supply line feed from top or bottom of tank? Bottom
Type of floor beneath burner Council
Location of oil storage Basement Number and capacity of tanks Oil 220
If two 275-gallon tanks, will three-way valve be provided?
Will all tanks be more than five feet from any flame? Yes How many tanks fire proofed? None
Total capacity of any existing storage tanks for furnace burners None

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance
If wood, how protected?
Minimum distance to wood or combustible material from top of appliance
From front of appliance From sides and back From top of smoke pipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

Handwritten signature and date: E. M. 8.21.50. P.M.

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Signature of Installer

Handwritten signature: Gould Farmer Co by F. T. Allen

INSPECTION COPY

Permit No. 50/1479

Location 367 *Amherst Ave*

Owner *C. J. ...*

Date of permit 8/22/55

Approved 9/13/55

NOTES

- 1. Mill Plan
- 2. Vent Pipe
- 3. E.L.
- 4. Int.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.



GENERAL BUSINESS ZONE

APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, July 21, 1950

PERMIT ISSUED

01225

JUL 25 1950

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to ~~erect~~ alter repair ~~demolish~~ ~~in~~ all the following building structure ~~and~~ equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 367 Cumberland Ave. Within Fire Limits? no Dist. No.
Owner's name and address E. H. Cunningham & Sons, 363 Cumberland Ave. Telephone.
Lessee's name and address Telephone.
Contractor's name and address Pegquier & Jones, 33 Pearl St. Telephone.
Architect Specifications Plans yes No. of sheets 1
Proposed use of building Apartments No. families
Last use " No. families
Material wood No. stories 2 Heat Style of roof Roofing
Other buildings on same lot
Estimated cost \$ 100. Fee \$.50

General Description of New Work

To erect metal fire escape 1st floor to ground on westerly side rear of building, as per plan.

Permit Issued with Memo

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Pegquier & Jones

Details of New Work

Is any plumbing involved in this work? Is any electrical work involved in this work?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Material of underpinning Height Thickness
Kind of roof Rise per foot Roof covering
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing lumber—Kind Dressed or full size?
Corner posts Sills Girt or ledger board? Size
Girders Size Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor, 2nd, 3rd, roof
On centers: 1st floor, 2nd, 3rd, roof
Maximum span: 1st floor, 2nd, 3rd, roof
If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot, to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVED:

with memo by [Signature]

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

E. H. Cunningham & Sons
Pegquier & Jones

Signature of owner [Signature]

INSPECTION COPY

PH

Permit No. 50/1225
Location 367 Cambridge St
Owner E. J. [unclear] [unclear]
Date of permit 7/25/50
Notif. closing-in _____
Inspn. closing-in _____
Final Notif. _____
Final Inspn. 9/12/50
Cert. of Occupancy Issued none

NOTES

9/12/50 - Work done
E. J. [unclear]

[Large area of blank lined paper with a diagonal line drawn across it]

Memorandum from Department of Building Inspection, Portland, Maine

367 Cumberland Avenue--To erect metal fire escape 1st floor to ground for
E. N. Cunningham & Sons by Megquier & Jones--July 25, 1950.

Permit for construction of a metal fire escape from first floor to the ground on the westerly side near the rear of the building at 367 Cumberland Avenue is issued herewith based on the plan filed with the application. Although not so noted on the plan, the platform or balcony is required to be no more than 10' above the grade and this permit is issued on the basis that this will be the case. If the window giving access to the fire escape does not now afford an opening at least 24" wide and 28" high when the lower sash is raised, it is required to be altered to provide such an opening for a double hung window, or else a swinging sash at least 24" wide and 36" high may be provided. The permit is issued on the basis that this requirement will be met.

CC: E. N. Cunningham & Sons
363 Cumberland Ave.,

(Signed) Warren McDonald
Inspector of Buildings



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, June 21, 1950

00001
JUN 21 1950

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 367 Cumberland Ave. Use of Building Apts. No. Stories 2 1/2 New Building
Existing "
Name and address of owner of appliance B. N. Cunningham Co., 363 Cumb. Ave.
Installer's name and address owner Telephone _____

General Description of Work

To install forced hot water heating system and oil-burning equipment in place of gravity hot water

IF HEATER, OR POWER BOILER

Location of appliance or source of heat basement Type of floor beneath appliance concrete
If wood, how protected? _____ Kind of fuel oil
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace 15"
From top of smoke pipe 2' From front of appliance Over 4' From sides or back of appliance Over 3'
Size of chimney flue 12x12 Other connections to same none
If gas fired, how vented? _____ Rated maximum demand per hour _____

IF OIL BURNER

Name and type of burner SAFETY Labelled by underwriter's laboratories? _____
Will operator be always in attendance? _____ Does oil supply line feed from top or bottom of tank? _____
Type of floor beneath burner _____
Location of oil storage _____ Number and capacity of tanks _____
If two 275-gallon tanks, will three-way valve be provided? _____
Will all tanks be more than five feet from any flame? _____ How many tanks fire proofed? _____
Total capacity of all existing storage tanks for furnace burners _____

IF COOKING APPLIANCE

Location of appliance _____ Kind of fuel _____ Type of floor beneath appliance _____
If wood, how protected? _____
Minimum distance to wood or combustible material from top of appliance _____
From front of appliance _____ From sides and back _____ From top of smoke pipe _____
Size of chimney flue _____ Other connections to same flue _____
Is hood to be provided? _____ If so, how vented? _____
If gas fired, how vented? _____ Rated maximum demand per hour _____

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

O. K. E. S. S. 6/21/50

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

B. N. Cunningham Co.

Signature of Installer BY:


John C. Bolander, Jr.

INSPECTION COPY

Permit No. 50/ 991
Location 367
Owner P. J.
Date of permit 6.22.50
Approved 9/12/50 J. E. S.S.

NOTES

7-17-50





APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class
Portland, Maine, May 11, 192

00856
MAY 11 1922
CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to ~~erect~~ alter ~~rebuild~~ ~~the~~ following building ~~structure~~ ~~development~~ in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland plans and specifications, if any, submitted herewith and the following specifications:

Location 367 Cumberland Avenue Within Fire Limits? yes Dist. No. _____
Owner's name and address E. N. Cunningham Co., 363 Cumberland Avenue Telephone _____
Lessee's name and address _____ Telephone _____
Contractor's name and address Burnham-McLellan, 52 Marginal Way Telephone _____
Architect _____ Specifications _____ Plans _____ No. of sheets _____
Proposed use of building Ultimate apartment ~~apartment~~ house _____ No. families _____
Last use Dwelling house _____ No. families _____
Material wood No. stories 2 1/2 Heat _____ Style of roof _____ Roofing _____
Other buildings on same lot _____
Estimated cost \$ 500. Fee \$ 2.00

General Description of New Work

To demolish all of the chimneys in the building and floor over the openings with adequate strength for living quarters, and to remove the wooden floor in the one story ell and certain other portions of the basement.

This work is preliminary while plans for the final work are being made, and is started with the idea in mind of making an apartment house of four apartments in this two family dwelling house.

The above work only is covered by this permit, and the permit is issued without prejudice to compliance with the Zoning Ordinance and Building Code requirements for the proposed future use.

As soon as the plans are ready application for amendment to this permit now issued will be made and the plans filed with it.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Burnham-McLellan

Details of New Work

Is any plumbing involved in this work? _____ Is any electrical work involved in this work? _____
Height average grade to top of plate _____ Height average grade to highest point of roof _____
Size, front _____ depth _____ No. stories _____ solid or filled land? _____ earth or rock? _____
Material of foundation _____ Thickness, top _____ bottom _____ cellar _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Rise per foot _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____ Kind of heat _____ fuel _____
Framing lumber—Kind _____ Dressed or full size? _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Girders _____ Size _____ Columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____ number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

APPROVED:

Miscellaneous

Will work require disturbing of any tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

E. N. Cunningham Co.
Burnham-McLellan

Signature of owner by: Philip M. Burnham

INSPECTION COPY

NOTES

9/12/50 - Went over each
 & every item in letter
 with the license or the
 job. Found everything in
 order.
 Certificate of Occupancy
 to be issued.

Permit No. 50/656
 Location 367 Cambridge Road
 Owner C. W. Cunningham Co
 Date of permit 5/11/50
 Notif. closing-in 7/14/50
 Inspn. closing-in 7/14/50
 Final Notif. 7/14/50
 Final Inspn. 7/14/50
 Cert. of Occup. issued 9/13/50

SP 367 Cumberland Avenue
(Amendment 1)-1

June 1, 1950

Burnham-McLellan
50 Marginal Way
W. B. Cunningham Company
330 Dunbar Avenue

Gentlemen:

Building permit for making alterations in the dwelling house at 367 Cumberland Avenue and changing the use to four apartments, is issued to the contractor, herewith, subject to the following conditions. If any of these conditions are not understood, or, if you are unable for any reason to comply with them, it is important that you proceed no farther with the work until you contact this office to see what adjustment may be made. References are to sections of the Building Code where applicable.

1. A glass panel is required in the exterior door, first story, at the foot of the new stairs to second story, the glass to equal as nearly as possible six square feet in area. Section 203-a-5.5.

2. Each occupant of the basement apartment is required to have two well separated means of egress. One such means is the exterior door leading from the kitchen. The other required means of egress may be through the window which are only a short distance above the ground, but the Building Code stipulates the minimum size of opening of a window counted as a means of egress. On this account Mr. Burnham says that the mullion windows in the living room will be made double hung sash of such size that when the lower sash is up there will be no less than 28" between the window sill and the lower edge of the raised sash. In order to afford the necessary separation of means of egress for the occupants of the rear bedroom, it is necessary that the window to be relocated be made double hung of similar size as that proposed in the living room, or, if preferred, the window may be made to swing (casement sash) in which case the minimum width is 2' and the minimum height of opening afforded is 3'. 203-a-1, 212-a-1.2 (a)

3. There is a slight difference between the requirements of the Building Code for means of egress in such an apartment house as this will be, and the requirements of the Safety Ordinance, administered by the Chief of the Fire Department, and the building will come under the jurisdiction of the latter Ordinance just as soon as our certificate of occupancy is issued for use of the four apartments under the building code. It is desirable to avoid any possibility of the Chief of the Fire Department under the Safety Ordinance requiring additional improvements after the requirements of the Building Code have been satisfied and our certificate issued.

I am referring particularly to the rear apartment on first floor, and the important question is whether or not the sills of the windows in the rear bedroom of the rear apartment will be more than 6' above the finished grade of the ground. While it is not my job to interpret the Safety Ordinance, I think Chief Lamborn will concur in the view that if the bedroom windows of the rear apartment on first floor will have their sills more than 6' above the finished grade of the ground below, then a standard means of egress will be required from that end of the apartment, which would mean that one of the bedroom windows would have to be double hung of such size as to afford an opening no less than 28" in height between the sill and the lower edge of lower sash when in the highest position, or the window would have to be a swinging sash, affording an opening no less than 2' wide and no less than 3' high. Beside that there would have to be a landing or platform outside of the window, properly supported, and extending no less than 9" beyond the window jamb on either side with suitable railing and with suitable steps or vertical ladder to the ground.

I suggest that you measure this height of window sills above the grade immediately, and if it will be more than 6', that you notify this office at once of what course you will pursue.

Bardhan-McLellan

H. J. Cunningham Company -----2

June 2, 1950

4. Electric lights are required in both front and rear stair halls and all public halls, adequate at all levels in number, size and location to show the way to a place of safety at the ground level, these lights to be on the owner's meter and controlled by an automatic time switch, calculated to turn the lights on automatically at least by sunset each night and turn them off automatically at sunrise or later each morning.

In addition to these hall lights, since the central stairway promises to be quite dark, even in the daytime, it is recommended that at least one electric light be placed over this stairway, either to be kept burning all the time or else to be controlled by a door switch on the door at the top of the stairs, one idea being to avoid accident by persons opening the door directly at the top of the stairs.

5. All exterior doors and the door at second floor level at top of new central stairs are required to be no less than 36" in width and no less than 6' 6" high. 212-a-2.2.

6. Handrails are required on at least one side, full length, of all stairs, including outside steps and including the end steps of front stairs at second floor level. 212-a-2.3.

7. No closets permitted beneath the new central stairs between first and second story, as originally planned. 212-a-2.5.

8. The new partition in front hall first story, and the new partitions around new central stairs in first story and the soffits under these new stairs are required to be covered with plaster on non-ferrous lath. 203-2-1.

9. It is understood that the existing stairs between first floor and cellar are to be retained and the well framed-in and floored over of a strength equivalent to that of the first floor, access to the front part of the cellar where the heater will be to be by new outside door in easterly side wall.

10. It is understood that a new oil fuel heating plant to heat the entire building is contemplated—by steam or hot water, and that no gravity warm air heat is contemplated. Installation of the new heating boiler and oil burner, if any, also any separate hot water heater, if any, requires a separate permit from city department to be applied for by and issuable only to the actual installer, these permits to be procured before the work of installation of the fire actuated appliance is started.

11. It is assumed that no refuse incinerator is contemplated. If so a separate permit to cover it, to be applied for by and issuable only to the actual installer is required.

12. The plan says that the lower floor of entire basement apartment is to be made of concrete, but Mr. Bardhan says that a concrete floor is to be laid over the entire basement or cellar including the front part, named "open basement". Such a floor is required by the Building Code. 203-4-2.

13. New chimney is to be lined of course with tiled lining, full length of flue, with cast iron cleanout door and frame at the bottom of the flue, and the chimney to extend above the new roof of the corner as per Section 304-a-6.

14. The new concrete foundation wall under gas sill is to extend no less than 4' below the finished surface of the ground and no less than 6" above so that the bottom of the new sills will be above the ground.

15. The new pipe columns in the open basement are to be of new pipe filled with concrete. The "rally" columns indicated on the plans. These columns are required to be anchored to the timber above and to the foundation. It is understood that there are existing foundations or former piers which you consider adequate

Burnham-McLellan

B. N. Cunningham Company-----3

June 1, 1950

to support the new columns. Presumably the new columns are to have bearing plates at least at the top, welded or fastened in some manner to the columns.

16. Since the property is within Fire District 1B, the corner windows are required to have all woodwork except window sash and doors, otherwise exposed to the open air, covered with metal or equivalent incombustible material. Asbestos, not asphalt, shingles or siding are considered equivalent to the metal, but of course this material cannot be bent, so that metal will have to be used at the corners and cornices and lapped up over the window sills and in around the edges of the window openings.

17. Please note the requirements for notice of readiness for inspection before closing-in any of the interior parts of the building in any manner, that electric wiring and plumbing are to be installed and respectively approved before this notice is given, and that none of the work is to be covered from view until our green tag has been left at the job. Before this notice of readiness for closing-in inspection is given, it would be well for the contractor superintendent to go over the job, especially in the basement to see to it that all firestops are in place, that all necessary strengthening of the framing or supports of the building has been done and that incombustible firestops required around the new chimney at each floor and ceiling level have been provided.

When all features controlled by the Building Code have been completed (this does not include painting and papering and the like) notice of readiness for final inspection should be given at this department. When everything is found in order, the required certificate of occupancy will be issued without which it is unlawful to use any of the apartments for living quarters.

Very truly yours,

Warren McDonald
Inspector of Buildings

WMcD/G

CC: Oliver T. Sanborn
Chief of the Fire Department

Chief Sanborn:

Please note particularly the matter of first floor means of egress in paragraph no. 3 above.

Warren McDonald



APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. 1
Portland, Maine, May 17, 1950

PERMIT ISSUED
JUN 1 1950
CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 50/656 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location 367 Cumberland Ave. Within Fire Limits? yes Dist. No. 1B
Owner's name and address E. N. Cunningham Co., 343 Cumberland Ave. Telephone _____
Lessee's name and address _____ Telephone _____
Contractor's name and address Burnham-McLellan, 52 _____ Telephone _____
Architect _____ Plans filed yes No. of sheets 1
Proposed use of building Apartments No. families 4
Last use Dwelling No. families _____
Increased cost of work 6000. Additional fee \$ 5.00

Description of Proposed Work

To provide four apartments in building with alterations as per plan.

Permit Issued with Letter

Details of New Work

Is any plumbing involved in this work? _____ Is any electrical work involved in this work? _____
Height average grade to top of plate _____ Height average grade to highest point of roof _____
Size, front _____ depth _____ No. stories _____ solid or filled land? _____ earth or rock? _____
Material of foundation _____ Thickness, top _____ bottom _____ cellar _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Rise per foot _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____
Framing lumber—Kind _____ Dressed or full size? _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Girders _____ Size _____ Columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____

Approved: _____

Permit Issued with Letter

E. N. Cunningham Co.
Burnham-McLellan
Signature of Owner BY: [Signature]
Approved: 6/1/50 [Signature]
Inspector of Buildings

INSPECTION COPY

COPY



CITY OF PORTLAND, MAINE
Department of Building Inspection

Certificate of Occupancy

Issued to T. H. Cunningham Company

Date of Issue September 13, 1950

This is to certify that the building, premises, or part thereof, indicated below, and built or altered—changed as to use at 357 Grandisland Avenue under Building Permit No. 50/656, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES
Entire building

APPROVED OCCUPANCY
4-family Apartment House
Basement—one apartment
First floor—two apartments
Second floor—one apartment

Limiting Conditions:

This certificate supersedes
certificate issued 12/50:

Earle J. Smith

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.



Location, Ownership and detail must be correct, complete and legible.
 Separate application required for every building.
 Plans must be filed with this application.

Application for Permit for Alterations, etc.

To the
 INSPECTOR OF BUILDINGS: Portland, 3-26-15 191

The undersigned applies for a permit to alter the following-described building:—

Location, Cumberland Ave No. 367 Ward, 5 In fire-limits? NO
 Name of Owner or Lessee, Margaret Mc Fadden Address, 16 Alder St
 " Contractor, Porter & Burnham " Kennebec St.
 " Architect, _____

**Descrip-
 tion of
 Present
 Bldg.** Material of Building is Wood Style of Roof, Pitch Material of Roofing, Shingles
 Size of Building is _____ feet long; _____ feet wide. No. of Stories, _____
 Cellar Wall is constructed of _____ is _____ inches wide on bottom and batters to _____ inches on top.
 Underpinning is _____ is _____ inches thick; is _____ feet in height.
 Height of Building, _____ Wall, if Brick; 1st, _____ 2d, _____ 3d, _____ 4th, _____ 5th, _____
 What was Building last used for? _____ No. of Families? _____
 Building to be occupied for Dwelling Estimated Cost, \$ 2-500

DETAIL OF PROPOSED WORK

To make alterations and repairs.

IF EXTENDED ON ANY SIDE

Size of Extension, No. of feet long? _____; No. of feet wide? _____; No. of feet high above sidewalk? _____
 No. of Stories high? _____; Style of Roof? _____; Material of Roofing? _____
 Of what material will the Extension be built? _____ Foundation? _____
 If of Brick, what will be the thickness of External Walls? _____ inches; and Party Walls _____ inches.
 How will the Extension be occupied? _____ How connected with Main Building? _____

WHEN MOVED, RAISED OR BUILT UPON

No. of Stories in height when Moved, Raised or Built upon? _____ Proposed Foundations? _____
 No. of feet high from level of ground to highest part of Roof to be? _____
 How many feet will the External Walls be increased in height? _____ Party Walls _____

IF ANY PORTION OF THE EXTERNAL OR PARTY WALLS ARE REMOVED

Will an opening be made in the Party or External Walls? _____ in _____ Story.
 Size of the opening? _____ How protected? _____
 How will the remaining portion of the wall be supported? _____

Signature of Owner or
 Authorized Representative

Margaret Mc Fadden

Address

PERMIT MUST BE OBTAINED BEFORE BEGINNING WORK

367 Cumberland Ave

FINAL REPORT

_____ 191
Has the work been completed in accordance with
this application and plans filed and approved?

Law been violated? _____ Doc. No. _____ of 191

Nature of violation? _____

_____ X _____

PERMIT GRANTED

_____ 3 - 26 1915

Permit filled out by _____

Permit number _____

Location Cumberland Ave

Violation removed, when? _____ 191

Estimated cost of alterations etc., \$ _____

Inspector of Buildings

