



Original Permit No. 21/1919

Amendment No. 1

AMENDMENT TO APPLICATION FOR PERMIT

Portland, Maine, December 26, 1919

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for an amendment to Permit No. 21/1919 pertaining to the building structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location 26-28-30 Street Within Fire Limit 22 Dist. No. 1

Owner's or Lessee's name and address J. B. Brown & Sons, 218-220 Main St.

Contractor's name and address J. B. Brown & Sons, 218-220 Main St. 2-0216

Plans filed as part of this Amendment yes No. of Sheets 2

Is any plumbing work involved in this work? Is any electrical work involved in this work?

Increase of cost of work \$500 Additional fee \$5

Framing Lumber: Kind? Dressed or Full Size?

Description of Proposed Work

To strengthen floors (2nd and 3rd) of section C as shown on plans

To provide metal fire escape from second floor to ground at Free Street end of building as per plan

Approved:

Chief of Fire Department

Commissioner of Public Works

INSPECTION COPY

J. B. Brown & Sons
By F. W. B. Cunningham & Sons

Signature of Owner F. W. B. Cunningham & Sons
S. D.

Approved: 12/26/19 1919 Inspector of Buildings

12/31/41

Fire escape for building at 28 Free Street

First floor of Free Street section has stairs to basement railway towards rear of building and exit way be made from cellar thru grade door through brick fire escape, so should be O.K. Meggier Jones seems to have adopted a new policy of a list of materials used in fire escape material in many cases on fire escape plans. I presume this is O.K. O.K. (over)

JOHN J. CUNNINGHAM
PRESIDENT
ARTHUR J. CULLINAN
TREASURER

F. W. CUNNINGHAM & SONS

INCORPORATED 1905

... BUILDERS ...

PINE STATE BUILDING 121 STATE STREET

PORTLAND, MAINE

WILLIAM H. GILL
VICE-PRESIDENT
THOMAS P. FALLONA
ENGINEER

December 29, 1941

Warren McDonald, Inspector of Bldgs.
Department of Building Inspection
City Hall
Portland, Maine

Dear Sir:


We are resubmitting Megquier & Jones ^{revised} drawing for fire escape on rear of Corey Store which will be used by the W. T. Grant Company. Enclosed is also a schedule of material to be used.

Very truly yours,

F. W. CUNNINGHAM & SONS

Arthur J. Cullinan
Treasurer

AJC/jjc



*AGS
32 with
Lore of 1941
regime
28 25 the future
in 2 months all
him*

*Wondering
there are the
ways out from
1st floor front
(Corey & Jackson
fire escape to
W. T. Grant
floor immediately
above)*

12/31/41
Fire escape for building at 28 Free Street.
First floor of Free Street section has stairs to basement hallway towards rear of building and exit may be made from cellar through grade door through beneath fire escape, so should be O.K. Meggier & Jones seem to have adopted a new list of materials used in fire escape work. I have seen a list of materials used in fire escape work. I presume this is O.K. 12/31/41

Have left word at office for
Mr. Cullman to apply for
amendment covering fire
escape. - AGJ

The attached pages give a
defects noted are likely to be
get in touch with carpenter, a
private mechanic of your own or
correcting these conditions.
We stand ready to cooperate
safety of persons and property
is desired, please come in per
and PRESENT THIS LETTER to MR.
and three on MONDAY, TUESDAY,
the receipt of this letter.

JOHN J. CUNNINGHAM
PRESIDENT
ARTHUR J. CULLINAN
TREASURER

F. W. CUNNINGHAM & SONS

INCORPORATED 1905

... BUILDERS ...

PINE STATE BUILDING 181 STATE STREET

PORTLAND, MAINE

WILLIAM H. GILL
VICE-PRESIDENT
THOMAS P. FALLONA
ENGINEER

December 18, 1941

Warren McDonald, Building Inspector
Department of Building Inspection
Portland, Maine

Subject: Building permit for strengthening
rear part of the building at 28 Free
Street.

Dear Sir:

In reply to your file RRcpt. 856D-1, we would report
as follows:

1. Columns, caps and bases are of steel.
2. From observation we believe the soil capacity would actually be in the 5 ton class, but since the additional cost of the 3 ton capacity was small we adopted that figure as an additional factor of safety.
3. The roof over A section is 2" x 12" undressed fir, 16" on centers, and appears to fulfill the Code requirements for roof loads.
4. We are forwarding herewith letter giving design loads as requested.
5. Joists throughout section A are 3" x 12" spruce, 16" on centers, although previous plans and our figures indicate 3" x 10" for second floor. Since we now know these joists to be 3" x 12", 16" on centers, we would like to revise the load of 150 pounds indicated on our plans to 160 pounds for the second floor in order to make this section of uniform capacity. According to our figures there is sufficient latitude in the design to permit this.
6. The size of the floor joists in the E section are 3" x 10" spruce, 16" on centers, and will support the dead load of 122 pounds per square foot which appears to be ample for 100 pounds live load.
7. We are arranging for a revised drawing for the fire escape for the Free Street portion of this building.

Very truly yours,

F. W. CUNNINGHAM & SONS

Arthur J. Cullinan
Treasurer

AJC/jjc

JOHN J. CUNNINGHAM
PRESIDENT
ARTHUR J. CULLINAN
TREASURER

F. W. CUNNINGHAM & SONS

INCORPORATED 1901

... BUILDERS ...

PINE STATE BUILDING 181 STATE STREET
PORTLAND, MAINE

WILLIAM H. GILL
VICE PRESIDENT
THOMAS P. FALLONA
ENGINEER

December 18, 1941

Warren McDonald, Building Inspector
Department of Building Inspection
Portland, Maine

Subject: Building permit for strengthening
rear part of the building at 28 Free St.

Dear Sir:

With reference to the live loads used in designing the
reinforcing for the floors of the above building, would
say that we have used 160 pounds per square foot in the
A section and 100 pounds in the B section.

Very truly yours,

F. W. CUNNINGHAM & SONS

Arthur J. Cullinan
Treasurer

AJC/jjc

Rept. 353D-1

December 17, 1941

Subject: fire escape at the rear of
11 Free Street for J. B. Brown
and son.

Wegman & Jones Co.,
31 Pearl Street,
Portland, Maine

Gentlemen:

I have excluded the erection of the above fire escape from the general permit issued to F. W. Cunningham & Sons Inc. and your plan shows no location of the fire escape upon the building; clear enough so that a person could tell what part of the building it is to be on without going up there; also because not anything in the way of structural design for the fire escape is shown on the plan.

From visiting the building with Mr. Clifford I think I understand at least where the fire escape is to be, and I believe it will fully serve the requirements for means of egress for the Free Street end of the building, but it is desirable that we have the correct location in our records.

I do not know whether you wish to erect the fire escape or not, but the erection now will have to be covered by an amendment to the permit for general construction to be applied for here when the additional information is ready.

Very truly yours,

WCB/R

Inspector of Buildings

CC: F. W. Cunningham & Sons,
22 Monument Square

RRpt. 856L-1

December 17, 1941

F. J. Cunningham & Sons,
22 Monument Square,
Portland, Maine

Subject: Building permit for strengthening
rear part of the building at 23 Free
Street. Reference is (JWS-10) are to
sections and paragraphs of Building Code

Section:

The above permit is enclosed. Please note the following:

I assume the caps of columns shown are metal caps.

The load on the soil under new concrete footings in A area would appear to be theoretically nearly three tons to the square foot. Presumably you have information to show that the bearing capacity of the actual soil is at least equal to this theoretical load.

I am wondering about the strength of the roof over A area. The plans do not show how this roof is framed now, but presumably the joists run across the building on a span of about 26 feet. If this roof figures to be substantially overloaded based on the present allowances for roof loads, I should think the owner would provide a strengthening girder with posts under to extend down to the new posts below and the foundations proposed under them. Certainly it would be better to do that now than to find that the roof was overloaded later and have to introduce strengthening when the new work now proposed does not take the roof loads into account.

Please indicate by letter the allowable live load per square foot which you have figured for each floor of each area of the Grant occupancy. Before these floor are occupied for storage it is necessary that permanent and conspicuous floor load signs be posted where they may be seen from all floor areas. (JWS-10) In this connection it appears that the 3rd floor joists on a 15 foot span in the fourth floor of B area would theoretically sustain a live load of only 30 pounds per square foot, if these floor joists are hemlock or spruce dressed. If our figures are correct there is no particular objection to using the floor under these circumstances, but the floor load signs should be made accordingly and the occupants should be governed accordingly. The size of floor joists on several of the other floors is not shown, and we should have this information to be in position to check the floor load data when it comes through. There is no size of joists, I believe, in first, second and third floors of B area.

I am excluding the erection of the fire escape from this permit on the basis of its being covered by an amendment to the permit later because Hagulor & Jones Company plan does not show the location in the building and does not show the size of any of the structural parts and nothing at all in the way of structural design of the fire escape.

Very truly yours,

WJC/DH CC: J. B. ... Inspector of Buildings

W. T. GRANT COMPANY
DEPARTMENT STORES
FOURTEEN HUNDRED AND FORTY-ONE BROADWAY
NEW YORK

December 5, 1941

IN YOUR REPLY REFER TO P. A. Cunnius
RE: Portland, Me. Warehouse

STATEMENT OF DESIGN

To Whom It May Concern:

These plan Sheets Nos. 1, 2, 3, and 4 and general notations covering the erection of reinforcing work for the Portland stock space at Free and Cross Streets have been designed and drawn up as follows:


Reinforcement of Section A is designed to accommodate a live load of 100 lbs. per sq. ft. and Section B is designed to accommodate a live load of 75 lbs. per sq. ft. in areas noted on plans to be occupied by W. T. Grant Company. A unit stress of 1100 lbs. per sq. inch has been assumed for the structural timber.

No responsibility is assumed by the undersigned in connection with any other section of the existing building. The undersigned is a registered Architect in the State of New York.

Fls/g

Frederick L. Sumner
.....Assistant Architect.....
Title

Retail Store Service -





APPLICATION FOR PERMIT

PERMIT ISSUED

Class of Building or Type of Structure

Permit No. 1553

DEC 17 1921

Portland, Maine, December 5, 1921

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to alter or construct the following building structure equipment in accordance with the laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 122 1/2 Pine Street Within Fire Limits? Yes Dist. No. 12

Owner's name and address J. B. Brown & Sons, 218 Middle Street Telephone

Contractor's name and address F. W. Cunningham & Sons, 22 Monument Square Telephone 3-2245

Architect's name and address Plans filed Yes No. of sheets 4

Project of building Warehouse (F. W. Grant Co.) No. families

Other building on same lot

Estimated cost \$2,000 Fee \$ 2.00

Description of Present Building to be Altered 1.75 add'l

Brick No. of stories 4 Heat steam Style of roof flat Roofing asphalt

Store No. families

General Description of New Work

To provide floors of building as per plans submitted

To provide metal fire escape from second floor to ground as per plan

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work?

Is any electrical work involved in this work? Height average grade to top of plate

Size, front depth No. stories Height average grade to highest point of roof

To be erected on solid or filled land? earth or rock?

Material of foundation Thickness, top bottom cellar

Material of underpinning Height Thickness

Kind of roof Rise per foot Roof covering

No. of chimneys Material of chimneys of lining

Kind of heat Type of fuel Is gas fitting involved?

Framing lumber—Kind Dressed or full size?

Corner posts Sills Girt or ledger board? Size

Material columns under girders Size Max. on centers

Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof

span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor 2nd 3rd roof

On centers: 1st floor 2nd 3rd roof

Maximum span: 1st floor 2nd 3rd roof

If one story building with masonry walls, thickness of walls? height?

If a Garage

No. cars now accommodated on same lot to be accommodated

Total number commercial cars to be accommodated

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto

observed? 763

Signature of owner J. B. Brown & Sons

By F. W. Cunningham & Sons

By William J. Cullinan

COPY

Permit No. 41/913

Location 2811

Owner 1313

Date of issue 1/14/41

Notif. closing-in

Inspr. closing-in

Final Notif.

Final Inspn.

Cert. of Occupancy issued

INSPECTION NOTES COMPLETED

12/22/41 - Work with

underground

1/12/42 W.G. Order

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground

1/24/42 - Work with

underground



FILL IN COMPLETELY AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED

NOV 1 1938

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

Portland, Maine, November 1, 1938

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 92 Cross Street Use of Building Trucking- warehouse No. Stories 3
Name and address of owner A. D. McCullough, 92 Cross Street Ward _____
Contractor's name and address Portland Gas Light Co., 5 Temple Street Telephone 2-8321

General Description of Work

To install gas-fired Payne floor furnace

IF HEATER, POWER BOILER OR COOKING DEVICE

Is heater or source of heat to be in cellar? 1st If not, which story _____ Kind of Fuel gas
Material of supports of heater or equipment (concrete floor or what kind) wood
Minimum distance to wood or combustible material, from top of boiler or casing top of furnace, _____
from top of smoke pipe _____, from front of heater _____ from sides or back of heater _____
Size of chimney flue 12/x12 Other connections to same flue none

IF OIL BURNER

Name and type of burner _____ Labeled and approved by Underwriters' Laboratories? _____
Will operator be always in attendance? _____ Type of oil feed (gravity or pressure) _____
Location oil storage _____ No. and capacity of tanks _____
Will all tanks be more than seven feet from any flame? _____ How many tanks fireproofed? _____
Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same amount at same time.)

INSPECTION COPY

Signature of contractor By: Carl M. Maynard

Portland Gas Light Co.

33100C

Ward 4 Permit No 3871874

Location 92 Cross St

Owner A. D. M. Cullinagh

Date of permit 11/1/38

Post Card sent

Notif for insp. None

Approval Tag issued 12/5/38. 1

Oil Burner Check List (date)

1. Kind of heat Gas Heater

2. Label

3. Anti-siphon

4. Oil storage

5. Tank distance

6. Vent pipe

7. Fill pipe

8. Gauge

9. Rigidity

10. Feed safety

11. Pipe sizes and material

12. Control valve

13. Ash pit vent

14. Temp. or pressure safety

15. Instruction card

16.

NOTES



APPLICATION FOR PERMIT TO REPAIR BUILDING

PERMIT ISSUED
Permit No. 0887

Second Class Building

Portland, Maine, June 16, 1937

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
The undersigned hereby applies for a permit to repair the following described building in accordance with the
Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 86-88 Cross Street Ward 1 Within fire limits? yes Dist. No. 1
Owner's name and address J. B. Brown & Sons, 216 Middle Street Telephone
Contractor's name and address Gogins & Clark, 48 Portland Street Telephone 2-3168
Use of building Stores
No. stories 4 Height ft., Gross area sq. ft., Style of roof flat
Type of present roof covering Tar and gravel

General Description of New Work

To repair after fire to former condition. No alterations
(Cause - paint gun explosion)

This work to be in Cross Street building only, new roof to be framed as before except
that Douglas fir, full size, will be used in place of spruce

If Roof Covering is to be Repaired or Renewed

When last repaired? Area then repaired sq. ft.
Are repairs or renewal due to damage by fire? yes If so, what area damaged? sq. ft.
Area of roof to be repaired now? sq. ft.
Type of roofing to be used Tar and gravel No. plies 5
Trade name and grade of roof covering to be used
Estimated cost \$ 5,000.

INSPECTION COPY

Signature of owner J. B. Brown & Sons
By Gogins & Clark


Fee \$ 2.75

Frederic Gogins

Ward 4 Permit No. 37/887
Location 86-88 Cur St.
Owner J. B. Brown & Sons
Date of permit 6/16/37.
Notif. closing-in _____
Inspn. closing-in _____
Final Notif. _____
Final Inspn. 8/5/37
Cert. of Occupancy issued None

NOTES

6/17/37 - No work started
A.D.S.
6/21/37 - Seaming off
burned roof - A.D.S.
7/7/37 - Work well
along - A.D.S.



CL. OF PORTLAND, MAINE
ELEVATOR INSPECTION
1-26

Bldg. No. 70 Block B Shee. Lot 1

Location of Bldg. 100 CROSS ST.

Owner J. B. BROWN & SONS

Occupant PORTLAND TIN WARE CO.

Inspection by A. KEITH Date 2-13-34

Formal Complaint No. Date

Letter sent without complaint

Building Data


Mat'l outside walls BRICK Int. Frame STEEL

No. stories 3 Style of Roof FLAT

No. elev. in bldg. Passenger Freight 1

Location of Elevator on Street Floor

Shown Below



St. Ave.

This report for 1 identical elevators

Elev. Man'f'r MOORE (check)

Use of elev. Pass Frt. ✓ Comb'n. which

No. stops 4 Bsmt. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

Shaftway

Open? Hatch doors, Auto. ✓ Non-auto

Gates, Auto. Semi-auto. Hand

Enclosed? Mat'l. of enclosure

Fire Doors Normally closed open

Are enclosure doors interlocked?

Height enclosure, full story what ht.

Elevator Machinery

Type of Power ELEC.

Type of Machine BELT DRIVEN - COUNTERSHAF

Location of Machine UNDER 2ND FLOOR

Material of Supports WOOD of Guides WOOD

Material of cables STEEL

No. cables, hoisting 1 counterweight 1

Type of brakes HAND

Has elev. following safeties: Governor

Car Safety ✓; Elect. Brakes ; Auto. Ter-

minial Stops top & bottom ✓; Slack Cable

Stops ✓; Safety Floor Stops ✓

Remarks: (note defects, if any)

Elevator Car

Platform Dimensions 4x6' Capacity

Mat'l. of Encl. WOOD No. sides encl. 2

Height of enclosure 4' No. entrances 2

Type of gates or doors

Are they interlocked?


Have they auto-closing device?

Type operation, Push-Button Operator HAND

Any emergency exit? ✓

Remarks: (note defects, if any)

General Remarks:



Owner of building ^{CROSS} G. M. Brown Co.



(G) GENERAL BUSINESS ZONE PERMIT ISSUED
Permit No. 2129

APPLICATION FOR PERMIT TO ERECT SIGN
OVER PUBLIC SIDEWALK OR STREET

Portland, Maine, December 1, 1932

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect the following described sign extending over a public sidewalk or street in accordance with the Building Code of the City of Portland, and the following specifications:

Location 88 Cross Street Ward 4 Within Fire Limits? yes Dist. No. 1

Owner of building to which sign is to be attached Frank M. Brown Co.

Name and address of owner of sign Treisman Bros. Inc. 282 Cross Concord, N.H.

Contractor's name and address Flynn, The Painter, 243A Middle St. Telephone F 3855

When does contractor's bond expire? May, 1933

Information Concerning Building

No. stories 4 Material of wall to which sign is to be attached brick

Details of Sign and Connections

Electric? no Vertical dimension after erection 3'10" 3' Horizontal 3'

Weight 70 lbs., Will there be any hollow spaces? no Any rigid frame? yes

Material of frame wood No. advertising faces 2 material steel

No. rigid connections 2 Are they fastened directly to frame of sign? yes

No. through bolts no Size _____ Location, top or bottom _____

No. guys 2 material iron rod Size 1/2"

Minimum clear height above sidewalk or street 15'

Maximum projection into street 5'10"

Flynn, The Painter,

Fee \$ 1.00

APPROVED

Signature of contractor by

INSPECTION COPY

Oliver T. Sanborn

CHIEF OF FIRE DEPT.

Edmund J. Denny

NOTIFICATION BEFORE LATHING
OR CLOSING IN IS WAIVED
CERTIFICATE OF OCCUPANCY
REQUIREMENT IS NOT

Ward 4 Permit No. 32/2129
Location 88 Cross St.
Owner Trepp Bus. Inc
12/2/32
Sign Contractor _____
Final Inspn. 12/12/32

NOTES
12/12/32 - Sign up AGS.

FOR PUBLIC SIDEWALK OR STREET
LOCATION FOR PERMIT TO ERECT SIGN

Working sketch

Details of sign and connections
Permittee's Certificate of Approval

Working sketch of sign

210



(G) GENERAL BUSINESS ZONE PERMIT ISSUE
Permit No. 0949

APPLICATION FOR PERMIT TO ERECT SIGN
OVER PUBLIC SIDEWALK OR STREET

To the INSPECTOR OF BUILDINGS, PORTLAND, ME. Portland, Maine, June 2, 1931
The undersigned hereby applies for a permit to erect the following described sign extending over a public sidewalk or street in accordance with the Building Code of the City of Portland, and the following specifications:
Location 100 Cross St. Ward _____ Within Fire Limits? _____ Dist. No. _____
Owner of building to which sign is to be attached _____
Name and address of owner of sign Portland Tinware Co., 100 Cross St. Portland
Contractor's name and address The Kimball System of Portland 51 Cross Telephone P. 1514
When does contractor's bond expire? Mar. 13, 1932

Information Concerning Building

No. stories 4 Material of wall to which sign is to be attached brick

Details of Sign and Connections

Electric? _____ Vertical dimension after erection 4' 12 1/2" Horizontal 4' 5 1/2"
Weight 150 lbs. Will there be any hollow spaces? no Any rigid frame? yes
Material of frame wood No. advertising faces 2 material metal
No. rigid connections 6 Are they fastened directly to frame of sign? yes
No. through bolts none Size _____ Location, top or bottom _____
No. guys 4 material 1 cable, 1 - 1/2" round iron Size _____
Minimum clear height above sidewalk or street 13 1/2'
Maximum projection into street 4' 5 1/2"

NOTIFICATION BEFORE LATI
OR CLOSING-IN IS WAIVED
CERTIFICATE OF OCCUPANCY
REQUIREMENT IS WAIVED

INSPECTION COPY

Signature of contractor Edward H. Lundy
Oliver T. Sanborn
CHIEF OF FIRE DEPT.

Fee \$ _____

Ward 4 Permit No: 31949
 Location: 100 Cross St.
 Owner: Portland Trawlers Co.
 Date of permit 6/4/31
 Sign Contractor _____
 Final Inspn. 6/14/31

NOTES

6/2/31 - Not present to
 to provide the bolt
 on the 1st. Can
 particular attention
 to other fastenings
 signs erected -
 6/3/31

NO SIDEWALK OR STREET
 PERMIT TO ERECT SIGN

Details of sign and connections

The sign is to be erected on the
 side of the building and the
 connections are to be made
 as follows:



APPLICATION FOR PERMIT TO REPAIR BUILDING

Second Class Building

Portland, Maine, December 8, 1920

Permit No. 2811

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to repair the following described building in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 22 86-88 Cross Street Ward 4 Within fire limits? yes Dist. No. 1

Owner's name and address J. B. Brown & Sons, 218 Middle St. Telephone P 16

Contractor's name and address Owner Telephone _____

Use of building furniture

No. stories 4 Height _____ ft., Gross area _____ sq. ft., Style of roof _____

Type of present roof covering _____

General Description of New Work

To Repair after Fire to former condition - no alterations

Damage mostly on 2d floor
3x10-12-16" span

if Roof Covering is to be Repaired or Renewed

When last repaired? _____, Area then repaired _____ sq. ft.

Are repairs or renewal due to damage by fire? yes If so, what area damaged? _____ sq. ft.

Area of roof to be repaired now? _____ sq. ft.

Type of roofing to be used _____ No. plies _____

Trade name and grade of roof covering to be used _____

Estimated cost \$5000. Fee \$ 3.75

Signature of owner J. B. Brown & Sons
By [Signature]

SECTION COPY

Ward 4 Permit No. 39/281
Location 86-88 Cross St
Owner J. B. Brown & Sons
Date of permit 12/9/30
Notif. closing-in _____
Inspn. closing-in _____
Final Notif _____
Final Inspn. 12/24/30
Cert. of Occupancy issued None

NOTES

12/10/30 - No repair work
outside of new windows
done - (11/11/30)
12/17/30 - Windows doors
replaced. No new
timbers yet in. JBS