

CITY OF PORTLAND, MAINE DEPARTMENT OF BUILDING INSPECTION

Owner: Maine Medical Center

August 23, 1973

o commence demolition his department.	work	until	a	permit	has	been	unlawfu issued	1 from
Section 6 of the Ord rov.des: "It shall be tructure unless provis radication. No permit tructure shall be issu	sion i	s made	e f	or rode	n any	/ buil	lding or	c

With relation to permit applied for to demolish a building

until and unless provisions for rodent and vermin eradication have been carried out under supervision of ; pest control operator registered with the Health Department.

The building permit for demolition cannot be issued until the provisions of this section have been satisfied. It is the obligation of owner or demolition contractor or both to take up with the Health Department the matter of complying with this section, being prepared to inform that department what registered pest control operator is to be employed.

Inspection this date gave no Very truly yours, evidence of any rodent activity.

8-24-73

R. Lovell Brown

Director

at 8 Bramhall St

Eradication of this building has been completed.

· Contractor:

Santino Viola 12 Frost St.

16



APPLICATION FOR PERMIT

PERMIT ISSUED 00940AUG 27 1973

	AMPLICATION	1 Off I said the said	
	Class of Building or Type of Structure	dwelling	CITY of PURTLAND
	Portland, Maine,	August 23, 1973	
To the INSPE	CHAR OF BILL DINCE BORTAND NA	INE	
			building structure equipment
in accordance u	with the Laws of the State of Maine, the Dur	specifications.	• •
specifications, i	fany, submitted herewith and the following Bramhall St and address Maine Medical Center	Wi.hin Fire Limits?	Dist. No
Location	Maine Medical Center		Telephone
			man z Osopisto mesmini
		STOSE OF	man L C.Op. Com
		Consider ione . Plans	
	3 . 77.7		
	• 61 174	Style of root	
Other buildin	gs on same lot		Fee \$ 10,00
Estimated co	at \$		Fee \$ IMAMM
155 Linuted 55	General Desc	cription of New Work	
		_	
a-malinh i	building. Gas co. notified from	this office.	
demortan ,	Juliunia, can acc	663/35	
	£	on to Houlth, hope	
	P	South Health John 8/27/23 190'd avan Health Depti 8/27/23	
	•	Sent to Fire Depte 6/2 3/73	
		Sent to Fire Dept.	
Is connection Has septic Height ave Size, Iront. Material of Kind of row No. of chir	tank notice been sent? tank notice been sent? depth No. stories f foundation Rise per foot mneys Material of chimneys tumber—Kind Dressed or ful Columns under girder	Form notice sent? Height average grade to highest personal content of the sent of the sen	ooint of roof
		200	in main an i v
-		2nd 3rd	a annual and a sept took and a see a separation
	4 . 6	2013 3rd 3rd	root
Moxi	mum span: 1st floor ry building with masonry walls, thickness	of walls?	height?
If one sto	ry building with masonry water, and	II - Cause	
		If a Garage	nal cars to be accommodated
No. care t	now accommodated on same lot to be	accommodatedhumber commerce	ne proposed building?
Will auto	now accommodated on same lot	r repairs to cars nabitually stored in C	no proposes a se
/ EDDAVED			
APPROVED:		Will work require disturbing of an	y tree on a public street.
	odrakljustvaria (iklastiski joh) karastiski iklastiski iklastiski iklastiski i	Will there be in charge of the ab	ove work a person competent to
**************************************	politypoternik -diljan ilkonologiji (kolitypolitypolity) (kolitypolity) (kolitypolity) (kolitypolity) (kolitypolity)	see that the State and City req	unrements per dinning thereto as
		observed?	
3.000 - 101200 1011 273244 - 27444 8 1714 1 1 1 1		<u>l</u>	
CS 301		CANTINO 1	UTOTA

INSPECTION COFY

Signature of owner by:



FILL IN AND, SIGN WITH INH

APPLICATION FOR PERMIT FOR HEATING. COOKING OR POWER EQUIPMENT

PURMIT 1941 TO 1940 SEP 19 1946

to the INSPECTOR OF BUILDINGS, POTTLA	AND, ME.
	the total all a collection leading cooking or power equipment in a con-
to the state of th	of the City of 1 of tithat and the females 1
Location B Bramhell Street. Use	of Building Dwelling No. Stories 12 New Halding Existing
Name and address of owner of appliance Fra	nois Dana, 8 Bramhall Street
Installer's name and address Randall & Mc	ALLISTST, . Ca. Commercial and April Consultation of
Gene	ral Description of Work
	in connection with existing steam nest.
To instal GLL MALLES CAPELLE	CERT HANTE OF ACCUPANCE
	ATER OR POWER BOILER RECOGEMENT IS VAIVED
	Type of floor beneath appliance
4.5	,,
	weins from ton of annuance of cashing top of the hade
	at a population Profit sides of the or application
A Colom note	montinue to same title
If was fired, how vented?	Rate paximum demand per hour
	IF OIL BURNFR
Me wie ora	Labelled by underwriters' laboratories? yes
Name and type of burner	Does oil supp') om top or bottom of tank? Bottom
Will operator be always in attendance:	1.975 galler.
4-13 nm	Num, her and capacity of talks
If two 27 collon tanks, will three-way vaive	flame? Yes How many tanks fire proofed?
Will all tanks be more than five feet from any	
I	F COOKING APPLIANCE
I continued ampliance	F COOKING APPLIANCE Type of floor beneath appliance
Location of appliance Kin	r COOKING APPLIANCE nd of fuel Type of floor beneath appliance
Location of appliance	F COOKING APPLIANCE and of fuel Type of floor beneath appliance terial from top of appliance
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible may From front of appliance Front of populations.	Type of floor beneath appliance terial from top of appliance on sides and back From top of sn okepipe
Location of appliance	recooking APPLIANCE and of fuel Type of floor beneath appliance terial from top of appliance on sides and back From top of sn okepipe connections to same flue
Location of appliance Kin If word, how protected? Minimum distance to wood or combustible man From front of appliance From Size of chimney flue Other of Is hood to be provided?	recooking APPLIANCE Ind of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented?
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance From Size of chimney flue Other of Is hood to be provided? If so, If gas fired, how vented?	reference of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented? Rated maximum demand per hour
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible man From front of appliance From Size of chinney flue Other of Is hood to be provided?	recooking APPLIANCE Ind of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented?
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance From Size of chimney flue Other of Is hood to be provided? If so, If gas fired, how vented?	reference of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented? Rated maximum demand per hour
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance From Size of chimney flue Other combustible of the provided? If gas fired, how vented? MISCELLANEOUS	reference of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented? Rated maximum demand per hour
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chinney flue Other co Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS	reference of fuel Type of floor beneath appliance terial from top of appliance from top of suppliance Rated maximum demand per hour
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chimney flue Other of Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS	region of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented? Rated maximum demand per hour SEQUIPMENT OR SPECIAL INFORMATION
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chimney flue Other co Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS	recooking APPLIANCE and of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of an okepipe onnections to same flue how vented? Rated maximum demand per hour SEQUIPMENT OR SPECIAL INFORMATION
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chimney flue Other co Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS	region of fuel Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented? Rated maximum demand per hour SEQUIPMENT OR SPECIAL INFORMATION
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chimney flue Other co Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS	Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented? Rated maximum demand per hour S EQUIPMENT OR SPECIAL INFORMATION
Location of appliance Kin If word, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chimney flue Other combon of the provided? If so, If gas fired, how vented? MISCELLANEOUS	recooking appliance terial from top of appliance om sides and back From top of sn okepipe omnections to same flue how vented? Rated maximum demand per hour S EQUIPMENT OR SPECIAL INFORMATION
Location of appliance Kin If word, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chimney flue Other combon of the provided? If so, If gas fired, how vented? MISCELLANEOUS	Type of floor beneath appliance terial from top of appliance om sides and back From top of sn okepipe onnections to same flue how vented?
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible may From front of appliance Fro Size of chinney flue Other of Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS Amount of 'enclosed? \$1.00 (\$1.00 building at a me time.)	recooking appliance terial from top of appliance om sides and back From top of sn okepipe omnections to same flue how vented? Rated maximum demand per hour sequipment or special information for one heater, etc., 50 cens additional for each a telitional heater, etc., in same
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible may From front of appliance Fro Size of chinney flue Other of Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS Amount of 'enclosed? \$1.00 (\$1.00 building at a me time.)	recooking appliance terial from top of appliance om sides and back From top of sn okepipe omections to same flue how vented?
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible may From front of appliance Fro Size of chinney flue Other of Is hood to be provided? MISCELLANEOUS MISCELLANEOUS Amon at of 'enclosed? \$1.00 (\$1.00 building at a me time.)	Type of floor beneath appliance terial from top of appliance on sides and back From top of sn okepipe onnections to same flue how vented?
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible mar From front of appliance Fro Size of chinney flue Other co Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS Amot. at of enclosed? \$1.00 (\$1.00)	recooking appliance terial from top of appliance om sides and back From top of sn okepipe omnections to same flue how vented? Rated maximum demand per hour SEQUIPMENT OR SPECIAL INFORMATION for one heater, etc., 50 cc. 1.5 additional for each a ditional heater, etc., in same Will there be in ch. 1. the above work a rson competent to
Location of appliance Kin If wood, how protected? Minimum distance to wood or combustible may From front of appliance Fro Size of chinney flue Other of Is hood to be provided? If so, If gas fired, how vented? MISCELLANEOUS Amonat of enclosed? \$1.00 (\$1.00 building at a me time.)	Type of floor beneath appliance terial from top of appliance on sides and back From top of sn okepipe onnections to same flue how vented?

INSPECTION COPY