

RECEIVED PROPOSED

AUG 17 1984

CONVERSION OF DEPT. OF REDG. INSP. CITY OF PORTLAND EXISTING 2 BED ROOMS INTO EFFICIENCY APT (#4) CHANGE OF USE FROM 3 TO YOUTS Daw DIMATED: 7973424 Now out BED NEW PART. FRE Brock nit




世级 工-7 BOYNTON SE



. .

• '



#53 I-7: 4368 SO FT Phot Phan PARKLIKE BLOG 145 DRIVERTRY -39'-MECEIVED AUG # 7 1984 BOYN TON



# CITY OF PORTLAND

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT INSPECTION SERVICES DIVISION

August 21, 1984

Daniel DiMatteo 68 Brook Rd. Falmouth, Me. 04105

RE: 14 Boynton Street, Ptld, Me.

Dear Sir:

Your application to change the use of 14 Boynton St. from a 3 family to a 4 family dwelling has been reviewed and a building permit is herewith issued subject to the following requirements.

1. 809.4 Emergency escape: Every sleeping room below the fourth story in buildings of Use Group R shall have at least one operable window or exterior door approved for emergency egress without the use of separate tools. Where windows are provided not more than 44 inches (118mm) above the floor. All egress clear opening of 5.7 square feet (0.53m<sup>2</sup>). The minimum net clear opening height dimension shall be 24 inches (610mm). The (508 mm).

Bars, grilles or screens placed over emergency escape windows shall be releasable or removable from the inside without the use of a key, tool or excessive force.

2. 1716.3.4 Dwelling units: A minimum of one single station smoke detector shall be installed in each guest room suite or sleepwithin buildings of Use Group R-1 and in dwelling units in a manner and location approved by the authority having suitable to warn the occupants within the individual unit (see

זפט רייוהסדים כדמנים



In buildings having basements or cellars an additional smoke detector shall be installed in the basement or cellar in a location approved by the authority having jurisdiction.

- 3. All vertical openings (stairways) shall be enclosed with construction having a fire rating of at least one hour including fire door with selfclosers.
- 4. The boiler room shall be enclosed with construction having a fire rating of at least one hour, including the ceiling, and fire door with self-closers.

Sincerely,

Chief of Insp Services

	in the state of th
APPLICATION FOR PERMIT	YERMIT ISSUEL
B.O.C.A. USE GROUP	Vac si X
ZONING LOCATION PORTLAND, MAINI AUG., 17, 198	
	14. LITY of PORTLANI
To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE	
The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the	following building, structure,
equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A	. Ruilding Code and Zoning
Orainance of the City of Portland with plans and specifications, if any, submitted herewith and	the following specifications.
LGCATION14. Boynton. Street	ire District #1 🗆, #2 🗇
1. Owner's name and address Richard Dudley - Same	Telephone
2. Lessee's name and address 3. Contractor's name and address Popular Private	Telephone
$P_{\text{CLIPS}}$ , $P_{\text{CLIPS}}$	Telephone . 797-3424
Proposed use of building . 4-family.	No. of sheets
Last use3-family	No. families
Material No. stories Heat Style of roof	No. lamilies
Other huildings on same lot	Cooling
Estimated contractural cost \$. 4,000.00 Appeal Fee	
FIFT DINSPUCTOR No. Hawl	
@ 775-5451	2500 - Chan of Use
Late Fee	
Change of Use with renovations. TOTAL	\$36.00
	\$ 55,,00
Stamp	of Special Conditions
	MIT ISSUED
AATT	'H LETTER
NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of it	heating plumbing classical
and mechanicals.	
Height average grade to top of plate Height average grade to highest point Size, front depth No. stories solid or filled land?  Material of foundation Thickness, top bottom cellar Kind of roof Rise per foot Roof covering No. of chimneys Material of chimneys of lining Kind of roof Framing Lumber — Kind Dressed or full size? Corner posts Size Girder Columns under girders Size Max. Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof government of the property of	earth or rock?
Maximum span: 1st floor, 2nd 3rd	, roof
	neignty
IF A GARAGE  No. cars now accommodated on same lot, to be accommodated number commercial cars	An Image and a second
Will automobile repairing be done other than minor repairs to cars habitually stored in the property	to be accommodated
ADDDOVALC DV.	
WISC CLEAN	
BUILDING INSPECTION—PLAN, EXAMINER Will work require disturbing of any t	ree on a public street? . NO.
	1
The state of the about	work a person competent
Health Dept.: to see that the State and City requirements of the state and city requirements.	rements pertaining thereto
Others:	
(1) (1) // (1)	
Signature of Applicant . (. J. M. L. L. J. M. C. (SlO)	Phone #
Type Name of above Daniel . DiMattee . for .kichard	1 🗆 2 🗆 3 🛱 2 4 🗖
Other .Pudley	
PERMIT ISSUED and Address	
O WELL A ELLIPER	
WITH LIFE COPY APPLICANT'S COPY OFFICE FILE CO	PY .
18 mg. Rowe	

James Harris

APPLICATION FOR PE		ERMIT ISSUED
B.O.C.A. USE GROUP	0.0.843	AUG & 1882
ZONING LOCATION	ine .June. 27., .1986	ity Of Portland
To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAN The triesigned hereby applies for a permit to erect, alter, repair, demo equipmen or change use in accordance with the Laws of the State of Main Ordinance of the City of Portland with plans and specifications, if any, s LOCATION14. BOYNTON.St.  1. Owner's name and addressRosanne. & Philip.Flint. 2. Lessee's name and address 3. Contractor's name and addressPhilip.Flint	dish, move or install the follow, e., the Portland B.O.C.A. But submitted herewith and the form Fire 1 Resanne Tele Tele Tele MacArthur. Cirulle 1 Pott.	phone
Last use SAME	1	vo. lammes
Material		
Estimated contractural cost \$700	Appeal Fees	3
FIELD INSPECTOR—Mr		2500
@ 775-5451	Late Fee	······································
To construct retaining wall, 40' in length	TOTAL	· · \$
plane 2 sheets of plans.	Stamp of	Special Conditions
wall is to hold back land	-	ISSUED
send permit to # 3 04106	3	LETTER
NOTE TO APPLICANT: Separate permits are required by the installe		
Is any plumbing involved in this work? Is any electr Is connection to be made to public sewer? If not, what Has septic tank notice been sent? Form notice Height average grade to top of plate Height average grade to top of plate Height average size, front depth No. stories solid Material of foundation Thickness, top Kind of roof Rise per foot No. of chimneys Material of chimneys of life Framing Lumber—Kind Dressed or full size? Size Girder Columns under girders Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in Joists and rafters: Ist floor 2nd 2nd Maximum span: Ist floor 2nd 2nd 1st floor 2nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3nd 3	ical work involved in this w is proposed for sewage? esent? rage grade to highest point of or filled land? bottom cellar Roof covering Kind of hea Corner posts Size Max. of a every floor and flat roof sp 3rd 3rd 3rd 3rd	of roof
IF A GARAGE  No. cars now accommodated on same lot, to be accommodated	number commercial cars t	o be accommodated
Will automobile repairing be done other than minor repairs to cars ha	ibitually stored in the propo	sed banding:
ZONING: O. K. W. J. J. J. J. J. J. Will the BUILDING CODE: Will the Fire Dept.: to see the	MISCELLANE rk require disturbing of any tr re be in charge of the above that the State and City require reved 98 rved 98	ee on a public street? work a person competent
Others:	n & L A -	u
Signature of Applicant . A helig	<i>j/(</i> P int	thone #same 1□ 2□ 3⊠×4□
Type Name of above Philip Fl	Other	
COTTED		***************************************
PERMIT ISSUED		
FWITTHE CHOAS CORE APPRICANT'S CO	OFFICE FILE CO	)PY

Į.

i.

...

NOTES Dwelling Approved



July 2, 1986

Philip Flint 114 MacArthur Circle West South Portland, Maine

Re: 14 Boynton Street


Dear Sir:

Your application to construct a 40'x48" retaining wall has been reviewed and a permit is herewith issued subject to the following requirements:

- 1. All masorry retaining walls other than reinforced concrete walls shall be protected with an approved capping.
- 2. Any retaining walls with a difference of grade level on either side of the wall in excess of 4 feet are located closer than 2 feet to a walk, path, parking lot, or driveway on the high side, such retaining wall shall be provided with a guard constructed.
- 3. Retaining walls shall be designed to resist the pressure of the retained material, including both dead and live load surcharge to which they may be subject, and to insure stability against overturning, sliding, excessive foundation pressure, and water uplift.

If you have any questions on these requirements please call this office.


P. Samuel Hoffses Chief of Inspection Services




DEGENVEN JUN 2: 7 1986

DEPT. OF BUILDING INSPECTIONS OF PORTLAND

# 14 Boynton. Philip Flint





## CERTIFICATE 0 F COMPLIANCE

CITY OF PORTLAND

June 13, 1978 /

Department of Neighborhood Conservation Housing Inspections Division Telephone: 775-5451 - Extension 448 - 358

Mr. Daniel Dimatteo 170 Belfort Street Portland, Maine 04103

Re: Pramises located at 14 Boynton Street, Portland, Maine NCP-WE

Dear Mr. DiMntteo:

A re-inspection of the premises noted above was made on \_\_\_\_\_June 8, 1978 by Housing Inspector Gough

This is to certify that you have complied with our request to correct the violation of the Municipal Codes relating to housing conditions as described in our "Notice of Housing Conditions" dated Sept. 13, 1977

Thank you for your cooperation and your efforts to help us maintain decent, safe and sanitary housing for all Portland residents.

In order to aid in the preservation of Portland's existing housing inventory, it shall be the policy of this department to inspect each residential building at least once every five years. Although a property is subject to re-inspection at any time during the said five year period, the next regular inspection of this property is scheduled for 1983

> Sincerely yours, Joseph E. Gray, Jr., Director Neighborhood Conservation

Chief of Housing Inspections

## NOTICE OF HOUSING CONDITIONS

City of Portland	
City of Portland	
Department of No. 1	2
Housing Inspections Division ChB1Lot: 53.7.7	
Tel. 775-5451 - Ext. 448 - 358  ChBlLot: 53-I-7 Location: 14 Reverse Co.	
Hr. Deniel Denies A48 - 358  Location: 14 Boynton St.  Project: William St.	est.
TO DELICITE CAMARA E E E E E E E E E E E E E E E E E E	
Portland, Maine 04103 Expired: 12-13-77	
16.60	
Dan Ve	
Dear Mr. DiMatteo:	
An	
Me examination was made of the provide	
naine, by Housing Inspector County 14 Boynton Severe	
nousing conditions were found . Violation . Por	tland
An examination was made of the premises at 14 Boynton Street  Naine, by Housing Inspector Gough  to housing conditions were found as described in detail below.  In accordance with providence of	relating
Those is "" P*YVL010DS At AL. I	
arrange a satisfactory repair schedule if you are unable to make such repairs withit ten days from this date and, on reinspection within the remains have been in the state of the state of the remains on reinspection within the remains to the remains on reinspection within the remains the remains the remains the remains of the remains of the remains of the remains	
difficulty repair schools 13, 1917	rract
time. We will assume the name if you are unable to make contact this offi	ce to
that all from this date and on repairs to be in progress if we such repairs within	n the coo
cified time. We will assume the repairs to be in progress if we do not hear from that the premises have been brought into compliance with column set forth above, will	ou within
ten days from this date and, on reinspection within the time set forth above, will above from the premises have been brought into compliance with Code Standards. Please continuous time set forth above, will a set forth above the compliance with Code Standards.	Inticipate
that the premises have been brought into compliance with Code Standards. Please con Your cooperation will help that a	itact this
Your cooperation will help this Department in its goal to maintain all Portland residencent, safe and sanitary housing.	cuty
decent, safe and sanitary housing.	
esi Portland resi	dents in
Von	211
Very truly yours,	
Togget n	
Joseph E. Gray, Jr. Director	
Inspector Neighborhood Conservation	
M. Gough	
H. Gough  By Lyle D. Noyes	
Jac Dil Noves	
XISTING VIOLATIONS OF CHAPTER 307 - Thysnam Chief of Housing Inspections	
XISTING VIOLATIONS OF CHAPTER 307 - "MINIMUM STANDARDS FOR HOUSING" - Sec.	
FARST PLOOR FRONT AND REAR PODGE	ction(s)
PIRST PLOOR FRONT AND REAR PORCH - repair or replace the loose and rotted members.  ROOY - overall - replace rotted fascia board.	erron(s)
ROOY overall replace rotted fascia board.	3-4
ROOK everall replace rotted fascis board.  TRIM - overall - remove razing plint.  EXTERIOR WALLS	3~4
	3-a
EXTERIOR WALLS overall replace missing siding.	3≥
MANAGERIOR WALLS determine the missing siding.	3-a
Valia to reason and remady the condition	3-a
REAR EXTERIOR WALLS determine the reason and remedy the condition causing the Repair increason and remedy the condition causing the Repair increases.	
valls to sag.  Determine the reason and remedy the condition causing the kepair importative furnace to second floor dwalling unit.  REAR WALL - repair or replace the votted must disting unit.	3-a
REAR WALL - repair or replace the worked mud sill.	6-0
Piene no.	10
	3-a
ELEVING HOOK AND KIT(HEN WALLS - FEMOUR LITERAL WIFING - KITCHEN - FEPAIR LERKING WALLS - FEMOUR LITERAL WIFING - REGRESS - FLOOR - determine the reason and remady the condition causing RIGHT REAR HEDROOK - Walls - Feplace Division	
RICHARDA TERRITATION TO THE PROPERTY OF THE PR	~
ACAN HEDROCKI - 1100T - determine the second of the second	8-e
RIGHT REAK BEDROOM - walls - replace missing planter.  RIGHT REAK BEDROOM - walls - replace missing planter.  RIGHT REAK BEDROOM - window - repair or replace the loose and	6-d
PIGHT BEAR SEDROOK WELLS TON AND THE TON AND THE CONDITION CAUSING	
RIGHT REAR SEDROOM - walls - replace missing planter. RITCHEN AND LIVING ROOM - replace or replace the loose and rotted sashes.	3-a
AND LIVING BOOM - Tanleng of Taplace the loose and contain	3-b
repair the loose and retrad cashes.	3-b
RETCHEN AND LIVING ROOM - replace of repair the loose and rotted sashes.	3-b
	'
continued -	

# 14 Boynton Street - continued

->17.	Second Floor  KITCHEN AND LIVING ROOM - ceiling and walls a remove-illegal wiring.  KITCHEN - repair leaking sink trap.  KITCHEN - window - repair loose sashes:  REAR BEDROOM - ceiling and walls	
√ 18. √ 19.	KITCHEN - repair leaking sink transfer remove illegal	
₹ 20 .	KITCHEN - window repair loose sashes:  REAR BEDROOM - ceiling and walls - replace   Company   Co	· A
£" 0.0	REAR BEDROOM repair loose sashes:  Chird Floor  Third Floor  From the state of the	ત ૯~
	flunkanda saree-piece bath famus	C
22.	KITCHEN AND REPROOM - COLUMN A	
-21_	Third Floor  Frovide a three-piece bath for this dwelling unit consisting of a lavatory,  KITCHEN AND BEDROOM - ceilings and walls - replace missing plaster,  KITCHEN AND BEDROOM - windows repair loose sashes 3-b  We suggest that you contact the City of Portland Public	
	We suggest that you contact the City of Portland Building Years Street - tel. 775-5451	)
	items require Street - tel. 775-5651	

389 Congress Street - tel. 775-5451 - to determine if any of the above mentioned

REINSPECTION	RECOMMENDATIONS					
	ALGORITENDA I TONS		1.0	C474 a		3
MCDCome	1				14 BOURTA 3	م سر
" ; "NSPECTOR	Yough		PR	OJECT	NOD	<del></del>
NOTICE OF HOUSING CONDITIONS HEARING NOTICE FINAL NOTICE  Sued Expired Issued Expired Issued Expired Issued Expired  A reinspection was made of the above premises and I recommend the following action:  DATE  Send "CERTIFICATE OF COMPLIANCE"						
NOTICE OF HOUS	ING CONDITIONS				MATTED	
	Expired	HEARI	NG NOTICE			
913-77		issued	Expired	155	FINAL NOTICE	
INSPECTOR  YOUNGE  PROJECT  NOTICE OF HOUSING CONDITIONS Issued  Expired  Issued  Issued						
A reinspection	Was mad		<u> </u>			
,	was made of the	above premise	es and I			
DATE	ALL VIOLATIONS		ecom	nend the	following action.	
5778 MG	Send "CERTIFICAT	AVE BEEN CORR	ECTED			
		- or COWDEIVN	CEII />			
1 1	SATISFACTURY Reh	abilitatio			"POSTING RELEASE"	
	r: =	marricación II	Progress			
	Time Extended To	<u>:</u>				
	ime Extended =					
1 1						
	ime Extended To					
ı i			-			
1 15	NSATISFACTORY Pr	ogress				_
	SHEARING NOT	ICEII				
111/4	IOTICE TO VACATE			- 11	FINAL NOTICE!	j
1 110	SI COTICO					
P0	ST Dwelling Unit					
				-		;
	EGAL ACTIONS Pro	gress				1
	- TO LONG TO	Be Taken				
6378 MITE INS	PECTORIC					
1 / 3/	TECTOR'S REMARKS	S: Etco (1	6	A 10		Ì
			O Prince Co	47	Maritania .	
	ALPHA CO	the second section is a second		U		
	And and an owner on a significant	Name of the last o	Maria Caraca Car			
	7-30	The street of th				
		-	Nag.			
	-		<del></del>			
	A STANDARD THE REAL PROPERTY OF THE	- Committee of the Comm				
	//					
						_
INSTR	UCTIONS TO INCOM	.074				[
1 1	THO THOP	CTOR:				_
					***************************************	
.						i
						1
·4						j
,					7	-
						-

# CITY OF PORTLAND

JOSEPH E. GRAY, JR. DIRECTOR OF PLANNING AND URBAN DEVELOPMENT

Sept. 19, 1986

#DU: 3

Roseann & Fhilip Flint 49 Broadway Portland, ME 04103

Re: 14 Boynton Street 53-I-7 WE

The Housing Inspections Division of the Department of Planning and Urban Development has recently completed an overall inspection of the above referred property.

Congratulations are extended to you for the general condition of your property which was found to meet the standards established by the City's Housing Code.

Good maintenance is the best way to protect the value of your property and neighborhood.

Please feel free to call on us if we can be of assistance to you.

Sincerely yours,

Joseph E. Gray, Jr., Director Planning & Urban Development

That I will

P. Samuel Violifies,

Code Enforcement Officer K. A. Taylor

ime

\*389 CONGRESS STREET . PORTLAND MAINE 04101 . TELEPHONE (200) THE EAST



## CITY OF PORTLAND

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT
INSPECTION SERVICES DIVISION

## NOTICE OF HOUSING CONDITIONS

DU: 3 CHART-BLOCK-LOT - 53-I-7 LOCATION: 14 Boynton Street

(WEST END)

State her tilleg aller ble flakkligger i 1900 i 1900 tilleg g

DISTRICT: 8
ISSUED: October 5, 1990
EXPIRES: December 5, 1990

Phillip Flint 14 Boynton Street Portland, ME 04102

Dear Mr. Flint:

You are hereby notified, as owner or agent, that an inspection was made of the premises at 14 Boynton Street by Code Enforcement Officer M. Mitchell/H. Irving . Violations of Article V of the Municipal Ordinance (Housing Code) were found as described in detail on the attached "Housing Inspection Report".

In accordance with the provisions of the above mentioned Code, you are hereby ordered to correct those defects on or before Dec. 5, 1990. If you are unable to make such repairs within the specified time, you may contact this office to arrange a satisfactory repair schedule. If we do not hear from you within ten (10) days from this date, we will assume the repairs to be in progress and, on re-inspection within the time set forth above, will anticipate that the premises have been brought into compliance with the Housing Code Standards.

Please Note: You should consult the inspection Services Division to insure that any corrective action you undertake complies with the building, plumbing, electrical, zoning and other Article of the City Code.

Please contact this office if you have any questions regarding this order.

Your cooperation will sid this department in it's goal to maintain decent, safe, and sanitary housing for all of Portland's residents.

Very truly yours,

Joseph E. Gray, Jr., Director

Planning & Urban Development

Chief of Inspection Services

Mark Mitchell for Hubert Irving (8)

Mark Mitchell for Rubert 11v111 Code Enforcement Officer

Attachments

389 CONGRESS STREET • PORTLAND, MAINE 04101 • TE'.EPHCNE (207) 775-5457 タワリーを300

jmr

### HOUSING INSPECTION REPORT

Commence of the Commence of th

OWNER: Phillip Flint

LOCATION: 14 Boynton St. 53-I-7

CODE ENFORCEMENT OFFICER: Mark Mitchell for Hubert Irving (8)

HOUSING CONDITIONS DATED: Oct. 5, 1990

EXPIRES: Dec. 5, 1990

THEMS LISTED BELOW ARE IN VIOLATION OF ARTICLE V OF THE MUNICIPAL CODES, "HOLSING CODE", AND MUST BE CORRECTED ON OR BEFORE THE EXPIRATION DATE.

SEC.(S)

APARIMENT #3 - tenant in Germany.
FIRST FLOOR, APT. #1 - no violations.
SECOND FLOOR, APT. # 2 - owner occupied.
EXTERIOR - missing balusters.
INTERIOR BASEMENT - clean out chimney.
EXTERIOR TR<sup>TM</sup> - peeling paint.
EXTERIOR REAR DECKS AND STAIRS - inadequate balusters.

4	X	her 1	CE TORK PROPERTY AND A VIA	Insp	CITY OF POR PECTION SERVICES DIVISION - 1		West end poj	
Insp. Date	9/	11/90	Compl	aint	5 year Fire Inspec	tor's Name Mitchell For I	ruing Dist.	P
₹√ Э						-/- 7 Legal Units: 3	Exist. Units: 3 Stories	:3
Owner or A	igent _	Ph://, 4 Bo	p ti	$\frac{1}{\sqrt{5t}}$	Portland 0410	Stand. 1st:	N.O.H.CL.O.D	
Violation No.	Ext.	Int.	F1.	Apt.	LOCATION	VIOLATION DESCRIPTION	CODE	
-			7	3	M Violations	rany.		
3			a	2	Owner occur			
4	X				Missing Ballis		1	
6	X				Trim	Close out Chim	′	<del></del>
<u> </u>	X				Rear Decks StAN	- indegrate B	allisters	
	. •.	· · · ·				, ,		
X								
	<u>.</u>							
A STATE OF THE STA								·

2 The state of the

en propa ca esta Stational de la Creation recorde de Atra Librarille, il desirabilità de la Company de Atra Co

Inspection Services P. Samuel Hoffses Chief -



Planning and Urban Development Joseph E. Gray Jr. Director

#### CITY OF PORTLAND

APRIL 11, 1997

FLINT PHILIP J 247 ALLEN AVE PORTLAND ME 04103

> Re: 14 BOYNTON ST CBL: 053- - I-007-001-01

DU: 5

Dear Mr. Flint:

The Housing Inspections Division of the Department of Planning and Urban Development has recently completed an overall inspection of the abovereferred property.

Congratulations are extended to you for the general condition of your property which was found to meet the standards established by the City's Housing Code.

Good maintenance is the best way to protect the value of your property and neighborhood.

Please feel free to call on us if we can be of assistance to you.

Sincerely,

David Jordan

Code Enforcement Officer

Tammy Munson

Code Enfc. Offr./ Field Supv.

389 Congress Street • Portland, Maine 04101 • (207) 874-8704 • FAX 874-8716 • TTY 874-8936

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development Joseph E, Gray Jr. Director

APRIL 11, 1997

CITY OF PORTLAND

FLINT PHILIP J 247 ALLEN AVE PORTLAND ME 04103

> Re: 14 BOYNTON ST CBL: 053- - I-007-001-01

DU: 5

Dear Mr. Flint:

During a recent inspection of the property owned by you at the above-referred address, it was noted that smoke detectors were missing/inoperable in some locations.

25 MRSA 2464 required that approved smoke detectors be installed in each apartment in the immediate vicinity of the bedrooms. When activated, the detector shall provide an alarm suitable to warn the occupants within the individual unit. Failure to comply with this statute may result in a fine of up to \$500 for each violation.

Reinspection of your property will be hade in twenty-four (24) hours. Lack of compliance will result in referral of the matter for legal action.

Loss control is a responsibility of your management. Our observations are intended to assist you. Recommendations are a result of conditions observed at the time of our visits. They do not necessarily include every possible loss potential code violation, or exception to good practice.

Please read and implement the attached formal code interpretation or determination - Number 93-1 - March 10, 1993 - from the State Fire Marshall's office.

Sincerely,

David Jordan

Code Enforcement Officer

Tammy Munson

Code Enfc. Offr./ Field Supv.