



## APPLICATION FOR PERMIT

## DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Date	eipt and Permit number	. 'A 15871
	Rece	eipt and Permit number	
To the CHIEF ELECTRICAL INSPECTOR, Portland, Me The undersigned hereby applies for a permit to make Maine, the Portland Electrical Ordinance, the National E LOCATION OF WORK: ************************************	aine: electrical installation lectrical Code and t S B Boynton	ns in accordance with th the following specificati Street	ne laws of ons:
LOCATION OF WORK: ************************************	DDPESS.	same	
OWNER'S NAME: Dominic Professio A	DDRESS.		FEES
OUTLETS: Switches Plug nold	ft. TOTAL		
FIX'TIRES: (number of)	-t-in) TOTAL.		
Incandescent Flourescent (not strip Flourescent it	, 1011py	200	2.00
Strip Flourescentit.  SERVICES:	TOTAL	amperes	3,00
Overhead XX Underground Tempor			1.00
METERS: (number of)			
Fractional			
1 HP or over			
1 HP or over  RESIDENTIAL HEATING: Oil or Gas (number of units)			
Oil or Gas (number of units)  Electric (number of rooms)	• • • • • • • • • • • • • • • • • • • •		
ACTES TO THE COLUMN TO THE COLUMN			
Oil or Gas (by a main boiler) Oil or Gas (by separate units) Over 20 kw			
Oil or Gas (by separate units)  Electric Under 20 kws Over 20 kws			
APPLIANCES: (number of)	Water Heaters		
Ranges	Disposals		
Cook Tops	Dishwashers		
•	Compactors		
Fans TOTAL	Others (denote)		
TOTAL			
MISCELLANEOUS: (number of) Branch Panels			
Transformers	* **		
Air Conditioners Central Units (windows)		*****************	
Steas 20 sq. ft. and under			
Over 20 sq. ft	• • • • • • • • • • • • • • • • • • • •		
in Ground	• • • • • • • • • • • • • • • • • • • •		
Fire/Burglar Alarms Residential · · ·			
Commercial  Heavy Duty Outlets, 220 Volt (such as welder		l	
	-		
Circus, Fairs, etc			
Alterations to Wires			
Repairs after fire Emergency Lights, battery	• • • • • • • • • • • • • • • • • • • •		
Emergency Generators	TNOTALLA	TION FEE DUE:	
	TO	IBLE FEE DUE:	
FOR ADDITIONAL WORK NOT ON ORIGINAL P FOR REMOVAL OF A "STOP ORDER" (304-16.b)	TOTAL	L AMOUNT DUE:	4,00
INSPECTION:	or Will Call	(X	
INSPECTION:  Will be ready on  CONTRACTOR'S NAME:  Michael LaPla	nte		
ADDRESS:			
	SIGNATURE O	f Contractor:	
MASTEL LICENSE NO.: 4422	- Micha	F CONTRACTOR:	<b>.</b>
LIMITED LICENSE NO.:			

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN



## APPLICATION FOR PERMIT

## DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

(A)	PERCINIONE III		27	78
		Dot	Nov. 21	_, 19
		Rec	eeipt and Permit number	A 15871
The undersigned hereby	AL INSPECTOR, Portland, Ny applies for a permit to make ucal Ordinance, the National REGISTRES OF THE PROFESSION OF THE	vaine: e electrical installation Electrical Code and	ns in accordance with th the following specification	e laws of ons:
LOCATION OF WORK:	ominic Profenno	ADDRESS:	Samo	FEES
OWNER'S NAME:				
OUTLETS:	Switches Plugmol	d ft TOTAL		
Receptacles	_ Switches Plugmon	.u 10. 100 1	<del></del>	
Incandescent	Flourescent (not			2 00
Strip Flourescent		TAMOMAT	200	3.00
SERVICES:	Underground Tempo	oraryTOTAL	amperes	1.00
METERS: (number of)	2	<i></i>		
MOTORS: (number of)				
Fractior				
1 HP or over				
TO A PROPERTY A TO LATER A PRINT	1 2.			
Oil or Gas (num	G:			
Electric (number	VISTRIAL HEATING:			
COMMERCIAL OR THE	eparate units)	• • • • • • • • • • • • • • • • • • • •		
Oil or Gas (by s	eparate units)			
Electric Under	20 KWS C 102 25	ws		
APPLIANCES: (numbe	r of)	Water Heaters		
Ranges		Disposals		
Cook Tops		Dishwashers		
Wall Ovens		Compactors		
Dryers		Others (denote)		
Fans				
ACCORT LANGOIIS: (n	umber of)			
Branch Pancle				
Transformers		• • • • • • • •		
Air Conditioner	rs Central Onit	••••		
	Separate Onto ("Indanto)			
Signs 20 sq. ft.	and undersq. ft			
Over 20 s	sq. ft			
Swimming Foo				
Fire/Burglar A	Alarms Residential			_
rite, zangan	Commercialutlets, 220 Volt (such as weld	20 cmme and 1100	ler	
Heavy Duty O	utlets, 220 Volt (such as weld	over 30 amps		
Circus, Fairs,	etc wires			
Alterations to	wires			
Repairs after	fire			
Emergency G	ghts, batteryenerators	TATOMAT T.	ATION FEE DUE:	
		TIO	TIBLE FEE DUE:	
FOR ADDITIONAL V	WORK NOT ON ORIGINAL A "STOP ORDER" (304-16.b)	PERIVIT DO		
FOR REMOVAL OF	A "STOP ORDER" (304-16.5)	TOTA	L AMOUNT DUE:	4,00
			vv	
INSPECTION: Will be read;	v on, 19	or Will Call		
CONTRACTOR'S NA	ME: Michael Lapl	anto		
AUUA	ESS: RFD # 2 Gor	; or Will Call anto haia, Me.		
	TEL.: 892-0373	- SIGNATURE O	F CONFRACTOR:	
MASTER LICENSE	NO.: 4422	- SIGNATURA	I Lettet	••
LIMITED LICENSE	NO.:		• •	
		OR'S COPY - WHITE		
	OFFICE	E COPY CANARY		

CONTRACTOR'S COPY --- GREEN

ELECTRICAL INSTALLATIONS	
Permit Number/587/	
Location 8 RoyNTON ST	
Location & RoyNTON ST Owner Familie Professo	
Date of Permit	
Final Inspection 11-27-18	
By Inspector Little	
Permit Application Register Page No.	
	4
234 1 1 1 1 1 1 1	
	40
- pa - p	2
14	
	aus and
Service call	
Service Closing-in ECTIONS:	
A	<del></del>
Service call Closing-in- PROGRESS INSPECTIONS:  COMPLIANCE COMPLETED  DATE // 7470	
SPEC COGR	227-
PR COMI	

1 1

ı 1

PERMIT TO JINSTALL F	LUMBING			0888
	Address	8 Boynton Street	PÉ	PANTINIA
Dote Village	Installation			
Issued 10-30-41	Owner of E			
PORTLAND PLUMBING INSPECTOR	Owner's Ac	Idress: B Boynton Street		
, , , , , , , , , , , , , , , , , , , ,	Plumber:	Ballard vil & Equipment Co.Date:	10.	-30-61
By J. P. Welch	NEW REP		NUMBER	FEE
APPROVED FIRST INSPECTION		SINKS		
. 11 / / /		LAVATORIES		
Date 11-1-62		TOILETS		
1 101/12-1		BATH TUBS	11	
By V X Clercy		SHOWERS		
APPROVED FINAL INS. ECTION		DRAINS	1	
.//		HOT WATER TANKS		
Date		TANKLESS WATER HEATERS		
LOSEPH P. WELCH		GARBAGE GRINDERS	1	
D.i		SEPTIC TANKS	1	
TYPE OF BUILDING		HOUSE SEWERS	11	
COMMERCIAL  RESIDENTIAL		ROOF LEADERS (Conn. to house drain)	<del>:i</del>	
TI SINGLE	1	oil-fired domestic hot water	1	\$ 2.00
I HAULTI FAMILY		heater	╎╌╧╌┤	
MEW CONSTRUCTION		103001	<del>  </del>	
REMODELING			i	
	AND HE	ALTH DEPT. PLUMBING INSPECTION TOT	AL 🕨	\$ 2,00

	The of the same of	PERMIT TO INSTAIL PLUMBING
	THE STATE OF THE S	a But to the flow
	PERMIT: 9996	
	NUMBER	ddress:
-		Installation For:
	Company of the Compan	The state of the s
	PORTLAND PLUI BING	Owner of Bldg.: nn.
	INSPECTOR	Owner's Address:
	A. ( 1.10 ')	
	Verei Mici	Plumbe : HOL: PROPOSED INSTALLATIONS NUMBER FEE
	APPROVED FIRST INSPECTION	NEW I REPT
		314.30
	Dato Jan 26-56	LAVATORIES 1 LOT
	Dais/h All Al	TOILETS
	By W GWells	BATH TURS
	APPROVED FINAL INSPECTION	SHOWERS
	Daigham 26.56	DRAINS (1)
	David 6: 26. 00	TANKS ISSUED TANKS
•	01101	HOT WATER HEATERS
	By A Wille	GARBAGE GRINDERS
	TYPE OF BUILDING	GARDAGI VIII
	TI YOMMERCIAL	SEPTIC TANKS
	PRESTIENTIAL	HOUSE SEWERS ROOF LEADERS (conn. to house drain)
	IT SINGLE	ROOF LEADERS (COMM. N. 1997)
(	CEA TO ILTHE FAMILY	
L. S. S. A.	NEW CONSTRUCTION	PLUMBING INSPECTION Total
	REMODELING	AND HEALTH DEPT. PLUMBING THE
	5M 12-53 D	י ארורא.

PERMIT 2656  Polo Dalo Issued	PERMIT TO INSTALL PLUMEITICS  Address: S Installation Fc-:	R
PORTAND FLUMUING JANSBECTOR  By  APPROVED FIRST INSPECTION	Owner's Address: Plumber:	
DOID 17/27/33  By CPB  APPROVED FINAL INSPECTION	NEW REP'L PROPOSED INSTALLATIONS NUMBER  LAVATORIES  TOILETS  BATH TUBS	ree
By LATE OF BUILDING	SHOWERS  DRAINS  HOT WATER TANKS  TANKLESS WATER HEATERS  TO DESCRIPTION OF TANKLESS WATER HEATERS	400
COMMERCIAL  DISTORTINAL  SINGLE  MULTITAMILY  NEW CONSTRUCTION	GARBAGE GRINDERS  SEPIIC TANKS  HOUSE SEWERS  ROOF LEADERS (conn. to house drain)	
DREMODELING PORTLAND	D HEALTH DEPT. PLUMBING INSPECTION Total	1,00

fi,

San Ser

Lui



## APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Pertland, Maine, Uctober 30, 1961

PERMIT ISSUED
ост 30 196 Ра
CITY of PORTLAND

	Political many		
To the INSPECTOR OF BUIL	DINGS, PORTLAND, ME.  pplies for a permit to install the fo	ollowing licating, cooking or power equipolland, and the following specifications:	nent in accord-
ance sinfit the Luces of			****
	f D.:Iding DNO.		
Name and address of owner of	appliance	ling No. Stories 3	_1991
	Choras	air heat character	
•	***** ANTO OR PU	WEN DOIL	TVC
. Bas	enent Any burnable materia	al in floor surface or beneath?	
Location of appliance		al in floor surface or beneath?	
Minimum distance to burnable	Front of appliance	Grand of	
From top of smoke pipe	Out an connections to same	flue	
Size of chimney flue		flue	***************************************
If gas fired, how vented:	plied to the appliance to insure prop	er and safe combustion:	0
Will sufficient tresh air be sup	IF OIL BU	IRNER	tories? yes
, '	Jan Jancer 1200-3	Labelled by underwriters' labora	Lottom
Name and type of burner	tendance? Does oil su	JRNER  Labelled by underwriters' labora  pply line feed from top or bottom of tan  Light  ize of vent pipe	cisting
Will operator be always in a	concrete S	ize of vent pipe 275	existing
Type of floor beneath the	baserent	pply line rect 12:11 lize of vent pipe 275 Number and capacity of tanks No	
Location of on storage	Make	How many tanks enclosed?	
Will all tanks be more than	five feet from any flame?	Flow many	
- A multiple of any exist	ng storage times		
	I H COOKING	· leavent	19.7
tt. of appliance	Any bu	rnable material in floor surface or neneate	
Location of apparent		.:	
Stricting at bottom of appli	ance? Distance to co	Trom top of smoke	pipe
From front of appliance	From sides and ba	ombustible material from top of appuance ck From top of smoke anne flue	
Size of chimney flue	Other connections to s	ante flue Forced or grav ented? Rated maximum demand per	ity?
Is bood to be provided?	It so, now vo	nted?	liour
If gas fired, how vented		CRECIAL INFORMATION	
N.	IISCELI, ANEOUS EQUIT ME		
		NT OR SPECIAL INC	
***************************************			*** ** ********************************
***************************************			
***************************************	***************************************		
***************************************		ate 50 cents additional for each addit	ional heater, etc., in same
Amount of fee enclosed building at same time.)	?(\$2.00 for one heate	r, etc., 50 cents additional for each addit	
and the same	La Caralle	Will there be in charge of the above we	ork a person competent to
APPRODE 10 30	2.0/ NYVVI	see that the State and City requireme	nts pertaining thereto are
Annual Control of the		y y y	
**** **********************************		Ballard Oil & Equipment Cong	1
		Y In Wanday	Waller Vik
	·Signature of Installer	is harfall you have	
CS '300	Signami V V - · · · · · ·		

Approved /- (8 11) Valves in Supply Li 11 Capabity of Tunics. 12 Tank Rigidity & Sup 18 Tank Distance [1 ١. 16 Shut off

## R6 RESIDENCE ZONE



APPLICATION FOR PERMIT

Class of Building or Type of Structure \_\_\_\_Third Class Portland, Maine, July 22, 1960

CALL AL POOTERAD

TATIST	ACTNE	and a construction of the second
To the INSPECTOR OF BUILDI	NGS, ORTLAND, at the NGS, ORTLAND, at the NGS, or a permit to erect alter repair demolis	th install the following buil ling structure equipment ming Ordinance of the City of Partlant, plays and
n accordance with the Linus of the	with and the following specifications:	List. No
		Telephone
Location Boynton	Cyprien Doyen, 8 Boynton Stre	et Telephone
Owner's name and address		Telephone
		Plans yes No. of sheets No. families No. families Roofing
Architect	l car garage	No. families
Proposed use of building		No. families
Last use	HeatStyle of r	oof
Material No. stories	dvelling	Fee \$
Other buildings on same lot		447t.
Estimated cost \$250.	General Description of Ne	ew Mork

To construct l-car frame garage 14'x22'

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO RESCONTRACTOR

## Details of New Work

1 involved in this WORK	
Is any plumbing involved in this work?  Is any electrical work involved in this work?  Is any plumbing involved in this work?  Is any electrical work involved in this work?  12!  Height average grade to highest point of roof.	
Is any plumbing involved in this work?	
Is any plumbing involved in this work?  Is any plumbing involved in this work?  Is any plumbing involved in this work?  12!  Height average grade to highest point of roof.  Height average grade to top of plate  22! No. stories  Solid or filled land?  Solidarth or rock?	
bottom depth bottom centar management	
Thickness O Lind	ah.
Size, front 14' depth Thickness, top bottom Thickness  Material of foundation concrete slab Thickness, top bottom Thickness  Material of foundation concrete slab Thickness, top bottom Thickness  Material of foundation concrete slab Thickness, top bottom Thickness  Material of foundation Class C Und. Thickness  Material of underpinning Asphalt roofing Class C Und. Thickness  Material of of roof pitch Rise per foot of lining Kind of heat fuel  No. of chimneys Material of chimneys of lining Areas of underpinning Size  No. of chimneys Size	
Kind of heat. Kind of heat.	
Material of chimneys of many dressed	
Kind of roofpitch Kind of heat	
14 511942544	*******
Columns under girders	
Framing lumber—Kin Lisandovak bolt Cirt or ledger board?  Corner posts Lx6 Sills Lx4 Columns under girders Size Max. on centers  Girders Size Columns under girders Size Max. on centers  Size Size Ax6 outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  2x6  Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  2x6  Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  2x6  Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  3x6  3x7  3x7  3x7  3x7  3x7  3x7  3x7	
Studs (outside walls and carrying put of concrete, 2nd, 3rd, , and , roof 21,11  Joists and rafters: 1st floor, 2nd, , and , roof 71  On centers: 1st floor, , 2nd, , 3rd, , roof 71  Maximum span: 1st floor, , 2nd, , 3rd, , height?	
On centers:	
On centers:  Maximum span:  1st floor	.,
Waxmun spans walls, thickness of walls?	
If one gory building with mason, when	Λ

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?\_\_\_\_\_no\_\_\_\_

Will there be in charge of the above work a person competent to ace that the State and City requirements pertaining thereto are Cyprien Doyen 

Signature of owner By: Chronel Peter para

Permit No. 60 950
Location & Bounton A
Owner Cippier Douglar
Date of permit 7/022/60
Notif. closing-in
Inspn. closing-in
Final Notif
Final Inspn.
Cert. of Occupancy issued

## STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

	for 1 car frame f	alage	Date July 22, 1960
	at 8 Boynton Stre	the more moran	ded? Cyprien Doyen
In whose up	ome is the title of the	property now rocor	dous
	underies of the property		
Is the out.	line of the proposed wor	k now staked out untion Office when t	inch tile atouis
and he fone	OUT OF EUG MOTIVE TO COME	40 140 A A	
What is to	be muximum projection	or overhang of enve	es or drip? 6"
or stateme	sume full responsibility ent of location filed wi outline of the proposed nd other projections?	route on the ground	. including buy windows,
porches ar . Do you ass the appli	sume full responsibility cation concerning the st	for the correctno izes, denign and us	as of all statements in
7. Do you u work or plan and	inderstand that in case in any of the details und application must be su	changes are propos	ed in the location of th
ere made	·?	- Emon	



# APPLICATION FOR PERMIT FOR ING. COOKING OR POWER EQUIPMENT

CENT OF THE LAND

	Application	C OR POWER EQU	HI-MEIA.	CLA C. LAMPERAN	
	HEATING, COOKIN	g on	22, 1957	102.5. Z. U.S.	
<b>15.0</b>	Por	G OR POWELL		de	
THE STATE OF THE S	,	****	Liua Ot	bower equipment in accord-	
	DOE BUILDINGS, PORTL	AND, ME.	ig heating, cooking spe	ecifications:	
To the INSPECTO	I harehy applies for a per	rmit to instant,	and the jovern	New Building	
The undersig	of Maine, the Building Coas	, oj ime e	idence No. S	tories X Existing	•
ance with the Laws	<del> </del>	se of Building	Boynton Street.	power equipment in accord- ecifications:  New Building Stories 2 X Existing "  Portland	
8 Boy	riton.St2nd.E.L	Cyprien Doyon o	DO Francisco	New Building Stories 2 X Existing " Portland Telephone	
Location	of owner of appliance	il & Equipment Co	2		
	4 - Adeat S		E VALUER		
Installer's name as	Ge	neral Description	or second floor	Only description	
	ı marm ai	r heating system.		***************************************	
me install oil.	ired forced was	sting first floor)		only. (Separate system	
ie inst	alledservingmeda-	OR POWE	R BOILER	only. (Separate	
· · · · · · · · · · · · · · · · · · ·	IF	HEATER, ble material in	floor surface or benea	Oil	
,	Basement	Any burnable	Kind of fuel?	Oil Or back of appliance 51 demand per hour 1,25 Gph	
Location of appl	iance	tiance or casi	ng top of furnace	hade of appliance51	
If so, how prote	cted!able material, fro	m top of appnance of	From sides	or back of all	
From top of sr	noke pipe Othe	er connections to same no	Rated maximum	O'' or back of appliance 5' demand per hour 1,25 Gph Yes	
Size of Chilling			and safe commusion.	•	
If gas nred, i	ted to the a	ippliance to		. Ves	
Will sumcient		IR OID Dogs	44 . 4 hay 11110	lerwriters and Bottom	
	٠, ٦	Type William	tm ton	or pottom or	
1 400	me of burner Ballara Q	No Does oil suppl	y line feed from top	lerwriters' laboratories? Yes or bottom of tank? Bottom 4" it tanks 1 - 275  No.  losed? None	ı.
Mame and ty	be always in attendance?	Size	of vent pipe	tanks 1 - 275  No.  No.  losed? None  or apartment.	···.
Will operato	- beneath burner Concr.	eteNı	unber and capacity of	No	 f
Type of 1100	el ctorageBasement.	Moke		losed? None	
Location of	on store not required	Yes	How many tanks en	or apartment.	Iģ
Low water	Gua feet fro	m any name	1-275 111,88.8.88		
Will all tai	ins but	tanks for Tanks			
Total capa	icity ·	AG COOPING.		entiace or bonne	
		Any but	I to talk of I	egs, if any	
T -antion	of appliance		I reigne	m top of appliance?	,,,,,,,,
II so, no	at bottom of appliance?	From sides and bac	k	egs, if any m top of appliance? from top of smokepipe  Forced or gravity? ximum demand per hour	
Skiring	ont of appliance	Other connections to 52	ime flue	Forced or gravity?	
From 11	chimney flue	Other comme	nted?	simum demand per hour	
Size of	to be provided?		Rated the	TONANTON2	
Is hood	col how vented?		NT OR SPECIAL	INFORMA	******
If gas	nred, non	LANEOUS EQUIPME		Forced or gravity?  ximum demand per hour  INFORMATION  ettel	
	MITOGE		with L	**********	
41 344	fired, how vented?  MISCELI  Replacing.Stoves.	Geff	nīt Issuc		
	***************************************			***************************************	************
		*************			***********
1			******		
*******	***************************************	***********		itional for each additional heater, etc	., in same
*******	**************************************	*********		tional for each additional neater,	•••
,,,,,,,		00 (\$2.00 for one heat	er, etc., 50 cents add.	•	
,,,,,,, A	sount of fee enclosed?\$44.	ΩΩ(φ.νιστ			
An hui	nount of tee choosing at same time.)	/x)		narge of the above work a person co	ompetent to
	TAI	- Atom	Will there be in cl	narge of the above work a person es	thereto are
APP	VERTON DIT.	T//WW	that the State	; and	
4.10	4 10.00	Station Francisco	observed?	TOTTOMENT CO.	
	·· / · · · · · · · · · · · · · · · · ·		BALLARD	OIL & EQUIPMENT CO.	
			UI.		
			120 -00 P	Cole, Manager	.,,
************	MAINE PRINTING CO.	بلمدرا و	ller Ky Cou	Cole, Manager	QH.
	C17	Signature of Insta	Rickard J.	- Department	VIT

Signature of Installer Richard J. Cole, Manager
Oil Heating Department

BONNES GUNDALACE Date of permit A STANDARD CONTRACTOR Approved The County NOTES n C But the Country 12 Tilnx · • · • · 18 Tonk libts 16 K

1

April 8, 1957

AP - 8 Boynton Street

Mr. Carl I. Holses 77 Woodford Street

Copy to Mr. Cyprien Doyon 8 Boynton Street

Dear Mr. Holmes:-

Suilding permit for alterations to dwelling at the above named location is issued herewith subject to the following conditions:-

- 1. The new piezza on front of building is allowable under the Zoning Ordinance only if it does not project more than 5 feet from the wall of the building, is not more than 50 square feet in area, and has no enclosing walls of any kind.
- 2. The 4x6 sills are to be all one piece in cross section (not made up of two pieces of 2x6), are to extend around the three outer edges of platform, and are to be set with the 6-inch dimension upright.
- 3. Floor joists either are to rest on top of the sills or are to be notched over 2x3 mailing strips spiked to the sides of the sills.
- 4. Plate supporting outer ends of rafters is to be a 4x6 or double 2x6 set on edge.
- 5. If we understand conditions correctly, it may be necessary to make an opening in first floor framing where new outside door is to be cut in rear wall. In such a case it is necessary that doubled timbers be provided around any such opening.

Very truly yours,

Albert J. Sears Coputy Inspector of Buildings

4JS/Q

6 (].,

# APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

004:30 APR 1 1957

Portland, Maine, April 4	1.957	Part of the	;
		a complete specific and the specific and	
To the INSPECTOR OF BUILDINGS, FORTLAND, MAINE  The undersigned hereby applies for a permit to electrifier reprinted.	tomether transcrall the following h	milding <b>MacConsec</b> Coppos	DOX.
in accordance with the Laws of the State of Maine, the Bulling Corol	ing Loning Orainance of the '	City of a distance frame in	
* 8 Boynton St.	Within Fire Limits?y.	as Dist. No.	
Owner's name and address Cyprien Doyon, 8 Boynton St.	<b></b>	Telephone	
		Telephone	******
Cartagoria name and address Carl Holmes, 77 Woodlord D	to t	Telebuone	·
Specification	ısPlaus <b>ye</b> s	No. of sheets	L
dualling base		No. iamines ~	
T and 110 11 11		No. iamilies	····· **
Mostories 2 HeatStyle	of root		
Other buildings on same lot		Fee \$ 2.00	
Estimated cost \$ 300.  General Description of		Pee \$A.M.	····
		on front niceza	
To remove existing front platform and steps and 5' x 10'.			
To cut in door in rear wall leading to basement wall and partley in the wood above.			
To close existing cellar entrance on side of but To cover one-half of roof with asphalt Class C	Inding with at least		
_	ued with Lone	س مـ	t '
Permit Iss	DECT ASSESSMENT	- 2x4 plater	
		- 2 4 2	:
It is understood that this permit does not include installation of heati the name of the heating contractor. PERMIT TO BE ISSUED	ng afparains which is to be to CO Carl Holmes	aren our zeparaiety of an	N5 616
Details of New	Work		
Is any plumbing involved in this work? Is any	electrical work involved in	this work?	•
It no	t, what is proposed for sewe	age:	
Form	notice sent?	***************************************	
A	versus oracle to highest DOII	Or OI FOOL	*********
Size, front depth No. stories solid	or filled land? w grade	earth of rockr	
Material of foundationconcrete_piersThickness, top	Sonotubes	:11ar	
Height average grade to top of plate RALLS. Height a Size, front. depth No. stories at Least 4. below the Material of foundation concrete piers. Thickness, top one in each corner Height and the stories of the stories	In	ickness	
Kise per loot Kool	COAGLIIR ""VWRTSPWARE		
No. of chimneys of lin	ing Kind of I	duaged	************
Dres Limber Kind hemitock	sed or full size?	44	
Sills in Girt or ledger board	f	5126	
Girders Size Columns under girders	Size	Max. on centers	
Studs (outside walls and carrying partitions) 2x4-15" O. C. Brid	ging in every noor and nat	roof span over 8 rect.	
Joists and rafters: 1st floor 2x6, 2nd	DIG	roof 16"	
On centers: 1st floor 16! , 2nd , 2n	2-A	roof	
Maximum span: 1st floor5.1		height?	
If one story building with masonry walls, thickness of walls?			
If a Gara	ge		
No. cars now accommodated on same lot, to be accommodated	ednumber commercial	cars to be accommodate	d
Will automobile repairing be done other than minor repairs to ca	rs habitually stored in the p	proposed building?	
	Miscellane	ous	
PPROVED: Will work	require disturbing of any tr	ee on a public street?	ກູດ ຼ
with letterby Will there	be in charge of the above	work a person compet	tent to
U U sec that	he State and City require	ements pertaining there	eto are
observed?			
Dyprien			
The state of the s	AC		
h¥:	On Jalla	- Carlos	
Signature of owner by:	Sand Sand Sand		
Mar Economy			

Notif. closing-in Inspin. closing-in Final Notii. Final Inspn. Cert. of Occupancy issued Staking Out Notice Form Check Notice

June 12, 1956

AP 8 Boynton St. - Installation of oil burning warm air heating system

Ballard Oil Company
135 Marginal Way
Wr. Cyprien Doyon , 8 Boynton St.

Gentlemen:

We are told that this building is a two-family dwelling and that the new heating system is intended to heat the first floor apartment only.

The permit is issued to Ballard Oil subject to the condition that the system will not 'eat any part of more than the one apartment, not even any hall which may be a public hall used in common by the two apartments—this because Section 212h.l of the Building Code says in part "no warm air heating system shall be used to heat more than one apartment unless all of the air is taken from outside of the building without any recirculation from interior spaces." tion from interior spaces."

Very truly yours,

WMcD/H

Warren McDonald Inspector of Buildings

FILL IN AND SIGN WITH INK

### APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, June 8, 1956

PERMIT ISSUE)
00798
JUN 12 1956

CITY of PORTLAND

1 0 110110 1	,	
To the INSPECTOR OF BUILDINGS, PORTLAND, ME.		it was in mooned.
The undersigned hereby applies for a permit to ins	tall the following heating, cooking or po y of Portland, and the following specif	ower equipment in accord- fications:
Loc tion 8 Boynton Street Use of Build Name and address of owner of appliance Cyprian Do	ling residence No. Stori	ies . 2 XMax Huilding
Loc tion	yon, 8 Boynton Street. 3	-7527
Name and address of owner of apphance	arginal Way, Portlan' Tel	ephone2.=1991
General Des	scription of Work	*-1
To install forced warm air oil fired heatin	g system with baseboard rep	gisters
IR HEATER (	OR POWER BOILER	
Location of appliance basement	e material in floor surface or beneath r	2 01
	Kind of fuelf ANSO	•
4 44 4 1 f ton of noni	iance of casing ion of fulliace	
- 8X8 Other connections	to came fine	**** ******** *************************
	Kated maximum deman	d per nour
If gas fired, how vented?	ire proper and safe combustion?	Yer
	OIL BURNER	
16 0	AL BORNER	rs' laboratories?Y.e.s
Name and type of burnerBallard .guntypeMod	el.SA Labell o by underwriter	m of tank? bottom
Will operator be always in attendance?	i oil supply line feed from top of botto	iii ot tanki
Will operator be always in attendance?	Size of vent pipe	1.275
•	Number and capacity of talks	A
		1101
Will all tarks be more than five feet from any flame?  Total capacity of any existing storage tanks for furnace	burnersNone	
	KING APPLIANCE	
Location of appliance	Any burnable material in floor surface of	r beneath?
If so, how protected?	Height of Legs, if any	
If so, how protected?	on to combustible material from top of a	
Skirting at bottom of appliance? Distance	and back From t	
From front of appliance From sides a	nd back	
Size of chimney flue Other connection	s to same nue	
Is hood to be provided? If so, h	ow vented r	, , , , , ,
If gas fired, how vented?		,
MISCELLANEOUS EQUI		
· · · · · · · · · · · · · · · · · · ·		
***************************************	mit Issued with a	
Per	MANUAL TO A STATE OF THE STATE	
		11 "
		henter etc. in same
Amount of fee enclosed? 2.00 (\$2.00 for one houlding at same time.)	exter, etc., 50 cents additional for each	additional ficater, epc., in called
2		
PPROVED!	Will there be in charge of the abo	ove work a person competent to
V11.6.11.0 0 11/10	see that the State and City requ	irements pertaining thereto are
		manname Paris and
	observed?Yes	
	BALLARD OIL & E	OUIPMENT CO.
	(18/10-10-	<i>y</i>
CIT 188 1M MAINE PAINTING CO.	Richard J. Cole Mgr.	OB Dept.

A-3 NOTES 8 Kind of Heat- Con-5 Mame & Lishel 6 Stack Cournil 13 Tank Dietane. .. 14 Oll Guage 9 Piping Auggert 11 Capacit



APPLICATION FOR PERMIT PERMINISSIED Class of Building or Type of Structure \_\_\_\_\_\_Phird Class MAR 20 1937 Portland, Maine, March 20; To the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to crost alter install the following building.

The undersigned hereby applies for a permit to crost alter install the following building.

The undersigned hereby applies for a permit to crost alter install the following and specifications, if or undersigned the Laws of the Suite of Maine, the Building Code of the City of Portland, plans and specifications; bubmitted herebith and the following specifications: Owner's or Lossee S. name and address M11ami E. Hanson, 501 Grat 5t.

Contractor's name and address F. 1. Farchiol. 30 Elar Street

Proposed use of challenge of the contractor's name and address F. 1. Farchiol. 30 Elar Street

Proposed use of challenge of the contractor's name and address F. 1. Farchiol. 30 Elar Street

Proposed use of challenge of the contractor of the Mard 7 Within Fire Limits? Tess Dist No. Plans filed as part of this application? Description of Present Building to be Altered Material wood No: stories 2 Heat Style of roof Roofing. ast use dwelling house A CONTRACTOR OF THE PARTY OF TH General Description of New Work To demolish building 20' x 20' This understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of Details of New Work Height average grade to top of plate. \_Height average grade to highest point of roof Size, front To be erected on solid or filled land? Thickness, top. Material of foundation\_ Material of underpinning

Kind of Roof

Rise per foot \_Roof covering\_ Material of chimneys of lining\_ No. of chimneys Kind of heat Type of fuel Is gas fitting involved?

Corner posts Sills Gir. or ledger board? Size

Material columns under girders Size Max. on centers

Material columns under girders Size Max. on centers

Studs (outside walls and carrying partitions) 2x4-18\*\* O. C. Girders 6x8 or larger. Bridging in every floor and flat root span over 3 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 2nd 3rd 7cot

And 3rd 7cot

Maxinum span: 1st floor 2nd 3rd 7cot

Maxinum span: 1st floor 2nd 3rd 7cot

Those story building with imasonsy walls, thickness of walls? Kind of heat Type of fuel If one story building with masonry walls, thickness of walls? If a Garage to lie accommodate to be accommodated Will automobile repairing be done other than minor repairs to cars habitually stored in the propose Miscellaneous Will above work require removal or disturbing of any shade tree on a public street Will there be in charge of the above work a person competent to see that the

Millard E. Hangola Signature of owner-

	3	
,		
Ward 7 Permit No.37/310		
Location Rear & Boyentu St.		
Owner M. E. Hausen	13	
	The state of the s	
Trace or parties		
Notif closing-in	66 7 66 7	
Inspn. closing-in	ag 7	
Final Notif		
Final Inspire 1/2/137 6/16		
Cert., of Occupancy issued Annual	1	
The state of the s		
3/29/37 Walu started		\$ \$34.4C \$0.940
CHE.		
		一一一一一一一
		TO THE RESERVE TO THE PARTY OF
The second secon		
7		
	and the second s	
¥	The second secon	
	and the second s	
	and the second s	1990
	and the second s	1 1 1
	and the second s	
	the separation of the separati	The state of the s
	The second secon	
the second secon		

BSL



## CITY OF PORTLAND

CEPARTMENT OF PLANNING & URBAN DEVELOPMENT
INSPECTION SERVICES DIVISION

DATE: September 24, 1990

րտ։ 3

(WEST END!)

Julia Profenno 2nd. Floor 3 Boynton Street Portland, ME 04102

Dear Ms. Profenno:

RE: 8 Boynton Street 53-I-9

The Housing Inspections Division of the Department of Planning & Urban Development has recently completed an exterior inspection of your property.

Congratulations are extended to you for the general condition of your property which was found to meet the standards established by the City's Housing Code.

 ${\tt Good\ maintenance}$  is the best way to protect the value of your property and neighborhood.

Please feel free to call on us if we can be of assistance to you.

Sincerely yours, Joseph E. Gray, Jr., Director of Planning & Urban Development

MILL

March Trung (8)

Code Enforcement Officer

jmr

389 CONGRESS STREET • PORTLAND, IAINE 04101 • TFI FPHONE 1207/874-8300

INSPECTION SERVICES DIVISION - HOUSING INSPECTION SCHEDULE


Insp. Date: 9 11 90 Complaint 5 year Fire Inspector's Name/Mirable For Italia, Dist. 8

Property Address: 8 Boyrham C-3-L: 53-1-9 Legal Units: Exist. Units: 3 stories 2

Owner or nigent Julia Proteins Address 1 Stories 2

Violation Ext. Int. Fl. Apt. LOCATION VIOLATION DESCRIPTION CODE

No. Ext. Int. Fl. Apt. LOCATION VIOLATION DESCRIPTION CODE



November 9, 1977√

Mr. & Mrs. Dominic Profenno and Julie F. Profenno, Jts. 8 Boynton Street Portland, Maine 04101

Dear Mr. & Mrs. Profenno and Ms. Profenno:

-Re: 8-Boynton St. - 53-I-19 NCP-West End Neighborhood Conservation

The Housing Inspections Division of the Department of Neighborhood Conservation has recently completed an exterior inspection of your property in conjunction with the above referred program.

Congratulations are extended to you for the general condition of your property which was found to meet the standards established by the City's Housing Code.

Good maintenance is the best way to protect the value of your property and neighborhood.

Please feel free to call on us if we can be of assistance to you.

Sincerely yours, .

Joseph E. Gray, Jr. Director Neighborhood Conservation

Ву

Lyle D. Noyes Chief of Housing Inspections

Inspector \_\_\_\_\_\_M. Leary

/gg

389 CONGRESS STREET 

PORTLAND, MAINE 04111

TELEPHONE (207) 775-5451

X

					OD CONCERNS	TAN	N	1	
City of Por	tland		DEPARTMENT OF	NEIGHBORHO	OD CONSERVA	LION	Houselne To	spection Divis	ion A
			<u> </u>	neck Off S	neet		£	$MM = 10^{-1}$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
** , * - * *	•		STRUCTUR	INSPECTIO	N SCHEDULE	4.1	1) Insp. Name	11/16	17
		( )k-	1 Thene	ction E	Txterior	Only	/	7 ,4 44 1	
2) Tron Date	13) Then Type 4	Proj. Code	5)Assr's:Chart 6)B	1. 7) Lot 8	Census:Tra	ct 9)Kik	. 10) Insp.	11)FormNo.	
10/0/ 100	17/200	West End	(23 2	791				601	2 1
12XH2::60 No	13)Sec. H. No. 1	4)Suff.	15)Direct. 16)Stre				17)St. Desig	n.,	15 Win 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
12) nouse No	13/000.11.10.1		7.	BOUNTOR	9,		Stron		7 9 1 T 1 T
19\Prmor or	Agent: MA	Mrs D		TULIE I		ennou	7s19)Status	20)Bldg's	Rat.
10) Owner Or	Agenci / 1/F V					de lenge	10		1.1.
21)Address:	A mag	3010 tor	14topt						
ZI/Addicas.		a seperation							Carried States
22)City and	State: 70	fland,	Mainz				Zip Code	04101	124
731D Units	24) Occ - D. U. 's	25)Rm. Units	26)Occ.R.U.s 27 No	.Occupants	28) Com*1U.	29)Bldg	Type 30)Stories	31)Const.Mat.	32)0.B's
23)0.011163	7				1	200	1 43	WOO	1 / CS
33)C.H.	34) Pho.	35)ZonedFor	36)Actual Land Use	37)D.D.	38) Lks.Ad. F	th.Fac.	39)Disp. 40)Clo	osing Date	
23)0.11.	3-7711101	12-6	20 45			lo			2 1 4 1 2 2
EXTERIOR .	Structure		Cd. Viol.	INTERLOR-	Structure			Cd: Viol	
Foundation			3a-	Lighting	LI			ß	
Valls	EX/WA		За	Elec. Wir	ing EW			8e	
Roof	RO		3a	Floors	FL			- 3b	
Porch	PO		3d	Walls	IN/V	<i>I</i> A		- 3b 🕾	
Stairs	EX/SR		3d	Ceilings	CE			3b -∴	
Steps	SP SP		3d	Windows	IN/V	VI.		" 3ເ_∵	
Doors	DO	——————————————————————————————————————	3c	Airshafts	AS			3c	
Windows	EX/WI	<del></del>	3c	Roof Raft	ers ROR				transfer to the
Eaves	EA		3a	Sanitatio	n SAN		,	4e - 1	
Trim	TR		3а	Stairways	IN/S	SRW		3d .	3 x 5 y x
Chimney	EX/CH		3e	Stair Tre	ads SRT			3d	14 1
Gutters	GU		3a	Wasteline	s WSL			6d	1,200
Roof Drai			32	Supply Li	nes SUL			6c	Total i
Bulkhead	BU		3d.	'tacks	ST			3e ·	5 ) Stee 5
Outbuildi		i	4e	Flues	FU			3e '	يا(ئى بەرىك بى
Yard	YA.			Vents	VE			3e	1 55 477.5
Garbage	GA GA		4d	Chimney	IN/			3e	5 - 15 p - 1 - 5 + 4 -
Rubbish	RU		4d	Heating E	Iquip. Furna	ce - FU	Spaceheater -		
Container			4d	Bsmt. Sar	itation Lit	ter - LI	Debris - DE	4b	
Drainage	DR		· 3a	Dam	npness - DM			3a	
Infestati		L	4e	Lig	inting BS/			8c	· · · · · · · · · · · · · · · · · · ·
Rats	RA RA		4e	Ele	c. Panel EL			8e	<u> </u>
Other			4e	Sta	irs BS/	SR		3d '	, , , , , , , , , , , , , , , , , , , ,
Fire Esca	ipe FE		10	Fot	indation IN/	FO		3a	
Dual Egre	<del></del>		10	Floor Jos				За	
Driveways				Carrying	Timbers CAY	TI		3a	
Walks	WA WA			Sills	SI			За	, , , , , , , , , , , , , , , , , , ,
Fences	FN				Conforms B	DU		5 f	
	Remarks on reve	erse side	-						· · · · · · · · · · · · · · · · · · ·

-513