

00237 PERMIT ISSUED

APR 28 1982



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

	HEATING, COC	Portland, Maine,	April 23	1982	CITY of I	PORTLAND	-
To the INSPECT	OR OF BUILDINGS, 1 signed hereby applies for ss of Maine, the Building	PORTLAND, ME.	e following l Portland, and	leating, cooking t the following	or power equips specifications:	ment in accord-	
ance with the Law	3 0) 11241111	. Use of Building	multi f		. Stories 2	New Building Existing	xx
Location 203	Brackett St.	. Use of building				4011	
Name and address	Brackett St.	Mrs. Warter 32	Front St	c. So. Port	Telephone	799-2211	;
Installer's rame a	and address Commu	ILLLY OLL GO					
		General Descrip	otion of v	VOLAL			
To instalt	burner - replaceme	nt				•	1
		IF HEATER, OR I	POWER B	OILER			į
		Any burnable mat	terial in floor	surface of bein	ratn :		
Location of appl	iance		Kı	nd of ther:			
If so, how prote	cted? nce to burnable material,	from top of appliance	or casing to	p of furnace	book of appli	iance -	•
Minimum distar	nce to burnable material.	rom front of appliance	e .	From sides	or back of appli		,
From top of sn	none pre-	ther connections to sa	A		I-wand per hot	ır	
Size of chimne	y nuc			ated maximum	demand per hot		
If gas fired, h	ow vented? Tresh air be supplied to the	e appliance to insure p	roper and sa	ie combustion :			
Will sufficient	fresh air be supplied to the	TE OIL	BURNER				
			T	abelled by und	lerv riters' labora	tories? yes	
Name and typ	e of burner Karlin -	gun Docs oil	supply line	feed from top o	or bettom of tan	k; bocoam	
Will operator	be always in attendance?		Size of ver	, bibe			
Type of floor	beneath burner	•	Number	and capacity of	tanks 1-275	yaî.	
Location of o	il storage basement	Make Wat	ts .		No.		
Low water sh	ut off yes		How n	nany tanks enclo	osed? no	1	
	than five feet it	om any name yes		75 gal.		•	
Total capacit	y of any existing storage	tanks for taring	T	ANCE			
		IF COOKIN	NG API'LL	atomat in floor s	unface or beneat	h?	
Location of	appliance	Any	burnable in	Height of Leg	gs, if any		
If so, how P				a material from	top of appliance	>	
Classing at 1	bottom of appliance?			Fro	om top of smoke	pipe	
Enum front	of appliance	From sides and	bаск		-		• • •
Size of chir	mey flue	Other connections t	o same Tue		Forced or gravi	ity?	
r - to ad to 1	he provided?	If so, how	vented '	Dated maxin	num demand per	hour	
Is another	I, how vented?						
11 gas mee	MISCELL	ANEOUS EQUIPM	NO TUST	SPECIAL IN	FORMATION		
					• • • •		
					• •		
					•		
	s s unclosed?						
Amount	of fee enclosed?	5.00					
							ntont to
APPROVED:		1	Will the	re be in charge	of the above wo	ork a person con	ipetent to
*** - *** '			see that	the State and	City requiremen	nts pertaining th	iereto ar
	•		observed				
			Q204 C.				
					1H	00035	
		·Signature of Insta	iller A	December	- Ton.	000,33	
CS 300		. 21 Guarnie of Tusto					

INSPECTION COPY

Date of permit Approved doing in the serious NOTES DIE: F.





		- 097	drossie I	eenrn
FILL IN AND SIG		00237	HERMIT I	วูปแม
APPLICATION FOI HEATING, COOKING OR	POWER EQ	OR WIPMENT	AFR %d	1982
Portland, M.		23.71982	TTY of PO	RTLAND
TANCE POPTI AND, MI	Е.		a or bower equipme	ent in accord-
The undersigned hereby applies for a permittee of the new with the Laws of Maine, the Building Code of the			specifications:	Tivisting "
Use of Bi	aliding laure	at temperature	. 5101105	Extrans
Name and address of owner of appliance Mrs. Wal	COST DICTOR		Telephone 79	9–2211
To install burner - replacement	***** * *			
20 11121111	·	ROILER		
IF HEATE	R, OR POWER	floor surface or ben	eath?	
Location of appliance		Kind of fuer:		
If so, how protected?	appliance or casin	ng top of furnace	t to at applies	ace
If so, how protected? Minimum distance to burnable material, from top of a material from front of	appliance .	From sides	or back of applian	
From top of smoke pipe	ons to same flue		demand per hour	
Size of chimney flue Other connects If gas fire how vented? Will sufficient fresh air be supplied to the appliance to		Rated maximum	, demand t	,
Will sunctent fresh an above.	IF OIL BURN	ER	derwriters' laborate	nies? yes
artist and enter he always ill attendance	Size o	line feed from top f vent pipe 13	or bottom of tank	: DOLUME
Type of floor beneath burner cement	Nun	her and capacity of	tanks 1-275 g	al.
- to shut off VOS	lake Watts Res	ow many tanks enc	losed? no	
Will all tanks be more than five feet from any flame Total capacity of any existing storage tanks for fu	rnace burners	275 gal.		
	COOKING API	le material in floor	surface or beneath	?
Location of appliance		Height Of Lo	egs, it any	
If so, how protected?	Distance to combu	stible material from	om top of smokepi	pc ·
Skirting at bottom of appliance? From From front of appliance Other con	sides and back .		om top	
Ct of chimney fluc	nections to same		Forced or gravity	y? .
- warided?	If so, how vented	Rated maxi	mum demand per l	10ur
Is hood to provided. If gas fired, how vented?		OR SPECIAL IN	IFORMATION	
If gas fired, how vented? MISCELLANEOUS	EGAILWENT	OK SI Berra		
war and a summer of the sum of th	•	••		

of fee enclosed?				
Amount of fee cheloson 15.00				
APPROVED:	Wil	I there be in charge	e of the above wor	k a person competent to
Annual Control of the	see	that the State and	1 City requirement	· •
	obs	erved?		
			ساست	
	of Installer	a. Brend	1	00021
cs soo Signatur	6 01 1417101164			

FILE COPY



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	LECTRICAL INSTALLATIONS		70
•		Date April 7	, 19
		Receipt and Permit number	Λ_10556_
the CHIEF ELECTRICAL INSPECTOR The undersigned hereby applies for a period portland Electrical Ordinance, the Nation 203 Braci	, Portland, Maine: ermit to make electrical instullational Tlectrical Code and the follow	ons in accordance with the la ving specifications:	ws of Maine,
Portland Electrical Ordinance, he rando DCATION OF WORK: 203 Brac	kett St.	same	
OCATION OF WORK: 203 Brack WNER'S NAME: Cora Brown	ADDRESS:		
WNERS NAME:			
UTLETS: (number of)			FEES
Lights — 1 Receptacles — 3			
Switches 3			3.00
Plugmold(number	of feet)		
TOTAL			
IXTURES: (number of)			
Incandescent	include strip fluorescent)		
Fluorescent (Do not	include strip fluorescent)		
TOTAL			
Strip Fluorescent, in teet			-
SERVICES:			
Permanent, total amperes			
Temporary			
Temporary METERS: (number of)			
MOTORS: (number of)			
1 HP or over			
RESIDENTIAL HEATING:			
Oil or Gas (number of units)			
Oil or Gas (by separate units) Electric (total number of kws)			
APPLIANCES: (number of)	Water Heate	rs	
Ranges Cook Tops	Disposals Dishwashers		
Wall Ovens	Compactors		

Fans	Others (den		
TOTAL			
MISCELLANEOUS: (number of)			
Air Conditions.			
Signs			
Life/ Durgian			
Circus, ruini,			
Alterations to			
Repairs after me			
Franciancy Lights, battery			
Emergency Generators	II	NSTALLATION FEE DUE:	
		DOVING FEE DUE:	
FOR ADDITIONAL WORK NOT OF REMOVAL OF A "STOP OR FOR PERFORMING WORK WITH	ON ORIGINAL PERMIT DER" (304-16.b) HOUT A PERMIT (304-9)	TOTAL AMOUNT DUE:	_ 3,-0
INSPECTION:	19_; or Will Call	xx	
CONTRACTOR'S NAME: _Harn	Lawn Ave. So. Portl	and	
TEL.:6	7-2471	LURE OF CONTRACTOR:	
MAGTER LICENSE NO.: — 28	85 SIGNA	TURE OF CONTRACTOR:	414
LIMITED LICENSE NO.:		- Ulary	
LIMITED LICENSE NO.:	INCRECTOR'S CO	/	

INSPECTOR'S COPY

4	
formers.	i de la companya de
Permit No	
Dryion 203 Bankard &	- G
Owner Mary and Malloch	
Date of permit	
Notif. closing-iar	- 4
Inspn. closing-in	
Final Notif.	
Fiffal Inspn.	
Cert. of Occupancy issued	
NOTES	
100 mg 40 mg	
there has the same	. 19-
Some - Spiller - and	ik
Line 1 Journal 1 de 1	
2 diating - France	
2 Codige and - one	
The non- the state of the state	<u> </u>
Drid Plan Land	\$1. 0.7
fred a lodge w	39
+ luge my finder	
a Michigan Land	
1 m - 2 2 m - 20 plat -	
med - 2-land 4-land	
from alter 2 1 1 1	
Sand a red a land the	
or trend specialist	10
man pet a more and the	
to thind, I ensured	
1 and the second of the second	ــال .

SURVEY AND INVESTIGATION OF TENEMENT AND LODGING HOUSES QUESTIONABLE AS TO LEGAL AND SAFE USE 1. Location BRACKETT ST 203 Date investigation commenced / 1-15/3 2. References: Complaints C: 43-737 Appl.BP Inq. ... Inq. 3. Present Owner and Address MARSAPET K MALLOCK-203 BRACKETT 14. Present Lessee and Address

5. Building Permit Record: 9-1-21 N. GAR - 27-1008 7-6-27 ROOF 31-1056-6/11/3 Roof 2 Assessors' Record 6. Survey 1924: Owner BERTRAND F L-NN :No.tenants OWNER No. rooms 8 ; Class of Use Single 7. Assessors' change record since 1924 8. Change of Owners, 1924 to date BERTRAND F. DUNN (CWV) 1943 MARGARET 9. City Directory Record 1926 Dr. BERTRAND F DUNN 1936 BERTRAND F DUNN. - 1927 Dr DERMAND I DUNN 1937 DR. BERTRAND F. DUNN 1028 Dr BELTRAND F. DUNN GAMED) ... 1938 BEFTRAND F. DUNN 1929 Dr CHATRANO F DUAN 1939 BERTRAND F DUNN 1930 Dr. BERTHAND F DUNN 1940 BERTRAND F DUNN 1931 DT DERTROND F DUNN 1941 BERTHAND F. DUNN 1932 P. DERTRAND F. DUNN. 1942 DERTRAND F. DUNN 1933 BERYPAND F. DUNN 1943 MARGARET MALLOCH LOCK GOL AND D) 1934 PERTAMOT DUNN 1944 Same 1945 10. Miscellaneous 1946, Germude B. Farnec. Lodge of h 1935 <u>DERIVAND</u> F DUNN 1945 Conclusions and Action



Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application

APPLICATION FOR PERMIT TO BUILD

(3D CLASS BUILDING)

Sectember 7,1921 19 Portland, Me.,

То тне

1102	SPE. TOR OF BUILDINGS	to the following to the following	owing
Tive		plies for a permit to build, according to the foll	0111113
	Specifications:	Wd.	
Jocation →	203 Brackett	and the same of th	_
	Bertrand F. Dun	Address	
Name of mechanic is	}Winliam brush		
Proposed occupancy	of building (purpose)? rivate garag	getone car only, no space to be let	
If a dwalling on ten	ement house, for how many families?		
	. t., 1 about ?	n •	
Are there to be store.	t front? No. of feet re	ar? ; No. of feet deep? 19ft	
	TOPT STATE OF FOOT TO	No. of feet deep?	
Size of building, No	of feet front (, No. of feet is	; rear?	
No. of stores, from	it!	ighest part of the roof? 122t	
No. of feet in Leigh	from the mean grade of street to the m	feet; side? feet; rear?	
Distance from lot lin	es, front? feet; side f	ne fire extinguisher, does not obstruction	ruct
Firestop to be used	? The frost from the time. Tyle	window	78
	the think the title and the title		
	he laid on earth rock or piles?	THE RESERVE THE PROPERTY OF TH	
N- of	distance on ce	ntres? length of:	
	dian	neter, bottom of?	
Size of posts?			
		The second secon	
" floor timbe	oncrote 2d	, 3d , 4th	
	** **	,	
0. C.	(1)	, (1	
Span	promote comment a contract promote or		<u>.</u>
Braces, how put i	n /		
Building, how fram	ned?	laid with mortar?	
Material of found	ation?thickness of ?	laid with mortar?	
Underpinning, mat	erial of?height of?		
5 Will the roof be fl	at, pitch, mansard, or hip? flat	Material of roofing? asphal	×
m		wrotes? Will the fittes be lined? -	
5	to the requirements of the law?)	
No of brick wal	197	and where placed?	
No. of blick was	the account of the section of the section of a section of the sect		
Means of egices.			
i i			
e vers total	ing is to be accurred as a Tenem	ent House, give the following particul	lars
If the build	ing 13 to be occupied as a		
	bt of cellar or basement r		
What will be the	clear height of first story?	second?	
State what means	of agrees is to be provided?		
State what a vani	Scuttle	and stepladder to roof?	
Estimated Cost,	Signature of owner or autho	r K / / / / /	
		The same chours	
600.	ized representative.		
s 600.	. ized representative,	-	
s 600.	. ized representative,	Address, 203 Brackett &	<u> </u>

192 No.____ 6248._ APPLICATION FOR Has the work been completed in accordance with this application and plans filed and approved? PERMIT TO BUILD 3d CLASS BUILDING
LOCATION
203 Brackett Law been violated? -Nature of violation?-Ward-Inspector. CONDITIONS PERMIT GRANTED Sentember 1,1921 Violation removed when? Permit filled out by-Estimated cost of building, etc., \$-Permit number

Building Inspector.

Plan number

APPROVAL OF PLANS

Supervisor of plans:



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

10			Date July 5	, 19_78
Y. 4/2,			Receipt and Permit number	
To the CHIEF ELEC'I RICAL INSPECTO The undersigned hereby applies for a the Portland Flectric. I Ordinance, the Na	n permit to make ele tional Electrical Coa	ctrical installations le and the following	in accordance with the law specifications:	
LOCATION OF WORK: 203 Br OWNER'S NAME: Cora Br	ackett St.	ADDRESS:		
OUTLETS: (number of) Lights ——4—		/		FEES
Receptacles6_				(*LLS
Switches — 1 (numb	er of feet)			2.00
	••••			
FIXTURES: (number of)				
	ot include strip fluore	escent)		
TOTAL Strip Fiuorescent, in feet				
SERVICES:		<i>t</i>		
SERVICES: Permanent, total amperes _1.0 Temporary	Q (3+00
Teniporary METERS: (number of)		· · · · · · · · · · · · · · · · · · ·		50
				•••
MOTORS: (number of) Fractional				
1 HP or over				
RESIDENTIAL HEATING: Oil or Gas (number of units)				
Oil or Gas (number of units) Electric (number of rooms)				-
COMMERCIAL OR INDUSTRIAL HI	EATING:			
Oil or Gas (by a main boiler) Oil or Gas (by separate units) Electric (total number of Ews)				
APPLIANCES: (number of)			(_/	
Ranges	<u>*</u> _	Water Heaters Disposals		
Cook Tops Wall Ovens		Dishwashers		
Divers	<u> </u>	Compactors Others (denote)		
i uns		Others (denote)		3.00
MISCELLANEOUS: (number of)				
The section Describe				
* *************************************				
Air Conditioners —				
× 110/ 1701 B				
0 ,				
ttopunts until				
Emergency Generators —			LATION FEE DUE:	
FOR ADDITIONAL WORK NOT OF FOR REMOVAL OF A "STOP ORD				
FOR REMOVAL OF A "STOP ORD FOR PERFORMING WORK WITH	DUT A PERMIT (3		AL AMOUNT DUE:	9,50
The second secon		101		
INSPECTION: Will be ready on	, 19; or Will	CailXX		
		_		
ADDRESS: 51	Lawn Ave. S 1-2471 ———	o		
MASTER LICENSE NO. 286	35	SIGNATURE,	OF CONTRACTOR: UK MANCHAN	
LIMITED LICENSE NO.:		K. da	VY Munia	
LIMITED LICEIASE NO.:		CTOR'S COPY		

MAS. MAINES, JOOR BELL

APPLICATION FO

B.O.C.A. 116	E GROUP DERMIT
B.O.C.A TV	GROUP DAINS
ZONING LOCATIO	CONSTRUCTION LANGE ISSUED
ture, equipment	ING & INSPECTION SERVICES, PORTLAND, MAINE ies for a permit to erect, ali r. repair, demolish, move or install the following building, struc- portland with plans and specifications, if any, submitted herewith and the following specific t. Street
Zoning Ordinance at the	es for a permit to erect, ali r. repair, demolish, move or install the following building, structural with plans and specifications, if any, submitted herewith and the following specifications. Street GTA Brown-Same 1
tions:	Portland with plane of the State of Maine at a sinstall the following build
LOCATION 203 Bracks	plants and specifications, if any, submitted B.O.C.A. Building, struc-
1 O	L. Cha
2. Lessee's name and adddress	Ora Brown-Same 1st se
4 And the contractor's name and address	Davis #2 #2 #2
Proposed	ortland with plans and specifications, if any, submitted herewith and the following specifications. E. Street Cora Brown-Same 1st floor Apt. #2 Dave Roberts-119 County Rd. Communication in the following specifications.
Last up of building 3 st	Specificant MA ASTRAM Mon Phone
Material	Cora Brown-Same 1st floor Apt. #2 Telephone Dave Roberts-119 County Rd Gornam, Merelephone Specifications No. of sheets 1 No. families Heat Style of roof Roofing No. Gornam and the following specifications Fire District #1772-#2443 Telephone Telephone No. of sheets 1 No. families Roofing
Other buildings on same land	No. of sheets 1. No. families No. families No. families Roofing GENERAL DESCRIPTION No. of sheets 1. No. families Fee \$ 5 = 00
Estimated contract	Style of roof No. family.
FIELD INSPECTOR	QQ Roofing
This application is for:	***************************************
Dwelling	@ 775-5451 Ext. 234 To remode 1 Fee \$52.00
Garage	Ext. 234 To remodel existing bathroom, as per plan.
Masonry Bidg. Metal Bidg	bathroom, as per name
	roz pran.
Alterations Demolitions Change of Ties	
	Stamp of Special Conditions
Other	Postat Conditions
NOTE TO APPLICANT.	
cal and mechanicals, Separate per	nits are required by the installers and subcontractors of heating, plumbing, electri-
PEDICI	the installers and subcontractors to
ERMIT	S TO BE ISSUED TO 1 2 3 2 4
Is and	Other: 2 3 2 4
Is come involved in this world	DETAILS OF NEW
Has sential.	DETAILS OF NEW WORK Is any electrical work involved in this work? If not, what is proposed for sewage? Form notice sent? Height average grade to highest point of roof Thickness solid or filled land?
Height average Height average in the severy	If not what:
Size, front	Form notice service for sewage?
Kind of	Solid - au
IND OF all	and the same of th
Promise v	ter Hoof The Cellon
Stude Column	d or full size? Kind of here
loint-	Posts
On 1st Hom.	U. C. Bridge
Month 1st firm	ZIIO
If one story building lst floor	d or full size? Kind of heat fuel girders Corner posts Sils Sils Sils Sils Sils Sils Sils Sil
with masonry walls, thick	2nd 3rd
No. cam	walls?
Will automobile repairing t	IF A GARAGE to be accommodated number commercial cars to be accommodated DATE MISCELLANEOUS Will work required.
APPROVALS RY.	inor renain number command
BUILDING INSPECTION	DATE
BUILDING INSPECTION—PLAN EXAMINE BUILDING CODE:	R Miscons Building?
BUILDING CODE: Q 15	Will work require disturbing and work required and work requ
ZONING: OF THE PLAN EXAMINE BUILDING CODE: OF THE P	Will work require disturbing of any tree on a public street?
Fire Dept.: Health Dept.: Others:	to see the second to see the second to
Health Dept.: Others:	Will there be in charge of the above work a person competent are observed?
	Pertaining at
signature of A	
Type Name of above	Dave Roberts Other Ot
FIELD INSPECTOR'S COPY	Dave Roberts Phone # 839-6312
	Other 1 2 2 3 75 4
	Other
	The same of the sa

CITY OF PORTLAND, MAINE Application for Permit to Install Wires

				Permit No.	1303
			.	Issued	···
To the City Electrics	an. Portland. A	laine:	Portland, Mai	ine crift	, 19//
	hereby applies	for a permi	t to install wire ne, the Electrica	s for the purpose of the	f conducting elec- City of Portland,
		completely	filled out - A	linimum Fee, \$1.00))
Owner's Name and A		• //-)	Ino	/ Tel.	,
Contractor's Name as Location 213	Address (Machi)	14-21	Use of Building	Kerelli	~d)
Number of Families	Apar	ments	Stores	Number of S	dries
Description of Wiring	g: New Work		Additions	Alterati	7
Pipe Cable	Metal Mold	ínσ	BX Cable	Ding Molding (A	In of foot)
No. Light Outlets	Plugs	•	Light Circuits	Plug Molding (N Plug Ci	•
FIXTURES: No.			_	Strip Lighting (No	
SERVICE: Pipe	Cable	Und	erground	No. of Wires	Size
METERS: Relocated		Added	7	Total No. Meters	m
MOTORS: Number	Phase	Н. Р.	Amps	Volts	Starter
HEATING UNITS:	Domestic (C	Oil)	No. Motors	Phase	H.P.
	Commercial (C);I)	No. Motors	Phase	н.р.
	Electric Heat (No. of Roo	ms)		/ /
APPLIANCES: No. 1		Watts	•	d Feeds (Size and	No.) 2/4 /6
Elec. H	Ieaters	Watts		•	
Miscell	ancous	Watts	E:x	tra Cabinets or Par	iels
Transformers	Air Condi	tioners (No	. Units)	Signs (No. U	nits) /
Will commence	(T) 19 R	eady to cov	er in	19 Inspection	19
Amount of Fee \$ 2.			Signed C	Sellen	fis.
	D	NOT WRITE	BELOW THIS LINE		
SERVICE	ME	TER .		GROUND	
VISITS: 1	2	3	4	5	6 ,
. 7	8	9	10	11	12
REMARKS:					
C8 183			INSPECTED 1	BY Issued &	(OVER)

TOTAL NO. INSPECTIONS WORK COMPLETED INSPECTION DATE REMARKS:

FEES FOR WIRING PERMITS EFFECTIVE JULY 31, 1963

1 to XO Chitlets	2.00 3.00 .05
SERVICES Single Phase Three Phase	2.00 4.00
MOTORS Not exceeding 50 H.P. Over 50 H.P.	3.00 4.00
HEATING UNITS Domestic (Oil) Commerc al (Oil) Electric Heat (Each Room)	2.00 4.00 .75
APPLIANCES Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Buit-in Dishwashers, Dryers, and any permanent built-in appliance — each unit	1.50
MISCELLANEOUS Temporary Service, Single Phase Temporary Service, Three Phase Circuses, Carnivals, Fairs, etc. Meters, relocate Distribution Cabinet or Panel, per unit Transformers, per unit Air Conditioners, per unit Signs, per unit	1.00 2.00 10.00 1.00 1.00 2.00 2.00 2.00
ADDITIONS 5 Outlets, or less Over 5 Outlets, Regular Wiring Rates	1.00



A CONTRACTOR SOUTH APPLICATION FOR PERMIT

PERMIT ISSUED

TATE STORY	Class of Building	er Type of Structu	ire		1000:315
To the INCORP.	ma-	Portland, Main	4Jan 17	2000	JAN 12 1955 CITY of PORTLA
- me INSPEC	TOR OF BUILDI	NGS, PORTLAND	TEA YATE	4955	CITY of PARTE
in accordance with specifications, if a Location 203 Owner's name an Lessee's name on the specifications.	signed hereby applie h the Laws of the Si	es for a permit to ex	naine Kalterrepuirdem	Hisk install the fallers:	ESTAGLIANCE EQUIPM TO City of Portland, plans of
Location 202	n the Laws of the St my, submitted herew Brackett St	ith and the following	Suilding Code and .	Zoning Ordinance of the	g biniding stettettise equipn
Orner	Brackett St.	"······	g specifications:	a server of the	te City of Portland, plans
Owner's name an					
Lessee's name and	1 address		n Brackett bt.		Dist. No
Contractor's name	and address Kide	de Sales e c		***************************************	Telephone Telephone No. of sheets
AICHITECT		T. C. Carrier and C.	:V100 26 1		Telebuone
Last use		-Longing hou	se	rans no	No. of sheets
Other buildings on	Same lot	Heat	Style of roo	·	No. families
Estimated cost \$		***************************************	***************************************	***************************************	No. families No. families Roofing
basement or cellar under stairs, all hat right angles fro signal, number and atteries of capacity for at least one is seasoned wood at like than 61 above floor 100 degrees—test be setting hells and go that plars will soun taller will fasten here and how to see —6" Edwards #561 go second and It is understood that the name of the heating the	C fire alarm wand sub-cellar azard us rooms azard us rooms many wall or location as to y to ring all y states at 3/4" thick in dry, clear the rigidly forms frequently diff switch is to control box ure servicing ings to be instait third floors in third floors in third floors in third floors in third floors. The remainded in this work? — ded in this work? — ded in this work? — de to public sewer? been sent?	using Atmo-Spo if any, all and attached partition ext arouse all per gongs simultar in substantial with hinged of place where the astened in place where the astened in place where the astened in place where the intrown to "si full instruc- if system gets alled, one between the stain all in stairhalls and the stairhalls and the stairhalls of	ption of New t-lhc nade by public and si garage, not in anding to ceil groons for who leously at full cabinet of nade catch emperature wi ace, convince noing switch, ilent" positions as to op sout of order tween first end heating apparaing the New Work. Is any electrical will not, what is proposed to the control of the	Work y J. H. Scharff, tair halls, all tair than 30 ap ting, gongs of st see protection in l signal strengt on less than 14 a and located not the see and located not the provided, wi on when alarm is coration and test to second floors to which is to be taken ractor **Rec.d free r took is volved in this w oposed for sewage?	Inc., to cover ent closets off halls of art nor more than I uch tone, strength ntended—current by th, to operate syst gauge steel or well. less than o" nor result and capable libe so arranged not sounding. Inting of system and and one between out separately by and in the country of the coun
Size, front		THE	oth to a second	***************************************	***************************************
Waterial of face and a		or amired """ c	olid - cu	- In Provide Of 106	OI
Material of underpinning Kind of roof	***************************************	Thickness, t	on a miled land?	earth	or rock?
Kind of roof) ,	Н	ight	m cellar	
Kind of roof	Rise per fo	oot	est -	Thickness.	***************************************
No. of chimneys	Material of c	himnevs	covering	400000000000000000000000000000000000000	***************************************
Corner		0	1 Hutug	Kind of heat	F .
Cii-	Sills	Girt on lad.	ressed or full size?		Iuei
Framing lumber—Kind Corner posts	Colum	ne und	rd?		***************************************
otuds (outside walls and o	arrying partitions)	as under girders		Management of the second of th)+ ************************************
Girders Size Studs (outside walls and o					
On centers:	1st floor	, 2nd	3rd	or and flat roof span	over 8 feet.
Maximum span.		, 2nd		, roo	f
one story building with i	Macones II	, 2nd	324	roof	f
	masomy walls, thic	kness of walls?	······································	roof	***************************************
.		T/ - C		height	17
o. cars now accommodate	d on same lot	to be and	ige		
III automobile repairing be	done other than -	to be accommodat	ednumber cor	nmercial care to 1	•
o. cars now accommodate ill automobile repairing by VED:	triair ii	innor repairs to car	rs habitually store	d in the present to be ac	commodated
PROVED J	,			ing proposed out	ding?
THOYELL	MA	Will work -	IVIII	scellaneous	
Kann	THE STATE	Will share	-quire disturbing o	of any tree on a public	Street? no
5.5 CHIEP OFF	RE GENT WILL	C see All Litere	De in charge of th	requirements	00.000
111133	- wat ly	oce that the	State and City	requirements pertain	competent to
- Annual Comment	14.00.00.00.00.00.00.00.00.00.00.00.00.00	observed?	yes	pertair	ning thereto are
	-	Florence t	linhou		1
		77 74	es & Service		I
ECTION COPY Sign	tature of owner by	6. In	mia C	6-11/10	* 1

NOTES 1955 JANTACher Engo orm Check Notice the inpliced will litting 1-24,5 chust has flow The shall wan seen, from 4/22/55 Mrs. Demorar Steone and said that Caff & lahenty. been up and said that he are mis blender that they would have to provide else themostat in ites 4 ULLIANT thus flow Blaset whether they is Twoned siles door, or rent; aboutent eley moved home to puladitioner themsetat in cellar or un the morden partetions, Elemand promised to Contact elso Vice Alexio grun and led les senom must 4/27/3- Butter W Lingally 5.455 MM. Dumbar Chee of Here Tanks topitait Chap -1111 MILLY 111 -41/2/11/11 Just to day 5535 Wry Truplated in in the flee "They sung - The way Trown. 135 GAANT . APT. 3 El ded The

March 18, 1955

Harry W. Marr, Chief of the Fire Department

Question of accuracy of gongs in connection with the automatic fire alarm Warren McDonald, Inspector of Buildings

Since the permits for all automatic fire detection and alarm systems must be approved by yourself before issuance, we have always reckoned that your approval was based on the general description of the work in the application and the number, size, make and location of gongs shown on the application with the provision always size, make and location of gongs shown on the application with the installation is complete, make and location of gongs not seem adequate after the installation of that should the system of gongs not seem adequate after the installation of pleted, the installer would have to install more gongs or change the location of them.

We have had considerable difficulty with the belated change of use permit to apartment and lodging house at 203 Brackett St., owned by Florence Dunbar, over a long period.

When Inspector Thurlow tried to start the fire alarm system installed by Kidde Sales and Service, it seemed to him that the gong between second and third floors did not sound loud enough to arouse anyone asleep on the third floor. This information is passed on to you as the final authority about the gongs. and we will information is passed on to you as the final authority about the gongs. a long period. floors did not sound loud enough to arouse anyone asleep on the third floor. This information is passed on to you as the final authority about the gongs, and we will information is passed on to you whether or not you think an additional gong is appreciate early notice from you whether or not you think an additional gong is necessary or some change in location of the present gongs.

Incidentally, Inspector Thurlow also found that one thermostat had been omitted, from a closet off the rear hallway of third floor. If another gong or change in location of gongs is necessary, we would like to take up both matters with the installer and owner at one time.

Inspector of Buildings

WMcD/E

MicD 5/4/55

April 27, 1955

EF 203 Brackett S. --Unfinished items in connection with change from single family dwelling to spartment and lodging house

Two copies to Krs. Dunbar

Mrs. Florence Dunbar 203 Brackett St.

Dear Ers. Dunbar:-

It appears that you have sold your house and perhaps are to make the transfer of comprehip on April 29th. I hasten to write to you the few items which are still unlinished, and which must be finished before we can issue the required certificate of occupancy; so that there may be no later difficulties as to legal occupancy by the new owner. To assist you in this matter I am enclosing two copies of this letter so that you may give one to the new owner and one to any party who may be engaged to clear up the uncompleted features. The following items must be cared for before we can issue the certificate of occupancy, and the use of the building without the certificate is still unlawful whether you or someone else is the owner. I realize the great difficulty you have had with this building, and sympathize with your dilemm, but we have a duty to perform for the safet; of the occupants of the building and to every future camer.


- 1. At the last inspection by our construction inspector on Movember 26th the required door closer on the door between the garage and the basement had not been provided. One is required so arranged as to keep the door normally in a closed position.
- 2. On the third floor a former dorway is adjacent to the new stairs in such a location that if a person was able to open this door he would likely the down the stairwell. Your plans show that the door was to be closed permanently. It is fastened what after a fashice, but the fastenings are not substantial enough for safety. It is necessary that three metal corner angle irons be provided on the stairway side of this door, uniformly spaced through the height of the door and screwed (not nailed) to both door and frame.
- 3. The Fire Repartment requires an additional gong connected with the automatic fire alarm system, this gong to be located in third floor hall. This may be a four inch gong if desired, but it must be listed as approved by Underwriters' Laboratories Inc.
- 4. An additional thermostat connected to the fire clarm system is required in the thind floor closet which we have talked about. We are well aware that you are willing to remove the door, but that will not ruffice. Even if you remove the door the thermostat is shill required.
- 5. Decayse of certain partitions in the cellar there are not sufficient thermostatu to satisfy the requirements as to spacing and distance between. You and I have also talked about that, and it is necessary to either remove the partitions entirely or else introduce the required number of thermostats in correct locations in addition to those which now exist---of course connecting these new thermostats into the system.

We shall expect to hear from you before May 4th, 1955 either that this work is all completed or that you have actified the new camer, giving him or her a copy of this letter, and the one amer will complete the lob and thus secure the certificate of occupancy.

Very truly yours,

∞WMcD/G

4





APPLICATION FOR PERMIT

Class of Building or Type of Structure ____Installation___

Portland, Maine, July 30, 1954

PERMIT ISSULAUG19984

CITY of PORTLAIN

To the INSPECTOR OF BUILDINGS, PORILAND, A The undersigned hereby applies for a permit to ere	ct alter repair demolish install the	-
in a under signed necessary approach of a permit to ele-		following building structure equipment
sherifications of any submitted herewith and the following	Building Code and Zoning Ordin ig specifications:	ance of the City of Portiona, plans and
203 Brackett Street	Within Fire L	imits? <u>yes</u> Dist. No
Corner's name and addressFlorence Dunbar	, 203 Brackett St.	Telephone
w 1 and address		Telephone
Contractor's name and address . ABC Electric, 5	6 Clinton St.	Telephone 5-0903
Architect	Specifications Pla	nsNo. of sheets
Proposed use of building Lodging	house	
Tact use		No. families
MaterialframeNo. stories3Heat Other buildings on same lot Estimated cost \$	Style of roof	Roofing
Other buildings on same lot	Piro Do	-7/
Fetimated cost \$	NO.2 Trate I'm	Fee \$ 2.00
General De General De To install automatic fire alarm using Protectowire Co) not more than 15' apart no ceiling; to cover entire hasement or cell. closets off halls or under stairs, all if one, strength of signal, number and location tended—current by dry batteries of capacitrength, to operate system for at least on han 14 gauge steel or well-seasoned wood at ocated not less than of or more than 6' all ocated not less than of or more than 6' all ocated not less than of or more than 6' all ocated not less than of or more than 6' all ocated not less than of or more than 6' all ocated in permit and capable of witch, if provided, will be so arranged the witch, if provided, will be so arranged the coporation and testing of system and where operation and testing of system and where the coporation are that this permit does not include install it is understood that this permit does not include install the coporation and that this permit does not include install the coporation are coporation and that this permit does not include install the coporation are coporation and that this permit does not include install the coporation are coporation and that this permit does not include install the coporation and that this permit does not include install the coporation are coporation and that this permit does not include install the coporation are coporation and coporation are coporation are coporation and coporation are coporation are coporation and coporation are coporat	testing entire system I at alarm will sound if ler will fasten to cont and how to secure ser	switch is thrown to "silent" rol box full instructions as vicing if system gets out of cors in hallways
the name of the heating contractor PERMIT TO B. Deta	ails of New Work Is any electrical work	involved in this work?
Is connection to be made to public sewers	If not, what is propos	ed for sewager
Has septic tank notice been sent?	Form notice sent?	
Height average grade to top of plate	Height average grade to h	nighest point of root
Size, front	solid or filled land?	earth or rockr
Material of foundation Th	ickness, top bottom	ceilar
Material of inderpinning	Height	Thickness
Kind of roofRise per foot	Roof covering	
		ter t ft fuol
No. of chimneys Material of chimney	sof lining	Kind of heat fuel tuel
Framing lumber—Kind	Dressed or full size?	Kind of heat iuel
Framing lumber—KindGirt or	Dressed or full size? r ledger board?	
Framing lumber—Kind Corner posts	Dressed or full size? r ledger board?Size	
Corner posts Sills Columns und Studs (outside walls and carrying partitions) 2x4-1	Dressed or full size? r ledger board?	
Framing lumber—Kind Corner posts	r ledger board?	Max. on centers or and flat roof span over 8 feet.
Framing lumber—Kind Corner posts	Dressed or full size? r ledger board?	Max. on centers or and flat roof span over 8 feet.
Framing lumber—Kind Corner posts Size Columns und Studs (outside walls and carrying partitions) 2x4-1 Joists and rafters: 1st floor. On centers: 1st floor. Maximum span: 1st floor.	Dressed or full size? r ledger board?	Max. on centers or and flat roof span over 8 feet. , roof , roof , roof
Framing lumber—Kind Corner posts Size Columns und Studs (outside walls and carrying partitions) 2x4-1 Joists and rafters: 1st floor.	Dressed or full size? r ledger board?	Max. on centers or and flat roof span over 8 feet. , roof , roof , roof
Framing lumber—Kind Corner posts	Dressed or full size?	Max. on centers or and flat roof span over 8 feet. , roof , roof height?
Framing lumber—Kind Corner posts	Dressed or full size?	Max. on centers rand flat roof span over 8 feet. , roof , roof height?
Framing lumber—Kind Corner posts	Dressed or full size?	Max. on centers rand flat roof span over 8 feet. , roof , roof height?
Framing lumber—Kind Corner posts Size Columns und Studs (outside walls and carrying partitions) 2x4-1 Joists and rafters: 1st floor Maximum span: 1st floor If one story building with masonry walls, thickness	Dressed or full size? r ledger board? er girders	Max. on centers rand flat roof span over 8 feet. roof roof roof height?
Framing lumber—Kind Corner posts Size Columns und Studs (outside walls and carrying partitions) 2x4-1 Joists and rafters: 1st floor Maximum span: 1st floor If one story building with masonry walls, thickness No. cars now accommodated on same lot, to be Will automobile repairing be done other than mino	Dressed or full size?	Max. on centers for and flat roof span over 8 feet. froof froof height? marked in the proposed building? Miscellaneous
Framing lumber—Kind Corner posts Size Columns und Studs (outside walls and carrying partitions) 2x4-1 Joists and rafters: 1st floor Maximum span: 1st floor If one story building with masonry walls, thickness No. cars now accommodated on same lot, to be Will automobile repairing be done other than mino	Dressed or full size?	Max. on centers mand flat roof span over 8 feet. mand flat roof span ove
Framing lumber—Kind Corner posts Size Columns und Studs (outside walls and carrying partitions) 2x4-1 Joists and rafters: 1st floor Maximum span: 1st floor If one story building with masonry walls, thickness No. cars now accommodated on same lot, to be Will automobile repairing be done other than mino	Dressed or full size?	Max. on centers mand flat roof span over 8 feet. mand flat roof span ove
Framing lumber—Kind Corner posts Size Columns und Studs (outside walls and carrying partitions) 2x4-1 Joists and rafters: 1st floor On centers: 1st floor Maximum span: 1st floor If one story building with masonry walls, thickness No. cars now accommodated on same lot , , to be Will automobile repairing be done other than mino	Dressed or full size?	
Framing lumber—Kind Corner posts Sills Girt or Columns und Studs (outside walls and carrying partitions) 2x4-1: Joists and rafters: 1st floor. On centers: 1st floor. Maximum span: 1st floor. If one story building with masonry walls, thickness No. cars now accommodated on same lot, to be Will automobile repairing be done other than mino APPROVED:	Dressed or full size?	Max. on centers or and flat roof span over 8 feet. , roof , roof height? med in the proposed building? Miscellaneous g of any tree on a public street? no the above work a person competent to ity requirements pertaining thereto are

INSPECTION COPY

Permit No. 5 1/099

Low Brackett M
Owing State S

;

And the second s

MEMORANDUM FROM DEPARTMENT OF BUILDING INSTECT N, PORTLAND, MAINE
-- 203 Brackett St. -- Installation of automatic fire alors system for florence

When such a system has been installed, the owner and lessee of the building are responsible for keeping the system in working order at all times so that the system may always be on guard to warn the occupants of the building in case a fire starts. To discharge this responsibility and to have good assurance that he will not be held either financially or criminally liable in case of injury ne will not be neta either limencially or criminally liable in case of injury or loss of life in his building due to fire, it is my belief that the owner and lessee must see to it that the alarm system is tested every twenty-four hours. This may be done by merely pressing very briefly the test button to see if the bells ring loud and clear.

Most of these systems have dry batteries for their power, and the batteries will deteriorate in time so that they will not ring the alarm bells satisfactorily, if at all. If the batteries are used briefly by this test every day, they will last longer than when tested less frequently.

Because this is a safety device whenever it is found that the bells do not ring loud and clear or any other defect appears in the system, the owner or his agent should notify immediately some predetermined party who has agreed in agent bijourd notily immediately dome prodessimined party who has agreed in advance to come at once and service the system, whether day or night, Sundays

It is recommended that the name of such a party and the address and teleor holidays. phone number be posted permanently on or in the control box of the system.

WMcD/H CC: Florence Dunbar 203 Brackett St. (Signed) WARREN MCDONALD INSPECTOR OF BUILDINGS



APPLICATION FOR PERMIT

of Structure Third Class

PERMIT ISSUED

CL	ass of Ruilding o	Type of Structure	March 3, 1954		CITY of PORTLAND
ATTE					
the INSPECTO	OR OF BUILDI	NGS, PORTLAND, MAIN	ะ. จองเกราะวัด ที่ 25142ย์ นั้นไม่ไม่	extail the followin	g building s trustors equiposess he City of Portland, plans and
The undersi	igned hereby appli	ies for a permit to exoct as State of Maine, the Build	ing Code and Zonin		
ecifications, if an	y, suominee nere 202 Bracket	t. Stra.	Within	ı Fire Limits?	ves Dist. No
cation	203 DIRECTOR	rence Dunbar, 203	Brackett St.		TelephoneTelephone
vner's name an	d address L.L.	A. Hander			Telephone Telephone Telephone
ssee's name and	i address				Telephone 4 3 62 yes No. of sheets 4
ntractor's name	e and address	S1	ecifications	Plans	yes No. of sheets 4.
chitect	*****	Anantment & Lodgi	ng house.)	No. families
oposed use of b	uilding	dwelling_nous	2		No. families
ast use		3 Heat	Style of roof	***************************************	Roofing
[aterial WOOO	MO. Stories	an inghi			Fee \$1,00
ther buildings o	on same loc	Security Security Lives			Fee \$ they
		()	iption of New	Work	
				Door temperature	low ing house.
To clange i There Entir	e are four agree building i	partments and the is heated by one h	rest of the ho eater.	use is iseu	as lodging rooms.
			Pe	_{irm} it Issued '	with Letter be taken out separately by and in
Is any plumbin	ng involved in the	ublic sewer?	s of New Work Is any electriIf not, whatForm notice	ical work involved is proposed for e sent?	ed in this work?
Ligiant average	re grade to top o	f plate	110.8		earth or rock?
Size front	depth	140. Stories		1 - 44	cellar
Motorial of fo	nindation				Thickness
Material of !!	nderpianing	**************************************			
Kind of roof.		Rise per 100c	*** *	Kin	d of heat fuel fuel
No. of chimn	evs	Material of cilimicys.		لأمسلم الدا	annen annen der
Framing lum	ıber—Kind				, Size
Corner costs	Si	llsGırt or	ledger boardr	Ciaa	Max. on centersd flat roof span over 8 feet.
Girdets	Size	Columns unde	B1. C0. 0	Appr and	d flat roof span over 8 feet.
Studia (outsid	de walls and carr	rying partitions) 2x2210	0. 0. 2	2-4	roof
Toieta at	nd rafters:	1st floor	, 2nd	DIC , لدرو	, roof
On cent					
Maxim	um span:	1st floor	, 2nd	, Jra	height?
If one story	building with m	asonry walls, thickness	of walls?	*****	height?
If One story	Duname	•	If a Garage		
		. 1 +a.b.		number comm	ercial cars to be accommodated
No. cars no	w accommodated	l on same lot, 19 be	r repairs to cars hul		ercial cars to be accommodated n the proposed building? ellaneous
Will autom	obile repairing b	e done other than	- 	Misc	ellaneous
PPROVED:	MMar., Robbin D	acting they	Will there be in see that the Sobserved?	n charge of the tate and City	any tree on a public street?
			forence	E Ila	mbar.
		Signature of owner	rvewive	6/0/00	Mining districtions that the commentation of the comments of t
INSPECTIO	N COPY	er -			لمهدديد

MARIA PLOT PERMI NOTES Check Notice across basement completed door de Mrs. Cora Lab Brown nortale est laire tries 5 tandes ill Phone wall for Michels 8-17-5 45 As above Phone Call lold for Mr Nichals . co8 : 1 $Maximility(x_1,y_1)$ if one story building with masoner wall which comes with 8-20-54 Nie Michals called s U THE ALLEY 9-9-54 Net done SIE 116

i Green

Co.e

(COPY)

CITY OF PORTLAND, MAINE Department of Building Inspection



(28-154-5C-Marks

Certificate of Occupancy

LOCATION 203 Brackett St.

Date of Issue May 6, 1955

Issued to Mru. Cora L. Brown

This is to certify that the building, premises, or part thereof, at the above location, suits altered —changed as to use under Building Permit No. 54/642, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

\$/5/55 Nelson F. Cartweight

Inspector of Buildings Notir : This cortificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

WMcD 8/2/54

July 23, 1954

BP - 203 Brackett St. Unlawful use without required safety

Registered Mail Return Receipt

Mrs. Florence Dunbar 203 Brackett St.

Dear Mrs. Dunbart-

After our conversation and the letters, you must be aware that you and your combined lodging and apartment house at 203 Brackett St. are in violation of the Building Code in that the building is being used without the safety and fire protection features required by law in such a case.

Knowing that you were unaware of the requirements of law when you purchased this property, we have been ratient as regards allowing reasonable time to place the building in compliance with the law. The permit to authorize the required improvements was issued to your contractor, G. L. Nichols, on May 19th, only a part of the work has been done, and our inspector reports that on July 19th no work was going on, and that you have refused to allow the contractor and have not provided yourself the arrangements required by law at the doorway between the cellar and the attached garage.

Our records show that no application for the separate permit has even been filed to authorize installation of the required standard automatic fire alarm system which constitutes a most important part of the requirements.

Now, Mrs. Dunbar, with all due consideration for your illness and your recent stay in the hospital, you are hereby required to proceed under Sect. 109 of the Building Code (copy enclosed) to make good these violations of law without delay.

Unless we receive written assurance from you before August 2nd, 1954 that your contractor will proceed at once to provide the fire protective features at the garage doorway from the collar and to complete all of the other required features, and unless we receive application for separate permit to authorize installation of the automatic fire alarm system before that date, I shall ask the Legal Department to take immediate steps against you for violation of the law.

Very truly yours,

Warren McDonald Inspector of Buildings

Enclosure: Copy of Sect. 109 of the Building Code

мау 19, 1954 AP - Change of use from dwelling to apartment and lodging house at 203 Brackett St. Plan Maker F. S. Reem 61 Deversoux Circle Contr. 1. i. Michola F. West Scarborough, Mo. So. Portland, No. Permit for above work is issued herewith based on plans as revised and specifications filed as to work to be done. That there may be no misunderstanding as to alternations to be made, they are listed below, as follows: 010 Omer-Plorence Dunber caucom live us to work to be come. That there may be no torations to be made, they are listed below, as follows: Automatic fire claim to be installed throughout building, with detection ometic fire dial to be installed enrughous nulldings with deviceding part of system located throughout entire collar, the attached garages, pure or evenem rounced empagness emerge surrer, one account early sell public halls and state halls, and all closets opening off such New window to be provided in front room in third story large enough in area so that total window area will be at least ono-twelfth of the Skylight equal to at least one-twelfth the floor area to be provided for Lights in public halls and stair halls to be placed on the owners, meter and controlled by an automatic time switch so as to be huming through-Use of lodging room at the room of front hell in second story to be abanor remarks and on one add. Of remoting pullway potneed trout and New stairway to be provided from third floor to second as shown on revised plan with handraile as required by Building Code. Soffit of stairs to be governed with Americantal Research beared. Wood partition between main building and garage to be covered on both sides A Class now labelled fire door or a standard fire-resistant door constructed with solid good coro at losst one and three-digitiths inches thick core which some wood sure at least one and the conditions indused and looked and are all over with shoot motal having the joints lapped and looked and are all additions and hims and are all additions and himself and are all additions are all additions and are all additions are all additions are all additions and are all additions are all additions and are all additions are a area all over with sheet metal having the joints lapped and locked and covering all nailing, equipped with a self-closing device, and hung in a motal covered frame is to be installed in the opening between this opening a motal covered frame is to be installed in the provided in this opening and cellar. A six inch reised threshold is to be provided in this opening. The origing fire door in collar stainay enclosure is to be repaired so that it will close tightly and in to be emisped with a livid door oloser. An electric light is to be provided in the enclosive if one As soon as all of the above details have been eared for, on notification we will find increasion at the hariding and issue a certificate of encompany revenies. riako a rinal inspection of the building and issue a certificate of oncupancy covering the new use. MS/G

INTER-OFFICE CORRESPONDENCE

CITY OF PORTLAND, MAINE

BUILDING INSPECTOR

May 17, 1954

To: Harry W. Marr, Acting Chief of the Fire Department

FROM: Warren McDonald, Inspector of Buildings SUBJECT: Means of egress from apartment and lodging house at 203 Brackett St.

In view of the fact that an automatic alarm system is to be installed throughout the building, are the means of egress shown on the accompanying plans satisfactory to your department?

This is the building converted illegally from a dwelling house where you had approved two outside fire escapes as a second means of egress, for which we were unable to issue a permit because of closeness to lot lines. The Board of Appeals were unwilling to approve the proposed wooden fire escape on the fire escape of the building. Under the proposed arrangement there are to be no outside fire escapes. side fire escapes.

Inspector of Buildings

AJS/B

Expert Carpenter Work

Roofing and Concrete

Mr & Mrs Dunbar 203 Erackett St

Portland Me

G. L. NICHOLS General Contractor AZY XYARGARFIY STRFFY / SOLYVIA BORTY LANIJ , MAINE/ Telephone 4-3263 West Scarborro he

April 20,1954

Purposal of alterations at 203 Brackett St to bring bldg to

VInstall fire door in basement between garage and house. Door to have six code requirements. inch curb. Where garage is attached house to be plastered on both sides

 $m \lor$ Cancel out rear bed room on second floor to provide clear passage to

V Install extra window in front room on third floor. rear stairs.

/ Install skylight in bed room on third floor. Build a hatch way on third floor with a iron ladder to second floor

Building to have a fire alarm system.

 $\sqrt{\text{Hall lights to be a time clock}}$

EdgarWi Lambar Glorence & Llumbar

THIS I'M A CHANGE TO THE FLAT.
FROM LICHD TO CONDIT TO THE FLAT.

RECEIVED APR 21 1954 DEPT. OF BLD'G. INSP. AP 203 Brackett St. WMc0 4/15/54

April 9, 1954

Copies To: Hr. C. L. Nichola

West Serborough, Mo.

Stevens & saundors

187 Middle St.

Harry w. Marr, Acting Chief

Fire Separtment

Hrs. Florence E. Dunbar 203 Brackett St.

Oear Mrs. Dumber:

I am sorry for the long period, which must have been for you one of uncertainty, since my examination of your combined spartment and lodging house at 203 brackett St. The pressure of work in this office has preventedearlier action, while you are not responsible for the unlawful change of this former single family dwelling house to its present occupancy in violation of the building dode and without providing the fire prevention and safety features required by the Code, you are, of course, the present owner and therefore responsible and liable for maintaining the building and using it in violation of the Code. Secause of that situation, it is necessary that you come to a decision and notify this office before April 15 what course you intend to pursue, in the light of the information below, so that we may reach a conclusion of our duty under the law toward these violations—then to proceed quickly to carry out such a course as will place jourself and the building in compliance with the law at the earliest possible date; bearing in mind that should disaster occur clearly attributable to the sub-standard conditions in the building, you say be in a difficult situation to say the least as regards liability.

with your belated application for a permit for change of use you filed a set of blueprints of plans by kesses. John Howard and John Calvin stevens (now the firm of stevens & Saupelers) in January, 1947 to show the then existing situation in what was then known as Childs lodge. Under the circumstances, while this department has no preferences as to sho shall be employed to make plans, you are urged to place yourself in the hards of this firm, or at least consult them, with the thought that they or some other competent party may be employed to work out revised plans to show compliance with the building tode, so that you can quickly file thes new plans with your application for examination and issuance of the permit so that the work can proceed at the earliest possible date.

While I cannot guarantee that my inspection of the premises disclosed all of the features in non-cospliance with the wilding Gode, I will try to list below the principal defects with some suggestions as to clearing up the situation, which may not constitute the only way of doing it, and which you are at liberty to ignore if you desire.

1. The principal problem is one of exits from second and third floors. As your agent Mr. J. L. Dichols, contractor, has filed application for building permit with plans to construct two wooden outside stairways to serve as fire escapes—one at the rear of the suilding and one at the front. Both of these escapes would be in locations contrary to the terms of the soning Ordinance. You filed an appeal with the soning Board of Appeals sacking variances. The Board seemed willing to grant the appeal relating to the rear fire escape, but questioned the widden of granting the front fire escape in such close proximity to Pine St. The most instructed as to see if some better arrangement could not be worked out, especially in view of the fact

W.

that the tuilding has been for several years and is now being used unlawfully under the suilding tode—therefore by inspection and convergation with your and your hustand a few weeks ago.

These two wooden fire escapes, both complicated, only become necessary because of the unusual way in which the second floor is divided into tenancies. Secause also of another reason which will appear, it is recommended that you and your plan anker consider abandoning the rear lodging room on second floor on the side toward Congress it. (using this room as a part of the public hall) then reducing the depth of the rear single room sportment on second floor by about three feet and constructing a partition parallel with the rear wall to form a corridor in second story which would join the public hall in second story at the top of the stairs to first story and true provide a stairhall so that occupants of third floor could pass clear form to the rear exterior door without intervening private quarters. If this were done and a standard automatic fire detection and alarm system provided, it is my belief that both fire escapes could be avoided.

2. The abandoning of the second floor ledging room would also give chance for additional substantial asving because with that ledging room included, the tenancies in the building add up to the equivalent of seven apartments, and more than six apartments requires that the heater and fuel oil tank in the cellar be enclosed in a fire-resistive room with fire door at each opening. Elimination of this ledging room would eliminate that requirement.

There are the following requirements, irrespective of those noted above, unless the building is to revert to a single family dwelling house:

- 3. That part of the wall between the cellar and attached garage, above the masonry foundation wall up to the roof boards of the garage, requires a covering on garage side of asbestos board 3/8 inch taick or 2-ply 3/16 inch, and cemented at the tainty.
- 4. The doorway totween garage and cellar requires a standard fire-resistant fire door and frame as described by Section 30%ck of the Code, to be sade self-closing by liquid door closer and the threshold of the door to be raised at least six inches above the level of the garage floor. This arrangement sould cost something at the raised threshold would create a considerable accident hazard at the top of the stops. If you prefer, you could remove the door, stud-up the opening with 2x3 stude, cover on the varage side the same as described above for the wooden portion of the wall, and on the cellar side the same or with gypsum wall board.
- 5. at sometime the cellar stairs have been enclosed with suitable fire resistive partitions and a fire door provided from stairway to cellar at the foot of the stairs. This fire door will not close tightly and must be made to do so, and equipped with a liquid door closer. This will, no doubt, make necessary an electric light in the cellar stairway.
- 6. Provide one or more additional windows in the front room of the third floor apartment so that the overall window area will equal at least 1/12 of the floor area of the room.
- 7. Either obsavion the use of the small alcove bedroom on thin floor (it has no window in it) or provide a dorser window or skylight so that the overall area of outside openings would be equal to at least 1/12 of the floor area of the room.
- 8. There is considerable loubt if the one window in the front corner ledging room toward Congress St. has sufficient area to equal at least 1/12 of the floor area of the room. If not, it must be made so by providing additional window area.

a mental confession of

April 9, 1954

Mgs. Florence Dunbar-

9. It will be necessary to provide electric lights in all stair and public halls on the owner's meter, of such size and location as to adequately light the way from all of the tenancies to a place of safety at the ground level, these lights to be controlled by an automatic time switch capable of turning the lights on at sunset or before each day and turning them off at sunrise or later the next morning.

After you have reached a decision as to your course with regaris to exits, it is suggested that you authorize your plan maker to work out the revised plans, but in the process of doing so to examine closely sections 203 and 212 of the Emilding Code as they apply to this situation, and incorporate in the plans all of the improvements required. Those above are the principal ones, but we cannot be sure of including every detail in such a letter as this.

Very truly you was

HMcD/B

Warren Hebonald Inspector of Raildings

City of Portland, Maine Board of Appeals -ZONING-

2/ the 108 54 26

To the Board of Appeals:

Florence E. Dunbar

, who is the Owner

, respectfully petitions the Board of Appeals

March 8, 1954

of the City of Portland to permit an exception to the regulations of the Zoning Ordinance relating to this property, as provided by Section 18, Paragraph E of said Zoning Ordinance.

Permit for construction of two wooden fire escapes from the second floor to the ground, one on either end of the combination apartment and lodging house at 203 Brackett Street is not issuable under the Zoning Ordinance lodging house at 203 Brackett Street is not issuable under the zoning one side lot because the new construction would be only about 5 inches from one side lot. lodging house at 203 Brackett Street is not issuable under the Zoning Ordinance because the new construction would be only about 5 inches from one side lot line, which is also the line of Pine St., and only about 8 feet from the other line, whereas a clearance of not less than 10 feet is required from both side line; whereas a clearance of not less than 20 feet is required from the limited of these lines by Section 5B of the Zoning Ordinance applying to the Limited Business Zone where the property is located. Business Zone where the property is located.

The facts and conditions which make this exception legally permissible are as follows: The facts and conditions which make this exception legally permissible are as follows:

An exception is necessary in this case to grant reasonable use of property and can be granted without substantially departing from the intent and purpose of the Zoning Ordinance. of the Zoning Ordinance.

Thouse Ellumbar -

After public hearing held on the.

12th

March

be permitted

жылой февальства выходина караборы долго вы

APPELLANT GIVEN LEAVE TO WITHDRAW

It is, therefore, determined that exception to the Zoning Ordinance may

in this specific case.

BOARD OF APPEALS

DATE: MARCH 3, 1954

HEARING ON APPEAL UNDER THE ZONING ORDINANCE, FLORENCE E. DUNBAR ..T 203 BRACKETT STREET

Public hearing or above appeal was held before the BOARD OF APPEALS

Boora of appeal;

VOTE

Municipal Officers

WILLIAM H. O'BRION HELEN G. FROST HARRY K. TORREY EDWARD T. COLLEY BEN B. WILSON

APPELLANT GIVEN LEAVE TO WITHIRAL

Record of Hearing:

CITY OF PORTLAND, MAINE BOARD OF APPEALS

March 9, 1954

TO WHOM IT MAY CONCERN:

The Board of Appenls will hold a public hearing in the Council Chember at City Hall, Portland, Maine on Friday, March 12th, 1954 at 10:30 a.m. to hear the appeal of Florence E. Dumbar requesting an exception to the Zoning Ordinance to cover construction of two wooden fire escapes from the second Floor to the ground, one on either end of the combination apartment and lodging house at 203 Brackett Street.

This permit is presently not issuable under the Zoning Ordinance because the new construction would be only about 5 inches from one side lot line, which is also the line of line Street, and only about 8 feet from the other side line; whereas a clearance of not less than 10 feet is required from both of these lines by Section 58 of the Zoning Ordinance applying to the Limited Business Zone where the property is located.

If you are interested either for or against this appeal, please be present or be represented at this hearing.

BOARD OF APPEALS

William H. O'Brion

Chairman

co: Mr. and Mrs. George L. Anderson 36 Now Street

> Mrs. Esther T. Reymolds 41 Pine Street

CITY OF PORTLAID, MAINE BOARD OF APPEILS March 9, 1954 Mrc. Florence E. Duntar 203 Brackett Street 203 Brackett Street The Board of hopsels will hold a rublic neering in griday,

The Board of hopsels will hold a rublic on griday,

the Council Charles at City had to hear your appeal under the

the Council Charles at 10150 to hear your appeal under the

Hares 17, 1954 at 10150 to hear your appeal and the

Contra Ordinance. Denn Hirs. Dampers Picage be present or he represented at this hearing Killiam H. Orbrich Chalman cc: Wr. G. L. Wichols Mains

AP 203 Brackett St. March 8, 1954 Copies to: Mr. G. L. Michols

West Scarborough, He

Chief of the Fire Department

Corporation Counse) Mrs. Florenca E. Dunbar 203 Brackett St. a permit for construction of two wooden fire escapes from the second floor to the ground, one on either end of the combination apartment and lodging house at 203 Erackett St., because the new construction and lodging house at 203 Erackett St., because the new construction and lodging house at 203 Erackett St., because the new construction and lodging house at 203 Erackett St., because the new construction and lodging house at 203 Erackett St., because the new construction and lodging house at 203 Erackett St., because the new other side line; which is also stand only about 8 feet from the other side line; the line of Fine 3t., and only about 8 feet from the other from both of the line of Fine 3t., and only about 8 feet from the other side line; the lines of rot less than 10 feet is required from both of these lines by Section 5B of the Zoning Ordinance applying to the limited Eusiness Zono where the property is located. Dear Mrs. Dunber:


You have expressed a desire to exercise your appeal rights concerning this matter and accordingly we are nuclosing an outline of the appeal procedure and are certifying the case to the torported tion lounsel who acts as clerk for the Board of Appeals. We underwise that, while so change in contemplated in the proposed locations stand that, while so changes in framing are planned. If the case of the fire escapes, some changes in framing are planned, it is not to be considered at the next meeting of the Appeal Board, it is to be considered at the next meeting of the fire escapes he filed therefore necessary that revised plans of the fire escapes he filed in this office not later than wednesday, harch 10, 1954. You have expressed a desire to exercise your appeal rights

yery truly yours,

Marren McDonald Inspector of Fulldings

AJS/B

Enc: Cutling of appeal procedure



APPLICATION FOR PERMIT



	APPLI	CATION FO	- 11 Class			
	7.	ype of Structure Fortland, Maine,	Third view	1954		and the supplier of the suppli
CI	lass of Building or 1	For Flaine	ebruary 2)			
	2	Portland, Maine,		เรา เรา คำไวการที่สา	building structure e	quipment
· varepret	OR OF BUILDING	GS, PORTLAND, MAINE. for a permit to erect alte to of Maine, the Buildi that and the following spe thand the following spe	r repair demolish	install the John Control	e City of Portland,	puns uno
the INSPECT	signed hereby applies.	for a permu to elevildi	ng Code and Zon	ung Or -	Diar No	
accordance with	h the Laws of the State	for a permit to erect and to of Maine, the Buildi th and the following spectromes Dunbar,	cipcanous. With	iin Fire Limits?		144 147 PARS 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ecification i, if a	iny, submitted her bear		03 Brackett	St.	ardoolog P	anti-maintenantantenanten birtag
ocation203	Brackeou	Lorence Dunbar,		***************************************	Telephone	
wner's name a	ind address	lorence Dunbar, L. Nichole, We Lodging Ho	-+ Scarborou	gh, Maine	No of 8	heets 2
- Lunctor B IId	Tito on .		F -		HII HERTON	
. 491		1.00 h T112""804"	H-11-11-1		405544441444414444	
Proposed use o	of building	Lodging Hor	Style of r	oof	Recoing	
1 -of 1168	***************************************	24 Heat				I. 1010
Material fra	meNo. stories	General Description of the contract fire escription per plans.		_	Neore	
Other building	gs on same for	,,,,,,,,	insign of No	w Work) ·	70013
Estimated co	st \$	General Des	Hibrion or a	(Ange St S	e on second	St.
		accane on front	of building	A Loor top	unit on 121.	0
To constr	ruct wooden fire	escape fire escape	be Trome	n we	nave.	X
to g	round and to be	per plans. O.	مرمي	Clare one	W WX	j
side	01 00111	WAY W	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	D. We	\mathcal{O}_{1}	
	_	$\sim 10^{10}$	e K	ne of	U	
	۸0	(A) (C) (C)	she o o	<i>W</i> - ' 0		
	()	Je Jen	1 + 3.	A from the		
	11.9/5	il does not include include include. PERMIT TO	2 . 1	-Lader		be and in
" the let	at ofer i			atus anhich	is 19 be taken out se	parately of the file
1	<i>t</i>	include that	allation of heatin	G. L. Nicl	hols	Der 3/1/54
T. :- 1140 Å	erstood inci in P	DERMIT IU		_	fire :	
the name	of the heating contrac	this work?	tails of New	Work	wolved in this wor	k?
		• 11		* propose	d for sewage.	
To ony f	olumbing inv d in	this work	If no	, what is pro-	1945-1945 - Total Control of the State of th	***************************************
Is conn	ection to be made to	public oom	Form	noute same to h	ighest point of	ole?
*T-0 F01	ntic laux nous-			1142		
t Loight	everage grade	No. sto	ries	Lottom.	CC1CL	***************************************
• Nater	rial of tourseas		****	aaring	***************************************	file]
7714	of root	- atal of chit	ulie A 2	. (11 airot	***************************************	
No. C	of chimneys	Rise per foot Material of chir Sills Column d carrying partitions)	Dı	ressect of run.	Size	
Fran	ning lumber-Kind		11100	Size.	***************************************	R leet.
Cort	ner posts	Column	S under Book		loor and mas	
Giro	ders Si	4 artif101151	un		TII	
CHI	NE (UIII)	4 · Coor			17(1	
Jiu	Joists and rafters:	1st floor	, 2nd.		3rd	, 1001
	On centers:	1st floor	, 2nd		nt. 2005-22-20-42-2-2-20 -1 20-22-2-2-2-2-2-2-2-2-2-2-2-2-	heignti
	Maximum span:	as most walls. th	ickness of walls	er en ren mannen betreiten en en ernen ber		
, 1f	one story building	1st floor	If a	(Jarage	- commercial cars	to be accommodated
		nodated on same lot	to be accomm	nodatednumb	er commonder	osed building?
~	new accomi	nudated on same lot	an minor repairs	to cars habitually	500100 iii dianosii	g.
1	No. cars new access	aring be done other th	an minor sel		Miscellaneou	- ou a public street?
1	Will automobile 191		******	work require dist	urbing of any tree	on a public street? ork a person compet
1	DOVED:		Will	be in char	rge of the above w	wining ther

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? _________ Florence Dunbar

CITY OF PORTLAND, MAINE Department of Building Inspection

Te.Oliver T. Sanborn Chief of the Fire Department

(date) March 8, 1954

From: Warren McDonald Insptr. of Bldgs.

Owner: Florence Dunbar
Subject; Application for permit for
improvements at above location,
required by order of Chief of Fire · Location:

While our two departments have done a good job of coordination under issuing permits for improvements to be made, -required by order of Chief of Fire
Department dated 1/19/54

The confusion on the part of many people, who come in here, as to who has ordered them to do what,

The confusion on the part of many people, who come in here,

The confusion on the part of many people, who come in here,

The confusion on the part of many people, who come in here,

The confusion on the part of many people, who come in here,

The confusion on the part of many people, who come in here,

The confusion on the part of many people, who come in here, as to who has ordered them to do what,

The fact that on some jobs a permit has been issued, and the
work done, only to have your inspector find that the situation did
not then satisfy your order under the law. work done, only to have your inspector find that the situation did not then satisfy your order under the law,

And, the fact that you are permitted under the Building Code in building where there is no substantial increase in number of personal code unless deviation in this connection is approved by yourself—

leads me to the belief that each situation bught to be checked before any permits are issued, presumably by the inspector in your department who mad leads me to the belief that each situation ought to be checked before any permits are issued, presumably by the inspector in your department who made the inspection on which the original order was based, to see:

- 1. If the work contempleted will completely satisfy the order.
- 2. To see, if possible, whether or not there may be some more economical way of satisfying the order, and, if so, to recommend

To that end there is attached for your consideration applications for permits at the above location. Remarks relating to this particular job:

Does the arrangement shown on the attached plans satisfy the requirments of your order of 1/19/54? Authorization of the Board of Appeals is necessary beof your order of 1/19/54? Authorization of the Board of Appeals is necessary before a permit can be issued and presumably the case will be considered at the next
return of card and application before that date.

Application has been filed for a belated permit to change this building from a dwelling to an apartment house and it is now being checked against Building Code.

Warren In Donald Inspector of Buildings

May 17, 1954

rry V. Marr, Acting Chief of the Fire Department

Wairen McDonald, Inspector of Buildings

Means of egress from apartment and lodging house at 203 Brackett St.

In ries of the fact that an automatic alarm system is to be installed suit the building, are the means of egress shown on the accompanying plans is factory to your department?

This is the building converted illegally from a dwelling house where founded approved two outside fire escapes as a second means of egress, for which have unable to issue a permit because of closeness to lot lines. The Foard of Appeals were unwilling to approve the proposed wooden fire escape on the Pine pt. and of the building. Under the proposed arrangement there are to be no outside fire escapes.

Inspector of Buildings

MP 203 Brackett St.

March 8, 1954

Mrs. Florence E. Buntar 203 Brackett St.

Copies to: Mr. G. L. Nichols

West Scarborough, He

Chief of the Fire Department

At you have previously been informed, we are unable to issue a permit for construction of two wooden fire escapes from the second floor to the ground, one on either end of the combination apartment and lodging house at 203 Frackett St., because the new construction and lodging house at 203 Frackett St., because the new construction and lodging house at 203 Frackett St., because the new construction and lodging house at 203 Frackett St., because the new construction and lodging house at 203 Frackett St., because the new construction and lodging house at 203 Frackett St., because the new construction and lodging house state line; which is also would be only about 5 inches from one side lot line, which is also would be only about 5 feet from the other side line; the line of line St., and only about 8 feet from the other side line; the line of line St., and only about 8 feet from the other side line; the line of line St., and only about 8 feet from the other side line; the line of line St., and only about 8 feet from the other side line; the line of line St., and only about 8 feet from the other side line; the line of line St., and only about 8 feet from the other side line; the line of line St., and only about 8 feet from the other side line; the line of line is also line of line of line of line is also line.

You have expressed a desire to exercise your appeal rights concerning this matter and secondingly we are enclosing an outline of the appeal procedure and are certifying the case to the Corporation Counsel who acts as clerk for the heard of Appeals. We understand that, while no change is contemplated in the proposed locations et and that, while no changes in framing are planned. If the case of the fire escapes, some changes in framing are planned, it is of the fire escapes be filed is to be considered at the next meeting of the fire escapes be filed therefore necessary that revised plans of the fire escapes be filed in this office not later than Wednesday, March 10, 1954.

very traly yours,

Warren McJonald Inspector of Buildings

AJS/B

Enc: Outline of appeal procedure

AP 203 Brackett St. AJS 3/8/54

March 1. 1954

Copies to: Mr. u. L. Michols West Scarborough, Me.

Mrs. Florence E. Dunbar 203 Bruckett St.

Chief of Fire Dept.

Dear Ars. Dunbar:-

We are unable to issue a permit for construction of two worlen fire escapes on the ends of your lodging house at 203 Brackett St., corner of Pine St., because the proposed structures would be closer than 10 feet to the line of Pine St. and to the other wide lot line, contrary to Sect. 50 of the Zoning Ordinance as applied to the Limited Business Zone where the property is located. Unlie you have the right to request from the Board of Zoning Appeals relief from compliance with the precise terms of the Zoning Ordinance in this particular instance, we are unable to tell in advance what action they might take on such an appeal.

The matter is further complicated by the fact that our records indicate that the lodging house use was established since 1941 in this building previously used as a single family dwelling, without first securing a penalt for such a change from this department, without providing the necessary anieguards specified by the building Code for the new without providing the necessary anieguards specified by the building Code for the new wise, and without a cortificate of occupancy subhorizing such a use having been issued. The building is therefore now being used in an enauthorized and unlawful manner.

While we realize that the change was made by a former owner of the building, you as the present owner must bear the responsibility for maintaining an unlawful use in the building. In order to place the building in conformance with requirements of the Building Code, it is necessary that you apply for a belated permit for a change of use of the building, filting with the application therefor layout plans of each floor and the cellar building filting with the application therefor layout plans of each floor and the cellar indicating the layout of rooms, seiling beights, thatow areas, location of means of egrees, and all other details necessary to show compliance with Building Code requirements for longing house use. These plans must be in the form of blueprints and be made by someone was can consult the Code for timself and indicate thereon Code requirements for the new use and mateuer aftery features are meded to provide chaplishes. A penalt for the lodging house use will then be insued provided the plans are complete enough to show such compliance and, after any necessary alterations have been completed, a certificate of occupancy will be issued.

In the meantime if you wish to file an appeal concerning the question of sching involved in the construction of the proposed fire escapes, we will send you an outline of the appeal procedure upon request. However, in view of the fact that the fire Department in issuing an order for erection of these fire escapes was operating under the partment in issuing an order for erection of these fire escapes was operating under the Safety Ordinance, which does not include some of the requirements of the Building Code applying when an existing building is to be charged to operate house or lodging house applying when an existing building is to be charged to operate house or lodging house, it might be well to get the mestion of unlawful use cleared up cofors proceeding use, it might be well to get the mestion of unlawful use cleared up cofors proceeding with the fire escapes, since it is not so all certain that if they are exected in the locations seem they will expet maidling Code requirements.

In view of the fact that the means of egreen from the building are evidently inadequate at present, it is important that no time be lost in taking steps to place the
building in compliance with law. We shall expect to hear from you before Warch 6, 1954
as to that action you propose along this line. In the meantime until such a time as a

THE REPORT OF THE PARTY OF THE

March 1, 1954 certificate of occupancy sythorizing the use of the building as an apartment or lodging house has been issued; you must, bear full responsibility for the unsafe conditions explained in the building at prevent. Mrs. Florence is. Dunbar -Warren Malonald Inspector of Buildings · NS/G

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

APPLICATION FOR HEATING, COOKING OR I		E AN
	inc, Sept. 12, 1946	
To the INSPECTOR OF BUILDINGS, PORTLAND, ME	i.	
The undersigned hereby applies for a permit to it	nstall the following heating, cooking or f Tity of Portland, and the following speci	•
Location203.BrackettStreet Use of Bui	ilding	ies Now Building t4.3564 Existing "
i structure and address Cont. No. Haskalt. Es	Office Tiff. 1904-18 2004-19	•
General D To install steam botler in place of steam bo	escription of Work	9-12-46/
To install steam boiler in place of steam be	oiler	
inches and a second		
	, OR POWER BOILER	· · · · · · · · · · · · · · · · · · ·
Location of appliance or source of heatbasemen	t Type of floor bene	ath appliance congress
4.5		tind or rade min
4 491	your top of appliance of casing lob of the	CHIMICO IIII
If gas fired, how vented?		id per nour
· / / 1F	OIT BORNER VA	
Name and type of burner	A tablet by underwrite	rs' laboratories?
Name and type of burner		m of tank?
Will operator be always in attendance? Do	es oil supply line reed from top of botte	Mi Or tarrist immediate
Type of floor beneath burner	AF	
Location of oil storage	Number and capacity of tanks	
Location of oil storage If two 275-gallon tanks, will three-way valve be prov	ided?	
Will all tanks be more than five feet from any flame?	ITow many tanks fire proo	fed?
Will all tanks be more than live feet from any hame.		·
//ir coo	KING APPLIANCE	
dell' Kind of the	Type of floor bener	th appliance
Location of oil storage If two 275-gallon tanks, will three-way valve be prov Will all tanks be more than live feet from any flame? Location of appliance		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
If wood, how protected?	5	
Minimum distance to wood or combustible material fr	om top of appliance	f amakanina
	and back From top o	i smokepipe
Size of chimney flue Other connection	ons to same flue	***************************************
Size of chimney flue	ntad?	*******************************
If gas fired, how verted? If so, now verted?	Rated maximum dem	and per hour
If gas fred, now vented 1	THEODINA INCORMA	TION
MISCELLANEOUS EQU	IPMENT OR SPECIAL INFORMA	LION
	***************************************	***************************************

	*	
From front of appliance RAME From sloes Size of chimney flue		
		\
XX.		
10° / 10° /		
Amount of fee enclosed? . 1,00 (\$1.00 for one	heater, etc., 50 cents additional for each	additional heater, etc., in
building at same time.)	° C	• /
APPROVED:		- 1
and the second s	Will there be in charge of the ab	ove work a person comp
17- 	see that the State and City requ	irements pertaining th
5	observed? .y.es	/
national and the second		all Plumbing Co.
ž	Journal and	1
4999		
of the state of th	1 171	6 100
fig. 2		

RM1

AP 203 Brackett Street-I

March 4, 1947

Mr. Mose P. Armoud 263 Concord Street Portland, Maine

oubject: Application for building permit to make physical alterations in the building at 203 Brackett Street

Dear Sir:

I am unable to issue the building permit for the above work because of questions which have arisen concerning the lawful use of the building.

This matter has been taken up at length by letter direct with the owner. You are being notified in this manner so that you can go over the matter with him, and if you wish to withdraw and return the receipt for the fee paid to this office not later than March 18, 1947, the money will be retunded to jo by voucher.

Very truly yours,

Inspector of Buildings

WMcD/s

,

Unless the owner elects to thence the building back to a dwelling house, he must proceed immediately to have the necessary architectural class made and file them with a belated application for a smilding penalt to cover the required improvements and the change of one to the lodgin, house.

Such plane art to be made by second theroughly experienced in the usual marmer of making such plane who is also acquainted with the Building Code and can find out for howself went the Building Code requires for a ledging house so that he can show on the plane of the existing situation that steps are proposed to accomplish compliance with the saliding Code.

I urge the owner to make haste, if he adopts the latter course, because he must bear the responsibility for these substandard conditions as to cafety until he has a certificate of occupancy from this department, and because the Suidding Law units it very plair that it is my outy to proceed, as directed by Law, against the owners of buildings while are found in violation of the law.

An extra copy of this letter is being enclosed to the owner for his use in dealing with his archi**of that the architect are be fully advised of the proposition.

Very truly yours,

Inspector of Sulldings

Macu/3

Anchosure to dr. 100ms dopy of this letter

Gus Oniver f. demiorn, untof of the Fire-begartment