

44 CLARK STREET

CHAMBERLAIN

Full cut # 020P - Half cut # 0202R - Third cut # 0203R - Full cut # 0205R

March 31, 1982
Exhibit "A"

Specifications For Work Done At 44 Clark Street Portland, Maine
For Richard C. Veit and Yolanda Theunissen

Exterior

A. Sidewall

1. Remove all deteriorated siding from the right side and the rear of the structure and dispose.
2. Install approx. 600 sf of "Masonite Colorlok" siding with all necessary accessories.

B. Rear Steps

1. Remove the dilapidated steps and platform and dispose.
2. Build one 4' x 8' platform with 2"x8" stringers and joist, 2"x6" decking, 4"x4" posts and 2"x4" crossbuck rail on 3 8" sonotube piers
3. Build 2 steps with 2"x10" treads open riser, 4"x4" newel post and 2"x4" rail on 2 sonotube piers.
4. Apply 2 coats "cuprinol" stain.

C. Cellar Door

1. Replace the existing cellar door with one new 1 3/4" solid core door, using the existing hardware apply 1 coat of sealer,

Interior
1st Floor

A. Kitchen

~~6/24/82~~ Replace the existing door with one new 2 1/4" x 6 1/8" 1 3/4" solid core door complete with frame and hardware, apply 1 coat of sealer

2. Replace the kitchen window with one new "Brosco" DH1 window with insulated glass and screen, GS 22x18.

B. Bathroom

1. Remove the existing window, frame, board in and insulate opening. Apply sheetrock on inside. Tape, spackle and sand to smooth surface.

C. Livingroom

1. ~~Install one storm window on bay window, 2nd floor.~~

RECEIVED

APR 13 1982

DEPT. OF BLDG. INSP.
CITY OF PORTLAND

A. All wall and Ceilings

- ~~1. Remove approx. 10 lf. of partition.~~ 6/24/82
- ~~2. Remove all plaster from walls and ceilings on the entire 2nd floor including stairway.~~ 6/24/82
- ~~3. Insulate all exterior walls with 3" foilbacked fiberglass insulation approx. 10 rolls.~~ " OK
- ~~4. Install 12" Cap in ceiling using 6" fiberglass batts approx. 15 rolls.~~ " OK
- ~~5. Apply 1/2" sheetrock on walls, ceiling, and closets. Tape spackle and sand to smooth surface. Approx. 80 sheets.~~ " OK

B. All Floors


1. Bring the entire floor to level condition by strapping and shimming. Install 3/4" plywood, Approx 20 sheets.

C. Bedroom Rear 10' x 16'

1. Close off 3 windows and 1 door.
- ~~2. Relocate openings and install 2 new "Broco" DH 1 windows with insulated glass and screen, GS 27x20.~~ 6/24/82
- ~~3. Build two 5' closets along left sidewall and frame door openings to receive 4'x6' 84" pine louvre bi-fold doors, and install clothes poles and shelves.~~ 6/24/82

D. Bathroom 8'x9'

1. Remove approx. 8 lf. of wall and relocate to dimension.
- ~~2. Replace existing window with 1 new "Broco" DH 1 window with insulated glass and screen GS 24x12.~~ 6/24/82
3. Install one new vanity with preformed bowl and faucets. Allowance \$100.00
4. Build one 3' tub end wall and install one new fiberglass tub and tub wall, complete with mixing valve and showerhead.
5. Install toilet from 1st floor bath.
6. Install new drainage and supply lines for vanity and tub.
7. Install individual shut-off valves on all supply lines
8. Install inlaid floor Approx. 7 SY.



Front Bedroom 10'x12'

1. Build one 6' closet on left sidewall and frame dooropening to receive one 4'x6'8" Pine louvre bi-fold door and install clothespole and shelf.
2. Replace sashcords and put windows into working condition.

F. Hall 7x9

1. Cut opening through ceiling and roof and install one "Wasco" skylite providing and inside clearance of 30 $\frac{1}{2}$ "x30 $\frac{1}{2}$ " to provide access to the roof.


1st Floor

A. All walls and ceilings

1. Remove existing bathroom close off 1 door and remove 12 lf of partition, patch floor.
2. Remove paneling, plaster and ceiling tiles from all walls and ceilings.
3. Insulate all exterior walls with 3 $\frac{1}{2}$ " foilbacked fiberglass insulation approx. 10 rolls.
4. Apply $\frac{1}{2}$ " sheetrock on walls, ceiling and one closet tape spackle and sand smooth surface, approx. 80 sheets.

B. Livingroom

1. Build one closet utilizing old bathroom door.



APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION 00106

ZONING LOCATION R-6 PORTLAND, MAINE .. April 13, 1982

APR 14 1982

CITY OF PORTLAND

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 44 Clark Street Fire District #1 , #2
1. Owner's name and address Richard C. Veit & Yolanda I. Theunissen - same Telephone .. 390
2. Lessee's name and address Telephone ..
3. Contractor's name and address Telephone ..

Proposed use of building dwelling No. of sheets
Last use same No. families 1
Material No. stories Heat Style of roof No. families ..
Other buildings on same lot Roofing ..
Estimated contractual cost \$ 6,500 ..

FIELD INSPECTOR—Mr. J.P. ... @ 775-5451

Appeal Fees \$
Base Fee 45.00..
Late Fee
TOTAL \$ 45.00...

To make alterations to dwellings per plans. 3 sheets of plans.

send permit to # 1

Stamp of Special Conditions

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

DETAILS OF NEW WORK

Is any plumbing involved in this work? Is any electrical work involved in this work?
Is connection to be made to public sewer? If not, what is proposed for sewage?
Has septic tank notice been sent? Form notice sent?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Kind of roof R' e per foot Roof covering
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing Lumber—Kind Dressed or full size? Corner posts Sills
Size Girder Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor , 2nd , 3rd , roof
On centers: 1st floor , 2nd , 3rd , roof
Maximum span: 1st floor , 2nd , 3rd , roof
If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY: DATE
BUILDING INSPECTION—PLAN EXAMINER
ZONING:
BUILDING CODE
Fire Dept.:
Health Dept.:
Others:

MISCELLANEOUS
Will work require disturbing of any tree on a public street?
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

Signature of Applicant R. C. Veit Phone # same
Type Name of above Richard C. Veit 1 2 3 4
Other
and Address

4 FIELD INSPECTOR'S COPY

APPLICANT'S COPY

OFFICE FILE COPY

NOTES

4/23/82
Started stripping the
interior walls (re-spraying old
plaster)

6/24/82
Talked with Eugene, walls,
ceiling, walls, floor, etc.
He recommended that the
2nd fl. be braced up with
additional ply joist & eliminate
future shakiness.


Existing joist are
only 2x12" approx. in spacing.
Did a structural analysis
and found this area
cause structural failure. Cause
agreed; New joists & windows have
been placed.

9/20/82 - About completed; all
10/18/82 - Work progressing satisfactory
externally about 1/2 complete
Nov 9, 82 Renovation work about 1/2
completed;

1-12-83 Completed

44 Blank

Permit No. 82/196
 Location 44/196
 Owner Richard [unclear]
 Date of permit 1-13-82
 Approved 1-14-82
 Dwelling
 Garage
 Alteration



PERMIT TO INSTALL PLUMBING

Address 44 Clark Street PERMIT NUMBER **2501**
 Installation For one family
 Owner of Bldg Richard C Veit & Yolanda Theunissen
 Owner's Address _____
 Plumber _____
 NEW REPL. Owner same Date _____

Date issued 5-4-82
 Portland Plumbing Inspector
 By **ERNOLD R GOODWIN**
 App. First Insp. _____
 Date MAY 5 - 1982
 By _____
 App. Final Insp. _____
 Date _____
 By _____

Type of Bldg.
 Commercial
 Residential
 Single
 Multi Family
 New Constructor.
 Remodeling

	NEW	REPL	Owner same		Date		
SINKS							
LAVATORIES						1	3.00
TOILETS							
BATH TUBS							
SHOWERS						1	3.00
DRAINS				FLOOR	SURFACE		
HOT WATER TANKS							
TANKLESS WATER FILTERS							
GARBAGE DISPOSALS							
SEPTIC TANKS							
HOUSE SEWERS							
ROOF LEADERS							
AUTOMATIC WASHERS							
DISH WASHERS							
OTHER							
						TOTAL	6.00

Building and Inspection Services Dept. Plumbing Inspection



LIMITED BUSINESS ADMINISTRATION
APPLICATION FOR PERMIT

PERMIT ISSUE

MAR 13 1934 0186

Class of Building or Type of Structure Third Class

Portland, Maine, March 11, 1934

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 44 Clark Street Ward 7 Within Fire Limits? yes Dist. No. 3
 Owner's or Lessee's name and address Mrs. Mary Jacobsky, 44 Clark St. Telephone _____
 Contractor's name and address Henry Rombalski, 74 Canb St. Telephone no
 Architect's name and address _____
 Proposed use of building dwelling house No. families 2
 Other buildings on same lot _____
 Plans filed as part of this application? no No. of sheets _____
 Estimated cost \$ 5 Fee \$ 15

Description of Present Building to be Altered

Material wood No. stories 2 Heat _____ Style of roof _____ Roofing _____
 Last use dwelling house No. families 2

General Description of New Work

To cut in one new window, second floor side

CERTIFICATE OF OCCUPANCY
 REQUIREMENT IS WAIVED.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Height average grade to top of plate _____
 Size, front _____ No. stories _____ Height average grade to highest point of roof _____
 To be erected on solid or tilled land? _____ earth or rock? _____
 Material of foundation _____ Thickness, top _____ bottom _____
 Material of underpinning _____ Height _____ Thickness _____
 Kind of Roof _____ Rise per foot _____ Roof covering _____
 No. of chimneys _____ Material of chimneys _____ of lining _____
 Kind of heat _____ Type of fuel _____ Is gas fitting involved? _____
 Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
 Material columns under girders _____ Size _____ Max. on centers _____
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.
 Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
 On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
 Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
 If one story building with masonry walls, thickness of _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____
 Total number commercial cars to be accommodated _____
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes
 Signature of owner Mrs. Mary Jacobsky

Signature of owner Henry Rombalski

INSPECTION COPY

1.4

Ward 7 Permit No. 34/186

Location 44 Clark St.

Owner Mary Jacobsky

Date of permit 3/13/34

Notif. closing-in _____

Inspn closing-in _____


Final Notif. _____

Final Inspn. 3/17/34

Cert of Occupancy issued None

NOTES

3/17/34 - Work done -
A.G.S.



CITY OF PORTLAND
HEALTH DEPARTMENT
HOUSING DIVISION



Mr. George S. Doucette
44 Clark Street
Portland, Maine

Loc. 44 Clark Street
Loc w/i S B
Bldg Fire Elec Other
Issued July 15, 1954
Expires August 16, 1954

Dear Sir:

On August 4, 1954

at 44 Clark Street, Portland, Maine an examination was made of the premises located
Non-compliance with the ordinances relating to housing conditions was found as detailed below.
In accordance with the provisions of the above ordinance, you are hereby ordered to correct these
defects according to specification within the time limits allowed. Failure to comply with this notice will
necessitate legal action.
Some repairs or improvements required will necessitate permits which are to be obtained from the
Building Inspector, Health, Fire or other City Departments. These must be obtained before the work is started.
If any additional information is desired, visit or telephone the Housing Supervisor at this Office,
telephone 4-1431, extension 226. kindly notify this office as soon as all corrections have been completed.

Very truly yours,
Edward W. Colby, M.D.
Health Director

By _____
Housing Supervisor

VIOLATIONS & SPECIFICATIONS

- #1 Responsibility of Owner or Agent ** Responsibility of Occupant
- #1 ~~Plumbing~~ Check and have repaired all defective plumbing and plumbing fixtures throughout the structure.
 - a) Install a bath or shower conveniently located within the structure.
- #2 ~~Painting~~
 - a) Install a collar around the flue connected to the stove in the collar.
 - b) Install a clean out door at the base of the chimney.
- #3 ~~Electrical Equipment~~ Check and have repaired all defective electric wiring and electrical equipment throughout the structure.
 - a) Install convenience outlets in all the rooms where there is a dangerous, excessive use of extension cords.
 - b) Disconnect and do not connect again the extension cord now nailed across the door in the living room. It is unsafe and extremely dangerous to nail an extension cord to any surface.
- #4 ~~Structural Repairs~~ Repair and put in good order all dilapidated and hazardous parts of the structure as follows:
 - a) Repair or replace the loose, worn and dilapidated cellar stairway treads.
 - b) Putty the loose window panes in all the windows throughout the structure.
 - c) Replace the broken windows throughout the structure.
 - d) Replace the missing drainpipe "down spout" on the left side of the structure.
 - e) Replace the loose or missing bricks on the foundation at the rear of the structure.
 - f) Determine the reason and remedy the condition which causes the second floor outside porch to cant.
 - g) Repair or replace the loose worn dilapidated and hazardous parts of the outside porch.

(Over)

To: Housing Division, Health Department
From:

Date: _____
This is to inform you that deficiencies of which this Department has been notified, have been corrected to your satisfaction.

Remarks: _____

Loc. 44 Clark Street
Loc w/i S B
Bldg Fire Elec Other
Issued July 15, 1954
Expires August 16, 1954

Signature _____

(Please return to Housing Division of Health Department when corrections have been COMPLETED)

41 Sanitary and Sanitary Containers
Provide suitable, sufficient, water tight, tightly covered metal
garbage and rubbish containers.

The above mentioned conditions are in violation of the City
Ordinances "Minimum Standards for Continued Occupancy", "Authority to
Vandal Buildings" and "Garbage and Rubbish Containers" and must be
corrected on or before August 16, 1954.

RECEIVED
JUL 15 1954
DEPT. OF BLDG. INSP.
CITY OF PORTLAND



City of Portland.

3363

7-17-1911

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on *Adams* street, at number *74* to be *1* stories high *10* feet long, *10* feet wide; also an addition to be *1* stories high, *10* feet long, *10* feet wide, and to be used as a *Dwelling*

The material to be used in the erection enlargement of said building is to be as follows:

Exterior walls to be made of *General repairs*
Roof to be made of
Gutters to be made of
Cornices to be made of

Bay windows to be made of

Dormer windows to be made of

The builder is *J. Kertin*

The architect is *None*

The owner is

Address *Adams Street*

Address

Address

(Applicant to sign here)

J. Kertin

OFFICE OF INSPECTOR OF BUILDINGS, FOR THE CITY OF PORTLAND.

OFFICE HOURS: 10-11 A. M. 4-8 P. M.

The above petition was granted the


17

day of

July

1911

44 CLARK STREET



L

L



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date May 7, 19 82
 Receipt and Permit number A77686

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 44 Clark St.
 OWNER'S NAME: Richard C Velt ADDRESS: same

	FEES
OUTLETS:	
Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL <u>1-60</u>	5.00
FIXTURES: (number of)	
Incandescent <u>15</u> Fluorescent <u>1</u> (not strip) TOTAL <u>16</u>	3.60
Strip Fluorescent _____ ft. _____	
SERVICES:	
Overhead _____ Underground _____ Temporary _____ TOTAL amperes _____	
METERS: (number of) _____	
MOTORS: (number of)	
Fractional _____	
1 HP or over _____	
RESIDENTIAL HEATING:	
Oil or Gas (number of units) _____	
Electric (number of rooms) _____	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a ma. boiler) _____	
Oil or Gas (by separate units) _____	
Electric Under 20 kws _____ Over 20 kws _____	
APPLIANCES: (number of)	
Ranges _____	
Cook Tops _____	
Wall Ovens _____	
Dryers _____	
Fans _____	
Water Heaters _____	
Disposals _____	
Dishwashers _____	
Compactors _____	
Others (denote) _____	
TOTAL _____	1.50
MISCELLANEOUS: (number of)	
Branch Panels _____	
Transformers _____	
Air Conditioners Central Unit _____	
Separate Units (windows) _____	
Signs 20 sq. ft. and under _____	
Over 20 sq. ft. _____	
Swimming Pools Above Ground _____	
In Ground _____	
Fire/Burglar Alarms Residential _____	
Commercial _____	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____	
over 30 amps _____	
Circus, Fairs etc. _____	
Alteration to wires _____	
Repair after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT INSTALLATION FEE DUE: _____
 FOR REMOVAL OF A "STOP ORDER" (30-16.b) DOUBLE FEE DUE: _____
 TOTAL AMOUNT DUE: 10.10

INSPECTION:
 Will be ready on _____, 19__; or Will Call xxx
 CONTRACTOR'S NAME: Homeowner
 ADDRESS: same
 TEL: _____
 MASTER LICENSE NO.: new listed 775-6141 work # Yolanda Theunissen
 LIMITED LICENSE NO.: _____
 SIGNATURE OF CONTRACTOR: Richard C. Velt

INSPECTOR'S COPY -- WHITE
 OFFICE COPY -- CANARY
 CONTRACTOR'S COPY -- GREEN



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date June 25, 19 82
 Receipt and Permit number A77838

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 44 Clark St.
 OWNER'S NAME: Robert Veep ADDRESS: lives there

	FEES
OUTLETS:	
Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL _____	
FIXTURES: (number of)	
Incandescent _____ Fluorescent _____ (not strip) TOTAL _____	
Strip Fluorescent _____ ft. _____	
SERVICES:	
Overhead <input checked="" type="checkbox"/> Underground _____ Temporary _____ TOTAL amperes <u>100</u>	3.00
METERS: (number of) <u>1</u>	.50
MOTORS: (number of)	
Fractional _____	
1 HP or over _____	
RESIDENTIAL HEATING:	
Oil or Gas (number of units) _____	
Electric (number of rooms) _____	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler) _____	
Oil or Gas (by separate units) _____	
Electric Under 20 kws _____ Over 20 kws _____	
APPLIANCES: (number of)	
Ranges _____ Water Heaters _____	
Cook Tops _____ Disposals _____	
Wall Ovens _____ Dishwashers _____	
Dryers _____ Compactors _____	
Fans _____ Others (denote) _____	
TOTAL _____	
MISCELLANEOUS: (number of)	
Branch Panels: _____	
Transformers _____	
Air Conditioners Central Unit _____	
Separate Units (windows) _____	
Signs 20 sq. ft. and under _____	
Over 20 sq. ft. _____	
Swimming Pools Above Ground _____	
In Ground _____	
Fire/Burglar Alarms Residential _____	
Commercial _____	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____	
over 30 amps _____	
Circus, Fairs, etc. _____	
Alterations to wires _____	
Repairs after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	
INSTALLATION FEE DUE: _____	
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT DOUBLE FEE DUE: _____	
FOR REMOVAL OF A "STOP ORDER" (304-16.b) DOUBLE FEE DUE: _____	
TOTAL AMOUNT DUE:	3.50

INSPECTION:

Will be ready on 6-28-82, 1982; or Will Call _____

CONTRACTOR'S NAME: Forrest McMahon
 ADDRESS: 121 Holm Avenue
 TEL.: _____

MASTER LICENSE NO.: 3512 SIGNATURE OF CONTRACTOR: Forrest McMahon
 LIMITED LICENSE NO.: _____

INSPECTOR'S COPY — WHITE
 OFFICE COPY — CANARY
 CONTRACTOR'S COPY — GREEN

ELECTRICAL INSTALLATIONS —

Permit Number 77838
Location 44 Clark St.
Owner R. Veep
Date of Permit 6-25-82
Final Inspection 6-29-82
By Inspector Tilley
Permit Application Register Page No. 121

INSPECTIONS: Service by Tilley
Service called in 6-29-82 by _____
Closing-in _____
PROGRESS INSPECTIONS: 6-28-82 Nett

CODE
COMPLIANCE
COMPLETED
DATE 6-29-82
REMARKS:
DATE: _____

Vertical lines for handwritten notes and remarks.



ch
APPLICATION FOR PERMIT
 DEPARTMENT OF BUILDING INSPECTIONS SERVICES
 ELECTRICAL INSTALLATIONS

Date February 10, 1986
 Receipt and Permit number D 23148

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 44 Clark Street
 OWNER'S NAME: Bruce Smith ADDRESS: 44 Clark St.

FEES

OUTLETS:

Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL _____

FIXTURES: (number of)

Incandescent _____ Fluorescent _____ (not strip) TOTAL _____
 Strip Fluorescent _____ ft. _____

SERVICES:

Overhead _____ Underground _____ Temporary _____ TOTAL amperes _____

METERS: (number of) _____

MOTORS: (number of)

Fractional _____
 1 HP or over _____

RESIDENTIAL HEATING:

Oil or Gas (number of units) _____
 Electric (number of rooms) _____

COMMERCIAL OR INDUSTRIAL HEATING:

Oil or Gas (by a main boiler) _____
 Oil or Gas (by separate units) _____
 Electric Under 20 kws _____ Over 20 kws _____

APPLIANCES: (number of)

Ranges _____	Water Heaters _____
Cook Tops _____	Disposals _____
Wall Ovens _____	Dishwashers _____
Dryers _____ 1 _____	Compactors _____
Fans _____	Others (denote) _____

TOTAL 1 1 1.50

MISCELLANEOUS: (number of)

Branch Panels _____
 Transformers _____
 Air Conditioner: Central Unit _____
 Separate Units (windows) _____
 Sign. 70 sq. ft. and under _____
 Over 20 sq. ft. _____
 Swimming Pools Above Ground _____
 In Ground _____
 Fire/Burglar Alarms Residential _____
 Commercial _____
 Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____
 over 30 amps _____
 Circus, Fairs, etc. _____
 Alterations to wires _____
 Repairs after fire _____
 Emergency Lights, battery _____
 Emergency Generators _____

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT INSTALLATION FEE DUE: _____
 FOR REMOVAL OF A "STOP ORDER" (304-16.b) DOUBLE FEE DUE: _____
 TOTAL AMOUNT DUE: ^{Minimum} 5.00

INSPECTION:

Will be ready on 2/10/86, 19__; or Will Call _____

CONTRACTOR'S NAME: Marino's Electric

ADDRESS: 68 Taft Ave. Portland, Maine

TEL.: 774-3129

MASTER LICENSE NO.: 2299 SIGNATURE OF CONTRACTOR: _____

LIMITED LICENSE NO.: _____ *James M. Marino for*

Marino's Elect

INSPECTOR'S COPY -- WHITE
 OFFICE COPY -- CANARY
 CONTRACTOR'S COPY -- GREEN



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of
 Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:
 LOCATION OF WORK: 44 Clark Street
 OWNER'S NAME: Bruce Smith ADDRESS: 44 Clark St. Date February 10, 1986
 Receipt and Permit number D 23148

OUTLETS: Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL _____ FEES _____

FIXTURES: (number of) Incandescent _____ Fluorescent _____ (not strip) TOTAL _____

SERVICES: Strip Fluorescent _____ ft. _____

METERS: (number of) Overhead _____ Underground _____ Temporary _____ TOTAL amperes _____

MOTORS: (number of) Fractional _____ 1 HP or over _____

RESIDENTIAL HEATING: Oil or Gas (number of units) _____ Electric (number of rooms) _____

COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) _____ Oil or Gas (by separate units) _____ Electric Under 20 kws _____ Over 20 kws _____

APPLIANCES: (number of) Ranges _____ Cook Tops _____ Wall Ovens _____ Dryers _____ Fans _____

Water Heaters _____ Disposals _____ Dishwashers _____ Compactors _____ Others (denote) _____

MISCELLANEOUS: (number of) Branch Panels _____ Transformers _____ Air Conditioners Central Unit _____ Separate Units (windows) _____ Signs 20 sq. ft. and under _____ Over 20 sq. ft. _____ Swimming Pools Above Ground _____ In Ground _____ Fire/Burglar Alarms Residential _____ Commercial _____ Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____ over 30 amps _____ Circus, Fairs, etc. _____ Alterations to wires _____ Repairs after fire _____ Emergency Lights, battery _____ Emergency Generators _____

ADDITIONAL WORK NOT ON ORIGINAL PERMIT INSTALLATION FEE DUE: _____
 CANCELLATION OF A "STOP ORDER" (304-16.b) DOUBLE FEE DUE: _____
 TOTAL AMOUNT DUE: _____ Minimum 5.00

Permit ready on 2/10/86, 1986; or Will Call _____

CONTRACTOR'S NAME: Marino's Electric
 ADDRESS: 68 Taft Ave. Portland, Maine
 TEL: 774-3129
 LICENSE NO.: 774-3129
 EXPIRES: 2292

SIGNATURE OF CONTRACTOR: Marino's Electric
 INSPECTOR'S COPY — WHITE
 OFFICE COPY — CANARY
 CONTRACTOR'S COPY — GREEN

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 44 Clark St		Owner <i>Ellis, Steven</i>		Phone: 642-4907		Permit No: 940965	
Owner Address: RFD #7 Box 353 Gorham, ME 04038		Leasee/Buyer's Name:		Phone:		Business Name:	
Contactor Name: Self		Address:		Phone:		Permit Issued: PERMIT ISSUED SEP 13 1994 CITY OF PORTLAND	
Past Use: 1-fam		Proposed Use: 1-fam w/int & ext reno to repair fire damage		COST OF WORK: \$ 10,836.00		PERMIT FEE: \$ 75.00	
Proposed Project Description: Repair 1-fam dwelling after fire/restore to original		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group 3 Type <i>5B</i> BOCA 93 Signature: <i>Hoffe</i>		Zoning Approval: <i>W-2</i> Special Zone Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Signature:		Date:	

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.

**PERMIT ISSUED
WITH REQUIREMENTS**

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: *Steven Ellis* ADDRESS: _____ DATE: 09 Sept '94 PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: _____ PHONE: _____

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied

Date: *9/12/94*

CEO DISTRICT **3**
MS Simpson

White-Permit Desk Green-Assessor's Canary-D.R.W. Pink-Public File Ivory Card-Inspector