


365-367 DANFORTH STREET

SHAW-WALKER

Full cut #920R - Half cut #920R - Third cut #920R - Full cut #920R

GARAGE SITE PLAN
365 Danforth St
Portland, Maine
Peter A. Howe, Owner

8/18/80



← ORCHARD STREET →

3/32 Scale

P.A. Howe



APPLICATION FOR PERMIT

PERMIT ISSUED

B.O. A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION

00 641

AUG 19 1980

ZONING LOCATION R-4 PORTLAND, MAINE, .. Aug. 19, 1980

CITY OF PORTLAND

To the DIRECTOR OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 365 Danforth St. Fire District #1 ☐ #2 ☐
1. Owner's name and address Peter Howe 365 Danforth St. Telephone 774-6845
2. Lessee's name and address Telephone
3. Contractor's name and address owner Telephone
4. Architect Specifications Plans No. of sheets
Proposed use of building detached garage No. families
Last use No. families
Material No. stories Heat Style of roof Roofing
Other buildings on same lot
Estimated contractual cost \$ 3500. Fee \$ 19.

FIELD INSPECTOR—Mr. GENERAL DESCRIPTION

This application is for: @ 775-5451 To construct 20'x24' detached garage as per plan
Dwelling Ext. 234
Garage
Masonry Bldg.
Metal Bldg.
Alterations
Demolitions
Change of Use
Other

Stamp of Special Conditions

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

PERMIT IS TO BE ISSUED TO 1 ☒ 2 ☐ 3 ☐ 4 ☐

Other:

DETAILS OF NEW WORK

Is any plumbing involved in this work? Is any electrical work involved in this work?
Is connection to be made to public sewer? If not, what is proposed for sewage?
Has septic tank notice been sent? Form notice sent?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Kind of roof Rise per foot Roof covering
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing Lumber—Kind Dressed or full size? Corner posts Sills
Size Girder Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor 2nd 3rd roof
On centers: 1st floor 2nd 3rd roof
Maximum span: 1st floor 2nd 3rd roof
If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot, to be accommodated ... number commercial cars to be accommodated ...
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY:

DATE

MISCELLANEOUS

BUILDING INSPECTION—PLAN EXAMINER

ZONING: OK Place 8/15/80

Will work require disturbing of any tree on a public street? ..

BUILDING CODE:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? .. yes ..

Fire Dept.:

Health Dept.:

Others:

Signature of Applicant

Peter Howe

Phone # 774-6845

Type Name of above ... Peter Howe

1 ☐ 2 ☐ 3 ☐ 4 ☐

Other
and Address

FIELD INSPECTOR'S COPY

NOTES

8-25-80 Just started to put up forms for lot line given. Met SHAS, got a couple inches under 20' - No zoning slip to show what runs are - After said this was OK when other came in for permit 9-4-80 wall is in back of lot -

No framing

9-22-80 Same -

10-20-80 Frame is up - has about a 20" header including the plates - windows out back are framed wrong - NO JACK STUDS - lot owner knows about red headers & will correct - completed except for finishing -

Permit No. 80/644
Location 315/10 Donnell St.
Owner C. J. McNamee
Date of permit 8-18-80
Approved 8-19-80 [Signature]
20' x 34' [Signature]



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date 4-23, 1979
Receipt and Permit number A24030

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 365 ~~XXXXX~~ Danforth Street

OWNER'S NAME: Peter Howe ADDRESS: same

	FEE
OUTLETS:	
Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL _____	
FIXTURES: (number of)	
Incandescent _____ Fluorescent _____ (not strip) TOTAL _____	
Strip Fluorescent _____ ft. _____	
SERVICES:	
Overhead _____ Underground _____ Temporary _____ TOTAL amperes _____	
METERS: (number of) _____	
MOTORS: (number of)	
Fractional _____	
1 HP or over _____	
RESIDENTIAL HEATING:	
Oil or Gas (number of units) <u>1</u> _____	<u>3.00</u>
Electric (number of rooms) _____	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler) _____	
Oil or Gas (by separate units) _____	
Electric Under 20 kws _____ Over 20 kws _____	
APPLIANCES: (number of)	
Ranges _____	
Cook Tops _____	
Wall Ovens _____	
Dryers _____	
Fans _____	
Water Heaters _____	
Disposals _____	
Dishwashers _____	
Compactors _____	
Others (denote) _____	
TOTAL _____	
MISCELLANEOUS: (number of)	
Branch Panels _____	
Transformers _____	
Air Conditioners Central Unit _____	
Separate Units (windows) _____	
Signs 20 sq. ft. and under _____	
Over 20 sq. ft. _____	
Swimming Pools Above Ground _____	
In Ground _____	
Fire/Burglar Alarms Residential _____	
Commercial _____	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____	
over 30 amps _____	
Circus, Fairs, etc. _____	
Alterations to wires _____	
Repairs after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	
INSTALLATION FEE DUE: _____	
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT DOUBLE FEE DUE: _____	
FOR REMOVAL OF A "STOP ORDER" (304-16.b) TOTAL AMOUNT DUE: <u>3.00</u>	

INSPECTION:

Will be ready on , 19 ; or Will Call x

CONTRACTOR'S NAME: Richard Profenno

ADDRESS: 58 Christy Rd. Portl, Me.

TEL: 797-4953

MASTER LICENSE NO.: 2053

LIMITED LICENSE NO.: _____

SIGNATURE OF CONTRACTOR:

Richard A. Profenno

INSPECTOR'S COPY — WHITE

OFFICE COPY — CANARY

CONTRACTOR'S COPY — GREEN

ELECTRICAL INSTALLATIONS—

Permit Number 24030

Location 263 Danforth St

Owner W. S. Jones

Date of Permit 7-2-11

Final Inspection, 6-27-71

By Inspector _____

Permit Application Register Page No. _____

INSPECTIONS: Service _____ by _____

Service called in _____

Closing-in _____ by _____

PROGRESS INSPECTIONS: 6-21-79 1110H 1 _____

6-25-79

_____ / _____ / _____

_____ / _____ / _____

_____ / _____ / _____

_____ / _____ / _____

CODE
COMPLIANCE
COMPLETED

DATE 6-25-79

DATE:

REMARKS:

OK



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR
HEATING, COOKING OR POWER EQUIPMENT

000298 PERMIT ISSUED

APR 30 1979

Portland, Maine, 4-23-79

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 365 Danforth Street Use of Building single fam. No. Stories 2 New Building
Name and address of owner of appliance Peter Howe - Portland, Me. Existing "☒"
Installer's name and address Richard Profenno - 58 Christy Rd., Portland Telephone 797-4953

General Description of Work

To install Hot Water boiler replacement

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? Kind of fuel? #2 oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 3' all around
From top of smoke pipe From front of appliance From sides or back of appliance
Size of chimney flue 10" Other connections to same flue no
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Burnham-American Labelled by underwriters' laboratories? yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete Size of vent pipe 1 1/2"
Location of oil storage basement Number and capacity of tanks 1 - 275
Low water shut off yes Make MacDonald/Miller No.
Will all tanks be more than five feet from any flame? yes How many tanks enclosed? none
Total capacity of any existing storage tanks for furnace burners 1 - 275

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of Legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 5.00

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

CS 300

INSPECTION COPY

Signature of Installer

Richard A. Profenno

NOTES

6-11-79 Couldn't get in - 
 6-15-79 unable to get in - No call
 will cross off until can get in

Permit No. 79/298
 Location 365 Wackerline St.
 Owner Edna Burke
 Date of permit 6-23-79
 Approved 1-30-79 replacement

1. 1 1/2" FILL PIPE
2. 1/4" VENT PIPE
3. Block of wood
4. Hammer, Nails & Support
5. Screen & mesh
6. Spring Control
7. Wire mesh Control
8. Metal Control Switch
9. 1/4" x 1/2" x 1/4" Control
10. 1/4" x 1/2" x 1/4" Control
11. 1/4" x 1/2" x 1/4" Control
12. 1/4" x 1/2" x 1/4" Control
13. 1/4" x 1/2" x 1/4" Control
14. 1/4" x 1/2" x 1/4" Control
15. 1/4" x 1/2" x 1/4" Control
16. 1/4" x 1/2" x 1/4" Control
17. 1/4" x 1/2" x 1/4" Control
18. Adequate ventilation
19. Suitable & combustible
20. Thermal Control switch



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date April 18, 19 78
Receipt and Permit number A 10591

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 365 Danforth St.

OWNER'S NAME: Peter Howe

ADDRESS: same

OUTLETS: (number of)

Lights _____

Receptacles _____

Switches _____

Plugmold _____ (number of feet)

TOTAL _____

FEES

FIXTURES: (number of)

Incandescent _____

Fluorescent _____ (Do not include strip fluorescent)

TOTAL _____

Strip Fluorescent, in feet _____

SERVICES:

Permanent, total amperes 100

Temporary _____

3.00

METERS: (number of)

2

1.00

MOTORS: (number of)

Fractional _____

1 HP or over _____

RESIDENTIAL HEATING:

Oil or Gas (number of units) _____

Electric (number of rooms) _____

COMMERCIAL OR INDUSTRIAL HEATING:

Oil or Gas (by a main boiler) _____

Oil or Gas (by separate units) _____

Electric (total number of kws) _____

APPLIANCES: (number of)

Ranges _____

Cook tops _____

Wall Ovens _____

Dryers _____

Fans _____

Water Heaters _____

Disposals _____

Dishwashers _____

Compactors _____

Others (denote) _____

TOTAL _____

MISCELLANEOUS: (number of)

Branch Panels x

Transformers _____

Air Conditioners _____

Signs _____

Fire/Burglar Alarms _____

Circus, Fairs, etc. _____

Alterations to wires _____

Repairs after fire _____

Heavy Duty, 220v outlets _____

Emergency Lights, battery _____

Emergency Generators _____

1.00

INSTALLATION FEE DUE: _____

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT _____

DOUBLE FEE DUE: _____

FOR REMOVAL OF A "STOP ORDER" (304-16.b) _____

FOR PERFORMING WORK WITHOUT A PERMIT (304-9) _____

TOTAL AMOUNT DUE: _____

5.00

INSPECTION:

Will be ready on _____, 19____; or Will Call xx

CONTRACTOR'S NAME: Marino Electric

ADDRESS: 68 Taft Ave.

TEL.: 77403129

MASTER LICENSE NO.: 2299

SIGNATURE OF CONTRACTOR:

LIMITED LICENSE NO.: _____

INSPECTOR'S COPY

G.A.M.

Permit Number

Location 2300

Owner James H. Jones

Date of Permit 1-10-62

Final Inspection _____

By Inspector _____

Permit Application Register Page No. 132

INSPECTIONS: Service ✓ by HERBERT
Service called in 4-24-78
Closing-in _____ by _____

PROGRESS INSPECTIONS:

CODE
COMPLIANCE
COMPLETED
DATE 4-24-78

[illegible]



FILL IN COMPLETELY AND SIGN WITH INK

PERMIT ISSUED
Permit No. 1568

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

Portland, Maine

Sept 29-1937

The undersigned hereby, applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 365 Danforth St Use of Building Resd. No. Stories 2

Name and address of owner B. E. Hagelund 365 Danforth St Ward 7

Contractor's name and address Community Oil Co. 512 Commercial Telephone 2-7491

General Description of Work

To install

Oil Burner

NOTIFICATION BEFORE LATHING,
OR CLOSING IN IS WAIVED

IF HEATER, POWER BOILER OR COOKING DEVICE

CERTIFICATE OF OCCUPANCY
REQUIREMENT IS WAIVED

Is heater or source of heat to be in cellar? yes If not, which story _____ Kind of Fuel oil

Material of supports of heater or equipment (concrete floor or what kind) Concrete

Minimum distance to wood or combustible material, from top of boiler or casing top of furnace _____

from top of smoke pipe _____, from front of heater _____ from sides or back of heater _____

Size of chimney flue _____ Other connections to same flue _____

IF OIL BURNER

Name and type of burner Community Labeled and approved by Underwriters' Laboratories? yes

Will operator be always in attendance? yes Type of oil feed (gravity or pressure) pressure

Location oil storage cellar No. and capacity of tanks 1-275 Gal.

Will all tanks be more than seven feet from any flame? yes How many tanks fireproofed? _____

Amount of fee enclosed? _____ (\$1.00 for one heater, 50 cents additional for each additional heater, etc., in same building at same time.)

INSPECTION COPY

Signature of Contractor

Community Oil Co.
W. R. Oldard. 563

Ward 7 Permit No. 37/1568

Location 365 Danforth St.

Owner C. G. Kiagelund

Date of permit 9/27/37

Post Card sent 9/27/37

Notif. for insp.

see Comp. C 37-162
Approval Tag issued

Oil Burner Check List (date) 12/14/37

1. Kind of heat Hot Water

2. Label ✓

3. Anti-siphon ✓

4. Oil storage ✓

Tank distance ✓

6. Vent pipe ✓

7. Fill pipe ✓

8. Gauge ✓

9. Rigidity ✓

10. Feed safety ✓

11. Pipe sizes and material ✓

12. Control valve ✓

13. Ash pit vent ✓

14. Temp. or pressure safety ✓

15. Instruction card Not to be provided

16. Shift of instructions checked

NOTES

12/11/37. Small part of fire

AB



CITY OF PORTLAND

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT
INSPECTION SERVICES DIVISION

January 2, 1984

The Gilman Group Inc.
3 Dana Street
Portland, Maine

RE: 365 Danforth Street

Dear Sir:

Your application to finish third floor and make renovations to existing dwelling has been reviewed and a building permit is herewith issued subject to the following requirements.

1. These plans were reviewed as a two family dwelling building.
2. 809.4 Emergency escape: Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms must have a minimum net clear opening of 5.7 square feet (0.53m²). The minimum net clear opening height dimension shall be 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm).

Bars, grilles or screens placed over emergency escape windows shall be releasable or removable from the inside without the use of a key, tool or excessive force.

EXCEPTIONS

1. Grade floor windows may have a minimum net clear opening of 5 square feet (0.47m²).
2. In buildings of Use Group R-3, where the sleeping room is provided with a door to a corridor having access to two remote exits in opposite directions, then an outside window or an exterior door for emergency escape from each such sleeping room is not required.
3. 1716.3.4 Sleeping areas and dwelling units: In addition to any automatic fire alarm system required by Sections 1716.3.2 and 1716.3.3, a minimum of one single station smoke detector shall be installed in each guest room, suite or sleeping area in buildings of Use Group R-1 and I-1 and in dwelling units in the




CITY OF PORTLAND

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT
INSPECTION SERVICES DIVISION

immediate vicinity of the bedrooms in buildings of Use Group R-2 or R-3. When actuated, the detector shall provide an alarm suitable to warn the occupants within the individual unit (see Section 1717.3.1). In buildings of Use Groups R-1 and R-2 which have basements an additional smoke detector shall be installed in the basement. In buildings of Use Group R-3, smoke detectors shall be required on every story of the dwelling unit including basements. In dwelling units with split levels, a smoke detector installed on the upper level shall suffice for the adjacent lower level provided the lower level is less than one full story below the upper level. If there is an intervening door between the adjacent levels, a smoke detector shall be installed on both levels. All detectors shall be installed in an approved location. Where more than one detector is required to be installed within an individual dwelling unit, the detectors shall be wired in such a manner that the actuation of one alarm will actuate all the alarms in the individual unit.

If you have any questions on these requirements, please call this office.

Sincerely,


P. Samuel Haffes
Chief of Inspection Services

BB

APPLICATION FOR PERMIT

PERMIT ISSUED

JAN 8 1935

CITY of PORTLAND

B.O.C.A. USE GROUP

B.O.C.A. TYPE OF CONSTRUCTION

016 25

ZONING LOCATION PORTLAND, MAINE 12/28/84

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 365 Danforth Street Fire District #1 ☐ #2 ☐

1. Owner's name and address Michael & Leslie Asen, same Telephone

2. Lessee's name and address The Gilman Group Inc. 3 Dana St. Telephone 772-0541

3. Contractor's name and address The Gilman Group Inc. 3 Dana St. Telephone 772-0541

..... No. of sheets

Proposed use of building No. families

Last use No. families

Material No. stories Heat Style of roof Roofing

Other buildings on same lot

Estimated contractual cost \$ 11,000 Appeal Fees \$

FIELD INSPECTOR—Mr. Base Fee

@ 775-5451

Late Fee

finishing third floor - renovations to existing dwelling as per plans.

TOTAL \$ 65.00

Stamp of Special Conditions

send to #3

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

DETAILS OF NEW WORK

Is any plumbing involved in this work? yes Is any electrical work involved in this work? yes

connection to be made to public sewer? If not, what is proposed for sewage?

Has septic tank notice been sent? Form notice sent?

Height average grade to top of plate Height average grade to highest point of roof

Size, front depth No. stories solid or filled land? earth or rock?

Material of foundation Thickness, top bottom cellar

Kind of roof Rise per foot Roof covering

No. of chimneys Material of chimneys of lining Kind of heat fuel

Framing Lumber—Kind Dressed or full size? Corner posts Sills

Size Girder Columns under girders Size Max. on centers

Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor 2nd 3rd roof

On centers: 1st floor 2nd 3rd roof

Maximum span: 1st floor 2nd 3rd roof

If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot to be accommodated number commercial cars to be accommodated

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY:

DATE

MISCELLANEOUS

BUILDING INSPECTION—PLAN EXAMINER Will work require disturbing of any tree on a public street?

ZONING: Will there be in charge of the above work a person competent

BUILDING CODE: to see that the State and City requirements pertaining thereto

Fire Dept.: are observed?

Health Dept.: Others:

Signature of Applicant

Lincoln Gilman

Phone #

772-0541

Type Name of above

1 ☐ 2 ☐ 3 ☐ 4 ☐

Other

and Address

5

FIELD INSPECTOR'S COPY

APPLICANT'S COPY

OFFICE FILE COPY

Department of Human Services
Division of Health Engineering
(207) 289-3826

PROPERTY ADDRESS	
Town Or Plantation	PORTLAND
Street	365 DAUFORTH ST
Subdivision Lot #	
PROPERTY OWNERS NAME	
Last: ASEN	First: MICHAEL
Applicant Name:	PAUL BEGM
Mailing Address of Owner/Applicant (If Different)	PO BOX 120 50 FRIER RT, MI 04678

PORTLAND PERMIT # 833 TOWN COPY
 Date 12/10/81 \$ ☐ Double Fee
 Fee Charged
James J. Goodman L.P.I. #
 Local Plumbing Inspector Signature

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Owner/Applicant Statement
I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant

1/5/79
Date

Local Plumbing Inspector Signature

Date Approved _____

PERMIT INFORMATION

This Application Is for 1. ☒ NEW PLUMBING 2. ☐ RELOCATED PLUMBING	Type Of Structure To Be Served: 1. ☒ SINGLE FAMILY DWELLING 2. ☐ MODULAR OR MOBILE HOME 3. ☐ MULTIPLE FAMILY DWELLING 4. ☐ OTHER - SPECIFY: _____	Plumbing To Be Installed By: 1. ☒ MASTER PLUMBER 2. ☐ OIL BURNERMAN 3. ☐ MFG'D. HOUSING DEALER/MECHANIC 4. ☐ PUBLIC UTILITY EMPLOYEE 5. ☐ PROPERTY OWNER LICENSE # <u>122146</u>
---	---	---

Number		Hook-Ups And Piping Relocation	Number	Column 2 Type Of Fixture	Number	Column 1 Type Of Fixture
		HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.		Hosebibb / Sillcock	1	Bathtub (and Shower)
				Floor Drain		Shower (Separate)
				Urinal	1	Sink
		HOOK-UP: to an existing subsurface wastewater disposal system.		Drinking Fountain		Wash. Basin
				Indirect Waste	1	Water Closet (Toilet)
				Water Treatment Softener, Filter, etc		Clothes Washer
		PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.		Grease/Oil Separator		Dish Washer
				Dental Cuspidor		Garbage Disposal
				Bidet		Laundry Tub
			Other: _____		Water Heater	
		Hook-Ups (Subtotal)		Fixtures (Subtotal) Column 2	3	Fixtures (Subtotal) Column 1
\$		Hook-Up Fee				Fixtures (Subtotal) Column 2
					3	Total Fixtures
					\$ 9.	Fixture Fee
					\$	Hook-Up Fee
					\$ 9.	Permit Fee (Total)

SEE PERMIT FEE SCHEDULE
FOR CALCULATING FEE

TOWN COPY



the gilman group, inc.

3 dana street, old port exchange, portland, maine 04101 207-772-0541

November 8, 1984

Michael & Leslie Asen
365 Danforth Street
Portland, Maine

773-9600

Re: THIRD FLOOR RENOVATION CONSTRUCTION SPECIFICATIONS

A. SITE PREPARATION

1. Playroom
 - a. remove ceiling and wall paneling.
2. Bathroom
 - a. remove necessary flooring for plumber.
3. Office, Guest Room
 - a. remove wall sections
 - b. remove paneling and shelving.
4. Existing Lavatory
 - a. remove existing walls, cabinet and ceiling.
 - b. enlarge opening to office/guest room.
5. Remove existing stair railings.
6. Cut 2 vent openings in cable ends
7. Dispose of debris

B. ROUGH CARPENTRY

1. Frame new walls per plan
2. Frame new skylite opening - TPS-2 VELUX
3. Complete necessary framing for dormer and playroom turret angles

building • remodeling • design

November 8, 1984

B. ROUGH CARPENTRY - Continued

4. Provide necessary framing for vents
5. Provide blocking for mirror and back splash.
6. Furr-out dormer rafters in bath and office
 - a. Attach 2" x 1 1/2" service to form
5 1/2" deep bays for proper vent - 6" fiberglass
7. Replace sub-flooring in bath and at new heat locations
 - a. add 1/2" underlayment

C. INSULATION AND VENT

1. Install 3 1/2" F.F. on gable endwalls 500 ft²
2. Install 6" F.F. in rafters to ceiling line - 500 ft²
3. Lay 6" on ceilings - 450 ft²
4. Install proper vent in turret ceiling and sloped ceilings - 500 ft²
5. Install 2 gable end vents.
6. Install 2 ridge vents on bath and office dormers
7. Install round soffit vent plugs
8. Install Turret vent
9. Install 6 mil. poly vapor barriers.

D. FINISH CARPENTRY

1. Install 6 new door units and alter height as required
 - a. 20 - 64 M - 1051 - 1 3/8
 - b. 26 - 64 M - 1051 - not prehung
 - c. 26 - 64 M - 1051 - 1 3/8
 - d. 26 - 60 M - 1051 - not prehung
 - e. 28 - 68 M - 1051 - 1 3/8
 - f. ~~40 - 66 M - 4FD - 1051~~
2. Install 1 x 4 square edge casings to doors
3. Install 1 Velux TPS - 2 Skylite
 - a. reshingle and flash exterior
 - b. trim interior for drywall return
4. Install 1 x 4 select pine baseboard 224 feet
5. Fabricate and install vanity - paint ready
 - a. shop grade birch plywood
 - b. 2 doors 3/8" rabbet - 3/4" pine nosed
 - c. shelves - 1 to each side - 3/4" pine nosed

Michael & Leslie Asen

-3-

November 8, 1984

D. FINISH CARPENTRY - continued

6. Install 1 x 8" birch shelf on top of stair knee wall

a. install birch handrail and ballasters

7. Fabricate & install child's laminate countertop

8. Fabricate and install laminate countertop with backsplash in bath

9. Fabricate and install laminate shelf in bath

10. Install shelf and pole in closet

11. Replace necessary siding around new vents

12. Window Options - we recommend further investigation on each individual window unit, since some sash is falling apart and jambs are deteriorating or split.

11,791.76

- 992

credit

10,789.76

say 11,000.

EXIST. SIDE WINDOWS
TO BE REMOVED - FINISH
OPENING & EXTERIOR
WALL TO MATCH EXIST.

OF 3/4" FLYWD. ON 2X4
JOISTS 16" O.C. BUILT ON
TOP OF EXIST. FLOOR OR
CONTRACTORS ALTERNATIVE
TO CONCEAL PLUMBING WITH-
OUT DISTURBING CEILING
AT SECOND FLOOR BELOW

BUILD NEW WALL
& LOCATION OF
EXIST. WALL

⑤ TO REMAIN AS
EXISTS

STEP UP

REMOVE WALL

NEW WALL
2X4'S 24" O.C.
1/2" GYPS. CORE
SIDE ONLY

3'-0"

STEP UP 4"

REMOVE EXIST.
WALL AND
DOOR OPENING

REMOVE ALL WOOD
PANELING. INSULATE
EXTERIOR WALLS W/ FIBER-
GLASS BATS TYPICAL

① OFFICE AND
GUEST ROOM

LINE OF CEILING

ENLARGE EXIST.
DOOR OPENING FOR
NEW DOOR

28' X 68'

REMOVE
WALLS

7'-0" BUILT

CLOSET

BATH

CREATE W.
& EXIST. S.
OF REAR

③ STOKA

4" STEP UP

EXIST.
STACK

CHILD'S
COUNTER

WALL
BELOW

EXIST. FLOOR

EXIST. SIDE WINDOWS
TO BE REMOVED - FINISH
INTERIOR & EXTERIOR
TO MATCH EXIST.

OF 5/4" PLYWD. ON 2 X 4
JOISTS 16" O.C. BUILT ON
TOP OF EXIST. FLOOR OR
CONTRACTOR'S ALTERNATIVE
TO CONCEAL PLUMBING WITH-
OUT DISTURBING CEILING
AT SECOND FLOOR BELOW.

"BUILD NEW WALL
& LOCATION OF
EXIST. WALL"

⑤ TO REMAIN AS
EXIST.

STEP UP

REMOVE WALL

STEP UP 4"

REMOVE EXIST.
WALL AND
POOR FINISH

REMOVE ALL WOOD
PANELING. INSULATE
EXTERIOR WALLS W/ FIBER-
GLASS BATS TYPICAL

① OFFICE AND
GUEST ROOM

LINE OF CEILING

ENLARGE EXIST.
DOOR OPENING FOR
NEW DOOR

28 X 68

REMOVE WALLS

7/8" BUILD

ADJUSTER

21 8'-0"

LOCATE WALL
& DUNST. EDGE
OF TRIMMER OPENING

③ STORAGE

4" STEP UP

EXISTG.
STACK

CHILDS
COUNTER

EXISTG. STAIR DOWN

WALL
BELOW

1.

COUNTER

② PLAYROOM

LINE OF
CEILING

VIEW
NE
SE
CH

Applicant: *Lincoln Hilman for The Hilman Group, 3 Dana St.*

Date: *Dec 28, 1984*

Address: *365 Danforth St.*

Assessors No.: *16E-12*

For Michael & Leslie Asea

CHECK LIST AGAINST ZONING ORDINANCE

Date -

Zone Location -

Interior or corner lot -

Use - *Two Family?*

Sewage Disposal -

Rear Yards -

Side Yards -

Front Yards -

Projections -

Height -

Lot Area - *12,500 sq. ft.*

Building Area -

Area per Family -

Width of Lot -

Lot Frontage -

Off-street Parking -

Loading Bays -

Site Plan -

Shoreland Zoning -

Flood Plains -

Floor Area

$$1620 \times 2 = 3240$$

$$468 \times 2 = 936 \text{ sq. ft.}$$

$$\underline{4176 \text{ sq. ft.}}$$



CITY OF PORTLAND

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT
INSPECTION SERVICES DIVISION

January 2, 1984

The Gilman Group Inc.
3 Dana Street
Portland, Maine

RE: 365 Danforth Street

Dear Sir:

Your application to finish third floor and make renovations to existing dwelling has been reviewed and a building permit is herewith issued subject to the following requirements.

1. These plans were reviewed as a two family dwelling building.
2. 809.4 Emergency escape: Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms must have a minimum net clear opening of 5.7 square feet (0.53m²). The minimum net clear opening height dimension shall be 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm).

Bars, grilles or screens placed over emergency escape windows shall be releasable or removable from the inside without the use of a key, tool or excessive force.

EXCEPTIONS

1. Grade floor windows may have a minimum net clear opening of 5 square feet (0.47m²).
2. In buildings of Use Group R-3, where the sleeping room is provided with a door to a corridor having access to two remote exits in opposite directions, then an outside window or an exterior door for emergency escape from each such sleeping room is not required.
3. 1716.3.4 Sleeping areas and dwelling units: In addition to any automatic fire alarm system required by Sections 1716.3.2 and 1716.3.3, a minimum of one single station smoke detector shall be installed in each guest room, suite or sleeping area in buildings of Use Group R-1 and I-1 and in dwelling units in the



CITY OF PORTLAND

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT
INSPECTION SERVICES DIVISION

immediate vicinity of the bedrooms in buildings of Use Group R-2 or R-3. When actuated, the detector shall provide an alarm suitable to warn the occupants within the individual unit (see Section 1717.3.1). In buildings of Use Groups R-1 and R-2 which have basements an additional smoke detector shall be installed in the basement. In buildings of Use Group R-3, smoke detectors shall be required on every story of the dwelling unit including basements. In dwelling units with split levels, a smoke detector installed on the upper level shall suffice for the adjacent lower level provided the lower level is less than one full story below the upper level. If there is an intervening door between the adjacent levels, a smoke detector shall be installed on both levels. All detectors shall be installed in an approved location. Where more than one detector is required to be installed within an individual dwelling unit, the detectors shall be wired in such a manner that the actuation of one alarm will actuate all the alarms in the individual unit.

If you have any questions on these requirements, please call this office.

Sincerely,

P. Samuel Horvath
Chief of Inspection Services

APPLICATION FOR PERMIT
B.O.C.A. USE GROUP 01625 A-3
B.O.C.A. TYPE OF CONSTRUCTION 5-B 7
ZONING LOCATION R-6 PORTLAND, MAINE 12/28/84

PERMIT ISSUED

JAN 8 1985

CITY OF PORTLAND

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION 365 Danforth Street Fire District #1 ☐ #2 ☐
1. Owner's name and address Michael & Leslie Asen, same Telephone
2. Lessee's name and address Telephone
3. Contractor's name and address The Gilman Group Inc., 3 Dana St., Telephone 772-0541

..... No. of sheets
Proposed use of building No. families 3
Last use No. families 2
Material No. stories Heat Style of roof Roofing
Other buildings on same lot
Estimated contractual cost \$ 11,000

FIELD INSPECTOR—Mr.
@ 775-5451

Appeal Fees \$
Base Fee
Late Fee
TOTAL \$ 65.00

finishing third floor - renovations to
existing dwelling as per plans.

send to #3

Stamp of Special Conditions

PERMIT ISSUED
WITH LETTER

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanical.

DETAILS OF NEW WORK

Is any plumbing involved in this work? YES Is any electrical work involved in this work? YES
Is connection to be made to public sewer? If not, what is proposed for sewage?
Has septic tank notice been sent? Form notice sent?
Height average grade to top of plate Height average grade to highest point of roof
Size, front depth No. stories solid or filled land? earth or rock?
Material of foundation Thickness, top bottom cellar
Kind of roof Rise per foot Roof covering
No. of chimneys Material of chimneys of lining Kind of heat fuel
Framing Lumber—Kind Dressed or full size? Corner posts Sills
Size Girder Columns under girders Size Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor 2nd 3rd roof
On centers: 1st floor 2nd 3rd roof
Maximum span: 1st floor 2nd 3rd roof
If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot to be accommodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY:

DATE

MISCELLANEOUS

BUILDING INSPECTION—PLAN EXAMINER
ZONING: D.R. 2/28/85
BUILDING CODE:
Fire Dept.:
Health Dept.:
Others:

Will work require disturbing of any tree on a public street?
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

Signature of Applicant

Lincoln Gilman

Phone # 772-0541

Type Name of above

Other
and Address

PERMIT ISSUED
FIELD INSPECTOR'S COPY
WITH LETTER

APPLICANT'S COPY

OFFICE FILE COPY

5 M. Leary

NOTES

1-11-85 Contractor put the studs to close to the chimney. I told him minimum clearance of 2". Casing was to be set in the stairway into the 3rd floor. All framing has been done. OK for electric except for electric. 1-28-85 All electrical work has been completed except for the wiring in the kitchen. Plumbing has to be finished also.
4-23-85 Work is all completed

Permit No. 8511625
Location 3651 Danforth St.
Owner Michael Kucera
Date of permit 12-28-84
Approved 1-8-85
Dwelling
Garage
Alteration 3rd floor

930566

City of Portland BUILDING PERMIT APPLICATION Fee \$95. Zone _____ Map # _____ Lot # _____

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Michael P. Asen Phone # 775-3101
 Address: 365 Danforth St- Ptld, ME 04101
 LOCATION OF CONSTRUCTION 365 Danforth St.
 Contractor: Project Mgt, Inc Sub: 775-7442
 Address: Box 4857 - Ptld, ME Phone # 04112
 Est. Construction Cost: 15,000 Propose Use: 2-fam w renov
 Past Use: 2-fam
 # of Existing Res. Units _____ # of New Res. Units _____
 Building Dimensions L _____ W _____ Total Sq. Ft. _____
 # Stories: _____ # Bedrooms _____ Lot Size: _____
 Is Proposed Use: Seasonal _____ Condominium _____ Conversion _____
 Explain Conversion interior/exterior renovations

- bay window; intr renov

Foundations:

1. Type of Soil: _____
2. Set Backs - Front _____ Rear _____ Side(s) _____
3. Footings Size: _____
4. Foundation Size: _____
5. Other _____

Floor:

1. Sills Size: _____ Sills must be anchored.
2. Girder Size: _____
3. Lally Column Spacing: _____ Size: _____
4. Joists Size: _____ Spacing 16" O.C.
5. Bridging Type: _____ Size: _____
6. Floor Sheathing Type: _____ Size: _____
7. Other Material: _____

Exterior Walls:

1. Studding Size _____ Spacing _____
2. No. windows _____
3. No. Doors _____
4. Header Sizes _____ Span(s) _____
5. Bracing: Yes _____ No _____
6. Corner Posts Size _____
7. Insulation Type _____ Size _____
8. Sheathing Type _____ Size _____
9. Siding Type _____ Weather Exposure _____
10. Masonry Materials _____
11. Metal Materials _____

Interior Walls:

1. Studding Size _____ Spacing _____
2. Header Sizes _____ Span(s) _____
3. W-11 Covering Type _____
4. Fire Wall if required _____
5. Other Materials _____

White-Tax Assesor

Yellow-GPCOG

White Tag -CEO

PERMIT ISSUED
 For Official Use Only
 Date 6/25/93
 Inside Fire Limits _____
 Bldg Code _____
 Time Limit _____
 Estimated Cost 15,000
 City of Portland
 Zoning: _____
 Review Required: _____
 Zoning Board Approval: Yes _____ No _____ Date: _____
 Planning Board Approval: Yes _____ No _____ Date: _____
 Conditional Use: _____ Variance _____ Site Plan _____ Subdivision _____
 Shoreland Zoning Yes _____ No _____ Floodplain Yes _____ No _____
 Special Exception _____
 Other (Explain) WDA-76-30-93

Ceiling:

1. Ceiling Joists Size: _____
2. Ceiling Strapping Size _____ Spacing _____
3. Type Ceiling: _____
4. Insulation Type _____ Size _____
5. Ceiling Height: _____

Roof:

1. Truss or Rafter Size _____ Span _____
2. Sheathing Type _____ Size _____
3. Roof Covering Type _____

Chimneys:

1. Type: _____ Number of Fire Places _____

Heating:

1. Type of Heat: _____

Electrical:

1. Service Entrance Size: _____ Smoke Detector Required Yes _____ No _____

Plumbing:

1. Approval of soil test if required Yes _____ No _____
2. No. of Tubs or Showers _____
3. No. of Flushes _____
4. No. of Lavatories _____
5. No. of Other Fixtures _____

Swimming Pools:

1. Type: _____
2. Pool Size: _____ x _____ Square Footage _____
3. Must conform to National Electrical Code and State Law.

Permit Received By Louise E. Chase

Signature of Applicant

Cyrus J. HadueDate 3-25-93

Signature of CEO

Date

Inspection Dates

© Copyright GPCOG 1988



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date August 3 1993
Receipt and Permit number 3695

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 365 Danforth St.

OWNER'S NAME: Michael Asen ADDRESS: same

FEES

OUTLETS: Receptacles 15 Switches 6 Plugmold ft. TOTAL 21 4.20

FIXTURES: (number of) Incandescent 3 Fluorescent 1 (not strip) TOTAL 480

Strip Fluorescent ft.

SERVICES: Overhead Underground Temporary TOTAL amperes ..

METERS: (number of) ..

MOTORS: (number of) ..

Fractional ..

1 HP or over ..

RESIDENTIAL HEATING: Oil or Gas (number of units) ..

Electric (number of rooms) ..

COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) ..

Oil or Gas (by separate units) ..

Electric Under 20 kws Over 20 kws ..

APPLIANCES: (number of) ..

Ranges Water Heaters

Cook Tops Disposals

Wall Ovens Dishwashers

Dryers Compressors

Fans Others (denote)

TOTAL 2.00

MISCELLANEOUS: (number of) ..

Branch Panels ..

Transformers ..

Air Conditioners Central Unit ..

Separate Units (windows) ..

Signs 20 sq. ft. and under ..

Over 20 sq. ft. ..

Swimming Pools Above Ground ..

In Ground ..

Fire/Burglar Alarms Residential ..

Commercial ..

Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under ..

over 30 amps ..

Circus, Fairs, etc. ..

Alterations to wires ..

Repairs after fire ..

Emergency Lights, battery ..

Emergency Generators ..

INSTALLATION FEE DUE: 7.00

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT DOUBLE FEE DUE:

FOR REMOVAL OF A "STOP ORDER" (304-16.b)

TOTAL AMOUNT DUE: MIN 15.00

INSPECTION: Will be ready on P.M. today, 19; or Will Call

CONTRACTOR'S NAME: John A. Perry Elec. Co.

ADDRESS: 381 Danforth St. Portland 04102

TEL: 773-5824

MASTER LICENSE NO.: 3695 SIGNATURE OF CONTRACTOR:

LIMITED LICENSE NO.:

INSPECTOR'S COPY — WHITE

OFFICE COPY — CANARY

CONTRACTOR'S COPY — GREEN

ORDERED

Enter on Carol St

Side Key box Z4N

ELECTRICAL INSTALLATIONS—

Permit Number 5073

Location Yes - DHEC Spill Site

Owner McCOMBS, J. B.

Date of Permit 8-3-72

Final Inspection 11-2-93

By Inspector ~~Alfred Kelly~~

Permit Application Register Page No. 2024

INSPECTIONS: Service _____ by _____
Service called in _____
Closing-in 8-5-93 by 88

PROGRESS INSPECTIONS: _____ / _____ / _____
 _____ / _____ / _____
 _____ / _____ / _____
 _____ / _____ / _____
 _____ / _____ / _____
 _____ / _____ / _____

[illegible]

030566

City of Portland BUILDING PERMIT APPLICATION Fee \$95. Zone

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Michael P. Asen Phone # 775-310
 Address: 355 Danforth St. Portland, ME 04101
 LOCATION OF CONSTRUCTION 355 Danforth St.
 Contractor: Project Mgmt. Inc. Sub: 775-7432
 Address: Box 4857 - Portland, ME Phone # 04112
 Est. Construction Cost: 15,000 Proposed User: 2-fam w renov
 Past User: 2-fam
 # of Existing Res. Units # of New Res. Units
 Building Dimensions L W Total Sq. Ft.
 # Stories # Bedrooms Lot Size
 Is Proposed User: Seasonal Condominium Conversion
 Explain Conversion interior/exterior renovations

- bay window; intr renov

Foundation:

1. Type of Soil: Rea: Side(s)
2. Set Backs - Front
3. Footings Size:
4. Foundation Size:
5. Other

Floor:

1. Sills Size: Sills must be anchored.
2. Girder Size: Size:
3. Lally Column Spacing: Spacing 16" O.C.
4. Joists Size: Size:
5. Bridging Type: Size:
6. Floor Sheathing Type: Size:
7. Other Material:

Exterior Walls:

1. Studding Size Spacing
2. No. windows
3. No. Doors Span(s)
4. Header Sizes
5. Bracing: Yes No
6. Corner Posts Size
7. Insulation Type Size
8. Sheathing Type Size
9. Siding Type Weather Exposure
10. Masonry Materials
11. Metal Materials

Interior Walls:

1. Studding Size Spacing
2. Header Sizes Span(s)
3. Wall Covering Type
4. Fire Wall if required
5. Other Materials

White-Tax Assessor

Yellow-GPCOG

PERMIT ISSUED

6 1993

For Official Use Only

CITY OF PORTLAND

Date 5/25/93

Inside Fire Limits

Bldg Code

Time Limit

Estimated Cost 15,000

Ownership:

Public

Private

Zoning:

Street Frontage Provided: Provided Setbacks: Front Back Side Side

Review Required:

Zoning Board Approval: Yes No Date: Planning Board Approval: Yes No Date: Conditional Use: Variance Site Jan Subdivision Shoreland Zoning Yes No Floodplain Yes No Special Exception Other (explain)

Ceiling:

1. Ceiling Joists Size: Spacing
2. Ceiling Strapping Size Spacing
3. Type Ceiling: Size
4. Insulation Type
5. Ceiling Height:

Roof:

1. Truss or Rafter Size Span Act: Approved.
2. Sheathing Type Size Approved with Conditions
3. Roof Covering Type Size Denied

Chimneys:

Type: Number of Fire Places Signature

Heating:

Type of Heat:

Electrical:

Service Entrance Size: Smoke Detector Required Yes No

Plumbing:

1. Approval of soil test if required
2. No. of Tubs or Showers
3. No. of Flushes
4. No. of Lavatories
5. No. of Other Fixtures

Swimming Pools:

1. Type: Square Footage
2. Pool Size: x
3. Must conform to National Electrical Code and State Law.

Permit Received By Louise Chase

Signature of Applicant Cyrus N. Hagge Date 3-25-93

Signature of CEO Date

Inspection Dates

White Tag-GEOWHITTAGS, LOR


© Copyright GPCOG 1988

PLOT PLAN

7/23 Framing in progress.

8-29-94 no one @ home, building permit filed w/out final inspection @ 3

N



FEES (Breakdown From Front)

Base Fee \$ 95-
 Subdivision Fee \$ _____
 Site Plan Review Fee \$ _____
 Other Fees \$ _____
 (Explain) _____
 Late Fee \$ _____

Type

Inspection Record

Date


_____	____/____/____
_____	____/____/____
_____	____/____/____
_____	____/____/____
_____	____/____/____
_____	____/____/____

COMMENTS

Signature of Applicant

[Handwritten Signature]

Date



AGEN RESIDENCE

REAR WING

WEST ELEVATION

PROPOSAL

1/4" = 1'-0"

2/8/93



ASEN RESIDENCE REAR WING
SOUTH ELEVATION PROPOSAL
 1/4" = 1'-0" 2/8/93



RESIDENCE REAR WING
ELEVATION PROPOSAL
2/8/93

LELAND HULST
ARCHITECTURAL SERVICES

278 Spring Street / Portland, Maine 04102 / (807) 773-2443

365 DANFORTH ST.



378 Spring Street / Portland, Maine 04102 / (207) 772-2243