

47-49 BURNEAM STREET



Full cut # 9200R, Half cut # 9202H, Thin cut # 9203R - Firm cut # 9203R

Essentially nothing in course of time
Public Amusement 11/13/41

Starhouse 49 Burnham St.
Proposed conversion to minor assembly hall.
Recreation Dept. City of Portland (Mr. Kiley)
2-8023

I have talked with Mr. Kiley and my impression is that this is sort of a "Julia", which, if successful is likely to enlarge. The old brick part is used by the fire dept. in connection with civilian defense and will not be used with their proposition. The new part (frame construction) has and will continue to have considerable recreation dept. storage. An 4' x 4' shoped area is to be maintained for the children and the games. This will start at the outside double doors and run the long way of the building. Under the existing conditions it is considered to establish ^{occupancy} ^{practical} ^{available} space. This can not be determined without a layout showing space occupied by game tables, etc.

Building has no air heat. I have permit for chimney, but stove heat was called for and no permit for warm air furnace. Mr. Kiley said this is a regular warm air furnace (not a stove) without ducts or registers. In this case, heat must be radiated through the outer casing. In my event, especially if as noted, this furnace should have a substantial guard rail around it. It should also be checked for clearance, protection, etc.

Sanitation Sect. 212-B-1

Calls for table and wheelchair for each air. None here.

Means of egress - Sect 206-e-4) and Sect 212-e

Two means of egress required, only 1 at present. If stated capacity not exceeded, doors will not have to swing out, and no exit lights required. Vestibule lockers will be required on both floors. We need information as to the relation of grade or of first floor level to determine whether or not platform steps and handrails required.



APPLICATION FOR PERMIT
 DEPARTMENT OF BUILDING INSPECTIONS SERVICES
 ELECTRICAL INSTALLATIONS

Date 5-29, 19 79
 Receipt and Permit number A24145

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 41 Lowell St. change to 31 Burnham St.
 OWNER'S NAME: John Donovan ADDRESS: same

	FEES
OUTLETS: Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL <u>1-30</u>	<u>3.00</u>
FIXTURES: (number of) _____	
Incandescent <u>6</u> Fluorescent <u>12</u> (not strip) TOTAL <u>18</u>	<u>6.80</u>
Strip Fluorescent <u>20</u> ft.	
SERVICES: Overhead <input checked="" type="checkbox"/> Underground _____ Temporary _____ TOTAL amperes <u>200</u> ..	<u>3.00</u>
METERS: (number of) <u>1</u>	<u>.50</u>
MOTORS: (number of) Fractional _____ 1 HP or over _____	
RESIDENTIAL HEATING: <input checked="" type="checkbox"/> Oil or Gas (number of units) _____ Electric (number of rooms) <u>1</u>	<u>1.00</u>
COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) _____ Oil or Gas (by separate units) _____ Electric Under 20 kws _____ Over 20 kws _____	
APPLIANCES: (number of) Ranges _____ Water Heaters _____ Cook Tops _____ Disposals _____ Wall Ovens _____ Dishwashers _____ Dryers _____ Compactors _____ Fans _____ Others (denote) _____ TOTAL _____	
MISCELLANEOUS: (number of) Branch Panels <u>1</u>	<u>1.00</u>
Transformers _____	
Air Conditioners Central Unit _____ Separate Units (windows) _____	
Signs 20 sq. ft. and under _____ Over 20 sq. ft. _____	
Swimming Pools Above Ground _____ In Ground _____	
Fire/Burglar Alarms Residential _____ Commercial _____	
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under <u>2</u>	<u>2.00</u>
over 30 amps _____	
Circus, Fairs, etc. _____	
Alterations to wires _____	
Repairs after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT	INSTALLATION FEE DUE:
FOR REMOVAL OF A "STOP ORDER" (304-16.b)	DOUBLE FEE DUE:
	TOTAL AMOUNT DUE: <u>17.30</u>

INSPECTION:
 Will be ready on _____, 19__; or Will Call
 CONTRACTOR'S NAME: Eger's/Mcguire Elec.
 ADDRESS: 241 Oxford St.
 TEL: 774-2825
 MASTER LICENSE NO.: 3967 SIGNATURE OF CONTRACTOR: James J. McQuire
 LIMITED LICENSE NO.: _____

INSPECTOR'S COPY — WHITE
 OFFICE COPY — CANARY
 CONTRACTOR'S COPY — GREEN



(B) LIMITED BUSINESS ZONE
APPLICATION FOR PERMIT

Permit No. _____

Class of Building or Type of Structure Third Class

Portland, Maine, January 5, 1945

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 17 Burnham Street 4243 Within Fire Limits? YES No. Dist. No. _____

Owner's or Lessee's name and address City of Portland Telephone _____

Contractor's name and address _____ Telephone _____

Architect _____ Plans filed _____ No. of sheets _____

Proposed Use of Building Minor Assembly Hall No. families _____

Other buildings on same lot _____

Estimated cost \$ _____ Fee \$.50

Description of Present Building to be Altered
Material brick frame No. stories 2-1 Heat _____ Style of roof _____ Roofing _____

Last use Storage shed for fire equipment No. families _____

General Description of New Work

To Change Use of Building from Storage to Minor Assembly Hall
(Recreation room for about 30 children)

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? _____

Is any electrical work involved in this work? _____ Height average grade to top of plate _____

Size, front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____

To be erected on solid or filled land? _____ earth or rock? _____

Material of foundation _____ Thickness, top _____ bottom _____ cellar _____

Material of underpinning _____ Height _____ Thickness _____

Kind of roof _____ Rise per foot _____ Roof covering _____

No. of chimneys _____ Material of chimneys _____ of lining _____

Kind of heat _____ Type of fuel _____ Is gas fitting involved? _____

Framing lumber—Kind _____ Dressed or full size? _____

Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____

Material columns under girders _____ Size _____ Max. on centers _____

Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____

On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____

Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____

If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____

Total number commercial cars to be accommodated _____

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner By: William L. Kelly
City of Portland

Stamp: ORIGINAL



3) LIMITED BUSINESS ZONE
APPLICATION FOR PERMIT

Permit No. 2141
ALL ISSUED
DEC 14 1928

Class of Building or Type of Structure third

Portland, Maine, December 14, 1928

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 47 1/2 Durham Street Within Fire Limits? no Dist. No. _____
 Owner's or Lessee's name and address City of Portland Telephone _____
 Contractor's name and address Owner Telephone _____
 Architect _____ Plans filed no No. of sheets _____
 Proposed use of building Workshop No. families _____
 Other buildings on same lot _____
 Estimated cost \$ 200 Fee \$ _____
 Description of Present Building to be Altered
 Material wood No. stories 1 Heat none Style of roof _____ Roofing _____
 Last use Workshop No. families _____

General Description of New Work

To build one inside brick chimney

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Height average grade to top of plate _____
 Size, front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____
 To be erected on solid or filled land? _____ earth or rock? _____
 Material of foundation concrete Thickness, top _____ bottom _____ cellar _____
 Material of floorpinning _____ Height _____ Thickness _____
 Kind of Roof _____ Rise per foot _____ Roof covering _____
 No. of chimneys 1 Material of chimneys brick of lining tile
 Kind of heat stove Type of fuel _____ Is gas fitting involved? _____
 Framing Lumber Kind _____ Dressing or Full Size? _____
 Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
 Material columns under girders _____ Size _____ Max. on centers _____
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 larger _____ Bridging in every floor and first roof span over 8 feet. Sills and corner posts all one piece in cross section.
 Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
 On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
 Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
 If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____
 Total number commercial cars to be accommodated _____
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner _____

City of Portland
G. H. Lee

INSPECTION COPY

Permit No. 3872141

Location 49. Bussell St.

Owner City of Portland

Date of permit 12/14/58

Notif. closing-in

Insp. closing-in

Final Notif.

Final Insp. 1/13/59 C.K.

Cert. of Occupancy issued

NOTES

12/19/58 Start work by 10:00 a.m.

12/19/58 Finish work

12/29/58 Foundation

work complete by 10:00 a.m.

1/6/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

complete by 10:00 a.m.

1/7/59 Foundation work

File: C-37-168-I

December 25, 1937

Granville R. Lee, Supervisor
Recreation Department

Dear Sir:

Examination of the Recreation Department storehouse at 47 Burnham Street at your request discloses that several of the second floor joists have rotted quite badly on one end and several of them are seriously split. To remedy the situation I suggest that the timbers which are otherwise sound with the exception of the rotten parts be supported at the ends where they have rotted by means of a wooden strip about three inches by six inches bolted to the outside brick wall directly below the bearing of these timbers and that a good bearing be secured by wedging up of the new strip. The strip should be fastened to the wall by 5/8 inch bolts extending through the wall with washers on both ends, not more than 2 1/4 inches from center to center, and staggered. Where the joists are seriously split or checked, I recommend that you have new joists of the same size placed beside each defective joist, extending from wall to wall, securely spiked to the defective joist and supported on both ends by strips in the same manner as indicated above, thus avoiding cutting the brickwork to get a bearing for the new joists.

The man evidently in charge of the JYA work in the building told me that the sills under the first floor at one front corner were rotten and the floor was sagging there also. There is no cellar beneath the building and the true condition cannot be determined, but since it is a brick building, I doubt if there are any sills. At any rate this man said that the initial trouble was caused by the coal truck backing in over the door sill. I suggest that this situation be left as it is for the present until something further develops, but that instructions be given that no loaded trucks are to be backed into the building.

Very truly yours,

W McD/H

Inspector of Buildings



INSPECTION COPY

CITY OF PORTLAND, MAINE
DEPARTMENT OF BUILDING INSPECTION

Complaint No. C-17-1

COMPLAINT

Date received December 17, 1937

Location 47-49 Burnham Street Use of Building Storehouse
Owner's name and address City of Portland Telephone _____
Tenant's name and address Recreation Dept. Telephone _____
Complainant's name and address Mr. Lee Telephone _____

Description: Second floor of building sagging.

(3) LIMITED BUSINESS ZONE

Complaint No. C-27-768
Location 47-49 Bushong St.

Date Received 12/17/37

Date Disposed of

NOTES
12/23/37 - Better - W.M.S.

~~Empty lined area for notes, crossed out with a large X.~~



(B) LIMITED BUSINESS ZONE

APPLICATION FOR PERMIT

PERMIT ISSUED

Permit No. 002

JAN 2 1934

Class of Building or Type of Structure Third Class

Portland, Maine, December 29, 1933

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 47-49 Burnham Street Ward 7 Within Fire Limits? no Dist. No. _____

Owner's or lessor's name and address City of Portland, Telephone _____

Contractor's name and address _____ Telephone _____

Architect's name and address _____

Proposed use of building Storage for Recreation Dept. No. families _____

Other buildings on same lot _____

Plans filed as part of this application? _____ No. of sheets _____

Estimated cost \$ _____ Fee \$ _____

Description of Present Building to be Altered

Material brick No. stories _____ Heat _____ Style of roof _____ Roofing _____

Last use Storage for Recreation Dept. No. families _____

General Description of New Work

- To remove stairway between first and second story in existing building
- To construct partitions in existing building for toilet room and to build new brick chimney in existing building
- To construct frame addition in the rear, one story high, 20' x 44'
- To cut 8' opening in existing rear brick wall to provide connection between existing building and new addition

It is understood that this permit does not include installation of heating apparatus which is to be taken out by the heating contractor. **CERTIFICATE OF OCCUPANCY REQUIREMENT IS WAIVED**

Details of New Work

Size, front _____ depth _____ No. stories _____ Height average grade to top of plate _____

To be erected on soil or filled land? _____ Height average grade to highest point of roof _____

Material of foundation _____ earth or rock? _____ Thickness, top _____ bottom _____

Material of underpinning _____ Height _____ Thickness _____

Kind of Roof _____ Rise per foot _____ Roof covering _____

No. of chimneys _____ Material of chimneys _____ of lining _____

Kind of heat _____ Type of fuel _____ Is gas fitting involved? _____

Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____

Material columns under girders _____ Size _____ Max. on centers _____

Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____

On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____

Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____

If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____

Total number commercial cars to be accommodated _____

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner City of Portland

By S.P. Lee

INSPECTION COPY

Ward 7 Permit No. 34) 2

Location 47-49 Burnham St

Owner City of Portland

Date of permit 1/2/33

Notif. closing-in

Inspn closing-in

Final Notif.

Final Inspn. 5/0/34

Cert. of Occupancy issued 1-1-34


NOTES

2/13/34 - Walls framed -
A. J. S.

3/5/34 - Working on
roof A. J. S.

3/27/34 - Chipping down
walls A. J. S.

4/2/34 - Painting &
finishing up framing
in small wall between
old & new buildings
A. J. S.



(COPY)

THIS AGREEMENT made and concluded this seventh day of November, A. D. 1933, by and between the W. J. GREENE CONSTRUCTION COMPANY, of Portland, in the County of Cumberland and State of Maine, hereinafter called the Contractor, and the CITY OF PORTLAND, a body corporate and politic, and located in said County and State, hereinafter called the Owner.

W I T N E S S T H, that the Contractor and the Owner for the considerations hereinafter named agree as follows:-

The Contractor agrees to provide all the materials and to perform all the work as described in the specifications entitled "Specifications for Repairs and Minor Alterations to the Building Owned by the City of Portland at 49 Burnham Street, and now used as a Storehouse by the Recreation Department", and to do everything required in these specifications in a workmanlike manner and to the satisfaction of the Building Inspector of the City of Portland.

The Contractor agrees to save the Owner harmless from all loss, cost or damage which may be attributable to the prosecution of the work. The Contractor shall carry public and employee's liability insurance satisfactory to the Corporation Counsel, adequate in his opinion to suitably safeguard the interests of the Owner.

The Contractor shall certify that all bills for labor and materials have been paid before final acceptance and payment by the Owner for the work as outlined in the specifications.

The Owner agrees upon the completion and acceptance of the work to pay the contractor the sum of two hundred ten dollars and ninety cents, (\$210.90).

The Contractor and the Owner for themselves, their successors, executors, administrators and assigns, hereby agree to the full performance of the covenants herein contained.

(COPY)

IN WITNESS WHEREOF, the said Contractor and Owner have executed this agreement, the day and year first above written.

Witness:

(Signed) Wm. O. Thompson

M. J. GREENE CONSTRUCTION COMPANY

By (Signed) M. J. Greene

Sole Owner

Contractor.

CITY OF PORTLAND

(Signed)

Wm. O. Thompson

By (Signed) J. E. Barlow, City Manager

Owner.

REPAIRS AND MINOR ALTERATIONS OF THE BUILDING OWNED BY THE CITY OF PORT-
LAND STREET AND NOW USED AS A STOREHOUSE BY THE RECREATION DEPARTMENT.

October 23, 1933

The proposed work consists of providing a new lintel over the main entrance door, providing double doors in place of the two windows over this entrance door with lintels ^{new cas, and} ^{and new rear} over the doors, of providing heavy screens for the outside of all windows, of making certain repairs to the masonry, and of repairing and painting the exterior woodwork.

The brickwork over the main doorway, including the brick pier between the two upper windows and the arches over them, and the two window sashes and frames as well as the present lintel over the main door are to be removed, the masonry above being properly shored to prevent falling. A steel lintel is to be provided over the main doorway consisting of 2-standard 6-inch channels, each weighing 8.2 pounds to the foot, set back to back, bolted together using pipe separators so that the width of the beam from edge to edge of flanges will be a little less than the thickness of the brick wall above the doors, the beam to have from six to eight inches bearing on each side. The lintel over the new doors is to be similar in every particular except that the panels are to be standard 4-inch, weighing 5.4 pounds to the foot. Both lintels are to be punched if found necessary for fastening the door frame to them. Rough openings for the new doors is to be the same width as now exists from outside to outside of the present windows, a measurement of approximately six feet, and the height of the opening is to be such as to accommodate six foot doors and their frame, the threshold of the doors to be slightly above the second floor level. The new doors and frame are to be built up of native white Pine except the threshold or sill which is to be of oak. The frame is to be built of 1 1/4 inch stock approximately as wide as the brick wall is thick, securely fastened together and to walls and lintel, and rabbeted for the doors to swing outwards. The exact distance between the top of the large entrance doors and the second floor level is not known, but the details between these two levels are to be worked out in a manner satisfactory to the Supervisor of Recreation. The new doors are to be six feet in height and of equal width so as to fill the opening described above. The doors are to be built with one middle rail, rails and stiles to be mortised and tenoned together, rails and stiles to be six inches by one and three-quarter

is to be covered on the outside with matched sheathing not over four
 laid diagonally and fastened to the frame with wrought nails.
 hard wood astragal strip is to be provided on the outside of one of the new
 and plain moulding and trim provided around the door frame so as to form a proper
 over the top, and to make the entire opening weather-tight. Wh¹⁵ever trim are
 necessary to make the main entrance door tight where it meets the new lintel over, is
 to be provided. Three 4-inch by 4-inch galvanized steel butts are to be provided on
 each door and one-half bar staples for 1 1/2 inch wooden locking bars, also provide locking
 bar of adequate length four inches by one and three-quarters.

Sufficient bricks taken out are to be cleaned and the masonry over the new
 lintels and around the openings is to be rebuilt using these cleaned bricks and con-
 bination mortar, - half and half lime and cement. Three places in the masonry of the
 outside walls are also to be repaired, - one is just above the grade at the main entrance
 doorway on the right hand side as one faces the building; another is at the rear corner
 on the left hand side as one faces the building; the third is over a former door at the
 rear of the building.

The present sheathing on the main entrance door is to be removed and new sheathing
 applied with wrought nails upon the present frame. All boards or shutters covering exist-
 ing door or window openings are to be removed. A new, stock, 1 1/2 inch door equipped with
 common butts and knob latch and cylinder lock, ^{is to be provided in existing opening} Protection screens are to be made with
 wooden frame and galvanized iron screening with 1/2 inch mesh full size of all present
 window openings, ^{and} are to be fastened on the outside of the openings with some
 factory device accessible only on the inside of the screen. New sash are to be fur-
 nished and installed in all existing window openings except those where the new doors are to be
 provided in front, and the sash are to be applied and fastened in place without weights
 or sash cord.

The steel lintels are to receive a shop coat of paint on all surfaces and a
 field coat, color to be selected on all exposed surfaces after erection, whether the
 surfaces are exposed inside or outside of the building. The new doors and frames and

1/17/11

3
The doors and frames after repairs are to receive two coats of paint inside
the new door in the rear. All other woodwork including wash, door and window
of all manner of outside trim are to receive two coats of paint, all paint applied
to be pure white lead and linseed oil with drier and colors, colors to be
selected.

All material removed from the building except the bricks necessary to refinish
the masonry is to become the property of the contractor, and is to be removed from the
premises together with all manner of debris which may have accumulated at the completion
of the job. Any changes in the work contemplated by these specifications are to be made
only after approval by the Supervisor of Recreation, and if any additional payment over
and above the contract price is to be expected, the amount of such extra payment shall
be agreed upon before the change is made.

The contractor shall agree to save the City of Portland harmless from all loss,
cost, or damage which may be attributable to the prosecution of the work. The contractor
shall carry public and employee's liability insurance satisfactory to the Corporation
Council, adequate in his opinion to suitably safeguard the interests of the City of
Portland.

(COPY)

TO RECREATION DEPARTMENT BUILDING ON BUSHMAN STREET

November 16, 1933

For \$ _____, the M. J. Greene Construction Company agrees to do the following extra work not indicated in the specifications in a workmanlike manner.

1. Provide new side frames for the main entrance door.
2. Furnish and install two 2x2x1/2" steel angles as lintel over existing double doors in the rear wall, repair the brickwork of the jambs at this opening and fill in masonry from the top of the foundation to about the level of the existing threshold, outside of the threshold and provide an adequate wash so that water will drain to the outside.
3. Brick up the other door opening in the rear wall the same thickness as the wall on either side.
4. Repair brickwork over the window in the southeast wall.
5. Provide new stock door with proper hardware for existing door opening in the rear wall at second floor level.

For one new stock door and hardware proposed in specifications in the rear wall, first story, and for new sash and outside screen proposed in specifications in the rear wall at second floor level, not now to be installed, the M. J. Greene Construction Company will allow \$ _____ credit.

M. J. GREENE CONSTRUCTION COMPANY

By _____



PERMITTED BUSINESS ZONE
 APPLICATION FOR PERMIT PERMIT ISSUED

Permit No. _____

1757

Class of Building or Type of Structure Second Class NOV 15 1933

Portland, Maine, November 15, 1933

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter ~~install~~ the following building structure, equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 49 Burnham Street Ward 7 Within Fire Limits? no Dist. No. _____
 Owner's name and address City of Portland Telephone _____
 Contractor's name and address M. J. Greene Const. Co., 390 Congress St. Telephone 2-8184
 Architect's name and address _____
 Proposed use of building Storehouse for Recreation Dept. No. families _____
 Other buildings on same lot _____
 Plans filed as part of this application? no No. of sheets _____
 Estimated cost \$ 210. Per. _____

Description of Present Building to be Altered

Material brick No. stories 2 Heat none Style of roof pitch Roof _____
 Last use Storehouse for Recreation Dept. No. families _____

General Description of New Work

To make alterations to building as per specifications attached

CERTIFICATE OF OCCUPANCY
 REQUIREMENTS MET

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Height average grade to top of plate _____
 Size: front _____ depth _____ No. stories _____ Height average grade to highest point _____ roof _____
 To be erected on solid or filled land? _____ earth or rock? _____
 Material of foundation _____ Thickness, top _____ bottom _____
 Material of underpinning _____ Height _____ Thickness _____
 Kind of roof _____ Rise per foot _____ Roof covering _____
 No. of chimneys no Material of chimneys _____ of lining _____
 Kind of heat no Type of fuel _____ Is gas fitting involved? _____
 Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
 Material columns under girders _____ Size _____ Max. on centers _____
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all on one piece in cross section.
 Joists and rafters: 1st floor _____ 2nd _____ 3rd _____ roof _____
 On centers: 1st floor _____ 2nd _____ 3rd _____ roof _____
 Maximum span: 1st floor _____ 2nd _____ 3rd _____ roof _____
 If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____
 Total number commercial cars to be accommodated _____
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

INSPECTION COPY _____

Signature of owner

City of Portland
 By: M. J. Greene Const. Co.

By _____

10978

Ward 7 Permit No. 33/1757

Location 49 Burnham St.

Owner City of Portland

Date of permit 11/15/33

Not closing-in

Inspn. closing-in

Final Notif.

Final Inspn. 12/16/33

Cert. of Occupancy issued None

NOTES

~~11/20/33 - no work yet
started - A.G.~~

~~11/22/33 - same - A.G.~~

~~11/28/33 - work started -
A.G.~~

~~12/1/33 - New furniture in
over front door - A.G.~~

~~12/6/33 - Work program
begun - A.G.~~