



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, March 2, 1962

PERMIT ISSUED MAR 5 1962 00160 CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 185a Brighton Ave. Use of Building Stores No. Stories 1 Building Existing Name and address of owner of appliance Pratt, Dyer & Dyer Inc, 185 Brighton Ave. Installer's name and address owner Telephone

oil-fired

General Description of Work

To install high pressure steam boiler (replacement) for heating, processing, etc. Columbia

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no If so, how protected? Kind of fuel? oil Minimum distance to burnable material, from top of appliance or casing top of furnace 8" From top of smoke pipe 8" From front of appliance 4" From sides or back of appliance 3" Size of chimney flue 10" Other connections to same flue none If gas fired, how vented? Rated maximum demand per hour Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Columbia Labelled by underwriters' laboratories? yes Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 1/4" Location of oil storage basement Number and capacity of tanks existing Low water shut off yes Make McDonnell-Miller No Will all tanks be more than five feet from any flame? yes How many tanks enclosed? Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT SPECIAL INFORMATION

If this is less than 9" shield will be provided as for smokepipe Shield of 1/2" asbestos millboard on one-inch rockwool bats reinforced with wire-mesh or equiv.

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)

APPROVED

Handwritten signature and date 3-7-62

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Dyer & Dyer Inc

Signature of Installer BY

Handwritten signature of Granville H. Dyer

CS 300

INSPECTION COPY

P.H.

320

Permit No. 651160

Location 187a Brighton Ave

Owner Deyers Dyer Inc.

Date of permit 3/5/62

Approved 3.21.62 RMB

1	at the	
2	at the	
3	at the	
4	at the	
5	at the	
6	at the	
7	at the	
8	at the	
9	at the	
10	at the	
11	at the	
12	at the	
13	at the	
14	at the	
15	at the	
16	at the	

NOTES

- 12 Truck Driver's License
- 13 Truck Driver's License
- 14 Other
- 15 Inspector's Card
- 16 Low Water

011111



PERMIT NUMBER 0248

Date Issued

6/12/61  
 PORTLAND PLUMBING INSPECTOR

By

J. P. Welch

APPROVED FIRST INSPECTION

Date

6-14-61

By

J. C. [Signature]  
 APPROVED FINAL INSPECTION

Date

6-14-61

By

JOSEPH P. WELCH

- TYPE OF BUILDING
- COMMERCIAL
  - RESIDENTIAL
  - SINGLE
  - MULTI FAMILY
  - NEW CONSTRUCTION
  - REMODELING

514 12-53 □

PERMIT TO INSTALL PLUMBING

Address: 183 Brighton Avenue  
 Installation For: Brighton Avenue Pharmacy  
 Owner of Bldg.: Brighton Avenue Pharmacy  
 Owner's Address: 183 Brighton Avenue  
 Plumber: Portland Gas Light Company Date: 6/12/61

NEW	REPL	PROPOSED INSTALLATIONS	NUMBER		FEE
		SINKS			
		LAVATORIES			
		TOILETS			
		BATH TUBS			
		SHOWERS			
		DRAINS			
1		HOT WATER TANKS	3	1	\$ 2.00
		TANKLESS WATER HEATERS			
		GARBAGE GRINDERS			
		SEPTIC TANKS			
		HOUSE SEWERS			
		ROOF LEAD LINES (conn. to house drain)			
			1		\$ 2.00
			Total		

PORTLAND HEALTH DEPT.

PLUMBING INSPECTION

PERMIT NUMBER **3957**

Date Issued **8/10/56**

PORTLAND PLUMBING INSPECTOR

By **J. P. Weld**

APPROVED FIRST INSPECTION

Date **Aug 10-56**

By **J. P. Weld**

APPROVED FINAL INSPECTION

Date **Aug 10-56**

By **J. P. Weld**

TYPE OF BUILDING

- COMMERCIAL
- RESIDENTIAL
- SINGLE
- MULTI FAMILY
- NEW CONSTRUCTION
- REMODELING

JA 12-53

PORTLAND HEALTH DEPT.

PERMIT TO INSTALL PLUMBING

Address: **153 Brighton Ave.**

Installation For:

Owner of Bldg.: **Brighton Am. Pharmacy Inc.**

Owner's Address: **153 Brighton Ave.**

Plumber: **P. Ruben**

Date: **8-10-56**

NEW	REP'L	PROPOSED INSTALLATIONS	NUMBER	FEE
	2	SINKS		
		LAVATORIES		
		TOILETS	2	2.00
		BATH TUBS		
		SHOWERS		
	4	DRAINS		
		HOT WATER TANKS		
		TANKLESS WATER HEATERS	3	4 3.30
		GARBAGE GRINDERS		
		SEPTIC TANKS		
		HOUSE SEWERS		
		ROOF LEADERS (conn. to house drain)		
			Total	10 5.30

PLUMBING INSPECTION

Total





*J.B.*

BI BUSINESS ZONE BI BUSINESS ZONE  
CITY OF PORTLAND, MAINE  
DEPARTMENT OF BUILDING INSPECTION  
COMPLAINT

Location:  
183 Brighton Ave.

INSPECTION COPY

COMPLAINT NO. 60/19

Date Received March 3, 1960

Location 183 Brighton Ave. Use of Building Stores

Owner's name and address Wells J. Foley, et als, c/o National Bank of Telephone  
Commerce, Trust Dept., 467 Congress St.

Tenant's name and address \_\_\_\_\_ Telephone \_\_\_\_\_

Complainant's name and address next door neighbor Telephone \_\_\_\_\_ H

Description: Chimneys on building need rebuilding or pointing up. Loose bricks, some have fallen

NOTES: *3-7-60. This chimney is over the  
Dym & Co. store and sets back from  
the edge of the building about 10 ft.  
Needs pointing up above the roof.  
4/4/60 - Mrs. Billington, owner at 8-10  
Dorchester complained again thinking  
the chimney might be close enough  
to the alley where that loose  
bricks might fall in the alley.  
However, Mr. P. D. Dwyer says the  
chimney is at least 10 ft  
from the alley & Dorchester should  
be sure it is high enough to  
clear it. otherwise - HMM*

*12/1/61 - Mrs. Billington called & reported that her  
second story tenant in bldg. at 8-10 Dorchester  
Street complains that loose bricks have fallen  
and that she feels that the lowered height  
allows smoke to pour out and infiltrate her  
apartment. - JBT*

*12-1-61. This chimney owner Wm & A. W. He was in  
touch with Mr. Wilton at the First Portland National  
I talked twice to Mr. Wilton and the last time  
advised him to have the mason extend the*

chimney enough so that the tenants in  
the adjoining house would not be affected  
by the smoke, also if the mason was in  
doubt about what to do, to call Mr. Sears.

12-8

Repaired over 183

12-7-11 Chimney has been repaired  
WMS





FILL IN AND SIGN WITH INK

### APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, October 28, 1952

01912

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 189 Brighton Avenue Use of Building store No. Stories 1 Building New  
Name and address of owner of appliance Jerry Stivalotti, 189 Brighton Avenue Existing "Existing"  
Installer's name and address Portland Gas Light Co., 5 Temple Street Telephone 2-8321

#### General Description of Work

To install MH 508 Empire floor furnace replacing one pipe furnace

#### IF HEATER, OR POWER BOILER

Location of appliance suspended from first floor Any burnable material in floor surface or beneath?  
If so, how protected? Kind of fuel? gas  
Minimum distance to burnable material, from top of appliance or casing top of furnace register  
From top of smoke pipe 15" From front of appliance over 4' From sides or back of appliance over 3'  
Size of chimney flue 8x12 Other connections to same flue none  
If gas fired, how vented? to chimney Rated maximum demand per hour  
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

#### IF OIL BURNER

Name and type of burner Labelled by underwriter's laboratories?  
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank?  
Type of floor beneath burner  
Location of oil storage Number and capacity of tanks  
If two 275-gallon tanks, will three-way valve be provided?  
Will all tanks be more than five feet from any flame? How many tanks fire proofed?  
Total capacity of any existing storage tanks for furnace burners

#### IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?  
If so, how protected? Kind of fuel?  
Minimum distance to wood or combustible material from top of appliance  
From front of appliance From sides and back From top of smoke pipe  
Size of chimney flue Other connections to same flue  
Is hood to be provided? If so, how vented? Forced or gravity?  
If gas fired, how vented? Rated maximum demand per hour

#### MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Burner has device for automatically shutting off gas supply in case automatic heat control demands heat and the supply of gas fails to ignite.

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:  
OK 10.28.52. [Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Portland Gas Light Co.

Signature of Installer by: [Signature]

INSPECTION COPY



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, February 20, 1953

PERMIT ISSUED FEB 20 1953 CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 187 Brighton Ave. Use of Building Stores No. Stories 1 New Building Existing " Name and address of owner of appliance L. C. Andrew, 137 Brighton Ave. Installer's name and address Portland Stove Foundry, 57 Kennebec St. Telephone 3-3 864

General Description of Work

To install gravity one-pipe warm air heating boiler (replacement)

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no If so, how protected? Kind of fuel? oil Minimum distance to burnable material, from top of appliance or casing top of furnace register From top of smoke pipe 15" From front of appliance Over 4' From sides or back of appliance Over 3' Size of chimney flue 6x8 Other connections to same flue none If gas fired, how vented? Rated maximum demand per hour Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Labelled by underwriter's laboratories? Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? Type of floor beneath burner Location of oil storage Number and capacity of tanks If two 275-gallon tanks, will three-way valve be provided? Will all tanks be more than five feet from any flame? How many tanks fire proofed? Total capacity of any existing storage tanks for furnace burners

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Kind of fuel? Minimum distance to wood or combustible material from top of appliance From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED FEB 20 1953 [Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Portland Stove Foundry

Signature of Installer By

[Signature: Richard Lawrence]

PH

- 1 Fill Pipe
- 2 Vent Pipe
- 3 Kind of Heat
- 4 Burner Rigidity & Supports
- 5 Name & Address
- 6 Stack Conn.
- 7 High Limit
- 8 Remote Cont.
- 9 Piping Support & Protection
- 10 Valves in Supply Line
- 11 Capacity of Tanks
- 12 Tank Rigidity & Supports
- 13 Tank Distance
- 14 Oil Gauge
- 15 Instruction Card
- 16 Low Water Shut-off

NOTES

Support extended to  
 include burner  
 burner connected

Permit No. 53/233  
 Location 157 1/2 S. 1st Ave  
 Owner J. C. [unclear]  
 Date of permit 2/20/53  
 Approved E. J. [unclear]

INSPECTION COPY

APP.

APPROVED

DATE

BY

REMARKS

1. [unclear]

2. [unclear]

3. [unclear]

4. [unclear]

5. [unclear]

6. [unclear]

7. [unclear]

8. [unclear]

9. [unclear]

10. [unclear]

11. [unclear]

12. [unclear]

13. [unclear]

14. [unclear]

15. [unclear]

16. [unclear]



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, October 7, 1957

PERMIT ISSUED 01331 OCT 7 1957 CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 8 Devonshire St. Use of Building Dwelling No. Stories 2 New Building Existing Name and address of owner of appliance Roy Billington, North Windham Me. Installer's name and address Pallotta Oil Co. 112 Exchange St. Telephone

General Description of Work

To install Oil burning equipment in existing steam boiler. (conversion)

IF HEATER, OR POWER BOILER

Location of appliance Any burnable material in floor surface or beneath? Kind of fuel? Minimum distance to burnable material, from top of appliance or casing top of furnace From top of smoke pipe From front of appliance From sides or back of appliance Size of chimney flue Other connections to same flue If gas fired, how vented? Rated maximum demand per hour Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?

IF OIL BURNER

Name and type of burner Fluid-Heat-gun type Labeled by underwriters' laboratories? yes Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 1/2" Location of oil storage basement Number and capacity of tanks 1-275 gal. Low water shut off yes Make McDonnell-Miller No. #67 Will all tanks be more than five feet from any flame? yes How many tanks enclosed? none Total capacity of any existing storage tanks for furnace burners 1-275 existing

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED [Signature] 10-7-57 W.M.

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes Pallotta Oil Company

MAINE PRINTING CO.

INSPECTION COPY

Signature of Installer

by:

[Signature]

F.M.