GHAWWACKER (Pull out / 92018 - Half out / 92028 - Taird eut / 02038 - Elith out / 92058



FILL IN AND BIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMITOUSSIE

	and, Maine.	March 21,	1707	ULLY VI	PRR'ST, ANT
To the INSPECTOR OF BUILDINGS, PORTLAN	ND, ME.				
The undersi med hereby applies for a perm ance with the Laws of Maine, the Building Code of	it to install t f the City of	the following he Portland, and	ating, cooking the following s	or power equip pecifications:	ment in accord-
Location 211 Dartmouth St. Use of Name and address of owner of appliance Clarification Portland Seba	of Building	Dwelling	No.	Storics 12	New Building Existing "
Genera	al Descrin	tion of Wo	-1-	•	
To install Forced how water heating sy:	ten and o	il burning	equipment.		
IF HEAT	TER, OR P	OWER BOIL	ER		
Location of appliance Basement my b If so, how protected?		Vind .	f f13	03.1	
Minimum distance to burnable material, from top o	f appliance o	r casing top of	furnace	4	
From top of smoke pipe	tions to sam	e flue		none	
If gas fired, how vented?	o insure prop	er and safe com	maximum dem bustion?y	and per hour es	
	IF OIL BU				
Name and type of burner Delco-guntype Will operator be always in attendance? Type of floor beneath burner concrete. Location of oil storage basement Low water shut off Ma	Does oil sur Si	oply line feed for ize of vent pipe Number and cap	om top or bott 1 acity of tanks	om of tank?	bottom
Will all tanks be more than five feet from any flame? Total capacity of any existing storage tanks for furn	nace burners	How many tar	ks enclosed?		
_		PPLIANCE			
Location of appliance If so, how protected?	ance to comb	bustible material	of Legs, if any	 Inliance?	
Size of chimney flue Other connect Is hood to be provided? If so If gas fired, how vented?	ions to same	flue 1?	Forced of	 or gravity?	
Is hood to be provided? If so If gas fired, how vented?	ions to same , how vented 	e flue I? Rated n	Forced o	or gravity? nd per hour	
Is hood to be provided? Other connect	ions to same , how vented 	e flue I? Rated n	Forced o	or gravity? nd per hour	
Is hood to be provided? If so If gas fired, how vented?	ions to same , how vented 	e flue I? Rated n	Forced o	or gravity? nd per hour	
Is hood to be provided? If so If gas fired, how vented?	ions to same , how vented 	e flue I? Rated n	Forced o	or gravity? nd per hour	
Is hood to be provided? If so If gas fired, how vented?	ions to same , how vented 	e flue I? Rated n	Forced o	or gravity? nd per hour	
Is hood to be provided? If so If gas fired, how vented?	ions to same , how vented 	e flue I? Rated n	Forced o	or gravity? nd per hour	
Is hood to be provided? If so If gas fired, how vented?	JIPMENT	Rated r OR SPECIAL	Forced of aximum dema	or gravity?nd per hour	
Is hood to be provided? If so If gas fired, how vented? MISCELLANEOUS EQU Amount of fce encl-scd? 2.00 (\$2.00 for one	JIPMENT	Rated r OR SPECIAL	Forced of aximum dema	or gravity?nd per hour	
Is hood to be provided? If so If gas fired, how vented? MISCELLANEOUS EQU Amount of fce enclosed? 2.00 (\$2.00 for one building at same time.)	JIPMENT heater, etc.,	Rated r OR SPECIAL	Forced of maximum dema INFORMA onal for each a	or gravity? nd per hour FION dditional heater	, etc., in same
Size of chimney flue Other connect Is hood to be provided? If so If gas fired, how vented? MISCELLANEOUS EQU Amount of fce encl-scd? 2.00 (\$2.00 for one building at same time.)	JIPMENT heater, etc.,	Rated r. Rated r. OR SPECIAI 50 cents additionate be in chargest the State an	Forced of maximum demandary of the above defined of the above definition of the control of the above definition of the above d	or gravity? nd per hour PION dditional heater work a person ments pertainir	, etc., in same

.tw.

NOTES 1226 4-18-63 Completed



City of Portland.

OFFICE OF INSPECTOR OF BUILDINGS

09.2/1	he undersigned respectfully makes application for a permit to erect enlarge a building on
Fibrio	stories high. 45feet long, 25
	e; also an addition to bestories high,
	feet wide, and to be used as a
	the state of the s
	R WALL-To be constructed ofConologo to be16inches wide on bottom and
0444	batter to 12inches on top.
IINDE	PINNING—To be Exick
UNDER	sill. 3ft
EXTER	IOR WALLS—To be constructed of
	5th
	to be used.
If wood	construction, sills to be6-8" Girders 6-8 Floor Timbers 2-8 16%
	Posts 4-6" Girts 4-4" Studs 2-4" to be spaced 16 in on C
	This building will be used for the purposes of
	Number of families on floor. One
	Total number of families Two
	Manufacturing (state character)
	Estimated load on floors per 3q. ft
	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).
FIREST	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of
FIREST	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Lawre. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary.
FIREST	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
FIREST	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Lawre. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary.
firest Stæirv	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
firest STAIRV ROOF—	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
FIREST STAIRV ROOF— Gutters	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
STAIRV ROOF— Gutters (If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
STAIRV ROOF— Gutters of Bay wine Dormer	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
STAIRV ROOF— Gutters (Bay wine Dormer Chinney	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building. Two. location Front & Roar to be enclosed with walls to be lathed with lathing. To be constructed of Rafters to be inches to be spaced inches on centers. Roof to be covered with looks to be made of to be covered with to be covered with windows to be made of to be covered with to be covered with so be lined with Flue Lining and provided with a 10-inch outside collar and so the space of the covered with the same of the covered with the
STAIRV ROOF— Gutters of Bay wind Dormer Chimney	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
STAIRV ROOF— Gutters (Bay wine Dormer Chimney Estimate INSPEC	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
STAIRV ROOF— Gutters (Bay wine Dormer Chimney Estimate INSPEC	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building
STAIRV ROOF— Gutters (Bay wind Dormer Chimney Estimate INSPEC The Bui The Arci	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. ANS—No. in building
STAIRV ROOF— Gutters (Bay wind Dormer Chimney Estimate INSPEC The Bui The Arci	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Lawre, this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. VAVS—No. in building. Two. location Front & Roar to be enclosed with walls to be lathed with. lathing. To be constructed of Rafters to be inches to be spaced inches on centers. Roof to be covered with so be made of Cornices to be made of to be covered with windows to be made of to be covered with allocation to go to the inside of the flue. I Cost of Building 4,000 TION—The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begun. Address.
STAIRV ROOF— Gutters of Bay wind Dormer Chimney Estimate INSPEC The Bui The Arci	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Lawre, this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. AVS—No. in building. Two location Front & Roar to be enclosed with walls to be lathed with. lathing. To be constructed of Rafters to be inches to be spaced inches on centers. Roof to be covered with so be made of Corni as to be made of to be covered with whole windows to be made of to be covered with so be made of to be covered with so be made of to be covered with the covered with suited collar to go to the inside of the flue. I Cost of Building 4,000 TION—The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begun. Address and the same of the same
STAIRV ROOF— Gutters of Bay wind Dormer Chimney Estimate INSPEC The Bui The Arct The Own No Device The about	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. AAVS—No. in building. Two. location Front & Roar to be enclosed with walls to be lathed with. lathing. To be constructed of Rafters to be inches to be spaced inches on centers. Roof to be covered with windows to be made of Corni as to be made of to be covered. So Smoke flues to be lined with Flue Lining and provided with a 10-inch outside collar and an inside collar to go to the inside of the flue. I Cost of Building 4,000 TION—The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begunding is .07700 by the day Address where is La Ramm Address Address er is La Ramm Address Address Address are sent above application without written permission from the Inspector of Buildings. To petition was granted the day of 1911.
STAIRV ROOF— Gutters of Bay wind Dormer Chimney Estimate INSPEC The Bui The Arct The Own No Device The about	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Lawre, this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. AVS—No. in building. Two location Front & Roar to be enclosed with walls to be lathed with. lathing. To be constructed of Rafters to be inches to be spaced inches on centers. Roof to be covered with so be made of Corni as to be made of to be covered with whole windows to be made of to be covered with so be made of to be covered with so be made of to be covered with the covered with suited collar to go to the inside of the flue. I Cost of Building 4,000 TION—The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begun. Address and the same of the same
STAIRV ROOF— Gutters (Bay wine Dormer Chimney Estimate INSPEC The Bui The Arci The Own No Device	If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this). OPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary. AAVS—No. in building. Two. location Front & Roar to be enclosed with walls to be lathed with. lathing. To be constructed of Rafters to be inches to be spaced inches on centers. Roof to be covered with windows to be made of Corni as to be made of to be covered. So Smoke flues to be lined with Flue Lining and provided with a 10-inch outside collar and an inside collar to go to the inside of the flue. I Cost of Building 4,000 TION—The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begunding is .07700 by the day Address where is La Ramm Address Address er is La Ramm Address Address Address are sent above application without written permission from the Inspector of Buildings. To petition was granted the day of 1911.

139 Dortmouth 209-211

PERMIT NO. 4040

DATE OF ISSUE 9-1-13

LOCATION

Dattmandle 14.

i k G GA J