




APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. 1

Portland, Maine, 6/20/91



To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 91/2712 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location Crescent Ave - Great Diamond Island Within Fire Limits? Yes Dist. No. 27
Owner's name and address Hyman Delatetsky Telephone 772-2541
Lessee's name and address Crookline, MA Telephone 772-2541
Contractor's name and address Stephen Baryha Telephone 772-2541
Architect 23 Vaill; 2314, ME 04102 Plans filed Yes No. of sheets 1
Proposed use of building Residential No. families 1
Last use Residential No. families 1
Increased cost of work 0/0 Additional fee \$25

Description of Proposed Work

Amendment to build steps on porch - steps were original and deleted. Not in District nor Landmark
Does not require review.
Requires Review Yes

HISTORIC PRESERVATION

Details of New Work

Is any plumbing involved in this work? Yes Is any electrical work involved in this work? Yes
Height average grade to top of plate 0 Height average grade to highest point of roof 0
Size, front 0 depth 0 No. stories 0 solid or filled land? Yes earth or rock? Yes
Material of foundation Concrete Thickness, top 0 bottom 0 cellar 0
Material of underpinning Concrete Height 0 Thickness 0
Kind of roof Asphalt Rise per foot 0 Roof covering Asphalt
No. of chimneys 0 Material of chimneys Concrete of lining 0
Framing lumber -- Kind 2x4 Dressed or full size? Yes
Corner posts 0 Sills 0 Girt or ledger board? Yes Size 0
Girders 0 Size 0 Columns under girders 0 Size 0 Max. on centers 0
Studs (outside walls and carrying partitions) 2x4-16' O.C. Bridging in every floor and flat roof span over 8 feet.
Joints and rafters: 1st floor 0, 2nd 0, 3rd 0, roof 0
On centers: 1st floor 0, 2nd 0, 3rd 0, roof 0
Maximum span: 1st floor 0, 2nd 0, 3rd 0, roof 0

Approved:

Edmund Delatetsky

Signature of Owner Edmund Delatetsky

Edmund Delatetsky

Approved: Edmund Delatetsky

INSPECTION COPY -- WHITE
APPLICANT'S COPY -- YELLOW

FILE COPY -- PINK
ASSESSOR'S COPY -- GOLDEN

Edmund Delatetsky

Inspector of Buildings

912712

Permit # _____ City of Portland BUILDING PERMIT APPLICATION Fee \$80. Zone _____ Map # _____ Lot# _____

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Hyman Deletetsky Phone # _____

Address: Crescent Ave; Great Diamond Island, ME

LOCATION OF CONSTRUCTION Crescent Ave - Great Diamond Isl

Contractor: Stephen Berube Sub: 772-2541 83A-J- 3,6

Address: 28 Vail St; Ptld, ME Phone # 04103

Est. Construction Cost: 12,000. Proposed Use: 1-fam w porch

_____ Past Use: 1-fam

of Existing Res. Units _____ # of New Res. Units _____

Building Dimensions L _____ W _____ Total Sq. Ft. _____

Stories: _____ # Bedrooms _____ Lot Size: _____

Int. Proposed Use: Seasonal _____ Condominium _____ Conversion _____

Explain Conversion: construct porch - 30'x10' appx

For Official Use Only

Date: 6/4/91 Subdivision: _____

Inside Fire Limits _____ Name: _____

Bldg. Code _____ Lot: _____

Time Limit _____ Ownership: _____

Estimated Cost: 12,000. Public: _____

CITY OF PORTLAND

Zoning: GR-2 Zone

Street Frontage Provided: _____

Provided Setbacks: Front _____ Back _____ Side _____ Side _____

Review Required:

Zoning Board Approval: Yes _____ No _____ Date: _____

Planning Board Approval: Yes _____ No _____ Date: _____

Conditional Use: _____ Variance _____ Site Plan _____ Subdivision _____

Shoreland Zoning Yes _____ No _____ Floodplain Yes _____ No _____

Special Exception _____

Other _____ (Explain) _____

Foundations:

1. Type of Soil: _____
2. Set Backs - Front _____ Rear _____ Side(s) _____
3. Footings Size: _____
4. Foundation Size: _____
5. Other _____

Floor:

1. Sills Size: _____ Sills must be anchored.
2. Girder Size: _____
3. Lally Column Spacing: _____ Size: _____
4. Joists Size: _____ Spacing 16" O.C.
5. Bridging Type: _____ Size: _____
6. Floor Sheathing Type: _____ Size: _____
7. Other Material: _____

Exterior Walls:

1. Studding Size _____ Spacing _____
2. No. windows _____
3. No. Doors _____
4. Header Sizes _____ Span(s) _____
5. Bracing: Yes _____ No _____
6. Corner Posts Size _____
7. Insulation Type _____ Size _____
8. Sheathing Type _____ Size _____
9. Siding Type _____ Weather Exposure _____
10. Masonry Materials _____
11. Metal Materials _____

Interior Walls:

1. Studding Size _____ Spacing _____
2. Header Sizes _____ Span(s) _____
3. Wall Covering Type _____
4. Fire Wall if required _____
5. Other Materials _____

Ceiling:

1. Ceiling Joists Size: _____
2. Ceiling Strapping Size _____ Spacing _____
3. Type Ceilings: _____
4. Insulation Type _____ Size _____
5. Ceiling Height: _____

Roof:

1. Truss or Rafter Size _____ Span _____
2. Sheathing Type _____ Size _____
3. Roof Covering Type _____

Chimneys:

- Type: _____ Number of Fire Places _____

Heating:

- Type of Heat: _____

Electrical:

- Service Entrance Size: _____ Smoke Detector Required Yes _____ No _____

Plumbing:

1. Approval of soil test if required Yes _____ No _____
2. No. of Tubs or Showers _____
3. No. of Flushes _____
4. No. of Lavatories _____
5. No. of Other Fixtures _____

Swimming Pools:

1. Type: _____
 2. Pool Size: _____ x _____ Square Footage _____
- Must conform to National Electrical Code and State Law.

Permit Issued By Louise E. ChaseSignature of Applicant Stephen Berube Date June 4, 1991Signature of CEO Stephen Berube Date _____

Inspection Dates _____

White-Tax Assessor

Yellow-GPCOG

White Tag - CEO

© Copyright GPCOG 1988

PERMIT ISSUED
WITH REQUIREMENTS

912712

Permit # _____ City of Portland BUILDING PERMIT APPLICATION Fee \$30. Zone _____ Map # _____ Lot# _____
Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Myman Jalatotsky Phone # _____
Address: Crescent Ave. Great Diamond Island, ME
LOCATION OF CONSTRUCTION Crescent Ave - Great Diamond Isl
Contractor: Stephen Berube Sub: 772-2541 33A-JB-3,5
Address: 28 Valli St. Portland, ME Phone # 04103
Est. Construction Cost: 12,000 Proposed Use: 1-family porch
Past Use: 1-unit
of Existing Res. Units _____ # of New Res. Units _____
Building Dimensions L _____ W _____ Total Sq. Ft. _____
Stories: _____ # Bedrooms _____ Lot Size: _____
Is Proposed Use: Seasonal _____ Condom _____ Conversion _____
Explain Conversion construct porch- 30'x10' appx

For Official Use Only		PERMIT ISSUED JUN 12 1991 CITY OF PORTLAND
Date: <u>5/4/91</u>	Subdivision: _____	
Inside Fire Limits: _____	Ownership: _____	
Bldg Code: _____	Estimated Cost: <u>12,000</u>	
Time Limit: _____		
Zoning: <u>FR-2</u>		
Street Frontage Provided: _____		
Provided Setbacks: Front _____ Back _____ Side _____		
Review Required:		
Zoning Board Approval: Yes _____ No _____ Date: _____		
Planning Board Approval: Yes _____ No _____ Date: _____		
Conditional Use: _____ Variance _____ Site Plan _____ Subdivision _____		
Shoreland Zoning Yes _____ No _____ Floodplain Yes _____ No _____		
Special Exception _____		
Other _____ (Explain) _____		

Foundation:
1. Type of Soil: _____
2. Set Backs: Front _____ Rear _____ Side(s) _____
3. Footings Size: _____
4. Foundation Size: _____
5. Other _____

Floor:
1. Sills Size: _____ S. must be anchored.
2. Girder Size: _____
3. Lally Column Spacing: _____ Size: _____
4. Joists Size: _____ Spacing 16" O.C.
5. Bridging Type: _____ Size: _____
6. Floor Sheathing Type: _____ Size: _____
7. Other Material: _____

Exterior Walls:
1. Studding Size _____ Spacing _____
2. No. windows _____
3. No. doors _____
4. Header Sizes _____ Span(s) _____
5. Bracing: Yes _____ No _____
6. Corner Posts Size _____
7. Insulation Type _____ Size _____
8. Sheathing Type _____ Size _____
9. Siding Type _____ Weather Exposure _____
10. Masonry Materials _____
11. Metal Materials _____

Interior Walls:
1. Studding Size _____ Spacing _____
2. Header Sizes _____ Span(s) _____
3. Wall Covering Type _____
4. Fire Wall if required _____
5. Other Materials _____

HISTORIC PRESERVATION	
Ceiling:	1. Ceiling Joists Size: _____ Spacing _____ 2. Ceiling Strapping Size _____ 3. Type Ceilings: _____ 4. Insulation Type _____ Size _____ 5. Ceiling Height: _____
Roof:	1. Truss or Rafter Size _____ 2. Sheathing Type _____ 3. Roof Covering Type _____
Chimneys:	Type: _____ Number of Fire Places _____ Date: <u>4/3/91</u>
Heating:	Type of Heat: _____
Electrical:	Service Entrance Size: _____ Smoke Detector Required Yes _____ No _____
Plumbing:	1. Approval of soil test if required Yes _____ No _____ 2. No. of Tubs or Showers _____ 3. No. of Flushes _____ 4. No. of Lavatories _____ 5. No. of Other Fixtures _____
Swimming Pools:	Type: _____ Size: _____ x _____ Square Footage _____ Must conform to National Electrical Code and State Law.
Permit Received by <u>John E. Chase</u>	
Signature of Applicant _____ Date: _____	
Signature of CEO <u>Stephen Berube</u> Date: _____	
Inspection Dates _____	

White-Tax Assessor Yellow-GPCOG White Tag -CEO

© Copyright GPCOG 1988

add to

PLOT PLAN

N



FEES (Breakdown From Front)

Base Fee \$ 80 -
 Subdivision Fee \$ _____
 Site Plan Review Fee \$ _____
 Other Fees \$ _____
 (Explain) _____
 Late Fee \$ _____

Type

Inspection Record

Date

COMMENTS

6/30/94

Chase

OK

Signature of Applicant D. L. Pender

Date June 4, 1991

BUILDING PERMIT REPORT

ADDRESS: Great Diamond Is. 83A-J-3,6 DATE: 13/June/91

REASON FOR PERMIT: Construct porch approx 30'x10'

BUILDING OWNER: Hyman Deletetsky

CONTRACTOR: Stephen Berube

PERMIT APPLICANT: 1

APPROVED: X

CONDITION OF APPROVAL:

- 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained.
- 2.) Precaution must be taken to protect concrete from freezing.
- 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with self-closers.
- 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m²). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
- 7.) All single and multiple-station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code (BOCA National Building Code 1990, and N.F.P.A. 74).


8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fireresistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.

9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 4 inches cannot pass through any opening.

10.) Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.

11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Sincerely,


F. Samuel Haffey
Chief of Inspection Services

/el
11/16/88
11/27/90

Inspection Services
Samuel P. Hoffses
Chief



Planning and Urban Development
Joseph E. Gray Jr.
Director

CITY OF PORTLAND

June 13, 1991

Mr. Stephen Berube
28 Vaill Street
Portland, ME 04103

RE: 83A-J-3,6 Crescent Avenue, Great Diamond Island

Dear Mr. Berube:

This letter is in reference to your application for an addition on Mr. Deletatsky's property on Great Diamond Island. The plot plan submitted does not show the proposed addition on the street frontage. Please provide this information so we may further process this permit.

Sincerely,


WDDH

William D. Giroux
Zoning Administrator

cc: P. Samuel Hoffses, Chief of Inspection Serv
Warren Turner, Administrative Assistant
Arthur Addato, Code Enforcement Officer

1/10

Came to office - Problem corrected.
§



SELFIE

STAIR STRINGERS
CUT FROM PT.
2x12's 16" O.C.
@ 1x4 DOUGLASS
FIN TREADS
4x4 POSTS &
2x4 rail @
1 1/4" spindles 5" O.C.


SCALE 1/4" = 1'


83 A - J - 3 - 6

Crescent Ave.

Great Diamond Isl.

plot plan showing existing
structure.





(existing position)
 SHADEN AREA PRESENTLY ENCLOSED AND
 TO BE DISMANTLED AND PUT BACK TO
 ITS ORIGINAL CONDITION AS SHOWN IN
 OLD PLANS, INTERIOR GRAINS TO BE COVERED
 OVER (2x8 JOISTS @ 1x4 T&B decking)

(FRONT ELEVATION)
 SOUTH SIDE

The old plans were originally drawn to add an addition to the house. This work will not be done at this time. Permits to build porches, ^(note is shown for elevation) decks, stairs, as well as ^{significantly} built on the house and will ^{on plans dated Sept. 20, 1920} have been submitted with this letter. These porches were torn down long ago and replaced with a one story wooden addition. Plan is to keep the base and remove the roof, and build over it, adding new joists, and adding new concrete footings where needed. South west corner of house (Front elevation) was enclosed and stairs added for access to this addition. Plan is to replace this area, cover over stairwell, adding joist, and decking as needed. Also included in this work will be replacement of a 2' x 4' sliding window, with a double hung window on the south west corner, and to replace a window on the north west corner with a 2' x 6'.

CRESCENT AVE. - GREAT DIAMOND ISL.
83A-J-3-6

door as it was originally built. This door will be reinst. in order to gain access to the perch. Both door and window to have a 4" x 6" header

Note: Stairs on south side not being built at this time; See old plans, (front elevation).

porch roof to be 2x8 rafters 16"

on center, spanning 10 feet, with double
2x4 headers around the perimeter.

Decking to be of Douglas fir pine
pitch will be 1/4 inch per foot.

Railing will be 4x4 posts with
2x4 top & bottom rail, with 1 1/4" x
1 1/4" square spindles 5 inches on center.

Railings height will be 3 feet.

Concrete footings for porch & deck will
be 10" round "sonotubes" 4' deep with
half inch rebar and drift pins. Posts
to have 2x4 braces.

The posts supporting the roof will be
4x4 Douglas fir, and placed as shown
in the plans.

10073 - 1100

BY: [illegible]
CHECKED BY: [illegible]
DATE: [illegible]

Inspection Services
Samuel P. Hoffses
Chief



Planning and Urban Development
Joseph E. Gray Jr.
Director

CITY OF PORTLAND

June 13, 1991

Mr. Stephen Berube
28 Vaill Street
Portland, ME 04103

RE: 83A-J-3, 6 Crescent Avenue, Great Diamond Island

Dear Mr. Berube:

This letter is in reference to your application for an addition on Mr. Deletetsky's property on Great Diamond Island. The plot plan submitted does not show the proposed addition on the street frontage. Please provide this information so we may further process this permit.

Sincerely,

William D. Giroux
Zoning Administrator

cc: P. Samuel Hoffses, Chief of Inspection Services
Warren Turner, Administrative Assistant
Arthur Addato, Code Enforcement Officer


/kb



APPLICATION FOR AMENDMENT TO PERMIT

Amendment No. 1

Portland, Maine, 5/20/91



To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for amendment to Permit No. 91/2712 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location Crescent Ave - Great Diamond Island Within Fire Limits? _____ Dist. No. _____

Owner's name and address Hyman Deletetsky Telephone _____

Lessee's name and address Brookline, MA Telephone _____

Contractor's name and address Stephen Berube 772-2541 Telephone _____

Architect 23 Vaill; Ptld, ME 04103 Plans filed _____ No. of sheets _____

Proposed use of building _____ No. families _____

Last use _____ No. families _____

Increased cost of work n/a Additional fee \$25.

Description of Proposed Work

Amendment to build steps on a porch - steps were ~~XXXXXX~~ in plans, and deleted

HISTORIC PRESERVATION

Not in District nor Landmark.
Original plans not require review.
Required Review.

Action: _____ Approved _____
_____ Approved with Conditions _____

Date 5/23/91
Signature [Signature]

Details of New Work

Is any plumbing involved in this work? _____ Is any electrical work involved in this work? _____

Height average grade to top of plate _____ Height average grade to highest point of roof _____

Front _____ depth _____ No. stories _____ solid or filled land? _____ earth or rock? _____

Material of foundation _____ Thickness, top _____ bottom _____ cellar _____

Material of underpinning _____ Height _____ Thickness _____

Kind of roof _____ Rise per foot _____ Roof covering _____

No. of chimneys _____ Material of chimneys _____ of lining _____

Framing lumber - Kind _____ Dressed or full size? _____

Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____

Girders _____ Size _____ Columns under girders _____ Size _____ Max. on centers _____

Studs (outside walls and carrying partitions) 2x4-16" O.C. Bridging in every floor and flat roof span over 8 feet.

Joints and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____

On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____

Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____

Approved: IR-2 Island Residence Zone

Signature of Owner [Signature]

W.H. Rowe 7-2-91

Approved: [Signature]

INSPECTION COPY - WHITE
APPLICANT'S COPY - YELLOW

FILE COPY - PINK
ASSESSOR'S COPY - GOLDEN

MA. ROWE

June 20, 1991

RECEIVED


JUN 19 1991

DEPT. OF BUILDING INSPECTIONS
CITY OF PORTLAND

RECEIVED

JUN 20 1991

DEPT. OF BUILDING INSPECTIONS
CITY OF PORTLAND




Amend permit to add stairs
as drawn described on
original application

Front elevation (south side)

91-2712

Permit # _____ City of Portland BUILDING PERMIT APPLICATION Fee \$80. Zone _____ Map # _____ Lot# _____
 Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Hyman Deletetsky Phone # _____
 Address: Crescent Ave; Great Diamond Island, ME
 LOCATION OF CONSTRUCTION Crescent Ave - Great Diamond Isl
 Contractor: Stephen Barube Sub: 772-2541 85A-J--3,6
 Address: 28 Vail St; Ptd, ME Phone # 04103
 Est. Construction Cost: 12,000 Proposed Use: 1-fam w porch
 Past Use: 1=fam
 # of Existing Res. Units _____ # of New Res. Units _____
 Building Dimensions L _____ W _____ Total Sq. Ft. _____
 # Stories _____ # Bedrooms _____ Lot Size: _____
 Is Proposed Use: Seasonal _____ Condominium _____ Conversion _____
 Explain Conversion construct porch - 30'x10' appx

For Official Use Only		PERMIT ISSUED
Date: <u>6/4/91</u>	Subdivision: _____	
Inside Fire Limits: _____	Name: _____	
Bldg Code: _____	Lot: _____	
Time Limit: _____	Ownership: _____	
Estimated Cost: <u>12,000</u>	City of Portland	

Zoning: _____
 Street Frontage Provided: _____
 Provided Setbacks: Front _____ Back _____ Side _____ Side _____
 Review Required: _____
 Zoning Board Approval: Yes _____ No _____ Date: _____
 Planning Board Approval: Yes _____ No _____ Date: _____
 Conditional Use: _____ Variance _____ Site Plan _____ Subdivision _____
 Shoreland Zoning: Yes _____ No _____ Floodplain: Yes _____ No _____
 Special Exception: _____
 Other: _____ (Explain) NE

Foundation:
 1. Type of Soil: _____
 2. Set Backs - Front _____ Rear _____ Side(s) _____
 3. Footings Size: _____
 4. Foundation Size: _____
 5. Other: _____
 Floor:
 1. Sills Size: _____
 2. Girder Size: _____
 3. Lally Column Spacing: _____ Size: _____
 4. Joists Size: _____ Spacing 16" O.C.
 5. Bridging Type: _____ Size: _____
 6. Floor Sheathing Type: _____ Size: _____
 7. Other Material: _____
 Exterior Walls:
 1. Studding Size _____ Spacing _____
 2. No. windows _____
 3. No. Doors _____
 4. Header Sizes _____ Span(s) _____
 5. Bracing: Yes _____ No _____
 6. Corner Posts Size _____
 7. Insulation Type _____ Size _____
 8. Sheathing Type _____ Size _____
 9. Siding Type _____ Weather Exposure _____
 10. Masonry Materials _____
 11. Metal Materials _____
 Interior Walls:
 1. Studding Size _____ Spacing _____
 2. Header Sizes _____ Span(s) _____
 3. Wall Covering Type _____
 4. Fire Wall if required _____
 5. Other Materials _____

Ceiling:
 1. Ceiling Joists Size: _____
 2. Ceiling Strapping Size _____ Spacing _____
 3. Type Ceiling: _____
 4. Insulation Type _____ Size _____
 5. Ceiling Height: _____
 Roof:
 1. Truss or Rafter Size _____ Span _____
 2. Sheathing Type _____ Size _____
 3. Roof Covering Type _____
 Chimneys:
 Type: _____ Number of Fire Places _____
 Heating:
 Type of Heat: _____
 Electrical:
 Service Entrance Size: _____ Smoke Detector Required Yes _____ No _____
 Plumbing:
 1. Approval of soil test if required _____ Yes _____ No _____
 2. No. of Toilets or Showers _____
 3. No. of Flushes _____
 4. No. of Lavatories _____
 5. No. of Other Fixtures _____
 Swimming Pools:
 1. Type: _____
 2. Pool Size: _____ Square Footage _____
 3. Must conform to National Electrical Code and State Law.
 Permit Received By: Louise E. Chase
 Signature of Applicant: Stephen Barube Date: June 4, 1991
 Signature of CEO: Stephen Barube Date: _____
 Inspection Dates: _____

White-Tax Assessor

Yellow-GPCOG

White - g, CEO

© Copyright GPCOG 1988