

SUMMIT AVE. - GREAT DIAMOND ISL.  
83A-U-1

OFFICE HOURS  
10 TO 12 M.  
4 TO 5 P.M.



# City of Portland, Maine

## OFFICE OF INSPECTOR OF BUILDINGS

July 6th 1915

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on  
Great Diamond Island street, at number Et. McKinley to be  
1 stories high 26 feet long, 15  
feet wide also an addition to be \_\_\_\_\_ stories high, \_\_\_\_\_  
feet long, \_\_\_\_\_ feet wide, and to be used as a Dwelling

CELLAR WALL.—To be constructed of concrete to be 6 inches wide on bottom and  
batter to 0 inches on top.

UNDERPINNING.—To be King P. Height of underpinning from top of cellar wall to bottom of  
sill 0 ft. 0 inches to be 0 inches in thickness.

EXTERIOR WALLS.—To be constructed of 7 in. M.V.P. If of Brick, Stone, etc. Total Height of wall  
7 ft. \_\_\_\_\_ inches. Thickness of 1st 8 2d \_\_\_\_\_ 3d \_\_\_\_\_ 4th \_\_\_\_\_  
5th \_\_\_\_\_ 6th \_\_\_\_\_ story walls. If of reinforced concrete, state mix and reinforcing system  
to be used. 1 Part cement and 6 of sand

If wood construction, sills to be 4 X 6 Girders \_\_\_\_\_ Floor Timbers 2 X 8 Spaced Don't know on Centers  
Post 2 X 4 Girts 2 X 4 Stnds. Portable to be spaced Ready made

This building will be used for the purposes of Dwelling (If for apartments,  
tenements, or other family uses state number of families accommodated and number on each floor.  
If for manufacturing or mercantile purposes state character of business and amount of estimated  
weight to be carried by the floor.)

Number of families on floor \_\_\_\_\_ one by own family only  
Total number of families \_\_\_\_\_ one

Manufacturing (state character) \_\_\_\_\_ Ready made Portable House

Estimated load on floors per sq. ft. \_\_\_\_\_ 10 lb total to sq ft

Mercantile business (state character and load per sq. ft.) \_\_\_\_\_ 2 lb wt to surface of sq ft  
if floor is not of building

If building is used for tenement (house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this.)  
our own use only

FIRESTOPS.—All bearing and center partitions will have firestops cut in tight on top of each partition cap  
and between each set of floor timbers. Where ledger board are used there shall be firestops cut in  
tight against bottom of ledger board, of same size as wall studs. Also wherever the Inspector of  
Buildings may consider necessary.

STAIRWAYS.—No. in building \_\_\_\_\_ location \_\_\_\_\_ none to be enclosed  
with \_\_\_\_\_ walls to be lathed with achilles \_\_\_\_\_ wall board.

ROOF.—To be constructed of best prepared Rafters to be 2 X 3 not inches to be spaced 18 in  
\_\_\_\_\_ inches on centers. Roof to be covered with best prepared roofing

Gutters to be made of galvanized sheet Cornices to be made of don't know

Bay Windows to be made of \_\_\_\_\_ to be covered with \_\_\_\_\_  
Dormer Windows to be made of 4 X 4 twilight to be covered \_\_\_\_\_

Chimneys, Smoke Flues to be lined with galvanized sheet and provided with a 10-inch outside collar and  
an inside collar to go to the inside of the flue.

Estimated Cost of Building: \$ 500.00  
INSPECTION.—The Inspector of Buildings is to be notified when building is ready for lathing and at least  
24 hours before the lathing is begun.

The Building is R.H. Sherman Address \_\_\_\_\_  
The Architect is Portable Address \_\_\_\_\_

The Owner is R.H. Sherman Address Great Diamond Is.  
No. Deviation will be made from the above application without written permission from the Inspector of Buildings

above petition was granted the \_\_\_\_\_ day of \_\_\_\_\_ 1915

Applicant to sign here R.H. Sherman

Oct 94  
13A-V-1

Great Diamond Island

H.P. Sherman

Lot 94  
1916  
1920

83

burned  
1920

Great Diamond Island

SERIES NO... 4518  
DATE OF ISSUE... 7.7.18  
LOCATION  
... Great Diamond Is.