

**City of Portland, Maine - Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874 8716

Location of Construction: 142 McKinley Crt (Unit #6A) G.D.I.		Owner: Fitch, Ronald		Phone: 970001		Permit No: <del>970001</del>	
Owner Address: P.O. Box 455 Poland		Lease/Buyer's Name: Spring, ME 04274		Phone:		Business Name:	
Contractor Name: SAA		Address:		Phone:		PERMIT FEE: \$ 25.00	
Past Use: 1-fam		Proposed Use: Same		COST OF WORK: \$ 150.00		PERMIT FEE: \$ 25.00	
Proposed Project Description: Make Interior Renovations		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: 13 type: 3B BOC x 461 Signature: <i>[Signature]</i>		Zone: <u>TR-3</u> CBL: 083-E-B-061	
		Signature:		Signature:		Zoning Approval: To Fenwick 1 Unit Special Zone or Reverts: <input type="checkbox"/> Shoreland <i>OK</i> <input type="checkbox"/> Welland <input type="checkbox"/> Flood Zone <i>12/31/96</i> <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <input type="checkbox"/> major <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Mary Gresik		Date Applied For: 30 December 1996		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Signature: _____ Date: _____	

**PERMIT ISSUED**  
Permit Issued:  
JAN 2 1997  
**CITY OF PORTLAND**

- This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.

**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: *[Signature]* Ronald Fitch ADDRESS: \_\_\_\_\_ DATE: 30 December 1996 PHONE: \_\_\_\_\_

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: \_\_\_\_\_ PHONE: \_\_\_\_\_  
White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Zone: TR-3 CBL: 083-E-B-061

Zoning Approval:  
To Fenwick 1 Unit  
Special Zone or Reverts:  
 Shoreland *OK*  
 Welland  
 Flood Zone *12/31/96*  
 Subdivision  
 Site Plan  major  minor  mm

**Zoning Appeal**  
 Variance  
 Miscellaneous  
 Conditional Use  
 Interpretation  
 Approved  
 Denied

**Historic Preservation**  
 Not In District or Landmark  
 Does Not Require Review  
 Requires Review  
Action: *Any return alteration subject to separate review*

Date: 12/31/96  
*[Signature]*

CEO DISTRICT 6  
*[Signature]*

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 152 McKinley Crt/G.D.I.		Owner: Bean, W. Schafer	Phone:	Permit No: <b>960908</b>
Owner Address: 7B McLellan St Brunswick,	Leasee/Buyer's Name: ME 04011	Phone: 766-2107	Business Name:	<b>PERMIT ISSUED</b> Permit Issued: <b>SEP 17 1996</b> <b>CITY OF PORTLAND</b>
Contractor Name:	Address:	Phone:		
Past Use: 1-fam	Proposed Use: Same	COST OF WORK: \$ 1,000.00	PERMIT FEE: \$ 25.00	Zone: CBL: <b>083E-B</b> Zoning Approval: <i>OK WS 9/13/96</i> Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <input type="checkbox"/> major <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
Project Description: Make Interior Renovations		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group <i>B</i> Type <i>50</i> <i>DOC AGC</i> Signature: <i>[Signature]</i>	
		Signature:	Signature: <i>[Signature]</i>	
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		
Permit Taken By: Mary Gresik	Date Applied For: 09 September 1996			

- This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.

15012/30-3193 30 YC

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

*W. Schafer Bean*  
 SIGNATURE OF APPLICANT W. Schafer Bean ADDRESS: \_\_\_\_\_ DATE: 09 September 1996 PHONE: \_\_\_\_\_

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: \_\_\_\_\_ PHONE: \_\_\_\_\_

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

- Zoning Appeal**
- Variance
  - Miscellaneous
  - Conditional Use
  - Interpretation
  - Approved
  - Denied

- Historic Preservation**
- Not in District or Landmark
  - Does Not Require Review
  - Requires Review
- Action: *Any special situations subject to separate review.*

- Approved
  - Approved with Conditions
  - Denied
- Date: 9/9/96

*D. Andrews*  
 CEO DISTRICT **6**  
*m. Leary*

**City of Portland, Maine - Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8704

Location of Construction: <b>McKinley Court #7b</b>		Owner: <b>Holly R. Fitch</b>		Phone:	Permit No: <b>9604</b>
Owner Address: <b>Great Diamond Island</b>		Leasee/Buyer's Name:		Phone:	Business Name:
Contractor Name: <b>Ronald Fitch</b>		Address: <b>P.O. Box 455 Poland Spring, ME 04274</b>		Phone: <b>766-2729</b>	
Past Use: <b>Condo</b>		Proposed Use: <b>Same w/Int reno</b>		COST OF WORK: <b>\$ 6,660.00</b>	
				PERMIT FEE: <b>\$ 55.00</b>	
Proposed Project Description: <b>Mkbs Interior Renovations</b>		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: <b>3</b> Type: <b>1</b>	
		Signature:		Signature: <i>[Signature]</i>	
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning: <b>CBL-083-E-E-</b>	
		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Zoning Approval: <b>TO 10</b>	
Permit Taken By: <b>Mary Greak</b>		Date Applied For: <b>17 May 1996</b>		Special Zone or Review: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan major <input type="checkbox"/> minor <input type="checkbox"/>	

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.

<p style="text-align: center;"><b>CERTIFICATION</b></p> <p>I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit</p>		<p style="text-align: center;"><b>PERMIT ISSUED WITH REQUIREMENTS</b></p>	
		<p style="text-align: center;"><b>PERMIT ISSUED WITH REQUIREMENTS</b></p>	
<p style="text-align: right;">17 May 1996</p>		<p style="text-align: center;"><b>PERMIT ISSUED WITH REQUIREMENTS</b></p>	
SIGNATURE OF APPLICANT <b>Ronald Fitch</b>		ADDRESS:	
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		PHONE:	

<p style="text-align: center;"><b>CERTIFICATION</b></p> <p>I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit</p>		<p style="text-align: center;"><b>PERMIT ISSUED WITH REQUIREMENTS</b></p>	
<p style="text-align: right;">17 May 1996</p>		<p style="text-align: center;"><b>PERMIT ISSUED WITH REQUIREMENTS</b></p>	
SIGNATURE OF APPLICANT <b>Ronald Fitch</b>		ADDRESS:	
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		PHONE:	

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

**PERMIT ISSUED**  
MAY 22 1996

**CITY OF PORTLAND**

Zoning Appeal  
 Variance  
 Miscellaneous  
 Conditional Use  
 Interpretation  
 Approved  
 Denied

Historic Preservation  
 North District or Landmark  
 Does Not Require Review  
 Requires Review

Action:  Approved  Approved with Conditions  Denied

Date: **5/17/96**

CEO DISTRICT **6**

**A. Con**

COMMENTS

10-25-91

Work is all completed

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

BUILDING PERMIT REPORT

DATE: 21/MAY/196 ADDRESS: McKinley Court #7B  
REASON FOR PERMIT: TO MAKE INTERIOR RENOVATIONS  
BUILDING OWNER: FITCH  
CONTRACTOR: R. FITCH APPROVED: \*7\*9\*13  
PERMIT APPLICANT: \_\_\_\_\_ DENIED: \*14\*15\*16


CONDITION OF APPROVAL OR DENIAL

1. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
2. Precaution must be taken to protect concrete from freezing.
3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
5. Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
6. The boiler shall be protected by enclosing with one(1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 sq. feet per sprinkler.
- K 7. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue, they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508 mm), and a minimum net clear opening of 5.7 sq. feet.
8. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- K 9. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, section 19, 919.3.2 (BOCA National Building Code/1993), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

1. In the immediate vicinity of bedrooms
2. In all bedrooms
3. In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted.


10. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1993)
11. Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, R-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
12. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1993)
- X 13. Stair construction in Use Group R-3 & R-4 is a minimum of 9" tread and 8-1/4" maximum rise. ~~All other Use Group minimum 11" tread, 7" maximum rise.~~
- X 14. Headroom in habitable space is a minimum of 7'6".
- X 15. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- X 16. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
17. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
18. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M RSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services
19. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.

  
P. Samuel Hoffes, Chief of Inspection Services

tel 3/16/95


20. This Building MUST remain a  
Single Family dwelling.

# 1st Floor




2nd Floor

Extending  
into  
wells








DEPT. OF BUILDING INSPECTION  
CITY OF PORTLAND, ME  
MAY 17 1996  
RECEIVED

Existing  
Kitchens  
Walls

RECEIVED  
CITY OF COLLEGE PARK  
OFFICE OF BUILDING INSPECTION



Children's  
Playroom

Existing  
Back walls  
& niches

**City of Portland, Maine -- Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction McKinley Court #7B		Owner: Holly R. Fitch		Phone:		Permit No. <b>960489</b>	
Owner Address: Great Diamond Island		Leasee/Buyer's Name:		Phone:		Business Name:	
Contract Name: Ronald Fitch		Address: P.O. Box 455 Roland Springs, ME 04274		Phone: 766-7729		Permit Fee: <b>PERMIT ISSUED</b>	
Past Use: Condo		Proposed Use: Same w/int reno		COSTLY WORK: \$ 6,560.00		PERMIT FEE: \$ 55.00	
Proposed Project Description: Make interior Renovations		WIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: 54 Signature: [Signature]		CITY OF PORTLAND 2678 GEN: 083-K-B-072	
Permit Taken By: Mary Grenit		Date Applied For: 17 May 1996		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Zoning Approval: 73 A Special Use Review 1 Shrubland <input type="checkbox"/> No and <input type="checkbox"/> Pwd Zone <input type="checkbox"/> Pwd Zone <input type="checkbox"/> Pwd Zone 1 Minor Emission	

- This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.

**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: [Signature] ADDRESS: DATE: 17 May 1996 PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK TITLE PHONE:

- Zoning Appeal
- Variance
  - Miscellaneous
  - Conditional Use
  - Interpretation
  - Approval
  - Denied

- Historic Preservation
- Not in District or Landmark
  - Does Not Require Review
  - Requires Review

Action: Any exterior alterations required  
 Approved  
 Approved with Conditions  
 Denied

Date: 5/20/96  
D. Anderson

CEO DISTRICT 6  
A. Rowe

White-Permit Desk Green-Assessor's Canary-D.F.W. Pink-Public File Ivory Card-Inspector



**APPLICATION FOR PERMIT**  
 DEPARTMENT OF BUILDING INSPECTIONS SERVICES  
 ELECTRICAL INSTALLATIONS

Date 21 Oct 94, 19  
 Receipt and Permit number 10953

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:  
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of  
 Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: GDI McKinley Estates Unit #12  
 OWNER'S NAME: \_\_\_\_\_ ADDRESS: \_\_\_\_\_

OUTLETS:	FEEES
Receptacles <u>2</u> Switches _____ Plugmold _____ ft. TOTAL _____	.40
FIXTURES: (number of)	
Incandescent _____ Fluorescent _____ (not strip) TOTAL _____	
Strip Fluorescent _____ ft. _____	
SERVICES:	
Overhead <u>x</u> Underground _____ Temporary _____ TOTAL amperes <u>200</u> ..	15.00
METERS: (number of) <u>1</u> ..	1.00
MOTORS: (number of)	
Fractional: _____	
1 HP or over _____	
RESIDENTIAL HEATING:	
Oil or Gas (number of units) _____	
Electric (number of rooms) _____	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler) _____	
Oil or Gas (by separate units) _____	
Electric Under 20 kws _____ Over 20 kws _____	
APPLIANCES: (number of)	
Ranges _____	Water Heaters _____
Cook Tops _____	Disposals _____
Wall Ovens _____	Dishwashers _____
Fryers _____	Compactors _____
Fans _____	Others (denote) _____
TOTAL _____	
MISCELLANEOUS: (number of)	
Branch Panels _____	
Transformers _____	
Air Conditioners Central Unit _____	
Separate Units (windows) _____	
Signs 20 sq. ft. and under _____	
Over 20 sq. ft. _____	
Swimming Pools Above Ground _____	
In Ground _____	
Fire/Burglar Alarms Residential _____	
Commercial _____	
Heavy Duty Outlets 220 Volt (such as welders) 30 amps and under _____	
over 30 amps _____	
Circus, Fairs, etc. _____	
Alterations to wires _____	
Repairs after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT ...	INSTALLATION FEE DUE: _____
FOR REMOVAL OF A "STOP ORDER" (304-16.b) ...	DOUBLE FEE DUE: _____
	TOTAL AMOUNT DUE. <u>16.40</u>

INSPECTION:  
 Will be ready on Ready, 1994; or Will Call \_\_\_\_\_  
 CONTRACTOR'S NAME: Noyes Elec  
 ADDRESS: P.O. Box 711 Barrington, NH  
 TEL.: 664-7506  
 MASTER LICENSE NO.: 10953 SIGNATURE OF CONTRACTOR: Wayne Noyes  
 LIMITED LICENSE NO.: \_\_\_\_\_

INSPECTOR'S COPY — WHITE  
 OFFICE COPY — CANARY  
 CONTRACTOR'S COPY — GREEN



**PLUMBING APPLICATION**

**PROPERTY ADDRESS**

Town or Plantation: Great Diamond Island, Portland, Me.

Street: Lo' 16 Diamond Cove

Subdivision Lot #: Project

**PROPERTY OWNERS NAME**

Last: MacGraw First: Dick

Applicant: Eric Hill X

Mailing Address of Owner/Applicant (if different): 63 Ocean House Rd Cape Elizabeth, Me 04107

PORTLAND 5301 TOWN COPY

Or to Permit Issued: 1/18/95 \$ 800 FEE  Double Fee Charge!

L.P.L. # 0124

Local Plumbing Inspector Signature: \_\_\_\_\_

**Owner/Applicant Statement**

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant: Eric Hill Date: 1-17-95

**Caution: Inspection Required**

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: Arthur Rowe Date Approved: 6-2-95

**PERMIT INFORMATION**

This Application is for:

NEW PLUMBING

RELOCATED PLUMBING

Type Of Structure To Be Served:

SINGLE FAMILY DWELLING

MODULAR OR MOBILE HOME

MULTIPLE FAMILY DWELLING

OTHER - SPECIFY \_\_\_\_\_

Plumbing To Be Installed By:

MASTER PLUMBER

OIL BURNERMAN

MFG'D. HOUSING DEALER/MECHANIC

PUBLIC UTILITY EMPLOYEE

PROPERTY OWNER

LICENSE # 108510

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Column 2		Column 1	
	Number	Type of Fixture	Number	Type of Fixture
<b>OR</b> HOOK-UP to an existing subsurface wastewater disposal system	3	Hosebibb / Silcock	2	Bathtub (and Shower)
		Floor Drain	2	Shower (Separate)
		Urinal	1	Sink
		Drinking Fountain	4	Wash Basin
		Indirect Waste	4	Water Closet (Toilet)
		Water Treatment S ttenor Filter, etc.	1	Clothes Washer
	PIPING RELOCATION of sanitary lines, drains, and piping without new fixtures.		Grease/Oil Separator	1
		Dental Cuspidor	1	Garbage Disposal
		Bidet		Laundry Tub
Number of Hook-Ups & Relocations		Other _____	1	Water Heater <u>oil fired</u>
\$ Hook-Up & Relocation Fee		Fixtures (Subtotal) Column 2	1.7	Fixtures (Subtotal) Column 1
			3	Fixtures (Subtotal) Column 2
			2.0	Local Plumbing Fee
			\$	Fixture Fee
			\$	Hook-Up & Relocation Fee
			\$ <u>80.</u>	Permit Fee

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

970085

FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED FEB - 4 1997 CITY OF PORTLAND

Portland, Maine, .....

To the INSPECTOR OF BUILDINGS, PORTLAND, ME. 03 February 1997

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

G.D.I.

Location 176 McKinley Crt 9-B Us: of Building Condo No. Stories New Building Existing " Name and address of owner of appliance Samuel Davis Installer's name and address Gabriel Associates, P.O. Box 3795, Portland, ME 04104 Telephone 797-3437

General Description of Work

To install Oil fired forced hot water heating system

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no If so, how protected? Kind of fuel? #2 oil Minimum distance to burnable material, from top of appliance or casing top of furnace 6' From top of smoke pipe 6' From front of appliance 0 From sides or back of appliance 0 Size of chimney flue 10" Other connections to same flue no If gas fired, how vented? Rated maximum demand per hour 245,000 Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

Encased in cement/boiler room

IF OIL BURNER

Name and type of burner Beckett Labelled by underwriters' laboratories? yes Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe 1 1/2" Location of oil storage basement Number and capacity of tanks 2-275 Low water shut off yes Make OEM No. 170 Will all tanks be more than five feet from any flame? yes How many tanks enclosed? one Total capacity of any existing storage tanks for furnace burners 2 275

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Bob Dorr Master Oil Burner # 5579

Cost of Work: 16,000.00 Permit Fee 100.00

Amount of fee enclosed?

APPROVED:

[Handwritten signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

[Handwritten signature]

CS 30P

INSPECTION FILE APPLICANT'S ASSESSOR'S COPY Bill Gabriel for Bob Dorr