


STERLING STREET PEAKS ISLAND  
87-AA-3



STERLING STREET PEAKS ISLAND  
87-AA-3



89-1A-3

FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, ~~December 23 1949~~ Jan 26 1950

PERMIT ISSUED 00110 JAN 27 1950 CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location Sterling St. P.I. Use of Building Drilling No. Stories 2 New Building Existing " Name and address of owner of appliance M. Murray Sterling St. P.I. Installer's name and address Easternoil & Equip Co. 27 Portland St. Telephone 3-8495

General Description of Work

To install oil burner equipment in connection with existing forced hot water system.

IF HEATER, OR POWER BOILER

Location of appliance or source of heat Type of floor beneath appliance If wood, how protected? Kind of fuel Minimum distance to wood or combustible material, from top of appliance or casing top of furnace From top of smoke pipe From front of appliance From sides or back of appliance Size of chimney flue Other connections to same flue If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Easternoil Model "A" Labelled by underwriter's laboratories? Yes Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? Bottom Type of floor beneath burner Cement Location of oil storage Cellar Number and capacity of tanks 1 275 Gal. If two 275-gallon tanks, will three-way valve be provided? Will all tanks be more than five feet from any flame? Yes How many tanks fire provided? Total capacity of any existing storage tanks for furnace burners M.P.I.C.

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance If wood, how protected? Minimum distance to wood or combustible material from top of appliance From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED: [Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Signature of Installer John F. Ciprian

INSPECTION COPY

Permit No. 50/110  
Location Sterling St Peales Island  
Owner M. Murray  
Date of permit 1/27/56  
Approved T. S. B. R. R. R.

NOTES

- 1 Piping
- 2 Vent Pipe
- 3 Kind of Heat H. Water
- 4 Burner Rigidity & Supports
- 5 Name & Label
- 6 Stack Control
- 7 High Limit Control
- 8 Remote Control
- 9 Piping Support & Control
- 10 Valves in Sub. Line
- 11 Capacity of Tanks
- 12 Tank Rigidity & Supports
- 13 Tank Drafts
- 14 Oil Gauge
- 15 Instruction Card
- 16 \_\_\_\_\_



FILL IN AND SIGN WITH INK  
**APPLICATION FOR PERMIT FOR  
 HEATING, COOKING OR POWER EQUIPMENT**

**PERMIT ISSUED**  
 02014  
 NOV 23 1949  
 CITY of PORTLAND

Portland, Maine, November 22, 1949

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location Sterling St., Peaks Island of Building Dwelling house No. Stories 3 New Building Existing "  
 Name and address of owner of appliance Malcolm Murray, Sterling St., Peaks Island  
 Installer's name and address Morrill W. Jones, Elizabeth St., Peaks Island Telephone 240

A-ATH

**General Description of Work**

To install forced hot water heating system in place of stove heat  
~~IF HEATER, OR POWER BOILER~~

**IF HEATER, OR POWER BOILER**

Location of appliance or source of heat basement Type of floor beneath appliance concrete  
 If wood, how protected? \_\_\_\_\_ Kind of fuel oil  
 Minimum distance to wood or combustible material, from top of appliance or casing top of furnace 20"  
 From top of smoke pipe 20" From front of appliance over h' From sides or back of appliance over 3'  
 Size of chimney flue 12x12 Other connections to same flue none  
 If gas fired, how vented? \_\_\_\_\_ Rated maximum demand per hour \_\_\_\_\_

**IF OIL BURNER**

Name and type of burner \_\_\_\_\_ Labeled by underwriter's laboratories? \_\_\_\_\_  
 Will operator be always in attendance? \_\_\_\_\_ Does oil supply line feed from top or bottom of tank? \_\_\_\_\_  
 Type of floor beneath burner \_\_\_\_\_  
 Location of oil storage \_\_\_\_\_ Number and capacity of tanks \_\_\_\_\_  
 If two 275-gallon tanks, will three-way valve be provided? \_\_\_\_\_  
 Will all tanks be more than five feet from any flame? \_\_\_\_\_ How many tanks fire proofed? \_\_\_\_\_  
 Total capacity of any existing storage tanks for furnace burners \_\_\_\_\_

**IF COOKING APPLIANCE**

Location of appliance \_\_\_\_\_ Kind of fuel \_\_\_\_\_ Type of floor beneath appliance \_\_\_\_\_  
 If wood, how protected? \_\_\_\_\_  
 Minimum distance to wood or combustible material, from top of appliance \_\_\_\_\_  
 From front of appliance \_\_\_\_\_ From sides and back \_\_\_\_\_ From top of smokepipe \_\_\_\_\_  
 Size of chimney flue \_\_\_\_\_ Other connections to same flue \_\_\_\_\_  
 Is hood to be provided? \_\_\_\_\_ If so, how vented? \_\_\_\_\_  
 If gas fired, how vented? \_\_\_\_\_ Rated maximum demand per hour \_\_\_\_\_

**MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION**

Oil burner separate contractor

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same e.)

APPROVED:  
11-22-49

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of Installer Morrill W. Jones

INSPECTION COPY

Permit No. 49/2014

Location Starbuck St - Dakota Island


Owner Melanie Murray

Date of permit 11/23/196

Approved \_\_\_\_\_

NOTES

1. See attached permit TED



APARTMENT HOUSE ZONE  
APPLICATION FOR PERMIT

PERMIT ISSUED  
01989  
NOV 18 1948  
CITY OF PORTLAND

Class of Building or Type of Structure Third Class  
Portland, Maine, November 17, 1948

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to ~~erect~~ alter ~~repair~~ ~~demolish~~ ~~construct~~ all the following building structure ~~equipment~~ in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications: 87-AA-3

Location Sterling Street, Peaks Island Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's name and address Malcolm M. Murray, 105 Ray Street Telephone \_\_\_\_\_  
Lessee's name and address former owner Ethel L. Ackley Telephone \_\_\_\_\_  
Contractor's name and address Roland Hoar, Island Avenue, Peaks Island Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans no No. of sheets \_\_\_\_\_  
Proposed use of building Dwelling house No. families 1  
Last use \_\_\_\_\_ " " \_\_\_\_\_ No. families \_\_\_\_\_  
Material wood No. stories 1 1/2 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
Other buildings on same lot \_\_\_\_\_ **INSPECTION NOT COMPLETED**  
Estimated cost \$ 100. Fee \$ .50

General Description of New Work

To demolish 1-story frame shed on rear of building 18' x 12'. End of wall to be clapboarded.  
To cut in window in kitchen.

CERTIFICATE OF OCCUPANCY  
REQUIREMENT IS WAIVED

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. **PERMIT TO BE ISSUED TO** owner

Details of New Work

Is any plumbing involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
Height average grade to top of plate \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof \_\_\_\_\_ P \_\_\_\_\_ per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
Framing lumber—Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_ number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done? (other than minor repairs to cars habitually stored in the proposed building?) \_\_\_\_\_

APPROVED: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Miscellaneous

Will work require disturbing of any tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

INSPECTION COPY

Signature of owner Malcolm M. Murray







OFFICE HOURS  
10 TO 12 M  
4 TO 5 P. M.

# City of Portland.

3515

## OFFICE OF INSPECTOR OF BUILDINGS

87-1A-13

To the Inspector of Buildings of the City of Portland: ..... 11-11-1911

The undersigned respectfully makes application for a permit to erect enlarge a building on..... street, at number..... to be..... stories high..... feet long..... feet wide; also an addition to be..... stories high..... feet long..... feet wide, and to be used as a Dwelling

CELLAR WALL—To be constructed of posts to be..... inches wide on bottom and batter to..... inches on top.

UNDERPINNING—To be posts Height of underpinning from top of cellar wall to bottom of sill..... ft..... inches to be..... inches in thickness.

EXTERIOR WALLS—To be constructed of stone If of Brick, Stone, etc. Total length of wall..... ft..... inches. Thickness of 1st..... 2d..... 3d..... 4th..... 5th..... 6th..... story walls. If of reinforced concrete state mix and reinforcing system to be used.

If wood construction, sills to be 4-6 Girders 4-6 Posts 4-4 Girts 4- Studs 2-4 to be spaced 16 in.

This building will be used for the purposes of dwelling (If for apartments, tenements, or other family uses state number of families accommodated and number on each floor. If for manufacturing or mercantile purposes state character of business and amount of estimated weight to be carried by the floor.)  
Number of families on floor.....  
Total number of families.....  
Manufacturing (state character).....  
Estimated load on floors per sq. ft.....  
Mercantile business (state character and load per sq. ft.).....

If building is used for tenement house or family use and more than one family, the following provisions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of Buildings may consider necessary.

AIRWAYS—No. in building one location front to be enclosed with open walls to be lathed with..... lathing.

ROOF—To be constructed of wood Rafters to be 2-3 inches to be spaced 20 in. Girts to be made of wood in centers. Roof to be covered with wood.  
Bay windows to be made of wood Cornices to be made of wood.  
Dormer Windows to be made of wood to be covered with.....  
Chimneys, Smoke flues to be lined with..... and provided with a 10 inch outside collar and an inside collar to go to the inside of the flue.

Estimated Cost of Building 1000

INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at least 24 hours before the lathing is begun.

The Builder is J. J. Swenson Address 111 Commercial St.

The Architect is..... Address.....

The Owner is A. C. Walker Address Edward Walker

No Deviation will be made from the above application without written permission from the Inspector of Buildings.

The above petition was granted the 11 day of Nov. 1911.

(Applicant to sign here Philip R. Rindstone)



✓  
L. ... NO 3515  
D. ... ISSUE 11-15-11  
LOCATION

Steering. St. Peabody  
A. S. Ackley

Maps.  
12-12-11

APPROVED

87-4A-3  
20071



FILL IN AND SIGN WITH INK

01053

PERMIT ISSUED

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

AUG 29 1984

Portland, Maine, ... August 28, 1984

CITY OF PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Pks. Isl.

Location 87-AA-3 Sterling St. Use of Building Dwelling No. Stories 2 New Building Existing XX
Name and address of owner of appliance Eunice Curran - same
Installer name and address Jackson Service Center - Isl Ave. Pks Isl Telephone 766-2722

General Description of Work

To install boiler & burner - forced hot water - replacement

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? Kind of fuel? # 2 fuel oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 4' all around
From top of smoke pipe From front of appliance From sides or back of appliance
Size of chimney flue 7" Other connections to same flue none
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Bockett - gun Labeled by underwriters' laboratories? yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner cement Size of vent pipe 1 1/2"
Location of oil storage basement Number and capacity of tanks 1-275 gal.
Low water shut off Yes Make No
Will all tanks be more than five feet from any flame? yes How many tanks enclosed? no
Total capacity of any existing storage tanks for furnace burners 275 gal.

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Height of Legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS-EQUIPMENT OR SPECIAL INFORMATION

[Empty space for miscellaneous information]

Amount of fee enclosed? 15.00

APPROVED:

[Signature line for inspector]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto observed?

CS 300

INSPECTION COPY

Signature of Installer

Ralph Jackson # 1418

MA. Add to

10-11-84 - *Completed* *NY 20*

Permit No. 87/1652  
 Location 87-3 Hill  
 Owner Manville Company  
 Date of permit 8-28-84  
 Approved 8-29-84

1. 1/2" FILL PIPE
2. 1/4" VENT PIPE
3. Kind of Heat
4. Furner Rigidity & Support
5. Name & Label
6. Remote Control
7. High Limit Control
8. Main Cutoff Switch
9. Low Water Cutoff
10. High Limit Control
11. Piping support & protection
12. Valves in supply line
13. Capacity of tanks
14. Tank rigidity & support
15. Oil gauge
16. Instruction Card
17. oil leaks
18. Adequate ventilation
19. Smoking or combustible
20. Thermal Control switch