

PERMIT # 001225 CITY OF Portland BUILDING PERMIT APPLICATION MAP # \_\_\_\_\_ LOT# \_\_\_\_\_

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Kimberly MacIsaac - 617-877-7824 - 508-875-9600  
 Address: 13 Francine Rd., Framingham, MA 01701

LOCATION OF CONSTRUCTION: 08-B-6 Vermont Ave., Peaks Island

CONTRACTOR: owner SUBCONTRACTORS: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

Est. Construction Cost: 550,000.00 Type of Use: Sin. Fam. Cottage

Part Use: vacant lot

Building Dimensions: L 42 W 37 Sq. Ft. 1554 # Stories: 2 Lot Size: 39,291 Sq. Ft.

Is Proposed Use: S.F. Seasonal Y Condominium Y Apartment \_\_\_\_\_

Conversion - Explain: To construct sin. fam. seasonal house.

COMPLETE ONLY IF THE NUMBER OF UNITS WILL CHANGE as per plan.

Residential Buildings Only!

# Of Dwelling Units: \_\_\_\_\_ # Of New Dwelling Units: \_\_\_\_\_

Foundation:

1. Type of Soil: \_\_\_\_\_
2. Set Backs - Front \_\_\_\_\_ Rear \_\_\_\_\_ Side(s) \_\_\_\_\_
3. Footings Size: \_\_\_\_\_
4. Foundation Size: \_\_\_\_\_
5. Other: \_\_\_\_\_

Floor:

1. Sills Size: \_\_\_\_\_ Sills must be anchored.
2. Girder Size: \_\_\_\_\_
3. Lally Column Spacing: \_\_\_\_\_ Size: \_\_\_\_\_
4. Joists Size: \_\_\_\_\_ Spacing: 16" O.C.
5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_
6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_
7. Other Material: \_\_\_\_\_

Exterior Walls:

1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_
2. No. windows \_\_\_\_\_
3. No. Doors \_\_\_\_\_
4. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_
5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_
6. Corner Posts Size \_\_\_\_\_
7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_
8. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_
9. Siding Type \_\_\_\_\_ Weight Exposure \_\_\_\_\_
10. Masonry Materials \_\_\_\_\_
11. Metal Materials \_\_\_\_\_

Interior Walls:

1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_
2. Header Size \_\_\_\_\_ Span(s) \_\_\_\_\_
3. Wall Covering Type \_\_\_\_\_
4. Fire Wall if required \_\_\_\_\_
5. Other Materials \_\_\_\_\_

**For Official Use Only**

Date: Sept. 10, 1988 Subdivision: Yes / No \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Inside Fire Limits: \_\_\_\_\_  
 Bldg Code: \_\_\_\_\_  
 Time Limit: \_\_\_\_\_  
 Estimated Cost: \$50,000.00  
 Value Structure: \_\_\_\_\_  
 Fee: 270.00

Lot: \_\_\_\_\_  
 Block: \_\_\_\_\_  
 Permit Expiration: \_\_\_\_\_  
 Ownership: \_\_\_\_\_ Public \_\_\_\_\_ Private \_\_\_\_\_

Ceiling:

1. Ceiling Joists Size: 12
2. Ceiling Strapping Size \_\_\_\_\_ Spacing \_\_\_\_\_
3. Type Ceiling: \_\_\_\_\_
4. Insulation Type \_\_\_\_\_ Size OC 4 1988
5. Ceiling Height: \_\_\_\_\_

Roof:

1. Truss or Rafter Size \_\_\_\_\_
2. Sheathing Type \_\_\_\_\_ Size 1/2" Portland
3. Roof Covering Type \_\_\_\_\_
4. Other: \_\_\_\_\_

Chimneys: \_\_\_\_\_  
 Type: \_\_\_\_\_ Number of Fire Places: \_\_\_\_\_

Heating: \_\_\_\_\_  
 Type of Heat: \_\_\_\_\_

Electrical: \_\_\_\_\_  
 Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_

Plumbing: \_\_\_\_\_  
 1. Approval of soil test if required 00.395 No \_\_\_\_\_  
 2. No. of Tubs or Showers \_\_\_\_\_  
 3. No. of Flushes \_\_\_\_\_  
 4. No. of Lavatories room 00.02  
 5. No. of Other Fixtures \_\_\_\_\_

Swimming Pools: \_\_\_\_\_  
 1. Type: \_\_\_\_\_  
 2. Pool Size: \_\_\_\_\_ x \_\_\_\_\_ Square Footage \_\_\_\_\_  
 3. Must conform to National Electrical Code and State Law.

Zoning: \_\_\_\_\_  
 District: TR-1 Street Frontage Req. \_\_\_\_\_ Provided \_\_\_\_\_  
 Required Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_

Review Required: \_\_\_\_\_  
 Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Shore and Floodplain Mgmt. \_\_\_\_\_ Special Exception \_\_\_\_\_  
 Other (Explain) \_\_\_\_\_  
 Date Approved: J.R. McFarlane Sept 20 1988

Permit Received By Joyce M. Rinaldi

Signature of Applicant \_\_\_\_\_ Date 11/1/88

Signature of CEO \_\_\_\_\_

Inspection Dates \_\_\_\_\_

**PERMIT ISSUED WITH LETTER**

PLOT PLAN

6/6/94

5/3/95



~~Work progressing~~

Work progressing

N

AC?

FEES (Breakdown From Front)

Base Fee \$	270.00
Subdivision Fee \$	
Site Plan Review Fee \$	50.00 Minor
Other Fees \$	
(Explain)	
Late Fee \$	

Type

Inspection Record

Date

COMMENTS

5-10-91 - Canceled, selling land.  
All fees. Owner and I in our phone  
conversations.  
5-14-91 - Work in progress. Land cleared.  
Temp. service installed. All

Signature of Applicant Kimberly A. Moore

Date 9-16-88

Applicant: *Kimberly Mac Isaac* Date: *Sept 30, 1988*  
Address: *Vermont Ave Peaks Island*  
Assessors No.: *88-B-6*

CHECK-LIST AGAINST ZONING ORDINANCE

Date -  
Zone Location - *IR-1*  
Interior or corner lot -  
Use - *Construct seasonal single family dwelling*  
Sewage Disposal - *Septic Field*  
Rear Yards - *100' to lot line 30' required*  
Side Yards - *20' + 20' 20' required*  
Front Yards - *164' 30' required*  
Projections -  
Height - *1 1/2 story*  
Lot Area - *39,291 sq ft.*  
Building Area - *1260*  
Area per Family - *\$10,000 /\$ (waiver?)*  
Width of Lot - *92'*  
Lot Frontage - *150'*  
Off-street Parking - *O.K.*  
Loading Bays - *NA*

Site Plan -  
Shoreland Zoning -  
Flood Plains -

5-100-442215

CITY OF PORTLAND, MAINE  
SITE PLAN REVIEW  
Processing Form

Sept. 16, 1988  
Date

Applicant  
Kuborly Martean

88-B-6 Vermont Ave., Peaks Island

Mailing Address  
142 Francine Rd., Framingham, MA 01701

Address of Proposed Site

Single Family (seasonal)

88-B-6

Proposed Use of Site  
70-291 G / 1554

Site Identifier(s) from Assessors Maps

Acres of Site / Ground Floor Coverage

IR-1

Zoning of Proposed Site

Site Location Review (DEP) Required: ( ) Yes ( ) No  
Board of Appeals Action Required: ( ) Yes ( ) No  
Planning Board Action Required: ( ) Yes ( ) No

Proposed Number of Floors 2  
Total Floor Area 2114 S. F.

Other Comments:

Date Dept. Review Due:

PUBLIC WORKS DEPARTMENT REVIEW

(Date Received)

	TRAFFIC CIRCULATION	ACCESS	CURB CUTS	ROAD WIDTH	PARKING	SIGNALIZATION	TURNING MOVEMENTS	LIGHTING	CONFLICT WITH CITY CONSTRUCTION PROJECT	DRAINAGE	SOIL TYPES	SEWERS	CURBING	SIDEWALKS	OTHER	
APPROVED																CONDITIONS SPECIFIED BELOW
APPROVED CONDITIONALLY																
DISAPPROVED															REASONS SPECIFIED BELOW	

REASONS:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Attach Separate Sheet if Necessary)

*Stephen K. Harris* 9/16/88  
SIGNATURE OF REVIEWING STAFF/DATE

PUBLIC WORKS DEPARTMENT COPY

**CITY OF PORTLAND, MAINE  
SITE PLAN REVIEW  
Processing Form**

Applicant: Kimberly MacIsaac Date: Sept. 16, 1988  
 Mailing Address: 13 Francine Rd., Framingham, MA 01701 Address of Proposed Site: 88-B-6 Vermont Ave., Peaks Island  
 Proposed Use of Site: Single Family (seasonal) Site Identifier(s) from Assessors Maps: 88-B-6  
 Acreage of Site / Ground Floor Coverage: 09,291 S.F. / 1554 Zoning of Proposed Site: IR-1  
 Site Location Review (DEP) Required: ( ) Yes ( ) No Proposed Number of Floors: 2  
 Board of Appeals Action Required: ( ) Yes ( ) No Total Floor Area: 2114 S. F.  
 Planning Board Action Required: ( ) Yes ( ) No

Other Comments: \_\_\_\_\_  
 Date Dept. Review Due: \_\_\_\_\_

**BUILDING DEPARTMENT SITE PLAN REVIEW**  
 (Does not include review of construction plans)

- Use does NOT comply with Zoning Ordinance
  - Requires Board of Appeals Action
  - Requires Planning Board/City Council Action

Explanation \_\_\_\_\_

- Use complies with Zoning Ordinance — Staff Review Below

Zoning: **SPACE & BULK,**  
as applicable

	DATE	ZONE LOCATION	INTERIOR OR CORNER LOT	40 FT. SETBACK AREA (SEC. 21)	USE	SEWAGE DISPOSAL	REAR YARDS	SIDE YARDS	FRONT YARDS	PROJECTIONS	HEIGHT	LOT AREA	BUILDING AREA	AREA PER FAMILY	WIDTH OF LOT	LOT FRONTAGE	OFF-STREET PARKING	LOADING BAYS	
COMPLIES																			
COMPLIES CONDITIONALLY																			CONDITIONS SPECIFIED BELOW
DOES NOT COMPLY																			REASONS SPECIFIED BELOW

REASONS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

*O. K. McJannet* Sept 25 1988  
 SIGNATURE OF REVIEWING STAFF/DATE



CITY OF PORTLAND, MAINE

389 CONGRESS STREET  
PORTLAND, MAINE 04101  
(207) 775-5451

DEPARTMENT OF PLANNING & URBAN DEVELOPMENT

P. SAMUEL HOFFSES, CHIEF  
INSPECTION SERVICES DIVISION

October 4, 1988

Ms. Kimberly MacIsaac  
13 Francine Rd.  
Framingham, MA 01701

RE: 88-B-6 Vermont Ave., Peaks Island

Dear Madam:

Your application to construct a single family summer cottage has been reviewed and a permit is herewith issued subject to the following requirements:

SITE PLAN REQUEST

Inspection Service	Approved	W.J. Turner	9/30/88
Public Work	Approved	S.K. Harris	9/16/88

1. Please read and implement items 4 & 5 and 7 of the attached building permit report.
2. Before placing foundation all setback must be approved by inspection services and elevations by Public Works.
3. The rafter shown on your plans are 2" x 6". A minimum of 2" x 8" at 16" o.c. must be used in th's spec.

If you have any questions regarding these requirements, please do not hesitate to contact this office.

Sincerely,

P. Samuel Hoffses  
Chief, Inspection Services

cc: Mr. Steve Harris, Public Works  
Mr. Ben O'Reilly, Public Works

PSH/mrk



BUILDING PERMIT REPORT

DATE: 4/10/88

ADDRESS: 88-B-6 Vermont Ave. Peaks Island

REASON FOR PERMIT: Single Family (Seasonal Cottage)

BUILDING OWNER: Kimberly MacIsaac

CONTRACTOR: owner

PERMIT APPLICANT 11

APPROVED: 4-5-7 ~~DENIED~~

CONDITION OF APPROVAL OR DENIAL:

- 1.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with self-closers.
- 2.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 3.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by placing over the boiler, two(2) residential sprinkler heads supplied from the domestic water.
- \* 4.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m<sup>2</sup>). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
- \* 5.) In addition to any automatic fire alarm system required by Sections 1018.3.5, a minimum of one single station smoke detector shall be installed in each guest room, suite or sleeping area in buildings of Use Groups R-1 and I-1 and in dwelling units in the immediate vicinity of the bedrooms in buildings of Use Group R-2 or R-3. When actuated, the detector shall provide an alarm suitable to warn the occupants within the individual unit (see Section 1717.3.1).

In buildings of Use Groups R-1 and R-2 which have basements, an additional smoke detector shall be installed in the basement. In buildings of Use Group R-3, smoke detectors shall be required on every story of the dwelling unit, including basements.

In dwelling units with split levels, a smoke detector installed on the upper level shall suffice for the adjacent lower level provided the lower level is less than one full story below the upper level. If there is an intervening door between the adjacent levels, a smoke detector shall be installed on both levels.


All detectors shall be installed in an approved location. Where more than one detector is required to be installed within an individual dwelling unit, the detectors shall be wired in such a manner that the activation of one alarm will actuate all the alarms in the individual unit.

6.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fire-resistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1-3/4-inch solid core wood doors or approved equivalent.

7.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 6 inches cannot pass through any opening.

8.) Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year."

Sincerely,




P. Sauey Hoffses  
Chief, Inspection Services

/ksc  
11/9/87



SOUTH



1/2 DOOR

1/2 DOOR

1/2 DOOR

OPERABLE SKYLIGHTS  
4 3/4\"

STORAGE  
CUPB  
STAIRS

BATH

CEDAR CLOSET

SLOPED

D  
 CITY OF BELLINGHAM  
 DEPT OF BUILDING  
 MAY 21 2011  
 MEDICAL  
 RECORD  
 FEB  
 D

CUSTOMIZE FOR  
OWNERS BUENAUD  
UNFINISHED EAVE SPACE

Messha For Project To ESPR+ BEAN  
 150 SEASIDE AVE. TARKS ILL  
 NORTH

RECEIVED

SEP 15 1938

DEPT OF BUILDING INSPECTIONS  
CITY OF PORTLAND

Quitclaim Deed Without Covenant

Steven J. MacIsaac and Kimberly A. MacIsaac of Framingham, Middlesex County, Commonwealth of Massachusetts, for consideration paid, release to Kendra O'Connell of Topsham, County of Sagadahoc, State of Maine and said Kimberly A. MacIsaac of Framingham, Middlesex County, Commonwealth of Massachusetts as Joint Tenants, the land and buildings on Peaks Island in Portland, Cumberland County, Maine described as follows:

A certain lot or parcel of land northwesterly of Park Avenue and on the southeasterly side of Vermont Avenue on Peaks Island, in the City of Portland, County of Cumberland and State of Maine and being further bounded and described as follows:

Beginning at an iron pipe on the southeasterly side of said Vermont Avenue at land now or formerly of one Clark; thence running southwesterly by the southeasterly side of said Vermont Avenue One Hundred Fifty and five-tenths (150.05) feet to an iron pipe set in the ground; thence by an included angle of  $45^{\circ}45'$  to the left running easterly Three Hundred and Forty (340) feet more or less to an iron pipe set in the ground on the northwesterly side of the traveled way known as Highland Avenue; thence running in a general northeasterly direction by the northwesterly side of said Highland Avenue Two Hundred and Fifty-One (251) feet, more or less, to the southerly line of land now or formerly of one Stockwell; thence running easterly by the southerly line of said Stockwell land and by the southerly line of land now or formerly of one Russell and the southerly line of land now or formerly of said Clark Four Hundred and Eighty (480) feet, more or less, to the point of beginning, said last described line making an included angle with the first line hereinabove described (the southwesterly line of Vermont Avenue) of  $13^{\circ}38'$ .

The above description is based in substantial part upon a plan entitled "Boundary and Topographic Survey of land in Peaks Island Portland, Maine" made for Steven J. MacIsaac by Lloyd E. Jones, RLS.

This conveyance is subject to the rights of others, if any, to travel across Midsummer Avenue, so called, being a "paper street" which may encroach the most southwesterly corner of the above described premises.

Also hereby conveying all the Grantors' right title and interest in and to that portion of Highland Avenue from the southeasterly line of the above-described premises to the centerline of Highland Avenue.

Being the westerly portion of parcel of land shown on the City of Portland Tax Map 38 1.1, 0, and being a portion of the premises described in the deed to the grantors herein from Jackson & Casey Inc. dated September 30, 1986 and recorded in the Cumberland County Registry of Deeds Book 7472, Page 133.

In Witness Whereof, We, Steven J. MacIsaac and Kimberly A. MacIsaac, have set our hands and seals this the 31 day of August, 1988.

Witness Steven J. MacIsaac  
Steven J. MacIsaac

Witness Kimberly A. MacIsaac  
Kimberly A. MacIsaac

State of Maine  
Cumberland, ss

August 31, 1988

Then personally appeared the above-named, Steven J. MacIsaac and Kimberly A. MacIsaac, and acknowledged the foregoing to be his/her free act and deed.

Before me,

Barbara L. Wells  
Attorney at Law/Notary Public

BARBARA W. WELLS  
Printed Name

Notary Commission Expires  
May 13, 1994

0105de.899

RECEIVED  
SEP 15 1988

DEPT OF BUILDING INSPECTIONS  
CITY OF PORTLAND

**SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION**

Department of Human Services  
Division of Health Engineering  
(617) 269-3826

**PROPERTY ADDRESS**

Town or Plantation: PORTLAND PEAKS ISLAND

Street: VERMONT AVENUE

Subdivision Lot #: TAX MAP 88 BLOCK B LOT 6

**PROPERTY OWNERS NAME**

MacIsaac Steven KIMBERLY

Last: First:

Applicant Name: KIMBERLY Steven MacIsaac

Mailing Address of Owner/Applicant (if Different): 13 FRANCINE ROAD FRAMINGHAM MASS 01701

PORTLAND PERMIT # 3,072 TOWN COPY

Date Permit Issued: 9/16/88 \$ 40 FEE  Double Fee Charged

Local Plumbing Inspector Signature: [Signature] L.P.I. # 123

**Owner/Applicant Statement**

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant: \_\_\_\_\_ Date: \_\_\_\_\_

**Caution: Inspection Required**

I have inspected the installation authorized above and found it to be in compliance with the Subsurface Wastewater Disposal Rules.

Local Plumbing Inspector Signature: \_\_\_\_\_ Date Approved: \_\_\_\_\_

**PERMIT INFORMATION**

<p><b>THIS APPLICATION IS FOR:</b></p> <p>1. <input checked="" type="checkbox"/> NEW SYSTEM</p> <p>2. <input type="checkbox"/> REPLACEMENT SYSTEM</p> <p>3. <input type="checkbox"/> EXPANDED SYSTEM</p> <p>4. <input type="checkbox"/> SEASONAL CONVERSION</p> <p>5. <input type="checkbox"/> EXPERIMENTAL SYSTEM</p>	<p><b>THIS APPLICATION REQUIRES:</b></p> <p>1. <input checked="" type="checkbox"/> NO RULE VARIANCE REQUIRED</p> <p>2. <input type="checkbox"/> NEW SYSTEM VARIANCE Attach New System Variance Form</p> <p><input type="checkbox"/> REPLACEMENT SYSTEM VARIANCE Attach Replacement System Variance Form</p> <p>3. <input type="checkbox"/> Requires City Local Plumbing Inspector Approval</p> <p>4. <input type="checkbox"/> Requires both State and Local Plumbing Inspector Approval</p>	<p><b>INSTALLATION IS COMPLETE SYSTEM</b></p> <p>1. <input checked="" type="checkbox"/> NON-ENGINEERED SYSTEM</p> <p>2. <input type="checkbox"/> PRIMITIVE SYSTEM (Includes Alternative Toilet)</p> <p>3. <input type="checkbox"/> ENGINEERED (+2000 gpd)</p> <p><b>INDIVIDUALLY INSTALLED COMPONENTS:</b></p> <p>4. <input type="checkbox"/> TREATMENT TANK (ONLY)</p> <p>5. <input type="checkbox"/> HOLDING TANK</p> <p>6. <input type="checkbox"/> ALTERNATIVE TOILET (ONLY)</p> <p>7. <input type="checkbox"/> NON-ENGINEERED DISPOSAL AREA (ONLY)</p> <p>8. <input type="checkbox"/> ENGINEERED DISPOSAL AREA (ONLY)</p> <p>9. <input type="checkbox"/> SEPARATED LAUNDRY SYSTEM</p>
<p><b>IF REPLACEMENT SYSTEM:</b></p> <p>YEAR FAILING SYSTEM INSTALLED: _____</p> <p><b>THE FAILING SYSTEM IS:</b></p> <p>1. <input type="checkbox"/> BED 2. <input type="checkbox"/> CHAMBER 3. <input type="checkbox"/> TRENCH 4. <input type="checkbox"/> OTHER _____</p>	<p><b>DISPOSAL SYSTEM TO SERVE:</b></p> <p>1. <input checked="" type="checkbox"/> SINGLE FAMILY DWELLING</p> <p>2. <input type="checkbox"/> MODULAR OR MOBILE HOME</p> <p>3. <input type="checkbox"/> MULTIPLE FAMILY DWELLING</p> <p>4. <input type="checkbox"/> OTHER _____ SPECIFY _____</p>	<p><b>TYPE OF WATER SUPPLY</b></p> <p>DRILLED WELL</p>
<p><b>SIZE OF PROPERTY</b> 87,120</p> <p><b>ZONING</b> I-R1</p>		

**DESIGN DETAILS (SYSTEM LAYOUT SHOWN ON PAGE 3)**

<p><b>TREATMENT TANK</b></p> <p>1. <input checked="" type="checkbox"/> SEPTIC: <input checked="" type="checkbox"/> Regular <input type="checkbox"/> Low Profile</p> <p>2. <input type="checkbox"/> AEROL</p> <p>SIZE: 1000 GALS</p>	<p><b>WATER CONSERVATION</b></p> <p>1. <input type="checkbox"/> NONE</p> <p>2. <input checked="" type="checkbox"/> LOW VOLUME TOILET</p> <p>3. <input type="checkbox"/> SEPARATED LAUNDRY SYSTEM</p> <p>4. <input type="checkbox"/> ALTERNATIVE TOILET</p> <p>SPECIFY: _____</p>	<p><b>PUMPING</b></p> <p>1. <input checked="" type="checkbox"/> NOT REQUIRED</p> <p>2. <input type="checkbox"/> MAY BE REQUIRED (DEPENDENT ON TREATMENT TANK LOCATION AND ELEVATION)</p> <p>3. <input type="checkbox"/> REQUIRED</p> <p>DOSF: _____ GALS</p>	<p><b>CRITERIA USED FOR DESIGN FLOW (3 BEDROOMS, SEATING, EMPLOYEES, WATER RECORDS, ETC)</b></p> <p>3 BEDROOM CONSERVATIVE 450</p> <p>LOW VOLUME TOILET 45</p> <p>DESIGN FLOW: 405 (GALLONS/DAY)</p>
<p><b>SOIL CONDITIONS USED FOR DESIGN PURPOSES</b></p> <p>PROFILE: 4 CONDITION: C</p> <p>DEPTH TO LIMITING FACTOR: 36</p>	<p><b>SIZE RATINGS USED FOR DESIGN PURPOSES</b></p> <p>1. <input type="checkbox"/> SMALL</p> <p>2. <input checked="" type="checkbox"/> MEDIUM</p> <p>3. <input type="checkbox"/> MEDIUM-LARGE</p> <p>4. <input type="checkbox"/> LARGE</p> <p>5. <input type="checkbox"/> EXTRA LARGE</p>	<p><b>DISPOSAL AREA TYPE/SIZE</b></p> <p>1. <input checked="" type="checkbox"/> BED 1100 Sq Ft</p> <p>2. <input type="checkbox"/> CHAMBER _____ Sq Ft</p> <p><input type="checkbox"/> REGULAR <input type="checkbox"/> H-20</p> <p>3. <input type="checkbox"/> TRENCH _____ Linear Ft.</p> <p>4. <input type="checkbox"/> OTHER _____</p>	

**SITE EVALUATOR STATEMENT**

On August 27 1986 (date) I conducted a site evaluation for this project and certify that the data reported is accurate. The system proposed is in accordance with the Subsurface Wastewater Disposal Rules.

Site Evaluator Professional Engineer's Signature: [Signature] 2003/4214


Local Plumbing Inspector Signature: [Signature] 4/9/87 Date

Page 1 of 3 HHE-210 Rev. 4/83

# SURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Department of Human Services  
Division of Health Engineering

City, Plantation: **RTLAND PEAKS ISLAND** Street, Road, Subdivision: **VERMONT AVE E3-B-6** Owners Name: **STEVEN MACISAAC**




SOIL DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above)			
Observation Hole <u>1</u>	<input checked="" type="checkbox"/> Test Pit	<input type="checkbox"/> Boring	
2" FOREST PEAT - Depth of Organic Horizon Above Mineral Soil			
Texture	Consistency	Color	Mottling
0-6" SANDY LOAM		GRAY BROWN	
6-15" SANDY LOAM		LIGHT RED BROWN	
15-28" LOAMY GRAVEL	LOOSE		NONE
28-40" LOAMY GRAVEL		DARK RED BROWN	FEW
40-50" LOAMY GRAVEL			
Soil: <u>4</u>	Classification: <u>C</u>	Slope: <u>3</u> %	Limiting Factor: <u>37</u>
<input checked="" type="checkbox"/> Ground Water <input type="checkbox"/> Rooting Layer <input type="checkbox"/> Bedrock			
Observation Hole <u>2</u>	<input checked="" type="checkbox"/> Test Pit	<input type="checkbox"/> Boring	
3" FOREST PEAT - Depth of Organic Horizon Above Mineral Soil			
Texture	Consistency	Color	Mottling
0-6" SANDY LOAM		DARK BROWN	
6-15" SANDY LOAM		LIGHT RED BROWN	
15-20" LOAMY GRAVEL	LOOSE		NONE
20-30" LOAMY GRAVEL		DARK BROWN	
30-40" LOAMY GRAVEL			FEW
40-50" LOAMY GRAVEL			
Soil: <u>4</u>	Classification: <u>C</u>	Slope: <u>3</u> %	Limiting Factor: <u>36</u>
<input checked="" type="checkbox"/> Ground Water <input type="checkbox"/> Rooting Layer <input type="checkbox"/> Bedrock			

*William B. Goodwin* 0003 / 4814 4/4/87  
 Site Evaluator or Professional Engineer's Signature SE # / PE # Date

# SURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Department of Human Services  
Division of Health Engineering

City, Plantation <b>ORLANDO - PEAKS ISLAND</b>	Street, Road, Subdivision <b>VERMONT AVE 88-B-6</b>	Owners Name <b>STEVEN MACISAAC</b>
SUBSURFACE WASTEWATER DISPOSAL PLAN		Scale 1" = <u>20</u> Ft.




FILL REQUIREMENTS	CONSTRUCTION ELEVATIONS	ELEVATION REFERENCE POINT LOCATION & DESCRIPTION
Depth of Fill (Upslope) <u>0</u>	Reference Elevation Is <u>100.0</u>	PK NAIL IN, 14" OAK
Depth of Fill (Downslope) <u>6</u>	Bottom of Disposal Area <u>99.1</u>	
	Top of Distribution Lines or Chambers <u>100.2</u>	

## DISPOSAL AREA CROSS SECTION

Scale:

Vertical: 1 inch = 4 Ft.  
Horizontal: 1 inch = 2 Ft.



*William B. Goodwin*  
Site Evaluator or Professional Engineer's Signature

0003/4814  
SE # / PE #

4/4/87  
Date

Page 3 of 3  
HHE-200 Rev. 4.83