

PLESANT AVENUE PEAKS ISLAND  
90-Q-14



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, October 19, 1953

PERMIT 01310 OCT 20 1953

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location Pleasant Ave. Banks Use of Building dwelling No. Stories 2 New Building Existing
Name and address of owner of appliance Everett Skillings, Pleasant Ave. P. I.
Installer's name and address Johnson Automatic Heat, 15 Brackett St. Telephone 3-9662

General Description of Work

To install H. C. Little floor furnace (suspended) in place of stove heat

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing-top of furnace register
From top of smoke pipe 18 From front of appliance over 4 From sides or back of appliance over 3
Size of chimney flue 8x10 Other connections to same flue range burner
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?

IF OIL BURNER

Name and type of burner H. C. Little Labelled by underwriter's laboratories? yes
Will operator be always in attendance? Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner dirt
Location of oil storage basement Number and capacity of tanks 1-275 gal.
If two 275-gallon tanks, will three-way valve be provided?
Will all tanks be more than five feet from any flame? yes How many tanks fire protected?
Total capacity of any existing storage tanks for furnace burners none

IF COOKING APPLIANCE

Location of appliance Any burnable material in floor surface or beneath?
If so, how protected? Kind of fuel?
Minimum distance to wood or combustible material from top of appliance
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

1 1/2 vent pipe
Permit Issued with Letter

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:
[Signature]

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of Installer BY [Signature] Johnson Automatic Heat

INSPECTION COPY

113

THE STATE OF CALIFORNIA

NOTES  
APPLICATION FOR PERMIT FOR  
HEATING COILS OR BURNER EQUIPMENT

- 1 Mill Pipe
- 2 Vent Pipe
- 3 Kind of fuel
- 4 Burner Rating & Support
- 5 Name & Label
- 6 Stack Control
- 7 High Limit Control
- 8 Remote
- 9 Piping Size
- 10 Valves
- 11
- 12 Tank Height & supports
- 13 Tank Distance
- 14 Oil Gauge
- 16 Instruction Card
- 17 Low Water Shut off

Approved \_\_\_\_\_

Date of permit 10/20/53

Owner *Creutz, Will, Jr.*

Location *Placed in Cab Shop*

Permit No. *53/19/0*

INSPECTION NOT COMPLETED

1. How many tanks are present?

2. How many tanks are present?

3. How many tanks are present?

4. How many tanks are present?

5. How many tanks are present?

6. How many tanks are present?

7. How many tanks are present?

8. How many tanks are present?

9. How many tanks are present?

10. How many tanks are present?

11. How many tanks are present?

12. How many tanks are present?

13. How many tanks are present?

14. How many tanks are present?

15. How many tanks are present?

16. How many tanks are present?

17. How many tanks are present?

18. How many tanks are present?

19. How many tanks are present?

20. How many tanks are present?

IF OIL BURNER

1. How many tanks are present?

2. How many tanks are present?

3. How many tanks are present?

4. How many tanks are present?

5. How many tanks are present?

6. How many tanks are present?

7. How many tanks are present?

8. How many tanks are present?

9. How many tanks are present?

10. How many tanks are present?

11. How many tanks are present?

12. How many tanks are present?

13. How many tanks are present?

14. How many tanks are present?

15. How many tanks are present?

16. How many tanks are present?

17. How many tanks are present?

18. How many tanks are present?

19. How many tanks are present?

20. How many tanks are present?

IF COOKING

1. How many tanks are present?

2. How many tanks are present?

3. How many tanks are present?

4. How many tanks are present?

5. How many tanks are present?

6. How many tanks are present?

7. How many tanks are present?

8. How many tanks are present?

9. How many tanks are present?

10. How many tanks are present?

11. How many tanks are present?

12. How many tanks are present?

13. How many tanks are present?

14. How many tanks are present?

15. How many tanks are present?

16. How many tanks are present?

17. How many tanks are present?

18. How many tanks are present?

19. How many tanks are present?

20. How many tanks are present?



OFFICE HOURS  
10 TO 12 M.  
4 TO 6 P. M.

# City of Portland.

## OFFICE OF INSPECTOR OF BUILDINGS

G-20-13-

191

To the Inspector of Buildings of the City of Portland:

The undersigned respectfully makes application for a permit to erect enlarge a building on \_\_\_\_\_  
Pleasant Ave. (TEF) street, at number \_\_\_\_\_ to \_\_\_\_\_  
One and one-half high twenty-four feet long, twenty-four  
feet wide, also an addition to be \_\_\_\_\_ stories high,  
feet long, \_\_\_\_\_ feet wide, and to be used as a Summer Cottage

CELLAR WALL—To be constructed of Posts to be \_\_\_\_\_ inches wide on bottom and  
batter to \_\_\_\_\_ inches on top.

UNDERPINNING—To be \_\_\_\_\_ Height of underpinning from top of cellar wall to bottom of  
sill \_\_\_\_\_ ft. \_\_\_\_\_ inches to be \_\_\_\_\_ inches in thickness.

EXTERIOR WALLS—To be constructed of Wood If of Brick, Stone, etc. Total Height of wall  
\_\_\_\_\_ ft. \_\_\_\_\_ inches. Thickness of 1st. \_\_\_\_\_ 2d. \_\_\_\_\_ 3d. \_\_\_\_\_ 4th \_\_\_\_\_  
5th \_\_\_\_\_ 6th \_\_\_\_\_ story walls. If of reinforced concrete state mix and reinforcing system  
to be used.

If wood construction, sills to be 6-6 Girders 6-6 Floor Timbers 2-6  
Posts 4-4 Girts 4-4 Studs 2-4 to be spaced 16 in. on 0

This building will be used for the purposes of Summer Cottage (If for apartments,  
tenements, or other family uses state number of families accommodated and number on each floor.  
If for manufacturing or mercantile purposes state character of business and amount of estimated  
weight to be carried by the floor.)

Number of families on floor. One  
Total number of families. One

Manufacturing (state character) \_\_\_\_\_

Estimated load on floors per sq. ft. \_\_\_\_\_

Mercantile business (state character and load per sq. ft.) \_\_\_\_\_

If building is used for tenement house or family use and more than one family, the following pro-  
visions of the Building Laws regarding dividing partitions shall be adhered to (Quote Law re. this).

FIRESTOPS—All bearing and center partitions will have firestops cut in tight on top of each partition cap  
and between each set of floor timbers. Where ledger boards are used there shall be firestops cut in  
tight against bottom of ledger boards, of same size as wall studs. Also wherever the Inspector of  
Buildings may consider necessary.

STAIRWAYS—No. in building \_\_\_\_\_ location \_\_\_\_\_ to be enclosed  
with \_\_\_\_\_ walls to be lathed with \_\_\_\_\_ lathing.

ROOF—To be constructed of Wood Rafters to be 2-E inches to be spaced 24  
\_\_\_\_\_ inches on centers. Roof to be covered with \_\_\_\_\_ Shingles \_\_\_\_\_

Gutters to be made of \_\_\_\_\_ Cornices to be made of \_\_\_\_\_

Bay windows to be made of \_\_\_\_\_ to be covered with \_\_\_\_\_

Drummer windows to be made of \_\_\_\_\_ to be covered \_\_\_\_\_  
chimneys, smoke flues to be lined with \_\_\_\_\_ and provided with a 10-inch outside collar and  
an inside collar to go to the inside of the flue.

Estimated Cost of Building \$1200

INSPECTION—The Inspector of Buildings is to be notified when building is ready for lathing and at  
least 24 hours before the lathing is begun.

The Building is Porter Burnham Co Address Kennel St.

The Architect is \_\_\_\_\_ Address \_\_\_\_\_

The Owner is Sunie M. Merrill Address Peaks Island

No Deviation will be made from the above application without written permission from the Inspector of  
Buildings.

The above petition was granted the 20 day of June 191 3

(Applicant to sign here)

Porter-Burnham Co  
P.B.C.

Pleasant Ave. Peaks

90-2-15  
Sine Merrill

~~79-1~~ 12 1954

X

PERMIT NO. 3793  
DATE OF ISSUE 6/2/54  
LOCATION Peaks Island

Pleasant Ave.

ALL SMOKE FLUES TO BE LINED WITH  
BURNT CLAY FLUE LINING OR BRICK  
EDGEWAYS AND PROVIDED WITH A 10 in  
OUTSIDE COLLAR, AND AN INSIDE COLLAR  
TO GO TO THE INSIDE OF FLUE.



FILL IN AND SIGN WITH INK

001300

PERMIT ISSUED

NOV 8 1985

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

City Of Portland

Portland, Maine, Nov. 8, 1985

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Peaks Island

Location: 90-Q-14 Pleasant Ave Use of Building: dwelling - single No. Stories: 2 New Building Existing: X
Name and address of owner of appliance: Gunnell Kelsey - same
Installer's name and address: Paul Erico - Peaks Isl Telephone: 766-4482

General Description of Work

To install hot air - forced - furnace - replacement

IF HEATER, OR POWER BOILER

Location of appliance: basement Any burnable material in floor surface or beneath?: no
If so, how protected?: Kind of fuel?: # 2 fuel oil
Minimum distance to burnable material, from top of appliance or casing, top of furnace: 2' all around
From top of smoke pipe: From front of appliance: From sides or back of appliance:
Size of chimney flue: 8" x 8" Other connections to same flue: none
if gas fired, how vented?: Rated maximum demand per hour:
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion?: yes

IF OIL BURNER

Name and type of burner: Beckett - gun Labelled by underwriters' laboratories?: yes
Will operator be always in attendance?: no Does oil supply line feed from top or bottom of tank?: bottom
Type of floor beneath burner: concrete dirt Size of vent pipe: 1 1/2"
Location of oil storage: basement Number and capacity of tanks: 1-275 gal.
Low water shut off: N/A Make: No.
Will all tanks be more than five feet from any flame?: yes How many tanks enclosed?: none
Total capacity of any existing storage tanks for furnace burner: 275 gal.

IF COOKING APPLIANCE

Location of appliance: Any burnable material in floor surface or beneath?:
If so, how protected?: Height of Legs, if any:
Skirting at bottom of appliance?: Distance to combustible material from top of appliance?:
From front of appliance: From sides and back: From top of smoke pipe:
Size of chimney flue: Other connections to same flue:
Is hood to be provided?: If so, how vented?: Forced or gravity?:
If gas fired, how vented?: Rated maximum demand per hour:

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed: 25.00

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

CS 30P

INSPECTION FILE APPLICANT'S ASSESSOR'S COPY

Signature of Installer

Paul Erico

Handwritten signature/initials







FILL IN AND SIGN WITH INK

1300

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, ... NOV. 8, 1985

PERMIT ISSUED

NOV 8 1985

City Of Portland

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Peaks Island
Location 90-2-14 Pleasant Ave Use of Building dwelling - single No. Stories 2 New Building Existing " X
Name and address of owner of appliance Gunrell Kelsey - same
Installer's name and address Paul Erico - Peaks Isl Telephone 766-4482

General Description of Work

Install hot air - forced - Furnace - replacement

IF HEATER, OR POWER BOILER

Location of appliance: basement Any burnable material in floor surface or beneath? no
If so, how protected? Kind of fuel? # 2 fuel oil
Minimum distance to burnable material, from top of appliance or casing to top of furnace 2' all around
From top of smoke pipe From front of appliance From sides or back of appliance
Size of chimney flue 8 x 8 Other connections to same flue none
If gas fired, how vented? Rated maximum demand per hour
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Beckett - gun Labelled by underwriters' laboratories? yes
Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete dirt Size of vent pipe 1 1/2"
Location of oil storage basement Number and capacity of tanks 1-275 gal.
Low water shut off N/A Make No.
Will all tanks be more than five feet from any flammable? yes How many tanks enclosed? none
Total capacity of any existing storage tanks for furnace burners 275 gal.

IF COOKING APPLIANCE

Location of appliance Any burnable material on floor surface or beneath?
If so, how protected? Height of Legs, if any
Skirting at bottom of appliance? Distance to combustible material from top of appliance?
From front of appliance From sides and back From top of smokepipe
Size of chimney flue Other connections to same flue
Is hood to be provided? If so, how vented? Forced or gravity?
If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

.....

Amount of fee enclosed? 25.00

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

CS 300

Signature of Installer Paul Erico

INSPECTION FILE APPLICANT'S ASSESSOR'S COPY