APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. TYPE OF CONSTRUCTION 00 82

MAY 9 1950

ND___

ZONING LOCATION	PORTI	LAND, MAINE, May 9, 1980	
To the DIRECTOR OF BUILDI The undersigned hereby appli	NG & INSPECTION SER		CITY of PORTLA
Zoning Ordinance of the City o	accordance with the Laws of Portland with plans and sp.	of the State of Maine, the Partland B.O. scifications, if any, submitted herewith an	C.A. Building Code and d the following specifica-
Countr's name and address. Lessee's name and address	Frank J. Mitch	ell Jr. Fire I Same T	District #1 #2 elephone 774-8890
" · "	· · · · · · · · · · · · · · · · · · Sp	311 Blackstrap Falmout	Mrs. of stores
Material No. stories Other buildings on same lot	Fleat	N. Style of roof Roo	o. families
Estimated contractural cost \$ FIELD INSPECTOR—Mr	31000.		Fee \$14.50
This application is for:	@ 775-5451		
Dwelling		c construction addition o 'xl6' as per plan	on kitchen
Masonry Bldg		steel beam in opening	
Metai Bldg		Stamp of	Special Conditions
Demolitions	٠		
Other WOTE TO APPLICANT: Separa and mechanicals.	ate permits are required by	the installers and subcontractors of hea	ating, plumbing, «lect#-
PE	RMIT IS TO BE ISSUED	TO 1-28 2 3 4 5	
	DETAILS	Other:	, ,
a connection to be made to public las septic tank notice been sent?	ork?	F NEW WORK Is any electrical work involved in this w If not, what is proposed for sewage? Form notice sent?	• • • • • • • • • • • • • • • • • • • •
Size, front depth Material of foundation CONCRE	te H No. stories te/block Thickness.	eight average grade to highest point of ro. solid or filled land? earth top10." hotten cellar.	oof or rock?
No. of chimneys M Taming Lumber—Kind SPTUC	Rise per foot	Roof coveringasphalt.shi of lining Kind of heat .f.	ngles
tuds (outside walls and carrying	partitions) 2x4-16" O. C	Size Max. on Bridging in every floor and flat roof si	centers
On centers: 1st	floor16."	id ,	, roof .2x8
wievimmin spin: 180	1100r 2n	d , , ,	, roof,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
_	IF A C	GARAGE	
lo. cars now accommodated on sa	me lot, to be accomme other than minor repairs	modated number commercial cars to to cars habitually stored in the proposed	be accommodated:
IP - JVALS BY:	DATE	MISCELLANECU	
UILDING INSPECTION—PLA CONING: GAS MAGE CO	N EXAMINER	Will work require disturbing of any tree	
UILDING CODE:		Will there be in charge of the above wo	ork a person competent
ire Dept.:	************	to see that the State and City requirem are observed? . Y.e.s	ents pertaining thereto
Signal	ure of Applicant	rank). Mutetill fr. Pion	c #
Туре	Name of above Fra	nk.J. Mitchell Jr	□ 2□ 3□ 4□

FIELD INSPECTOR'S COPY

Other, and Address

5-27-80 WALLABARDY boundfue

+-



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Date <u>May 28</u> , 19 80 Receipt and Permit number <u>A 45</u> 749
To the CHIEF ELECTRICAL INSPECTOR, Portland, Mo The undersigned hereby applies for a permit to make Maine, the Portland Electrical Ordinance, the National E	Rectrical Code and the following specifications:
Maine, the Portland Electrical 39 Beacon Street LOCATION OF WORK: 39 Beacon Street OWNER'S NAME: Joseph Nitchell A	provess. lives there
OWNER'S NAME: Joseph Mittchell A	DDRESS FEES
CUTLETS: Receptacles Switches Plugmold	ft. TOTAL _1.30
FIXTURES: (number of)	strip) TOTAL
Incandescent Flourescent (not a	strip) 1014D
Strip Flourescent It	***************************************
SERVICES:	aty TOTAL amperes
Overhead Underground Tempora	sty
METERS: (number of)	***************************************
MOTORS: (number of)	
Fractional	
1 HP or over	***************************************
RESIDENTIAL HEATING:	
Oil or Gas (number of units)	
Electric (number of rooms)	1
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler)	
Oil or Gas (by separate units)	
Oil or Gas (by separate units) Over 20 kws Over 20 kws	
ADDITANCES: (number of)	
Ranges	Water HeatersX
	Disposals — X
Vall Ovens	Dishwashers
5	Compactors
Diyers -	Others (denote) 4.50
Fans TOTAL	
MISCELLANEOUS: (number of)	
Branch Panels Transformers	
In Ground	
Commercial	1 and an
The Contacts 990 Volt (such as welders) 30 amps and under
Circus, Fairs, etc.	
Circus, Fairs, etc	
Alterations to wires Repairs after fire	
Repairs after fire Emergency Lights, battery	
Emergency Lights, battery	
FOR ADDITIONAL WORK NOT ON ORIGINAL PE	RMIT DOUBLE FEE DUE:
FOR REMOVAL OF A "STOP ORDER" (304-16.b) .	
FOR REMOVAL OF IT DIOL WILLIAM	TOTAL AMOUNT DUE: 7.50
*NGDDGMCML	
INSPECTION:	or Will Call XX
INSPECTION: Will be ready on	ric
CONTRACTOR'S NAME: Burleigh Elect	Rd. Falmouth Foreside, Me.
ADDRESS: 27 Town Landing	, ables, debites with the second
TEL.: 781-5577 MASTER LICENSE NO.: 110	SIGNATURE OF CONTRACTOR:
	- Wio, Burbugh
LIMITED LICENSE NO.:	

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN

INSPECTIONS:	Service called in
FROGRESS INS	Service called in
CODE COMPLIANCE	Register Page No.
COMPLETED DATE 6-23	So of the Consumors
DATE:	REMARKS:



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Date	May 20, 1	980_, 19
		and Permit nur	mber A45719
To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:	a.coo.p.		1335/15
The undersigned hereby applies for a permit to make electrical insta	llations in	accordance mit	h the laws of
Maine, the Portland Electrical Ordinance, the National Electrical Code	and the	following specifi	cations:
LOCATION OF WORK: 39 Beacon St.			
OWNER'S NAME: Joe Mitchell ADDRESS:	same		
OUTLETS:			FEES.
Receptacles Switches Plugmold ft. TO	יי א זי ז א ייד	1	
FIXTURES: (number of)	IAL		
Incandescent Flourescent (not strip) TOTAL			
Strip Flourescent ft		•••••••	
SERVICES:			
Overhead Underground Temporary TO	TAL amp	eres	
METERS: (number of) MOTORS: (number of)	• • • • • • • • • • • • • • • • • • • •	•••••	
Fractional			
1 HP or over	• • • • • • • • •	••••••	
RESIDENTIAL HEATING:			
Oil or Gas (number of units)			
Electric (number of rooms)			
COMMERCIAL OR INDUSTRIAL HEATING:			
Oil or Gas (by a main boiler)	• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
Oil or Gas (by separate units) Electric Under 20 kws Over 20 kws	• • • • • • • • •		
APPLIANCES: (number of)	• • • • • • • • • • • • • • • • • • • •		
Ranges Water Heaters			
Cook Tops Disposals			
Wall Ovens Dishwashers			
Dryers Compactors			
Fans Others (denote)			
TOTAL MISCELLANEOUS: (number of)	• • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
Branc's Panels			
Transformers			
Air Conditioners Central Unit			
Separate Units (windows)			
Signs 20 sq. ft. and under			-
Over 20 sq. ft.	• • • • • • • • •		
Swimming Pools Above Ground In Ground	• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
Fire/Burglar Alarms Residential			
C			
Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and un	der		
over 20 amps			
Circus, Fairs, etc			
Renairs after fire	ί ቲ. Ή Υ	····/··/	3.00
Repairs after fire Emergency Lights, battery	• • • • • • • • • •		
Emergency Generators		•••••	
INSTALLA	TION FF	E DHE:	3.00
FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT DO	UBLE FE	E DUE:	
FOR REMOVAL OF A "STOP ORDER" (304-16.b)			
TOTAL	L AMOUN	IT DUE:	3.00
INSPECTION:			
Will be ready on, 19 ; or Will Call ×			
CONTRACTOR'S NAME: Burleigh Electric		name of	
ADDRESS: 27 Town Landing Rd. Falmou	iel For	eside	
TEL.: 781-5577		···	
MASTER LICENSE NO.: 110 SIGNATURE OF	1	CTOR:	
LIMITED LICENSE NO.: W. O 13	wylig	h	

INSPECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN

ELECTRICAL INSTALLATIONS—
Permit Number 457/9
Location 39 Beauton St.
Own.r J Mithell
Date of Permit 5-20-80
Final Inspection 5-23-80
By Inspecto:
Permit Application Register Page No.

DATE:

BANGE 28 INSTALLATIONS

FOR THE PROPERTY OF TH

	1			
í	V	7	300	(P)
	()		2	
/	IJ	X\\	4	Ŋ

and Address

APPLICATION F	OR PERMIT RERMIT ISSUED
B.O.C.A. USE GROUP)0 83 MAY 9 1980
ZONING LOCATION PORTLAND	, MAINE, MAY 9, 1980 CITY of PORTLAND
To the DIRECTOR OF BUILDING & INSPECTION SERVICE. The undersigned hereby applies for a permit to erect, alter, refure, equipment or change use in accordance with the Laws of the Zoning Ordinance of the City of Portland with plans and specifical	S, PORTLAND, MAINE pair, demolish, move or install the following building, struc- State of Maine, the Portland B.O.C.A. Building Code and utions, if any, submitted herewith and the following specificu-
LOCATION 39 Beacon St. 1. Owner's name and address Frank J. Mitchell 2. Lessee's name and address 3. Contractor's name and address Jack AAskov 3 4. Architect Specific Proposed use of building duplex Last use Material No. stories Heat	11.Blackstrap
Other buildings on same lot Estimated contractural cost \$3,000	Fee \$14.50
FIELD INSPECTOR—Mr G	ENERAL DESCRIPTION construction addition on kitchen
Garage	16' as per plan Bel beam in opering Stamp of Special Conditions . The installers and subcontractors of heating, plumbing, electri-
PERMIT IS TO BE ISSUED TO	D 1 □ 2 □ 3 □ 4 □ Other:
Is any plumbing involved in this work? Is connection to be made to public sewer? Has septic tank notice been sent? Height average grade to top of plate Size, front depth No. stories Material of foundation CONCRETE/PLOSE. Thickness, to Kind of roof Bhed Rise per foot No. of chimneys Material of chimneys Framing Lumber—Kind APRUCE Dressed or full size? Size Girder Columns under girders Studs (outside walls and carrying partitions) 2x4-16" O. C. Joists and rafters: 1st floor 2x8 2nd On centers: 1st floor 16." 2nd Maximum span: 1st floor 16." 2nd If one story building with masonry walls, thickness of walls? No. cars now accommodated on same lot to be accomm Will automobile repairing be done other than minor repairs APPROVALS BY: DATE BUILDING INSPECTION—FLAN EXAMINER ZONING: BUILDING CODE: Fire Dept.: Health Dept.:	NEW WORK Is any electrical work involved in this work? If not, what is proposed for sewage? Form totice sent? ght average grade to highest point of roof solid or filled land? cellar yes Roof covering asphalt shingles of lining Kind of heat f.h.w. fuel oil Corner posts 2x6. Sills 2x6. Size Max. on centers Bridging in every floor and flat roof span over 8 feet. 3rd roof 2x8. 3rd roof 16." ARAGE nodated number commercial cars to be accommodated to cars habitually stored in the proposed building? MISCELLANEOUS Will work require disturbing of any tree on a public street? Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes
Others: Signature of Applicant	ank). Mutatell. J Phone #
Type Name of above Fra	nk.J. Mitchell Jr 1 2 3 3 4

OFFICE FILE COPY



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES

ELECTRICAL INSTALLATIONS

·	Date Aug. 5, 19 77 Receipt and Permit number A-10308
the Portland Electrical Ordinance, the National Electrical	nine: electrical installations in accordance with the laws of Maine, Code and the following specifications:
LOCATION OF WORK: 39 Beacon St.	
OWNER'S NAME: Frank J. Mitchell	ADDRESS:
OUTLETS: (number of)	
Lights Receptacles	
Switches	FEES
Plugmold (number of feet) TOTAL (number of feet)	
FIXTURES: *umber of) Incandescent	•
Fluorescent (Do not include strip flu	orescent)
Strip Fluorescent, in feet	
CEDVICES.	
Permanent, total amperes 2-100 amp	<u>6.00</u>
remporary	
METERS: (number of) 2	<u>1.00</u>
MO FORS: (number of) Fractional	
RESIDENTIAL HEATING:	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler) Oil or Gas (by separate units)	
Electric (total number of kws)	
APPLIANCES: (number of)	
Ranges Cook Tops	Water Heaters
Wall Ovens	Disposals Dishwashers
Dryers	Compactors
Fans TOTAL	Others (denote)
	••••••
MISCELLANEOUS: (number of) Branch Panels	
	••••••
Air Conditioners	
Alterations to wires	
	INSTALLATION FEF DUE: 7.00
FOR ADDITIONAL WORK NOT ON ORIGINAL PERM	
FOR REMOVAL OF A "STOP ORDER" (304-16.b) FOR PERFORMING WORK WITHOUT A PERMIT (30	04-9)
Total State of the Control of the Co	TOTAL AMOUNT DUE: -7-00-
INSPECTION: Will be ready on, 1); or Will	,,,,
	ValiX
ADDRESS: Box 26 - Gorham	
TEL.: 839-4438	
MASTER LICENSE NO.:	SIGNATURE OF CONTRACTOR:
LIMITED LICENSE NO.:	- feel to front .
INSPEC	TOR'S COPY

INSPECTION	O 20 70 der vi ina en wo oc
	Closing-inby Appl Corn
PROGRESS I	NSPECTIONS: 727/22//
CODE	INS PORT OF THE PROPERTY OF TH
COMPLIANC	
COMPLETED	Register Page No.
DATE 9-20-	27 27 28 28 28 28 28 28 28 28 28 28 28 28 28
<u> </u>	
DATE:	REMARKS:
7-19-77	Change equipge in be pand.
	γ /
tic 📢	35 - 37 - <u>Comm</u>
- 10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	,

-	



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

		Da Re	tr	, 1977 A10108
To the CHIZF ELECTRICAL INSPECT The undersigned hereby applies for the Portland Electrical Ordinance, the No	a permit to make electri utional Electrical Code a	cal installations in and the following sp	accordance with the law pecifications:	ws of Maine.
. actor of Work, 39 Beac o	n Street			
OWNER'S NAME: Frank J. Mi	tchellAD	DRESS:sa	me	
OUTLETS: (number of)			,,,	
Lights				FEES
Receptacles				
Switches (number plugmold (number plugmold (number plugmold plugmold)	per of feet)			
TOTAL		• • • • • • • • • • • • • • • • •		
FIXTURES: (number of)				
Incandescent	. to stanta assim Supresses	n+)		
Fluorescent (Do not not not not not not not not not no	ot include strip fluoresce	:nt <i>)</i>		
Strip Fluorescent, in feet			.,,.,,.,.,.	
own HODG.				
Description total ampares				
Temporary				
METERS: (number of)				
MOTODS: (number of)				
Tanational				
1 HP or over				
RESIDENTIAL HEATING: Oil or Gas (number of units) Electric (number of rooms)	2_duplex .hou	ıse		6,00
COMMERCIAL OR INDUSTRIAL H. Oil or Gas (by a main boiler) Oil or Gas (by separate units) Electric (total number of kws)				
APPLIANCES: (number of)		T1f4		
Ranges		ater Fleaters isposals		
Cook Tops Wali Ovens		ishwashers		
Dryers		oinpactors		
E-ma	0	thers (denote)	And the second s	
• • • • • •				
MISCELLANEOUS: (number of)			****	paragraph and an appropriate paragraph and a second
Branch Panels — Transformers —				
Air Conditionate				
Signs				
11.0/ 2 2 8 0 0 0				

Emergency Lights, battery -			morrow Div.	
Emergency Generators _		INSTALLA	TION FEE DUE:	
FOR ADDITIONAL WORK NOT O	N ODIGINAL PERMIT	r DO	UBLE FEE DUE:	
FOR ADDITIONAL WORK NOT O FOR REMOVAL OF A "STOP ORL FOR PERFORMING WORK WITH				
NAME OF TAXABLE PARTY O				
INSPECTION: Will be ready on	, 19; or Will C:	all XX	-	
COLUMN ACTORIC MAME:	ne Gavett co.			
ADDRESS:	P. O. Box 26 Go	rham, Me.		
TEL.:83	9-4438		-, -, +	
MASTER LICENSF NO.:11	82	SIGNATURE OF	CONTRACTOR	₹.
LIMITED LICENSE NO.:		1700	W JUNET	

INSPECTOR'S COPY

4

PROGRESS II	Service called in
DATE 7-25	
DATE:	REMARKS:
	As accer
<u></u>	
***************************************	The standard of the standard o
nom lävinä voh väärvänä ova horanniko nev avakon e	
,	

Manager 1 PARTIE - AL Berry Dime. /Applican/ Statemen! Caution: Impaction Revulred /**E-1032 (45.34) \$44/4 PENE IT INFORMATION A TELEPORT This Application is for Trups Of Structure To be Served: Plurabing To Be Installed By: 1 Singly Family DWELLING . EPNEWPI LANDING 1. [] MASTER PLUMBER 2. [] OILBURNERMAN MOHALITOM ROBALUDOM [] 2 S 🗀 BELOCT (SO 3 MFG'D. HOUSING DEALER/MECHANIC 3 [] MULTIPLE FAM Y DWELLING SEO 1 1 1997 4. | PUBLICUTILITY & MPLOYEE 4. TOTHER - SPECIFY. 5. PAR PERTY OV NER LICENS # [Hooi-I'm a Piping Relocation Maximum of 1 ricol-Up Type of Flatur Type Of Fixtur HOOK-UP: to public selver in those cares where the connection is not regulated and is spected by the legal Smith of District. Hosebibb / Sillcock Baihtub (and S'nower) Fic ir Orain Shower (Separate) Urinal OE Sink HOOK-UF: to an existing subsulventewater disposal system. Orinking Fountain Wash Busin Indirect Waste Water Closet (Tollet) Water Treatment Soft or, Filter, etc. Clothen Washer PITING RELOCATION: of a chitan lines, Grains, and piping without in whitee. G: nase/Oil Separatci ប់នៃh Washer Dental Cuspidor Carbage Lispouni didet Launday Tub Number of Hook-U_r-s & Relocations Other V ater Heater TAN KES Fixtures (Subtotel) look-Up & Helccation, en Fixtures (Suptotal) Column 1 Column 2 Fixtures (Subtotal) Column 2 SEE PERMIT FFE SCHEDULE FOR CALCULATING FIE Hook Up & seidention Fage 1 -HHE 21 Fav 9486 OT NIE CORY

leannaithe H

17、如此的原因與19年

FILL IN AND SIGN WITH INK

0530

PERMIT ISSUED

JUN 28 1978

CITY of PURTLAND

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine,June. 27., ...1977... To the INSPICTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: Use of Building 2 family Location 39 Beacon Street No. Stories 2. Name and address of owner of applianceFrank ...J.o...Mitchell -. saem ... Installer's name and address . Gayett Co. P. O. Box 26. Gorham, Me. Telephone 839-4438 ... General Description of Work IF HEATER, OR POWER BOILER Location of appliance basement Any burnable material in floor surface or beneath?.. no .. Kind of fuel? # 2 fuel oil If so, how protected? From top of smoke pipe ...24 .in. From front of appliance ...none . From sides or back of appliance Size of chimney flue . 8 x8 Other connections to same flue ... no. Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? ...yes... IF OIL BURNER Name and type of burner U. S. Carling burner-gun Labelled by underwriters' laboratories? .yes ... Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? .bottom . Number and capacity of tanks 2 - -275 gal Location of oil storage basement Make McDonald Miller No. ... 900 Low water shut off yes Will all tanks be more than five feet from any flame? yes How many tanks enclosed? none Total capacity of any existing storage tanks for turnace burners 550 gall. IF COOKING APPLIANCE Any burnable material in floor surface or beneath? Location of appliance Height of Legs, if any If so, how protected? Distance to combustible material from top of appliance? Skirting at bottom of appliance? From top of smokepipe From sides and back . From front of appliance Other connections to same flue Size of chimney fire Forced or gravity? If so, how vented? Is hood to be provided? . Rated maximum demand per hour . . If gas fired, how vented? MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION Amount in fee encloyed? 20/00

APPROVED:		6/26-177					

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

cs ano

'Signature of Installer'

INSPECTION COPY

AA AND

e i na 240

NOTES CODE COMPLIANCE COMPLETED NO ACCUS DATE 7-25-77

R5 RESIDENCE ZONE CITY OF PORTLAND, MAINE DEPARTMENT OF BUILDING INSPECTION COMPLAINT

CS-66

Inspection copy		
COMPLAINT NO.58 116	Date Received	12/17/58

Location 41 Reacon St. cor. Orland St. Use of Building Garage (private)
Owner's name and address Blanchard & Mills, 41 Beacon St. Telephone 4-3427
Tenant's name and address Telephone
Complainant's name and address
Description: Storing tires in private garage.
NOTES: 12/24/08- Setter to Journey all
1-27.60 Kmill
The state of the s
F.N

December 24, 1958

Oplt. 58/116-41 Beacon Street, corner of Orland Street

Mr. Disnohard A. Mills Al Beacon Street

Dear Mr. Mills:

It has been reported to this department that motor vehicle tires are being stored in the garage on the lot with the dwelling at the above named location, of which you are reported to be the owner. The property is located in an R-5 Residence Zone where such a use is not allowable under the Zoning Ordinance.

Therefore, if the report be true, it is necessary that such use be discontinued at once and that any tires now stored in the building be removed without delay. If you have any question as to the application of the Zoning Ordinance to the situation, we will be glad to go further into the matter upon request.

Very truly yours,


MS/jg

Albert J. Soars Deputy Inspector of Buildings

(RC) RESIDENCE ZONE - C

Portland, Maine,





o the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect alter repair demolish install the form accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinan specifications, if any, submitted herewith and the following specifications: Location 39-41 Beacon Street Within Fire Lim Owner's name and address Mrs. Howard Noyes, 39 Beacon Street Lessee's name and address Contractor's name and address M. B. Bourne & Son, 56 Cross St. Architect Specifications Plans Proposed use of building Dwelling Last use	no Dist. No
Owner's name and address Mrs. Howard Noyes, 39 Beacon Street Lessee's name and address M. B. Bourne & Son, 56 Cross St. Architect Specifications Plans Proposed use of building Dwelling	Telephone
Owner's name and address Mrs. Howard Noyes, 39 Beacon Street Lessee's name and address M. B. Bourne & Son, 56 Cross St. Architect Specifications Plans Proposed use of building Dwelling	Telephone
Contractor's name and address M. B. Bourne & Son, 56 Cross St. Architect Specifications Plans Proposed use of building Dwelling	Telephone.
Architect	.n ዓ_ጃርቢማ
Proposed use of building Dwelling	Telephone.
Proposed use of building Dwelling	
	No. families 2
Material frame No. stories 2 Heat Style of roof	Roofing
Other buildings on same lot	
Estimated cost \$	Fee \$ 1.00
General Description of New Work	
To install mechanical ventilation for existing toilet room, aluminum duct work	1st floor.
	CERTIFICATE OF OCCUPANCY REQUIREMENT IS WAIVED
It is understood that this permit does not include installation of heating apparatus which the name of the heating contractor. PERMIT TO BE ISSUED TO M. B. Bourne & Details of New Work Is any plumbing involved in this work?	Son
Height average grade to top of plate	est point of roof
Size, frontdepthNo. storiessolid or filled land?	earth or rock?
Material of foundation	
Material of underpinning	Thicknes
Kind of roofRise per foot Roof covering	
No. of chimneys Material of chimneys of lining K	Sind of heat fuel
Framing lumber—Kind	
Corner posts	Size
Girders Size Columns under girders Size Size	Max. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor a	and flat roof span over 8 feet.
Joists and rafters: 1st floor, 2nd, 3rd	, roof
On centers: 1st floor, 2nd, 3rd	
	mercial cars to be accommodated
Will automobile repairing be done other than minor repairs to cars habitually stored	
Misc	cellaneous
PROVED:	f any tree on a public street?
	e above work a person competent to
Will there be in charge of the	e above work a person competent to requirements pertaining thereto are
Maximum span: 1st floor, 2nd, 3rd	mercial cars to be accommodated

Mrs. Howard Noyes

Signature of owner Signature of owner Signature

INSPECTION COPY



STEAM APPLICATION FOR PERMIT FOR HEATING, COOKING OF POWER EQUIPMENT

	To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
	The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:
	Location 41 Beacon St. Use of Building Residence No. Stories
	Name and address of owner Mr. H. V. Noves, Al Beacon St. Ward
٠.	Contractor's name and address Easternoil, Inc. 133 Marginal Way Telephone 3-6495
	General Description of Work OF COSTANT OF THE STATE OF COUNTY OF THE STATE OF
•	IF HEATER, POWER BOILER OR COOKING DEVICE
~	IF HEATER, POWER BOILER OR COOKING DEVICE Is heater or source of heat to be in cellar? Yes If not, which story Kind of Fuel Oil
	Material of supports of heater or equipment (concrete floor or what kind) Concrete
	Minimum distance to wood or combustible material, from top of boiler or casing top of furnace,
	from top of smoke pipe, from front of heaterfrom sides or back of heater
	Size of chimney flueOther connections to same flue
	IF OIL BURNER
	Name and type of burner Easternoil A Labeled and approved by Underwriters' Laboratories? Les
	Will operator be always in attendance? No Type of oil feed (gravity or pressure) Pressure
	Location oil storage Basement No. and capacity of tanks One 275-gal.
	Will all tanks be more than seven feet from any flame? Yes How many tanks fireproofed?
	Amount of fee enclosed \$1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.) **Signature of contractor** By Waltur Muhols** **Signature of contractor** **By Waltur Muhols** **The property of the contractor** **By Waltur Muhols** **Th

	₩ ×
Ward & Permit No. 3 8/306 1	· · · · · · · · · · · · · · · · · · ·
Location 41 Beacon St.	
Owner H. V. Noves.	
Date of permit ///29 /28	
Post Card sent	
Notif. for inspn. Home	
	d ,
1 1 1 2mm	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
2. Label /\$ 0.394/	
3. Anti-siphon	
4. Oil storage	
S. Tank distance	
6. Vent pipe	
7. Fill pipe	
8. Gauge	
9. Rigidity	
10. Feed safety	
11. Pipe sizes and material	
12. Control valve	
13. Ash pir vent	
14. Temp. or pressure safety	
15. Instruction card	
10. Instruction card	
16. Maraft O Stat	
NOTES	
1	

__ L



FILL IN COMPLETELY AND SIGN WITH INK

PERMIT ISSUED Permit No. 1780

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER CEQUIPMENT

M	Portland, Maine, October 17, 1935
To the INSPECTOR OF BUILDINGS, POR	FLAND, ME.
total the Editos of Maine, the Bu	i permit to install the following heating, cooking or power equipment in ilding Code of the City of Portland, and the following specifications:
	Use of Building dwelling house
Name and address of owner Herbert No	yes, 41 Beacon Street
Contractor's name and address A. F. H	odgdon, 634 Brighton Ave.
	eneral Description of Work in place of two existing systems
	in place of two existing systems
	The same
IF HEATER,	POWER BOILER OR COOKING DEVICE
Is heater or source of heat to be in cellar?	esIf not, which storyKind of Fuel
Material of supports of heater or equipment (c	concrete floor or what kind) concrete
Minimum distance to wood or combustible mat	erial from top of boiler or engine to 5
from top of smoke pipe, from	front of heater over 4 ^t from sides or back of heater over 3 ^t
Size of chimney flue 8x12 Other connec	tions to same flue none
40 . ~ . 5.	IF OIL BURNER
Name and type of burner	Labeled and approved by Underwriters' Laboratories?
Will operator be always in attendance?	Type of oil feed (gravity or pressure)
Location oil storage	No. and capacity of tanks
Will all tanks be more than seven feet from ar	ny flame?How many tanks fireproofed?
Amount of fee enclosed? 1.00 for building at same time.)	one heater, etc., 50 cents additional for each additional heater, etc., in same
INSPECTION COPY	Signature of contractor Ulvah Andydon

	T
Ward & Permit No. 35/1780	hipe ist be moved so
Location 41 Beacin St.	as to be at least 3'0
owner Herbert Nuyes	clear 000
Date of permit 10/17/35	
Post Card sent 10/18/35	
Notif. for inspu. 10/2 2/35.	
Approval Tag issued 10/24/35, 00	
Oil Burner Check List (date)	
1. Kind offert Hot Water	
2. Label	
3. Anti-siphon	1 3
4. Oil storage	<u> </u>
5. Tank distance	
6. Vent pipé	
7. Pal pipe	
8. Gauge	
9. Rigidity	
10. Feed safety	
11. Pipe sizes and material	7 3
12. Control valve	
13. Ash pit ven	
14. Temp. or pressure safety	
15. Instruction card	
16.	
NOTES	
10/24/85; Pms Umes	
said wal bin whilit is	
more but 2" from smoke	

PIRIT ISSUED Permit No. 1918 APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT November 4, 1932 To the INSPECTOR OF BUILDINGS, PORTLAND, ME The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in cordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: 41 Leacon Building Name and address of owner 311 op t Contractor's name and address General Description of Work if heatery bower boiler or cooking device _If not, which story_ Is heater or source of heat to be in cellar?___ Material of supports of heater or equipment (concrete floor or what kind)_ Minimum distance to wood or combustible material, from top of hoiler or casing top of furnace, from front of heater _from sides or back of heater from top of smoke pipe_ IF OIL BURNER Silent Glow Labeled and approved by Underwriters' Laboratories? yes Type of oil feed (gravity of pressure)

No, and capacity of tanks Name and type of burner_ Will operator be always inhatteninge? No. and capacity of tanks five Location oil storage_ How many tanks fireproofed? Will all tanks be more than seven feet from any flame?_ _(\$1.00 for one heater, etc., 5@souts godifionabier each additional heater, etc. Amount of fee enclosed? Signature of controllor Helle building at same time.)

INSPECTION COPY

Ward 8 Permit No. 32/1918
Location 4/ Blacon St.
Owner Howard Moyes
Date of permit ///4/32V
Notif. closing-in
Inspn. closing-in
Final Notif.
Final Inspn. 11/2(52-0)
Cert. of Occupancy issued
NOTES
1. Kind of heat white have been a factor of the last o
3. Anti-uphon
6. Oil storage
5. Tunk distance
0. Fant p po
7. Fill pipe
8. Gaune 9. Egidity
19. Food tarriy
11. Pipe rece i mate 1
12. Courted v. 40
18. Ark pi vent
14. Temp. or press research
16.
11/2/132- Ven whe 10
reduced down to the
ama noun Cartier



Lucation, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

Application for Permit to Build (Bd CLASS BUILDING)

) (Portland, Me., August 2	2nd. 19 16
Se.	INSPECTOR OF BUILDINGS:	
ear	The undersigned hereby applies for a permit to build, according	rding to the following
€	Specifications:—	
9.5	Location, 39 Beacon St.	Wd8
ther	Name of owner is O V. Libby	پر چه در دو د د د د د د و و و و و و و و و و و
set t der		it
∴ 	Author of dictification is accommon and accommon accommon and accommon accommon and accommon accomm	四 。
18 2	Proposed occupancy of building (purpose)?gornge	
duplicate	If a dwelling or tenement house, for how many families?	
λ xhi	Are there to be stores in lower story?	Z
d the	Size of lot, No. of feet front?; No. of feet reat?; No. of feet de	eo ?
trand ork an	Size of building, No. of feet front? . 14 ; No. of feet rear? 14 ; No. of feet de	ep?20
25	No. of stories, front?one; rear?	
្រក្ន	No. of feet in height from the mean grade of street to the highest part of the roof?	
뱕	Distance from lot lines, front?feet; side?	ear?feet 📆
pa	Firestop to be used? and twelve feet from any building	·····································
the Depart	Will the building be erected on solid or filled land?	
the	Will the foundation he laid on earth, rock, or piles?	
with all be	of on piles, No. of rows?distance on centres?length of	7
7	Diameter, top of?	
filed (8) sh	Size of posts?	()
e fi ngs)	girts!	
di	floor timbers? 1st floor	th
et to be g	A O C 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	,
. W u	Sparr " " " " " " " " " " " " " " " " " "	" ,
2 4	Braces, how put in?	<u>.</u>
te,	Building, how framed?	
licate, c	Material of foundation?.cement .floor.thickness of?laid with morta	1 Panel 4
g e	Underpinning, material of?height of?thickness of?.	
t o	Will the roof be flat, pitch, mansard, or hip?uitchMaterial of roofing? Shi	ngles
υ Ο	Will the building be heated by steam. furnaces, stoves or grates?	lined?
itte	Will the building conform to the requirements of the lawr	
ndd Idd	No. of brick walls?	
Su.	Means of egress?	
e C		
ust.		
8	If the building is to be occupied as a Tenement House, give the following	particulars:
ans	What is the height of cellar or basement?	
A.	What will be the clear height of first story?	-42 M
AL TOP	State what means of egress is to be provided?	
	Scuttle and stepladder to roof?	e e e e e e e e e e e e e e e e e e e
	See an action of the second of	
	Estimated Cost. Signature of owner or author-	
	\$.300 ized representative,	sul .
	Address, OO TT	10.6
	Cid Sially	2850
s 5 a 494 cs 1952/19 calsus 6 .	Plans submitted?	المراجعة والمراجعة والمتعادمة والمتعادمة والمتعادمة
	### ### 전경 그램니는 문화 중요한 요한 마음 이 사용하는 것 그렇지만 하시고 없는 그 보다 다 없다.	

ALLI LATAU **913236**#___City of_Portland BUILDING PERMIT APPLICATION Fee \$ 2.00 Zone Permit # Lot# Please fill out any part which applies to job. Proper plans must accompany form. Owner: Frank J. Mitchell, Jr. Phone #_ 774-8890 For Official Use Only 39 Beacon St. Portland, Maine 04103 November 13, 1991 LOCATION OF CONSTRUCTION 39-41 Beacon St Inside Fire Limits self Bldg Code. Time Limit CITY OF POWILAND Address: \$2500.00 Estimated Cost. Est. Construction Cost: Proposed Use: 2 family with deck Zoning: Past Use: Review Required:

Provided Setbacks: Front Back
Review Required:

Zoning Board Approval: Yes No Date
Planning Board Approval: Yes No
Conditional Use:
Shoreland Zoning Yes No Floodpl # of Existing Res. Units_ # of New Res. Units Building Dimensions L. _ Total Sq. Ft. Date:___ Site Plan_ Lot Size: Floodplain Yes Is Proposed Ose: Seasonal _ Conversion Special Exception ______Other (Explain) Explain Conversion to construct deck as per plan Ceiling: Ceiling Joists Size:
 Ceiling Strapping Size
 Type Ceilings: HISTORIC PRESERVATION 1. Type of Soil:
2. Set Backs - Front
3. Footings Size:
4. Four dation Size:
5. Other Notan District nor Landmark. Does not require review. 4. Insulation Type 5. Ceiling Height: Requires Review. Roof: 1. Truss or Rafter Size 2. Sheathing Type _____ 3. Roof Covering Type 1. Sills Size: Sills must be anchored. Chimneys: Type: 2. Girder Size: 3. Lally Column Spacing: Date: Number of Fire Places_ 4. Joists Size: Heating:
Type of Heat:
Electrical: Spacing 16" O.C. 5. Bridging Type: 6. Floor Sheathing Type: 7. Other Material: Size Service Entrance Size: Smoke Detector Required Plumbing:

1. Approval of soil test if required
2. No. of Tubs or Showers
3. No. of Flushes Yes Exterior Walls: 1. Studding Size
2. No. windows _
3. No. Doors ____ Swimming Pools:

1. Type:
2. Pool Size: x Square Footage
2. Pool Size: x Square Footage
Latin1

PERMIT Setmither sived By Latin1

PERMIT Signature Applicant Physics

Applicant Physics Spacing 4. Header Sizes _ 5. Bracing: Ye
6. Corner Posts Size
7. Insulation Type Size 8. Sheathing Type_ 9. Siding Type
10. Masonry Materials
11. Metal Materials Weather Exposure Interior Walls:

1. Studding Size
2. Header Sizes
3. Wall Covering Type
4. Fire Wall if required 5. Other Materials CONTINUED TO REVERSE SIDE Ivory Tag - CEO 16 mm, m Teles is White - Tax Assessor

Permit #BUILDING PERMIT APPLI Please fill out any part which applies to job. Proper plans must accompany form.	CATION Fee\$35.00 ZoneMap #Lot#
Owner: Prank J. Mitchell Tr. Phone # 774-8895	For Official Use Only PERMIT ISSUED
* Address: 39 Beacon St. Fortland, Maine 04103	Date November 13, 1991 Subdivision:
LOCATION OF CONSTRUCTION 239-41 Beacon St.	Date November 13, 1991 Subdivision: Namo Namo Namo Namo Namo Namo Namo Namo
Contractor: self Sub.:	Bldg Co. 2- Ownership: 35 NOV 8 1991
Address: Phone #	Timo Limi
Est. Construction Cost: \$2,500 Proposed Use: 2 family with deck	70
Past Use: 2 family	Street Frontage Provided: Provided: Sets acks: Front Back Side Side Review Required: L. J. No Date:
# of Existing Res. Units # of New Res. Units	Review Required:
Building Dimensions LW Total Sq. Ft	Zoning Board Approval: YesNo Date: Planning Board Approval: YesNo Date:
# ~ ories: # Bedrooms Lot Size:	Conditional Use: VarianceSite Plan Subdivision
Is Proposed Use: Seasonal Condominium Conversion	Shoreland Zoning Yes No Floodplain Yes No Special Exception
Explain Conversion to construct deck as per plan	Othor (Explain)
	Colling
Foundation:	1. Ceiling Joists Size: HISTORIC PRESERVATION
1. Type of Soil: 2. Set Backs - Front Renr Side(s)	2. Ceiling Strapping Size Spacing Not th District nor Landmark.
3. Footings Size:	3. Type Ceilings: Size Does not require review:
4. Foundation Size:	5 Coiling Hoight: OO 25 Paguires Patrick
5, Other	1. Truss or Rafter Size Span
Floor:	2. Sheathing Type Size Action: Approved with Condition
1. Sills Size: Sills must be anchored. 2. Girder Size:	Roof: 1. Truss or Rafter Size 2. Sheathing Type 3. Roof Covering Type Chivaneys: Type: Heating: Type of Heat: Electrical:
3. Lally Column Spacing: Size:	Type: Number of Fire Places Date:
4. Joists Size: Spacing 16" O.C. 5. Bridging Type: Size:	Heating:
6. Floor Sheathing Type: Size:	Flectrical:
7. Other Material:	Electrical: Service Estrance Szentamdua es Spinko Dejogior Required yes No Plumbing:
Exterior Walls:	1. Approval of soil test if required Yes No
1. Studding Size Spacing	2. No. of Tubs or Showers
2. No. windows	4. No. of Lavatories
4. Header Sizes Span(s)	5. No. of Other Fixtures
5. Bracing: Yes No. \ 6. Corner Posts Size	Swimming Pools: 1. Type:
7 Insulation Type Size il	1. Type: 2. Pool Size: x Square Footage 3. Must conform to National Electrical Code and State Law.
8. Sheathing Type Size //	3. Must conform to National Electrical Code and State Law.
9. Siding Type Weather Experime 10. Masonry Materials	Permit Received By Latini PERM
S 11. Metal Materials	7 11/12/01
Interior Wells:	Signature of Applicant Trank. J. Na Collection 11.
Interior Wells: 1. Studding Size 27 1 5 Spacing Span(s) 2. Header Sizes Span(s)	Permit Received By Latinipe Signsture of Applicant Frank. J. Flatchek Men. S. CEO. Dengther S. CE
3. Wall Covering Type	RAMILIREMZ
5. Other Materials	PERMUIFE TO REVERSE SIDE
White - Tax Assessor	PERMITTINUEL TO REVERSE SIDE IVORY Tag - CEO 6 1771 1711 1711 1711 1711 1711 1711 1
	Land Ille 11

PLOT PLAN 11/18/11 - Deck was nearly completed fore permit was applied for No setback measurements have been taken. New Mispector in area shall check setbacks. McM Inspection Record FEES (Breakdown From Front) Туре Date Base Fee \$_ Subdivision Fee \$ Site Plan Review Fee \$ Other Fees \$_ (Explain). COMMENTS plot plan and specs submifts CERTIFICATION Thereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as has authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the code official of the code official's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit. Beacon St. RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE NO.

BUILDING PERMIT REPORT

ADDRESS 39-41 Beacon 57.	
REASON FOR PERMIT: CONSTruct open	Deck
BUILDING OWNER: Frank J. Mitchell	JR.
CONTRACTOR: OWDEN	
PERMIT APPLICANT:	
CONDITION OF ADDROUAL.	

- 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained.
 - 2.) Precaution must be taken to protect concrete from freezing.
 - 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with self-
 - 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessable location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
 - 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
 - 7.) All single and multiple-station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions. of the building code (BOCA National Building Code 1990, and N.F.P.A.

- 8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, R-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fireresistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board or equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.
- #9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 4 inches cannot pass through any opening. Handrails on stairs shall be no less than 34 inches nor more than 38 inches. Handrails within individual dwelling units shall not be less than 30 inches nor more than 38 inches.
 - 10.) Section 25-135 of the Municipal Code for the City of Portland states:
 "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.
 - 11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Sincerely

Chief of Inspection Services

/el 11/16/88 11/27/90 8/14/91

Ø



Deck Construction:

8" SONA tubes 4ft. bury, 4x6" FRESIALE treated posts, 4x12" (double z'x12") pressure treated carrying beams, 2"x/0" pressure treated joists on 16" centers, 5/4" cedar decking, 36" high railing, 4"x4" cedar poorbullisters 5" on center (Approx. 3/2" spaciny),

14-428

-13-7/ DECK 39-41 Beacon St. Frank J. Mitchell Jr.

!'86 6

HINIMUM DECK REQUIREMENTS NEEDED FOR PERMITS

please check off the appropriate description		
FOUNDATION	Frost Wall, min 4' below gr. 8"thick	ıde.
	Sono Tube, 4' below grade. 6" min. on footing, hard particle. bedrock. Other	ı or
SILL	Size support beam 4"x	12" (double 2"x12")
SPAN OF SILL	12' Distance between foundation	supports
JOISTS SPAN	span Varries between	4' and 1
JOISTS SIZE	2 x 62 x 82 x	
DISTANCE BETWEEN JOISTS		other
DECKING	cedax 5/4 other explain	
GUARD HEIGHT PUSTANCE BETWEEN BALUSTER	32" 36" 42" 3/2 4" spacing between	
STAIR CONSTRUCTION	minimum 9" tread maximum 81/4" rise	• :
nlagge upo enere bele e		

39-41 Bracon St mitchell Jr.