CITY OF PORTLAND, MAINE

AF 335 Brighton Avenue-I

Department of Building Inspection

13, 1950

The Osteopathic Hosvital of Maine, Inc. Attn: Mr. Gerald M. Melley, Superintendent 335 Brighton Avenue Portland, Mains

Copies to: Extra carbon copy attached for owner's attorney Mark Darrett (Assistant Corporation Counsel

Gentlemen:

The building permit, applied for in a preliminary way and intended to cover construction of a 2½ story addition about 121' x 32' at 335 Brighton Avenue, is not issuable under the Zoning Ordinance because hospital use is not included among the uses allowed in the Residence AA Zone where the property is leasted, according to Section 13A of the Zoning Ordinance, and because, according to Section 14A, the existing non-conforming because, according to Section 14A, the existing non-conforming hospital is of permitted to be increased in volume.

You have indicated a desire to seek an exception from the Board of Appeals; so, there is enclosed an outline of the appeal. procedure.

Very truly yours,

Warron EcDonald Inspector of Bulldings

WHCD/G

Enclosure: Outline of appeal procedure

City of Portland, Maine Board of Appeals

-ZONING-

To the Board of Appeals:

of Your appellant, Osteopatnin Hapital of Maine, Inc., who is the owner , respectfully petitions the Board of Appeals property at 335 Brighton Avenue of the City of Portland to permit an exception to the regulations of the Zoning Ordinance relating to this property, as provided by Section 18, Paragraph E of said Zoning Ordinance.

Building permit intended to cover construction of a 2-b/2 story addition about 121 \times 32 at 335 Brighton Avenue, is not issuable under the Zoning Ordinance because the hospital use is not included among the uses allowed in the Residence AA Zone where this property is located, and the existing nonconforming hospital vac is not permitted to be increased in volume.

The facts and conditions which make this exception legally permissible are as follows;

An exception is necessary in this case to grant reasonable use of property where necessary to avoid confiscation and can be granted without substantially departing from the intent and purpose of the Zoning Ordinance.

Prd After public hearing held on the

June day of

the Board of Appeals finds that an exception is necessary in tois case to grant reasonable use of property to avoid confiscation and can be granted without substantially departing from the intent and purpose of the Zoning Ordinance.

It'is, therefore, determined that exception to the Zoning Ordinance may

be permitted

in this specific case.

ald G. APPEALS

DATE: June 2, 1950

HEARING ON APPEAL UNDER THE ZONING ORDINANCEF OSTEOPATHIC HOSPITAL 335 Brighton Avenue

Public hearing on above appeal was held before the board of Appeals

Board of Appeals

Municipal Officers

Mr. Colley Mr. Lake Mrs. Frost (x) Mr. O'brion(x)
Mr. Cole (x)

Record of Hearing:

Jacob Berman, Esq. fc. appellant Saunders, architect Albert E. Libby Elmer Clark

Arthur Chapman for Richard Chapman representing former objectors, who have apparently withdrawn objection.

No opposition

May 25, 1950

361 Brighton Avenue Portland, Maine

Mr. Edward Colley, Chairman Board of Zoning Appeals Portland, Maine

Dear Mr. Colley:

As the closest abutter to the Osteopathic Hospital and as the owner of the property toward which their addition is to be built, I wish to express my opinion as to whether they should be allowed to expand.

I am in favor of zoning laws to prevent commercial enterprizes from entering residential areas or if they are already established from expanding in size, however, I do not classify the hospital as such an enterprize. Portland greatly needs additional hospital beds and I think they should be allowed to expand. They have always been desirable neighbors in every respect and I think that a modern hospital in this site would tend to increase the value of my own property.

This letter has not been solicited by the hospital but is an expression of the reasons why I think they should be allowed to build. I hope you can see your way clear to make an exception to the zoning laws in this case.

Sincerely yours,

Lillian St. Jordan

June 1, 1950

377 Brighton Avenue Portland, Maine

Mr. Gerald M. Kelley 335 Brighton Avenue Portland, Maine

Dear Mr. Kelley:

We have just received notice from the City of Portland that the hospital is appealing again for permission to enlarge.

Please use this letter in any way you may wish, to show that we favor having this appeal granted.

Cordially yours,

U. C. Wilson Elizabeth a yeilson

367 Brighton Avenue Portland Maine June 1st 1950

Dear Mr Kelly;

I will be unable to attend the meeting at City Hall so will send you this letter hoping it will act as my proxy. We are in hearty accord with the proposed action to enlarge the Osteopathic Hospital. I cannot concieve how the en-

largment and beautifying of the place could possibly injure any surrounding property. There seems to be a shortage of hospitals all over the country which is another argument for your proposed enlargement, and I sincerely hope your plans may be accepted.

Wery truly

Mis George 600io11



TELEPHON-6 4-9494 RESIDENCE 4:7368

CURTIS K. GERRY G"NERAL AGENT MUTUAL TRUST LIFE INSURANCE COMPANY

> 1209 CHAPMAN BUILDING PORTLAND, MAINE

June 2, 1950

Portland City Council Portland, Maine

Gentlemen:

The Osteopethic Hospital of Portland, Maine is a definite asset to our community.

From my own personal observance of other hospitals I can see no resultant decrease of value in surrounding private property due to the expansion of improvement of the hospitals. Hospitals are maintained in an orderly, quiet fashion and the grounds around them are very well-kept.

It is my opinion, and that of the majority of my neighbors, that any expansion or alteration program which the hospital feels it should make should be approved by our community, for certainly the increased value of the hospital would result in increased value of the surrounding property.

I therefore feel that it is the duty of the City Council of Portland to see that the necessary action is taken to give the Osteopathic Hospital of Maine the right to carry out their new program.

Yours very truly,
Cuth, K. Serry
Curtis K. Gerry

CKG/g

March 6, 1950

To The Honorable City Council of the City of Portland

The undersigned, residents of Prospect Street in the City of Portland, Maine, previously objected to an appeal taken by The Osteopathic Hospital of Maine, Inc. from the refusal of the building inspector of the City of Portland to issue a permit for the erection of an addition to the present hospital situated between Brighton Avenue and Prospect Street.

Arrangements have been made by the Osteopathic Hospital of Maine, Inc., whereby the undersigned have no objection to the granting of such an appeal.

Respectfully yours,

Jimothy F. White Fe, Gilbert long don.

CITY OF PORTLAND, MAINE board of applicas

May 23, 1950

TO bride IT MAY CONCERN:

The board of appeals will hold a public hearing in the Council Chamber, City hall, Portland, maine # 10:30 a. m. Daylight Saving Time on sume 2, 1950 to hear the appeal of Usteopathic hospital of Kaine, Inc. requesting exception to the Zoning Ordinance to permit construction of a -1/2 story addition about 121' x 32' at 335 Brighton Avenue.

This permit is presently not issuable under the Zoning Ordinance because a hospital use is not included among the uses allowed in a Residence AA Zone where this property is located, and an existing non-conforming may not be increased in volume.

This appeal is taken under Section 18h of the Zoning Urginance which provides that the pourd of appeals, by unanimous vote of its members, may permit exceptions in specific cases so as to great reconable use of property where necessary to avoid confiscation and without substantially departing from the intent and purpose of the Zoning Ordinance, subject always to the rule that said Board shall give due consideration to promoting public health, safety, convenience, and welfare, encouraging the cost appropriate use of land and conserving property values, that it shall permit no building or use injurious, noxious, offensive or detrimental to a neighborhood, end that it shall prescribe appropriate conditions and safeguards in each case.

All persons interested either for or equinst this appeal will be heard at the above time and place, this notice of required public hearing having been sent to the owners of property within 500 feet of the premises in question as required by law.

board of Appeals

Edward T. Colley

CITY OF PORTLAND, PAINE board of applials

May 23, 1950

TO know IT May concern:

The board of appeals will hold a public hearing in the Council Chember, City hell, Portland, deine at 10:30 a. me Daylight Saving Time on June 2, 1950 to hear the appeal of Osteopathic nospital of Maine, Inc. requesting exception to the Zoning Ordinance to permit construction of a -1/2 story addition about 121' x 32' at 335 brighton avenue.

This permit is presently not issuable under the coming Urdinence because a hospital use is not included among the uses allowed in a Residence AA Zone where this property is located, and an existing non-conforming may not be increased in volume.

This appeal is taken under Section 18k of the Zoning urginance which provides that the board of appears, by unanimous vote of its members, may permit exceptions in specific cases so as to grant reasonable use of property where necessary to avoid confiscation and without substantially departing from the intent and purpose of the ?oning Ordinance, subject always to the rule that said Board shall give due consideration to promoting public health, safety, converience, and weathere, encouraging the lost appropriate use of land and conserving property values, that it shall permit no building or use injurious, noxious, offensive or detrimental to a neighborhood, and that it shall prescribe appropriate conditions and safeguards in each case.

All persons interested either for or against this appeal will be heard it the above time and place, this notice of required public nearing having been sent to the owners of property within 500 feet of the premises in question as required by law.

postd of Appelis

Equard T. Colley

Chairman

Your Zoning Ordinance is antiquated ! God Knows we need hospitalso Lets keep the Louise Organise and sive the City bawk to the Indiana.

CITY OF PORTLAND, MAINE Louris of appeals

May 23, 1950

30 MACO IT BAY CONTERN:

The Board of appeals will hold a public hearing in the Council Chamber, City hall, Portland, seine at 10:30 a. m. Daylight baving Time on June 2, 1950 to hear the appeal of Usteopathic hospital of Maine, Inc. requesting exception to the Zoning Ordinance to permit construction of a 2-1/2 story addition about 121' > 32' at 335 Brighton Avenue.

This permit is presently not issuable under the coming uses allowed in a Residence AA Zone where this property is located, and an existing non-conforming may not be increased in volume.

This appeal is taken under Section 18h of the Zoning Ordinance which provides that the board of Appeals, by ununingua wote of its members, may permit exceptions in specific cases so as to grant ressonable use of property where necessary to avoid confiscation and without substantially departing from the intent and purpose of the Zoning Ordinance, subject always to the rule that said Board shall give due consideration to promoting public health, safety, convenience, and westere, encouragins the most appropriate use of land and conserving property values, that it shall permit no building or use injurious, noxious, offensive or detrimental to a neighborhood, and that it shall prescribe appropriate conditions and safeguards in each case.

All persons interested either for or significations appeal will be heard at the above time and place, this notice of required public hearing having been sent to the owners of property within 500 feet of the premises in question as required by law,

> board of appenda bowerd T. Colley

> > Chairman

City of Portland, Maine Board of Appeals

-ZONING-

To the Board of Appeals:

Your appellant, Osteopathic mospital of Maine, Inc., who is the owner , respectfully actitions the Board of Appeals property at 335 Brighton Avenue of the City of Portland to permit an exception to the regulations of the Zoning Ordinance relating to this property, as provided by Section 18, Paragraph E of said Zoning Ordinance.

Building permit to cover construction of a 2-story addition of fireproof construction, about 26' x 65', for Osteopathic Hospital of Maine to be used as an enlargement of the present hospital, is not issuable under the Zoring Ordinance because the property is in a Residence AA Zone where a hospital is not an allowable use, according to Section 13A of the Ordinance and, therefore, any increase in volume of the present non-conforming hospital building is not allowable under Section 14A of the Ordinance which provides that no non-conforming building shall be increased in volume.

The facts and conditions which make this exception legally permissible are as follows:

where necessary to avoid confis-An exception is nedessary in this case to grant reasonable use of property/and cation

can be granted without substantially departing from the intent and purpose of the Zoning Ordinance.

Osteopathic Hospital of Maine, Inc. By Charley M. Doenson

day of December After public hearing held on the ^9th

the Board of Appeals finds that an exception is not necessary inthis case to grant reasonable use of property where necessary to avoid confiscation and can not be granted without substantially departing from the intent and purpose of the Zoning Ordinance.

It is, therefore, determined that exception to the Zoning Ordinance may not he permitted

in this specific case; since appellants have failed to establish that an exception is necessary in this case to avoid confiscation of this property.

, 1949 ,

BOARD OF APPEALS

NOTES

DaTE: December 30, 1949

HEARING ON APPLAL UNDER THE ZONING ORDINANCE OF OSTEOPATHIC HOSPITAL OF MAINE 335 Brighton Avenue

Public hearing on woove appeal

Boatd of Appeals today. was held before the

Board of Appeals	VoTr.	Municipal Officers
Mr. Colley Mrs. Frost Mr. Lake Dr. Holt Mr _e Colg	#es %o () (%) () (%) () (%)	

Record of bearings

M.C. Pettapiece, D. O., Chairman of Staff of Mospital
Mr. Kelley of hospital
Mr. Saunders, engineer
Neal Allen, Graigie Street
Dr. True Eveleth, Medical Director of the Hospital FOR;

Daniel Felix

OPPOSED: Forrest E. Richardson, 25 Highland Street Richard C. Chapman, Mr. and Mrs. Congdon, 141 Prospect Street Mrs. and Mrs. Timothy White, 141 Prospect Street Mrs. and Mrs. George H. Chapman, 152 Prospect Street

H. A. Seavey - Men's Gailor 643 Forest Avenue, Portland 5, Maine 12/29/49.

Mr. Gerald M. Kelley, Osteopathic Hospital, 335 Brighton Ave., Portland, Me,

Dear Mr. Kelley:

As a property owner, near the hospital, I do not have any objections to your proposed spring building expansion.
Yours,

Howald R. Keany

"Seavey Made Clothes Look Better, Wear Better and ARE Better" 🖈

To the Osteopartic Hospital Bughton arema Os aproperty owner. on Bughton avenue come Beadley theer , Idefentely amen fam of the proposed addition & the hosfeelal Switzey U. Sandle December og -1949

378, mighton are. bottomel, gaggine. Lec. 28, 1949. In regard to the proposed addition of the Ostopathic Hospital of Maine & im in perfect accord. Sincerely. Kionan Carp

with pland for the exthat This addition to the Lospital will be a inefit to the city. Ofinia W. Spollably 233 Bradley St. Entland 5 mai wark? fourly

200 Bushy St. Portland Maine Osterpathic Hospital of mains. Gentlemen: We received a notice from City of Portland Traine, Brand of appeals, and note your desire to exect a new furpost addition to your punt Hospital at 335 Brighton, Eve and as one of those owning roccupying a seridence within 500 ft of your Hospital with to go on second as being in favor of such a project. Sninly yours . John & Joney

I golow It may concern I Arthur I Hoteher am in favor of The addicion to the votes flethic Hospital as we need more hospital facilities in Cortland maine

> Arthur I Haletur 229. Bradley st Portland marie

ARTHUR H. DUFFETT Glenwood Avenue Portland, Maine Capped Board Douted Dear Sur: The hearing scheduled for suclay to four our a Mer ather & Day

16 Hollis Road, Portland, ME., Dec. 29, 1949.

To Whom It may Concern: -Or si ridente at the above address we have no objections to the asleopathic Hospital's expanding its facilities in any way it deems advisible. Frank O. Stack. Wadelyn A. Stack

MRE. ATLE NELSON 377 Broken Avenue Policed - 200

Dec. 29, 1949

To the action This Hospital Brighton ave.

Hiz as profety owners on Brighton ave favor the frospored addition to the to the hospitals

Elijabeth Dr. eilson Neils C. Trilson

٥

Dec. 29-1949

Kh. M. C. Pettaprece Octopation Hospital Portland, Marie.

Den Mr. Pettapuici, I want you to know that Mrs. Ellist and !

I are not apposed to your exection of an addition to your hospital. No feel that sloctors of Octopathy havithe No feel that sloctors of Octopathy havithe some need to take case of their patients as. any other physicians and hope you are accessful in obtaining your permit to successful in obtaining your permit to bularge your facilities Sincerely Onest a Elliste

329-355 BRIGHTON AVENUE 1953-1956

1	
ľ	THE TOTAL OF THE PARK TON THE TE
C '	S ATEMENT OF ELEVATOR TESTS
, -	PORTLAND, MAINE, June 21-37
11. Pr	my M Sharling
1,	Associate Elitator Co luci, have personally supervised the
as an employee of_	
installation or altera	
	1 I I I I I I I I I I I I I I I I I I I
safely carry the max	num rated loading and all brakes, interlocking and other safety devices
Saloiy entry entry	RECEIVED from Melanely (Signature) NAShort N. A. (Signature)
	(Signature)
	RECE -OCT Marky N.A.
1	JUN 25 1957 NATION MAINE,
// // / \	TATE OF WHITE New HAMPShine
CHIMBERLAND, SS:	DET. OF PRINCE H. STANLEY and made gath the statements by him
Personally app	ared that bove mailed RVINC M. JANCEY and made gath the statements by time
subscribed are true.	(1) c Rt. C. Sian /
Judgetiden med treet	TATE OF WHINE New Hampshire TRUING M. STANLEY and made oath the statements by him Notary Public History Peace
APPLICANT'S COPY	114 (ON A EXID MAN 4/30/ ? -

Elevators
6-21-57
Door habols
7/8/57-latels have been provided. FK



NFC 7/8/57

juno 27, 1957

BP for elevator at 335 Brighton Ave.

Mr. Warren J. Stanley Stanley Elevator Co., Inc. ALA South Main St. Nashua, N. H. Faul B. Molellan Co. 52 Marginal Way Cories to Stevens & Saunders 187 Middle St. Osteopathic Hospital of Kaine

(lentlemon:-

Some question has arisen in the field concerning the approval of the fire doors on the new elevator shaftway enclosure which, it is understood, are being furnished and installed by the Elevator company.

It appears that our field inspector had raised the question as to identification of the fire diors as being approved either by Underwriters' Imboratories, Inc. or Materials Approval Committee of the fullding Officials Conference of America. With the issuance of the permit you were advised that either approval would be satisfactory, but the approval must be established by latter assumpts, rather than written assurances.

A letter from Mr. Stanley of June 25th enclosing a letter from Metal Building Supplies Co., representative of the manufacturers of the doors, undertakes to say that the doors as furnished are in strict accordance with Underwriters' requirements except for certain emissions or substitutions, also that the doors comply with the regulations of ECCA.

Let us have it understood without any further negotiations the . Such door must bear the identification markings on it which show the approval of each particular door. If the doors do not have the Underwriters' label, identifying them as Class B doors; then they must bear the identification imprint of the Building Officials Conference of America (BOCA).

The doors have been mounted and our field inspector has been unable to find any such identification. It is essential that Mr. Stanley instruct his superintendent on the job to find the identification on each door (if he is sure it is there) even if it means dissounting at least one of the doors.

If it turns out that the doors are not identified, it is necessary that the general contractor or the elevator contractor take staps to make the doors comply with the requirements of which you were all fully advised when the parmit was issued.

we shall expect to have this matter all in order before July 8, 1957.

Very truly yours,

Warren NeDonald Inspector of Buildings

MoD/G

3 3



STANLEY ESEVATOR COMPANY, INC.

Sales and Service =



NASHUA, NEW HAMPSHIRE

June 25, 1957

City of Portland Department of Building Inspection Portland, Maine

Att: Mr. Warren McDonald

RE: Osteopathic Hospital Portland, Maine Elevator Doors

Dear Sire

Enclosed please find original letter we received from the manufacturer of the doors on the above.

Trusting it meets with your approval, permit us to remain,

Very truly yours,

STANLEY ELEVATOR CO,, INC.

Warren J

WJS/em DILDRAULIC® ELEVATORS

Encl.





RECEIVED JUN XX 1957



UILDING SUPPLIES COMPANY

TELEPHONE - UNIVERSITY 4-6510 CAMBRIDGE, MASS.

SALES REPRESENTATIVE FOR PRODUCTS OF

STEEL OFFICE FURNITURE .. BRONZE & STEEL INTERIOR EQUIPMENT

Stanley Elevator Company 444 South Main Street Nashua, New Hampshire

JUne 24, 1957 dic 6/20/57

Attn: Mr. W. J. Stanley

Osteopathic Hospital Portland, Maine

Gentlement

ALL AGREEMENTS BUBJECT TO DELAYS BEYOND OUR CONTROL PRICES AND TERMS FOR IMMEDIATE ACCEPTANCE SUBJECT TO CHANGE WITHOUT HOTICE. Gonfirming our telephone conversation, we wish to advise that the door panels provided on the above job were made in strict accordance with Underwriters' requirements for labeled doors for vertical shaft.

The only exception to this is the smoke baffics have been eliminated, the guide shoes are made of Micarta rather than steel as required by

The door panels are insulated. The reinforcements are 41" on centers; the material of the doors is steel 16 gauge.

The above requirements also comply with regulations set down by Boca Hope this gives you the information you require.

Very truly yours,

METAL BUILDING SUPPLIES COMPANY

M. Santoro

C. H. ALCORN

RECEIVE



STANLEY ELEVATOR COMPANY, INC.

Sales and Service

TUxedo 2-9591 NASHUA. NEW HAMPSHIRE Nov. 13, 1756

OK 6.26-57

City Of Portland Department of Building Inspection Portland, Maine

Att: Mr. Albert J. Sears

RE: Osteopathic Hospital 335 Brighton Ave. Portland, Maine Elevator

Dear Mr. Sears:


In response to yours of November 9th, 1956;

- An emergency exit shall be provided on the top of the car as specified by the A.S.A. Code.
 - All hoistway doors shall be FGCA labelled as per the enclosed approval.

Very truly yours,

STANLEY ELEVATOR CO., INC.

W.J. Stimber



WJS/em



LEVELATOR® LIFTS



BOCK MATERIAL APPHOVALS CO-CHITTEE

AFFROVED APRO: 13, 1954

- 1. APPLICANT ART METAL CONSTRUCTION COMPARY, JAMESTON, MEN YORK.
- HATERIAL SWING AND SLIDING LIEVATOR FIRE DOORS.
- DESCRIPTION Hollow metal, flush type swing fire doors, 1-3/4" thick tabricated of No. 18 U.S.c. . 23 steel, reinforced with No. 16 U.S. gauge channels 6-1/2" o.c. spotwsided 3-1/2" o.c. and continuous arcvold on edges. Sills of anti-slip cast iron, bronze, aluminum or nickel with machined grooves for sliding doors.

Kollow metal flush type 1-1/4" sliding doors of singl-slide, two-speed, centeropening and two-speed center-opening types, a 3/16" steel header plate, on which the hangor track is sounted, is supported on not less than two 3" x 3" x 5/16" angles. Center opening doors are provided with astragal serving as buffer and to form a smoke tight barrier. All coors overlap the frame and aljoining leaves 3/4" except for 1/6" clearance at center opening doors and 1/4" clearance between frame and door and between

slow and fast door. Door leaves are insulated with eircell asbestes between reinforcements. Swinging doors equiped with closers and pivots and all door, reinforced for attackment of hangers, operators, closers and interlocks as required by Arts. 9 and 16 Basic Code (1950). All details and installution conform to specifications in Structural Bureau Report No. 21 dated January 29, 1954.

- As a 1-1/2 hour protective in elevator hoistway erclosures for openings not exceeding 25 percent of the test opening; except when two speed, center opening doors are provided, the width may be increased to 71-0' and a height of 71-0". All deers subject to. plant inspection and labeling to comply with Secs. 111.2, 111.3, 904.8, 917.1, 919.2 arai 1614.0 (Basic Code 1950).
- 5. IDENTIFICATION All doors to be identified and market "BCCA 54 2".

dovember 9. 1956

AF - 335 Brighton Avenue

Copies to: Osteopathic Hospital
of Maine, Inc.
335 Brighton Ave.
Stevens & Saunders
187 Middle St.
Paul B. Mckellan Co.
52 Marginal Way

Stenley Elevator Co., 140. 444 Main Street Mashuo. N. H.

Contlemen:-

Permit for installation of an hydraulic elevator in addition to beautital under construction of the above location is issued herewith based on plans filed with application for permit but subject to the following conditions:-

- 1. An exergency exit is to be provided in top of car as specified by the Safety Code for Elevators.
- 2. All doors on openings to shaftway are required to bear the Class "Zo label of Underwriters" Laboratories, Inc., Factory Mutuals Laboratories, or the Material Approvals Committee of the Building Officials Conference of America.

In order that work on installation may proceed, we are issuing permit before information has been received that the above details are to be cared for as outlined. Will you please confirm in writing before Reverber 20th that such is to be the case.

P. S. The clavator company filed an Very truly yours, extra act of prints with request that they be returned with our specious stanged on them. It is not our practice to approve plans, the Albert J. Scare only approved necessary being Deputy Inspector of Buildings issuance of the point on plans identified on application. The

AJS/G parent is issued based on Stanley Flan of Car, Shaftway, etc. Job #1060, dated 6/18/56 and Stanley Partial Boller Room Flan without date, both stamped received here Oct. 17, 1956.



APPLICATION FOR ELEVATOR PERMIT

92030 92030

CITY of PORTLAND

Portland, Maine, October 17, 1956

To the INSPECTOR OF BUILDINGS, Portland, Me. The undersigned thereby applies for a permit to install date	The undersigned hereby applie	NINGS, Portland, Me. s for a permit to install after elevator in accordance with the Laws s for a permit to install after levator in accordance with the Laws s for a permit to install after levator in accordance with the Laws
Within Fire Limits?	of the State of Maine, the Building	Code of the City of Forsialia, Praise and The
Lecation 333 An advantage of the contractor of an analoge stand part of the state o	foliowing specifications:	Wiehin Fire Limits? no Dist. No
Cowser's name and address. Onte opportune to the state of the state of polication. Elevator contractor's name and address. Stanlay Elevator Co., Inc., the Main St., Telephone. Plans filed as part of application. John Standard. Yes No. sheets. Yes No. sheets. No. families No. identics. No. families No. identics. No. identics. No. of standing. To install passenger elevator Details of Proposed Work Extent of work by elevator contractor. Install passenger for hospital use. Type of Elevator. Type of Elevator. Passenger for hospital use. In naw or existing shaftway new Type of Elevator. No. devator stops. b. Shaftway encloses on open. Included. No. devator stops. b. No. devator	Location 335 Brighton Ave.	Ward William Trighton Ave.
Elevator contractor's name and adoress. Yes No. sheets Yes No. familitis No. famili	Owner's name and address Ont	eopathic Hosmital of Mario Co. Inc. 444 Main St. Telephone
Plans filed as part of application. Stars use of building	Elevator contractor's name and ad-	dress_Stanley Elevator 3000 Nashua, No lie 2
Proposed use of building	Diama Elika ac marr or application-	No tamata
Proposed use of building masons: "The control of the control of th	m's a sa sa	MOSDILIGHT
Macrial of outside waits of bushings. No. of stories Style of roof	Dast use of building	101 010 100 100 100 100 100 100 100 100
Remarks To install passenger elevator Details of Proposed Work Extent of work by elevator contractor install elevator Extent of work by elevator contractor install elevator Extent of work by elevator contractor install elevator Type of Elevator passenger for hospital use no new or existing shaftway new No. elevator stops hospital use No. elevator stops hospital use no new or existing shaftway new No. elevator as 500 Material of cables none No. and size of hoisting cables none Location of machinery boiler room areaMaterial of supports 12" brick wall, of guides eleval Minimum clearance buffer plates and springs when car is at lowest flore level hu Minimum clearance buffer plates and springs when car is at lowest flore level hu Minimum clearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum clearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu Minimum elearance buffer plates and springs when car is at lowest flore level hu If Passenger Elevator contractor Poss slates and overhead beams none No. of entrances humanic elevator elevator elevator elevator elevator elevator No. of sides enclosed Height? Buffer flore elevator eleva	Proposed use of build walls of build	ing masonry' will and a pinterior frame.
Details of Proposed Work install elevator Extent of work by elevator contractor Install elevator Extent of work by where. Type of Elevator Passenger for hospitel use no new or existing shaftway No. clevator stops And size of bisting cables No. and carried cables No. and carried size of contents of supports No. and carried carried size of platform No. and size of caples of size of platform No. and size of platform No. and size of platform No. of entrances No. of entrances No. of entrances No. of entrances No. of sides enclosed No. o	No. of stories 4 Style of	of root 1120
Extent of work by elevator contractor install elevator Extent of work by worst. Type of Elevator Passenger for hospitel use in new or existing shaftway new following and the passenger for hospitel use in new or existing shaftway new following shaftway encloses on open analogsed no. clevator stops 4. Shaftway encloses on open analogsed no. clevator stops 4. Shaftway encloses on open analogsed no. clevator stops 4. Shaftway encloses on open analogsed no. clevator stops 4. Material of cables none No. and size of hoisting cables none for supports 12th brick wall, of guides steel Location of machinery boiler room area Material of supports 12th brick wall, of guides steel Location of machinery boiler room area Material of supports 12th brick wall, of guides steel Minimum clearance above car at topmost floor level 216th Minimum clearance buffer plates and springs when car is at lowest floor level 4. Minimum clearance buffer plates and springs when car is at lowest floor level 4. Minimum clearance buffer plates and springs when car is at lowest floor level 4. Type of power 1. Will elevator be equipped with the following safety devicess—governor? no , car safety? no , electric brak no , automatic terminal stops at top and bottom? 1983 ask cable stops? no , safety floor stops? If Passenger Elevator Passenger capacity? Area of platform 1985 and platform 198	To install passenger el	evator
Extent of work by elevator contractor install elevator Extent of work by swner. Type of Elevator _ passenger for hospital use		Details of Proposed Work .
Type of Elevator	The second second by elevator conti	ractorinstall_elevator
Shaftway enclosed on open	Extent or work by elevator cont	NOW.
Shaftway enclosed on open	Extent of work by Swher	r for hospital use, in new or existing shaftway new
Cap-city of elevator	Type of Elevator	enclosed No. elevator stops 4
Material of cables None	Shaftway enclosed or open	O Speed in feet per minute 85.
Material of cables None	Capacity of elevator	No. and size of hoisting cables none
Location of machinery boiler from the content of the service of th	Material of cables none	121 brick wall of guides steel
Minimum dianneter of sheaves Minimum clearance above car at topmost floor level 2168 Minimum clearance buffer plates and springs when car is at lowest floor level Lu Type of power electric Type of machine rotary old draulic Type of power electric Type of machine rotary old draulic Type of power electric Type of machine rotary old draulic Type of m	Location of machinery boiler	100m as on principles of suppose counterweights and overhead beams none
Minimum clearance above car at topmost not revel. Minimum clearance buffer plates and springs when car is at lowest floor level. Type of power. 1	the state of sheaves	HoneWithintan data
Minimum clearance butfer plates and springs when car is a support of power glostric Type of machine rotary oll draulic Type of power glostric Type of machine rotary oll draulic Type of power glostric terminal stops at top and bottom? Type of machine no , car safety? no , electric brake no , automatic terminal stops at top and bottom? Type of , slack cable stops? no , safety floor stops? If Passenger Elevator Passenger capacity? Area of platform Material of enclosure 12" brick No. of entrances 1 Type of gates hollow doors interlocked contact education actic closing device? power will elevator be automatic or will operator be in attendance? Will elevator be automatic or will operator be in attendance? Will doors in shaftway enclosure be interlocked? your of sides enclosed Height of enclosure. No. of sides enclosed Height of enclosure. Self-closing hatch gates? Height? Bi-parting doors? Self-closing hatch gates? Height? Bi-parting doors? Self-closing slauted gates? Stanley Elevator? Self-closing slauted gates? Stanley Elevator Contractor By: Logard. STAT: MENT OF ELEVATOR TESTS PORTLAND, MAINE, Permit Issued with Let goar and of all brakes, under Building Permit and have personally supervised tests of loading capacity and of all brakes under Building Permit and have personally supervised tests of loading capacity and of all brakes under Building Permit and have personally supervised tests of loading capacity and of all brakes afely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions of the safety devices are in satisfactory conditions and all other safety devices, and I do here state that, according to my best knowledge and brileft, the elevator locking and all other safety devices are in satisfactory conditions and all other safety devices are in satisfactory conditions and all other safety devices are in satisfactory conditions. CUMBERLAND, SSi Personally appeared the above and the safety devices are in satisfac	Minimum clearance above car a	t topmost noor level
Type of power electric with the following safety devices: governor? no	Minimum clearance butfer plate	es and springs when car is at its rotary oil draulic
Will elevator be equipped with the following and bottom? If Passenger Elevator If Passenger Elevator Area of platform Material of enclosure 12" brick No. of entrances 1 Type of gates hollow doors, interlocked contact education device? power Will elevator be automatic or will operator be in attendance? Will elevator be interlocked? If Freight Elevator Area of platform No. of sides enclosed Height? Will shaftway be enclosed? Self-closing hatch gates? Height? Will shaftway be enclosed? Self-closing hatch gates? Stanley Ellogory Cooling and plate of clevator contractor By: Stanley Ellogory Cooling and all other safety devices, and I do here state that, according to my best knowledge and britef, the elevator locking and all other safety devices, and I do here state that, according to my best knowledge and britef, the elevator safety carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above of the presental property of the safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above of the safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above of the safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above of the safety devices are in satisfactory conditions.	Type of power elect	ric Type of machine no electric brak
Passenger capacity? Area of platform Material of enclosure 12" brick No. of entrances 1 Type of gates hollow doors interlocked contact education device? Down Will elevator be automatic or will operator be in attendance? both Will doors in shaftway enclosure be interlocked? Y98 Area of platform No. of sides enclosed Height of enclosure No. of sides enclosed Height? Bi-parting doors? Self-closing hatch gates? Height? Bi-parting doors? Self-closing slatted gates? Stanley Elevator Co. Self-closing slatted gates? Stanley Elevator Co. STATE MENT OF ELEVATOR TESTS PONTLAND, MAINE, Permit Issued with Lei installation or alterations to the elevator—, and have personally supervised tests of loading capacity and of all brakes, under Building Permit ——, and have personally supervised tests of loading capacity and of all brakes, locking and all other safety devices, and I do here state that, according to my best knowledge and brilef, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS. Personally appeared the above made cath the safement peace.	337:11 slowers be equipped with	the following safety devices:—governor? Ito, car safety floor stops?
Passenger capacity? Area of platform No. of entrances X 1 Type of gates hollow doors, interlocked contact editomatic closing device? power Will elevator be automatic or will operator be in attendance? Will doors in shaftway enclosure be interlocked? Will doors in shaftway enclosure be interlocked? No. of sides enclosed Height of enclosure Will shaftway be enclosed? Self-closing hatch gates? Height? Bi-parting doors? Bi-parting doors? Self-closing slatted gates? Stanley Elevator STATEMENT OF ELEVATOR TESTS PORTLAND, MAINE, installation or alterations to the elevator, hatchways and enclosures at under Building Permit under Building Permit nad have personally supervised tests of loading capacity and of all brakes, locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices at a in satisfactory conditions and the safety devices at a safety device	no encomptic terminal	stops at top and bottom? <u>yes</u> , slack cable stops? 110 , safety, 110 , s
Passenger capacity? Area of platform No. of enurances **I Type of gates hollow doors Will elevator be automatic or will operator be in attendance? Will doors in shaftway enclosure be interlocked? If Freight Elevator Area of platform No. of sides enclosed Height of enclosure Will shaftway be enclosed? Self-closing hatch gates? Height? Bi-parting doors? Will shaftway be enclosed? Self-closing slatted gates? Self-closing slatted gates? Self-closing slatted gates? Stanley Elivator STATENENT OF ELEVATOR TESTS PORTLAND, MAINE, installation or alterations to the elevator. And have personally supervised tests of loading capacity and of all brakes, under Building. Permit locking and all other safety devices, and I do here state that, according to my best knowledge and brilef, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions.		
No. of entrances ** I Type of gates by Will elevator be automatic or will operator be in attendance? both yes Will doors in shaftway enclosure be interlocked? Yes		St. wist of enclosure 12" DF149
No. of entrances ** I Type of gates by Will elevator be automatic or will operator be in attendance? both yes Will doors in shaftway enclosure be interlocked? Yes	Passenger capacity?	Area of platform
Will doors in shaftway enclosure be interlocked? If Freight Elevator Area of platform No. of sides enclosed Height of enclosure Will shaftway be enclosed? Self-closing hatch gates? Height? Bi-parting doors? Self-closing slaund gates? Stanley Elovator Coo. Will shaftway be entrances to shaftway? Self-closing slaund gates? Stanley Elovator Coo. Will shaftway be entrances to shaftway? Self-closing slaund gates? Stanley Elovator Coo. Signature of elevator contractor By: STATEMENT OF ELEVATOR TESTS PORTLAND, MAINE, portland, MAINE, installation or alterations to the elevator, hatchways and enclosures at an employee of and have personally supervised tests of loading capacity and of all brakes, under Building Permit Jocking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator locking and all other safety devices are in satisfactory conditions after the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SSi Personally appeared the above of the safety devices are in satisfactory conditions. CUMBERLAND, SSi Personally appeared the above of the safety devices are in satisfactory conditions. Personally appeared the above of the safety devices are in satisfactory conditions.		vne of gates have
Will doors in shaftway enclosure be interiorised. Area of platform No. of sides enclosed Height of enclosure. Will shaftway be enclosed? Self-closing hatch gates? Height? Bi-parting doors? Self-closing slaund gates? Stanley Elevator Co. Will shaftway be enclosed? Self-closing slaund gates? Stanley Elevator Co. Will shaftway be enclosed? Self-closing slaund gates? Stanley Elevator Co. Stanley Elevator Co. STAT PMENT OF ELEVATOR TESTS PORTLAND, MAINE, I, have personally supervised tests of loading capacity and of all brakes under Building Permit on the elevator, hatchways and enclosures at under Building Permit on the elevator, and have personally supervised tests of loading capacity and of all brakes locking and all other safety devices, and I do here state that, according to my best knowledge and brief, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions of the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions and the safety devices are in satisfactory conditions of the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions are calculated to the safety devices are in satisfactory conditions are calculated to the safety devices are in satisfactory conditions. CUMBERLAND, SSi Personally appeared the above the safety devices are in satisfactory conditions. Personally appeared the above the safety devices are in satisfactory conditions.	an aut 1 ha automatic Of	will operator be in accommend
Area of platform No. of sides enclosed Height of enclosure Will shaftway be enclosed? Self-closing hatch gates? Height? Bi-parting doors? Self-closing slaund gates? Stanley Elevator to. By: Stanley Elevator to. By: According to my best knowledge and helief, the elevator under Building. Permit, and have personally supervised tests of loading capacity and of all brakes, locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above and all brakes, interlocking and other safety devices are fin satisfactory conditions. CUMBERLAND, SS: Personally appeared the above and all brakes, interlocking and other safety devices are fin satisfactory. CUMBERLAND, SS: Personally appeared the above and self-self-self-self-self-self-self-self-	Will doors in shaftway enclos	sure be interiockeui
Area of platform No. of sides enclosed Height of enclosure Will shaftway be enclosed? Self-closing hatch gates? Height? Bi-parting doors? Self-closing slaund gates? Stanley Elevator Co. Signature of elevator contractor By: Stanley Elevator Co. STATEMENT OF ELEVATOR TESTS PORTLAND, MAINE, as an employee of portion or alterations to the elevator, hatchways and enclosures at per installation or alterations to the elevator, and have personally supervised tests of loading capacity and of all brakes, locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above and safety devices are safety devices are safety devices. CUMBERLAND, SS: Personally appeared the above and safety devices are safety devices are safety devices. Personally appeared the above and safety devices are safety devices. CUMBERLAND, SS: Personally appeared the above and safety devices are safety devices. Personally appeared the above and safety devices are safety devices. Personally appeared the above and safety devices are safety devices. Personally appeared the above and safety devices are safety devices. Personally appeared the above and safety devices are safety devices. Personally appeared the above and safety devices are safety devices. Personally appeared the above and safety devices are safety devices.	AA 814	If Preight Dievator
Area of platform Will shaftway be enclosed? Self-closing hatch gates? Self-closing slatted gates? Stanley Eldvaror to. By: Stanley Eldvaror to. By: STAT PMENT OF ELEVATOR TESTS PORTLAND, MAINE, installation or alterations to the elevator, hatchways and enclosures at under Building Permit, and have personally supervised tests of loading capacity and of all brakes, locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. Personally appeared the above and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SSi Personally appeared the above and interlocking and other safety devices are in satisfactory conditions. Personally appeared the above are interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SSi Personally appeared the above are interlocking and other safety devices are interlocking and all brakes, interlocking and other safety devices are interlocking and interlocking and interlocking area.		No of sides enclosed
STATEMENT OF ELEVATOR TESTS PORTLAND, MAINE, installation or alterations to the elevator, hatchways and enclosures at under Building, Permit, and have personally supervised tests of loading capacity and of all brakes, locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator locking and all other maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions afely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above made cath the scatement personally appeared the	Area of platform	TO REMOTE THE COURT OF THE PROPERTY OF THE PRO
STATEMENT OF ELEVATOR TESTS PORTLAND, MAINE, I, as an employee of installation or alterations to the elevator, hatchways and enclosures at under Building Permit o, and have personally supervised tests of loading capacity and of all brakes, under Building Permit locking and all other safety devices, and I do here state that, according to my best knowledge and belief, the elevator locking and all other safety devices are in satisfactory conditions afely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions.	Wili shaftway be enclosed?	Self-closing slaund gates? Stanley Elevator Co.
STATEMENT OF ELEVATOR TESTS PORTLAND, MAINE, I, as an employee of installation or alterations to the elevator, hatchways and enclosures at under Building Permit locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator locking and all other safety devices, and I do here state that, according to my best knowledge and helief, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions. Personally appeared the above and the safety devices are in satisfactory conditions.	UNITO Jourside entrances to shat	gway! Par Vand & lagar
STATEMENT OF ELEVATOR TESTS PORTLAND, MAINE, I, as an employee of installation or alterations to the elevator , hatchways and enclosures at under Building Permit locking and all other safety devices, and I do here state that, according to my best knowledge and belief, the elevator locking and all other safety devices, and I do here state that, according to my best knowledge and belief, the elevator safely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above and interlocking and other safety devices are in satisfactory conditions. Personally appeared the above and interlocking and other safety devices are in satisfactory conditions.		e of elevator contractor by
I,	ing	OF FUTURATOR TESTS
I,	And the state of t	STATEMENT OF ELEVATOR LAINE Permit Issued Wild
as an employee of		PORTLAND, MAINE,
as an employee of	•	Lava nerconally supervis
installation or alterations to the elevator, hatchways and enclosures at installation or alterations to the elevator, hatchways and enclosures at installation or alterations to the elevator, and have personally supervised tests of loading capacity and of all brakes, under Building Permit only best knowledge and belief, the elevator locking and all other safety devices, and I do here state that, according to my best knowledge and belief, the elevator locking and other safety devices are in satisfactory conditions after the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. CUMBERLAND, SS: Personally appeared the above and the above are also as a second conditions and the safety devices are in satisfactory conditions.	- 7 	1.10
under Building Permit locking and all other safety devices, and I do here state that, according to my best knowledge are in satisfactory conditions afely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions afely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. [Signature] CUMBERLAND, SSi Personally appeared the above and the safety devices are in satisfactory conditions.		the elevator hatchways and enclosures at the elevator hatchways and enclosures at
under Building Permit locking and all other safety devices, and I do here state that, according to my best knowledge are in satisfactory conditions afely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions afely carry the maximum rated loading and all brakes, interlocking and other safety devices are in satisfactory conditions. [Signature] CUMBERLAND, SSi Personally appeared the above and the safety devices are in satisfactory conditions.	installation or alterations to	and have personally supervised tests of loading capacity and of said black
locking and all other safety developments safely carry the maximum rated loading and all brakes, interlocking and other safety developments (Signature) CUMBERLAND, SS: Personally appeared the above and the above are safety developments. Peace	under Building Permit	devices, and I do here state that, according to my best knowledge attention satisfactory condit
CUMBERLAND, SS: Personally appeared the above and the personally appeared the personally appeared the above are personally appeared to the above are personally appeared the above are personally appeared to the above are personally appeared	locking and all other safety	ited loading and all brakes, interlocking and other salety devices and all brakes, interlocking and
CUMBERLAND, SS: Personally appeared the above and the above and the sales are the sal	sately carry the maximum	
Personally appeared the above and a personally appeared the above and are the above are the above and are the above and are the above and are the above are the ab	`_* `,	(Signature)
Personally appeared the above and a personally appeared the above and are the above are the above and are the above and are the above and are the above are the ab	1	A. A.
Personally appeared the above and a personally appeared the above and are a personally appeared the above and a personal appeared the above a personal appeared the above and a personal appeared the above a personal appeared the above and a personal appeared the above a personal appeared the above and a personal appeared the above a personal appeared the above a personal appeared the above and a personal appeared the above a personal a		
Personally appeared the above and a personally appeared the above and are a personally appeared the above and a personal appeared the above a personal appeared the above and a personal appeared the above a personal appeared the above and a personal appeared the above a personal appeared the above and a personal appeared the above a personal appeared the above a personal appeared the above and a personal appeared the above a personal a	1 CC.	made cath the catement
subser ed are	. PERMITTIN INC.	The state of the s
The state of the s	Desconally appeared t	he above and the state of the s
540 Sept.	Personally appeared t	he above are

10-21-57 State Insporter passed clouder testo Mr stanley to mail in Statement of ile tests together with BCC.A statement door lubels. " P 6-26-57 Statement of Elov. Tests received from Mr. Stanley ... @ No report on BOCA hobol

_littêù inter, _will

October 8, 1956

BP 335 Brighton Ave.-Addition and alteretions-Letter No. 5-oxygen platform, incinerator room, incinerator and stack

jevers & Saunders 187 Middle >t. Faul B. McLellan Co. 52 Marginel -ay Coly to Ostoopauhic Mospital of Maine, Inc. 335 Trighton Ave.

Gentlemen:

5.32 We were requested to nurry this amaniment relating to construction of oxygen platform through which the breaching for the incinerator will pass and the construction of the incinerator room in the basement of the original wooden frame hospital, so that the incinerator, which is already on hand and badly needed, may be installed as soon as possible. However, installation of the incinerator, breaching and stack requires a separate permit from this department, which just be applied for by and is issuable only to the actual installar of these appliances. Mr. Modellan on the application for examinent has marrely stated: "to install incinerator as per plans." To clear the matter up so that the work on oxyger platform and incinerator room may go shead, we have secured the insert of the contract r to enange in description on this amendment to road:

"To construct oxygen platform (excluding top slab and roof ever until more information has been received about the roof over the platform). To construct incinerator stack foundation. To construct incinerator room in basement of wooden frame building (construction of walls and calle, not to be started until details are furnished to show compliance with building Gote.,"

- 5.33 Assuring from the size of incinerator given in the sweifications that it is to be of the type described by Pamphlet 82 NFPA as commercial and industrial type with combined hearth and grate area of combustion chamber exceeding soven square feet. On that basis the calls and ceiling of the incinerator room are required to have a fire-resistance rating of not less than two hours and the door from base cent to incinerator room is required to be a tabelled Class of fire loor, set in structural metal or hollow metal frame and made self-closing or automatic closing.
- \$.34 The amendment is issued to the contractor and includes construction of incinerator room, but on the condition that that construction work be delayed until the owner has issued plan or written instructions to the contractor conversing these features as to fire-resistance with the destable to accomplish those requirements. If a plan, the contractor should file the plan in this department before starting work on the incinerator room. If in writing, the architect should send this office a copy of the