

## PERMIT ISSUED

NUV 8 1978

## APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, Nov. 8, 1978

CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:
Location 15 Arlington St. Use of Building single family No. Stories 2 Name and address of owner of appliance Herbert Williams - same Existing "
Installer's name and address
warm air General Description of Work
To install burner only - replacement
IF HEATER, OR POWER BOILER
'." on of appliance
If so, how protected?
Minimum distance to burnable material, from top of appliance or casing top of furnace
From top of smoke pipe From front of appliance From sides or back of appliance
Size of chimney flue
If gas fired, how vented?
IF OIL BURNER
Name and type of burner Beckett -gun Labelled by underwriters' laboratories? Yes  Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom  Type of floor beneath burner Gement Size of vent pipe 1½  Location of oil storage basement Number and capacity of tanks 1-275 gal.
Low water shut off
IF COOKING APPLIANCE
Letation of appliance
MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION
Amount of fee enclosed? 5.00
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?  Signature of Installer Leavanthy Horgan 745



### APPLICATION FOR . RMIT

## DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	Date <u>12~5</u> , 19 <u>78</u> Receipt and Permit number <u>A15913</u>
To the CHIEF ELECTRICAL INSPECTOR, Portland, The undersigned hereby applies for a permit to make	
Maine, the Portland Electrical Ordinance, the Nationa	Electrical Code and the following energications:
LOCATION OF WORK: 15 Arlington 3t	
OWNER'S NAME: Herbert Williams	ADDRESS: same
	FEES
OUTLETS:	
Rece, ricles Switches Plugmo	ld ft. TOTAL
FIXTURES: (number of)	total and the moment
Incandescent Flourescent (not	strip) TOTAL
SERVICES:	
Overlead x Underground Tempo	TOTAL STORES 100
METERS: (number of) 1	TOTAL amperes 100 ( 3.00 50
MOTORS: (number of)	
Fractional	
1 HP or over	
RESIDENTIAL REATING:	
Oil or Gas (number of units)	
Electric (number of rooms)	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler)	
Oil or Gas (by separate units)	
Electric Under 20 kWs Over 20 kWs	
AFFLIANCES: (number of)	
Ranges	Water Heaters
Cook Tops Wall Ovens	Disposals
***	Dishwashers
	Compactors
TOTAL	Others (denote)
MISCELLANEOUS: (number of)	
Branch Panels	
Transformers	
Air Conditioners Central Unit	
Separate Units (windows)	
Signs 20 sq. ft. and under	
Over 20 sq. ft	***************************************
Swimming Pools Above Ground	
In Ground	
rire/Burgiar Alarms Residential	********
Commercial	
Heavy Duty Outlets, 220 Volt (such as welders)	30 amps and under
	over 30 amps
Circus. Fairs, etc.	
Alterations to wires	
Repairs after fire	
Emergency Lights, battery Emergency Generators	
	INSTALLATION FEE DUE:
FOR ADDITIONAL WORK NOT ON ORIGINAL PER	MIT DOUBLE FEE DUE:
FOR REMOVAL OF A "STOP ORDER" (304-16.b)	WIT DOUBLE FEE DOE.
(001.20.0)	TOTAL AMOUNT DUE: 3.50
	TOTAL AMOUNT DUE:3.50_
INSPECTION:	
Will be ready on, 19_; or	Will Call ×
CONTRACTOR'S NAME: Richard Bemis	
ADDRESS: Peaks Island, Me.	
TEL.: 766-2809	1 1 1 1 1 1 1
MASTER LICENSE NO.: 2971	GNATURE OF CONTRACTOR:

INSPECTOR'S COPY — WHITE

OFFICE COPY — CANARY

CONTRACTOR'S COPY — GREEN



## APPLICATION FOR PERMIT

## DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

Doto	Nov		3		<b>-</b> 1	19	-
Receipt	and	Per	mit	number	<u> 1</u>	131	40

Maine, the Portland Electrical 13 A	rlington : 1000	TRECC.	ations in accordance with the distance with the following specifications and same	FEES
o the CHIEF ELECTRICAL INSPE The undersigned hereby applies f Iaine, the Portland Electrical Prdin OCATION OF WORK: Herbert	Williams AD	DKESS		L Elec
The undersigned and Electrical Ardinations, the Portland Electrical Ardination of WORK:  OCATION OF WORK:  WNER'S NAME:  Herbert  Receptacles  Receptacles  Switch				
		r. mor	ΓΔ1 •••••	
OUTLETS: Switch	esPluginon			
FIXTURES: (number of)	, (not s	trip' TOTAL		
OUTLETS: Switch Receptacles Switch FIXTURES: (number of) Incandescent Flour	escent			
Receptacles Switch FIXTURES: (number of) Incardescent Flour Strip Flourescent	It	m.O	VTAI, amperes	
SERVICES:	aund Tempora	ry		
Incardescent Flour Strip Flourescent SERVICES: Overhead Undergr METERS: (number of)				
METERS: (number of)				
MOTORS: (hamas				
RESIDENTIAL HEATING:				3.00
Oil or Gas (number of u	nits)		1	3 11
Electric (number of room	IS)			
Electric (number of room CCMMERCIAL OR INDUSTRIA	allor\ X —			
Oil or Gas (by a main bo	inits)		s	
Oil or Gas (by separate to	Over 20 kw	s · · · · ·		
		Water Heater		
APPLIANCES: (number 4.7)		Disposals		
Fanges		Dishwashers		
Cook Tops Wall Ovens		Compactors		
Dryers		Others (deno	ite)	•
Fens				
TOTAL ···		•••		•
The state of the s	·-/			
Branch Panels				
A:- Conditioners Com-	· · · · · · · · · · · · · · · · · · ·			
Signs 20 sq. 1t. and and				
Guimming Pools Abov	ve Ground			
In G	round		ind under	• • • • • • • • • • • • • • • • • • • •
Fire/Burglar Alarms	Residential		nd under	
Heavy Duty Outlets, 2	20 Volt (Such as West	over 30 ar	mps	
			• • • • • • • • • • • • • • • • • • • •	
Circus, Fairs, etc.				
Alterations to ware				
Repairs after fire	attery ·····			
Emergency Liberton	•		TON FEE DUE:	
Emergency Gonda			CATEL D. BEE. DOD:	
Emergency Generate FOR ADDITIONAL WORK FOR REMOVAL OF A "ST	NOT ON ORIGINAL OP ORDER" (304-16.b	)	TOTAL AMOUNT DUE:	3.00
TOTAL CONTRACTOR	40	or Will Cal	1xx	
INSPECTION:		_; 01 11111 001	l <u>xx</u>	
		Ave. Westb	rook	
ADDRESS:	155 Warren		TO STORE A CTOR	
TEL.:	85.1-5551	SIGNA	TURE OF CONTRACT	-
TARRED LICENSE NO.:	945	-70	markey 10 grand	
LIMITED LICENSE NO.:			\/ <b>*</b>	

INSPECTOR'S COPY - WHITE OFFICE COPY - CANARY CONTRACTOR'S COPY - GREEN



FILL IN AND SIGN WITH INF

# APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ASSUED

Fortland, Maine, ....July 9, 1963 ....

THE STREET

Portune, main,
To the INSPECTOR OF BUILDINGS, PORTLAND, ME.
The undersigned hereby applies for a permit to install the pototoning in the following specifications:
Deal lang No. Stories This time "
Location 15 Arlington St. Use of Building Dwelling Existing  Name and address of owner of appliance Tapping S. Reetc, Hickritian 18 Belmont St.  Name and address of owner of appliance Tapping S. Reetc, Hickritian 18 Belmont St.  UL 4-2595
Name and address of owner of appliance Tapping S. Reetc, 15carian 15 beliands UL 4-2595  Installer's name and address B.,G Pride Oil Co., 542 Fain St., Westbrook Telephone UL 4-2595
Installer's name and addressB.,G Prace
General Description of Work
General Description of Work  To install forced warm air furnace and oil burner (replacement)
DOWNER POILER
tet df-ac on hottestill f
Location of appliance basement Any burnable material in floor surface of beneath.  Kind of fuel? oil  If so, how protected? 5" to plenum
Minimum distance to burnable material, from top of appliance
From top of smoke pipe
Size of chimney flue&x12 Other connections to same flue none
If gas fired, how vented?
I shalled by underwriters' laboratories? yes
Name and type of burner Lennox Labelled by underwriters' laboratories? yes  Will operator be always in attendance? Size of vent pipe
Will operator be always in attendance? Does oil supply line teed from up of section.  Type of floor beneath burner concrete
Type of floor beneath burner
Location of oil storage basement Number and capacity of tallow No.
Low water shut off
Will all tanks be more than five feet from any flame? yes How many tanks electored.  Total capacity of any existing storage tanks for furnace burners
the material in floor surface or beneath.
Location of appliance
If so, how protected?
Skirting at bottom of appliance? Distance to combustible material from top of smokepipe
From front of appliance
Size of chimney flue Other connections to same flue Forced or gravity?
ve Coal how wented?
MISCE*LANEOUS EQUIPMENT OR SPECIAL INFORMATION
MISCE DANGEGO = 2
Amount of fee enclosed? .2.00 . (\$2.00 for one heater, etc., \$1.00 additional for each additional heater, etc., in same building at same time.)
APPROVED:
770-3
observed? Xes B. G. Pride Oil Co.
or the
cs 300 Signature of Installer By: True of Milleling
cs 300 Signature of Installer DV

INSPECTION COPY

(RC) RESIDENCE ZONE-C



## APPLICATION FOR PERMIT

Class of Building or Type of Structure ... Third Class

OCT 20 1954

m '	Portland Men	***************************************	*004
To the INSPECTOR OF BUILI	Portland, Maine, Oct. 20, DINGS, FORTLAND, MANNE.	1354 ATRY	FORT AND
The undersiands	DINGS, FORTLAND, MAINE	23.0	FOR TABLE
in accordance with the r	lies for a permit to and		402 94
specifications if any	DINGS, FORTLAND, MAINE  blics for a permit to erret alter rappindam.  State of Maine, the Building Code and a  ewith and the following specifications:	tistoinstall the follows	
I and submitted here	ewith and the following Code and	Zoning Ordinana Strowing building s	MUCHUZZANIA
Location 1 -17 Arl	in at an Gi	of the City of P	orlland, blane and
Lessee's name and it	ewith and the following specifications: ington St. Wing S. & Frances Q. Reeve, 15	rum Fire Limits?	liet NI-
Contract to		Arlington St.	495' TAO'''''
Contractor's name and address	Елетроп 2 с	relepi	ione
THUMBECT.	WOLDS TO BOT TO	Telebi	lone
Proposed use of builts	Specifications dwelling house	Teler.h	000 3-6100
I art	divelling b	Plans tes	0116
mat use	use	140.	Of wheat a
Material wood No storie	dwelling house	No. îar	nilies2
Other buildings on	Heat Select	No. fan	iliaa o
Fetimetal	Style of 100	Poor	111123
Estimated cost \$ 750	2 Heat Style of 700	ganoox	***************************************
tion the same time		**************************************	

## General Description of New Work

To demolish existing 1-story front open plagza approximately 30' x 6' and to construct 2-1-story frame open front plazzas 5' x 5'.

Fer \$ 4.00

It is understood that this permet does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor. PERMIT TO BE ISSUED TO Beceron & Sons

	Learnest to be taken out separately by a	nd
	49 dily Billmhin!	
	Is connection to be made to public sewer?  Has septic tank notice been sent?  Height average grade to top of plate6!	
;	Has septic tank notice been sent?  Height average grade to top of plate  Size, front  depth  No. storice  Is any electrical work involver in this work?  If not, what is proposed for sewage?  Form notice sent?  Height average grade to highest point of our form.	
	Size, front depth Height average grade Alice	
	vialerial of foundation 20 . Stories Solid on 611 11	
1	TINCKING OF THE STATE OF THE PARTY OF THE PA	
,	Kind of roof shed Rise per foot Roof covering Asphalt Class C Und Lab  Framing lumber—Kind hemlock Kind of heat	
, ·	KOO!	
,	rading limber 77: 1	
	Outrier Dosts	
	Green Co.	* ****
;	Corner posts Site Lead Girt or ledger board? Size Size May on thing Kind of heat fuel Size? Gressed  Country posts Size Size Size May on thing Kind of heat fuel fuel size? Gressed Size Size May on thing Kind of heat fuel fuel fuel size? Gressed Size May on thing Kind of heat fuel fuel fuel fuel fuel fuel fuel fuel	*****
	On centura:  St floor 2x6	
,		
1	If one story to the story to th	-
·	Maximum span: 1st f.oor 5! , 2nd , 3rd , roof 2x4.  If one story building with masomy walls, thickness of walls? , roof height?	-
	holder	
1	No. cars now accommed.	
	Will automobile repairing be described by the same lot	
A 727'	Power than minor repairs to cars habitually a second cars to be accommodated	
Mrr.	r-oposed building/	
***************************************	Will work require disturbing of any tree or	
	Will Work require dietushia	
	Will there be in charge of the above work a person competent to	
M -1114444 11444 PM	Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are	
	see that the State and City requirements pertaining thereto are	
	Tapping S. & Frances C. Reeve	
· IN	SPECTION COPY Signature of owner by:	

## STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

. w	UIAIIMA III
٠٠. · · ·	for addition to 1 car garage  Date 4/11/41
	at 17 Arlington Street
	mandad? Langa Dare
1.	In whose name is the title of the property now recorded? He man Day
9	Are the handeries of the property in the vicinity of the proposed work shown
,	clearly on the ground, and now.
* 74	the ground? 42 If
`შ.∽	Is the outline of the proposed work now staked out upon the ground? 42 If not, will you notify the Inspection Office when the work is staked out and
	hefore any of the work is commenced:
, e 5	What is to be maximum projection or overhang of eaves or drip?
4.	What is to be maximum projection or overhang of eaves of write-
5.	Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections?
6.	Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed
	building?
- ,	
7	Do you understand that in case changes are proposed in the location of the
	Do you understand that in case changes are proposed in that a revised plan work or in any of the details specified in the application that a revised plan work or in any of the details specified in the application that a revised plan
, ,	work or in any of the details specified in the application must be submitted to this office before the changes are made?
200	Blayton seller
	Balance Julio

#### . GENERAL RESIDETES "

#### APPLICATION FOR PERMIT

PERMIL SUED



Class of Building or Type of Structure Third Chappe

Permit No. - APR 15 1943

Portland, Maine, April 14, 1941

To the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to exect after isseall the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications: - 17 Arlington Street Owner's or Lossou's name and address Reguen Ley 17 Lylington St. Contractor's name and address Clayton Cilleo, 358 Westbrook St. Telephone 4-0572 Plans filed yes No. of sheets 1 Proposed use of building 2 car garage \_\_\_\_No. families\_\_ Otl er buildings on same lot dwalling house Estimated cost \$ 150. Description of Present Building to be Altered Material wood No. stories 1 Heat 20 Style of roof pitch Roofing asphelt 1 car garage General Description of New Work To build one atory frame addition 9'6" x 20' on side of existing building, providing new roof over entire building It is understood that this permit does not dude installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work FIRM A TROW REPORTE LATTE Is any plumbing work involved in this work?\_\_\_\_\_ Is any electrical work involved in this work?\_\_\_\_\_\_ Height average grade to top of plate\_\_\_7t\_\_ Size, front\_\_\_\_\_depth\_\_\_\_\_No. stories\_1\_\_lleight average grade to highest point of roof\_13! To be erected on solid or filled land? solid \_\_earth or rock? earth Material of foundation concrete slab Thickness, top bottom cellar Material of underpinning \_\_\_\_\_\_ Height \_\_\_\_ Thickness \_\_\_\_\_ Kind of roof pitoh Risc per foot go Roof covering Apphalt roofing Glass C Und. Lab No. of chimneys: no Material of chimneys of lining Kind of heat \_\_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved?\_\_\_\_\_ Framing lumber-Kind hemlook Dressed or full size? drepped Corner posts 4x4 Sills 4x4 Girt or ledger board? Size Max. on centers Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section. 1st floor.generets , 2nd , 3rd , roof 2xb Joists and rafters: 1st floor\_\_\_\_\_\_\_, 2nd\_\_\_\_\_\_\_\_, roof\_\_2s. On centers: Maximum span: 1st Acor. \_\_\_\_\_, 2nd\_\_\_\_\_\_, 3rd\_\_\_\_\_\_, roof\_\_\_ If one story building with masonry walls, thickness of walls?\_\_\_\_\_ If a Garage No. cars now accommodated on same lot. \_\_\_\_\_\_\_, to be accommodated\_\_\_\_\_\_\_\_\_

Will automobile repairing be done other than minor repairs to cars habit, ally stored in the proposed building?\_\_no\_\_\_\_\_ Miscellaneous

Total number commercial cars to be accommodated.\_\_\_\_\_none

Will above work require removal or disturbing of any shade tree on a public street?... Will there 'as in charge of the above work a person competent to see that the State and City requirements pertaining thereto

are observed? Herman Des

[ Signature of owner. INSPECTIONCORY CHANGE AND THE SER SHAPE

Waytor Giller 9

FILL IN COMPLETELY	AND	BIGN	WITH	INK
--------------------	-----	------	------	-----



building at same time.)

### APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT Portland, Maine,\_ The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: Location/ Name and address of owner of appliance Installer's name and address Is appliance or source of next to be in cellar? Material of supports of appliance (concrete/foor or what kind) Minimum distance to wood or combustible material, from to of appliance or casing top of furnace, from sides or back of appliance \_\_from front of appli from top of smoke pipe\_\_\_ ..Other connections to sa Size of chimney flue. ... JURNER \_Labeled and approved by Underwriters' Labo Type of oil feed (gravity or pressure). Name and type of burner-Will operator be always in-attendance? .No. and capacity of tanks. \_How many tanks fireproofed? Location oil storage Will all tanks be more than seven feet from any figure? Amount of fee enclosed? / \$1.00 for one heater, etc., 50 cents additional for each additional heater, etc.,

Signature of Installer



APPLICATION FOR PERMIT PERMIT ISSUETS Class of Building or Type of Structure\_\_\_third-OCT 10 1940 To the INSPECTOR OF BUILDINGS, POETLAND, MR. Portland, Maine, 004 10, 1940 The undersigned hereby applies for a permit vo erect after install the following building structure equipment in accordance with the Laws of the 3 ate of Maine, the Building Cods of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications: Location 17 Arlington Street \_\_\_\_Within Fire Limits?\_\_\_No\_\_Dist. No\_ Owner's or Lessee's name and address Rerman Nay, 17 Arlington Street Telephone Contractor's name and address Arthur Soule, 25 Dudley Street Telephone 2-6193 Plans filed\_\_\_\_No. of sheets\_\_ Proposed use of building Dwolling Other buildings on same lot\_\_\_\_\_ 2 garages\_ Estimated cost \$ :225 Description of Present Building to be Altered Fee \$\_\_ Material vocal No. stories 2 Heat Style of roof pitch Reofing \_No. families\_\_\_2 General Description of New Work To build 24 dormer on westerly side of roof This is a supler house - one family on each side and this dormer wi dow is to square off two existing badroom on second floor. No change in craber CERTIFICATE OF OCCUPANCI REQUIRERENT IS WAIVER is understood that this permit dees not include installation of heating apparatus which is to be taken out separately by and in the name of Details of New Work Is any plimbing work involved in this work? 100 Is any electrical work involved in this work? no Height average grade to top of plate. Size front depth No. stories Height average grade to highest point of roof Thickness, top\_\_\_\_bottom\_\_\_cellar\_\_ \_H eight\_\_\_ Rire per foot 4" Roof covering asphalt roofing Class C Und. Live. \_\_\_\_\_of! ing Type of fuel\_\_\_\_\_\_Is gas fitting involved?\_

Muterial of foundation Material of underpinning Kind of Roof #184 No. of chimneys Material of chimneys Framing Lumber Kind herlook Dressed or Full Size? dressed Corner ports 424 Sills Girt or ledger board? Material columns under gitders Size States (Outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters:

1st floor..., 2nd..., 3rd..., 100f. 27fm 2x8

lst floor\_\_\_\_\_\_, 2nd\_\_\_\_\_\_\_, 3rd\_\_\_\_\_\_\_, roof\_\_26# Maximum spon: 1st floor.\_\_\_\_\_\_\_\_, 2nd\_\_\_\_\_\_\_\_\_\_, 3rd\_\_\_\_\_\_\_\_\_\_\_\_, roof\_\_121\_\_\_\_\_\_\_ If one story building with masonry walls, thickness of walls?\_\_\_\_\_ 

If a Garage No. cars now accommodated on same lot\_ \_, to be accommodated\_\_\_ Total nurzber commercial cars to be accommodated\_\_\_\_\_

Will addomobile repairing be done other than minor repairs to cars habitually stored in the proposed building?..... Miscellaneous Will above work require removal or disturbing of any shade tree on a public street?\_\_\_

Will there be in charge of the above work a person competent to see that the State and City requirements persaining thereto Herman Day

Signature of owner By: athur Oscale INSTRUCTION COPY .

. 4	GURO	<b>X</b>
1	N. V.	<b>%</b> A `
1/5/	TIZ.	
190	( 435°	ieli
1E(3	9 JS	. [2]
13/	17.5	
4.	437	/AT.
	X.	37
	277	

#### FILL IN COMPLETELY AND SIGN WITH INK

-	Per	m	,NO	·

### APPL ATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

To the INSPECTOR OF BUILDINGS, CORTLAND, Mg.	Fortland, Maine,_	September la,	1937
The undersigned hereby applies for a permit to install to accordance with the Laws of Maine, the Building Code of the	he following heating, City of Fortland, and	cooking or power the following speci	cquipment in fications:
Location 55-65 Monroe Street Use of Building	County Jail	No. Stories	33
Name and address of owner County of Mrab 21 and	-	Ward	2
		Telephone	
General Description	n of Werk		
To install	·		
IF HEATER, POWER BOILER Co. Is heater or source of heat to be in cellar? If not, which Material of supports of heater or equipment (concrete floor or what Minimum distance to wood or combustible material, from top of heater, from front of heater  Size of chimney flue Other remections to same due	storyKind of t kind)biler or casing top of f	of Fuel	- 1 L
Name and type of burnerLabe	IER	inderwriters' Laborat	ories?
Will operator be always in attendance?  Location oil storage  No. 2  Will all tanks be more than seven feet from any flame?  How	of oil feed (gravity and capacity of tanks_	or pressure)	100 S
Amount of fee enclosed?(\$1.00 for one heater, etc., 50 building at same time.)		ach additional heater	, etc., in same

File: 2.88/84-I H-2-24-38 february 19, 1338

James A. Taylor & bon, Inc. 37 Exchange Street Portland, Ruine

Continuous

In the warm Afr furnece which you have installed for A. J. Thomas at 15 Arlington Street, we are unable to fine my evidence of a high light control impide the boundt of the furnace calculated to sint down the burner in case abackmally high and dangerous teaps where are produced in the top of the furnace. This control is required by the building Code.

Flosse arrange to have one of the type approved by the Underwriterst apporatories, Inc. installed at least by February 55, 1938.

I believe your ar. Large undertook to expect to Mr. Hamilton of this office that this feature of safet; was taken care of by the combination . constant level. waive and fire protection shut off located, outside of the furness at about the floor level. Inquiry from the Unde writers' materialist, Inc. develops that tills combination device is pranged to prevent an abnormal discharge of oil into the firing chamber and that the fusible element in this device is intended to act to anut down the oil burner in case a fire takes a real bifet has been formed in the room or caller where the bester to leave the leavest. outside of the furnage in the room or celler where the heater is located

. Very truly yours,


The second of the second


Inspector of bulldings

CG: A. J. Thomas 15 Arlington Street

TRAFT LEPAN त्रकेत्र विकास अवस्थित । इति विकास विकास विकास

Walling thing a so was a





Permit No. 36/167 Location 15 arlengton St. in arthur & Date of permit 6/1/36 Post Card sent Notif. for inspn. Approval Tag issued Oil Burner Check List (date) 1. Kind of heat 2. Label 3. Anti-siphon 4. Oil storage 5. Tank distance 6. Vent pipe 7. Fill pipe 8. Gauge 9. Rigidity 10. Peed safety 11. Pipe sizes and material 12. Control valve 15. Ash pit vent 14. Temp. or pressure safety 15. Instruction card NOTES

STATE LAT ACCOUNTING APPLICATION FOR BUILDING PERMIT for elterations to dwelling house E at .17 Arlington Street 1. In whose name in the title of the property now recorded? Fertundo Thumas 2. Are the boundaries of the property in the vicinity of the proposed work shown 3. Is the outline of the proposed work now staked out upon the ground? \_\_\_\_\_ If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? hat is to be maximum projection or overhang of eaves or drip? / / / / 5. To you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay winkows, worches, and 6. To you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? 7. Do you understand that in case changes are proposed in the location of the work To you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? Adaf Cilsen



# APPLICATION FOR PERMIT

MAR 4 1936

Clas of Building or Type of Structure Third Class

Portland, Maine, Murch 5, 1976

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a per accordance with the Laws of the State of Main any, submitted herewith and the following spec	e, the Building Gode of the G ifications:	try of Portland, plans and specifications, s
Location 17 Arlington Street	Ward8Within	Fire Limits? no Dist. No.
Owner's or Lassee's name and address Garter	do Thomas, 17 Arlingto	n St. Telephone
Contractor's name and address A. Olsen,	11 St. Lawrence St.	Telephoneno
Architect's name and address  Proposed use of building dwelling house	with one car garage at	tached No. families 2
Plans filed as part of this application?	<b>yes</b> No.	of sheets
Estimated cost \$ 500.		Fee \$ <b>75</b>
Description	of Present Building to b	e Altered
Material wood No. stories & Heat	hot nir Style of roof_	pitch Roofing Asphalt
I net use dwalling	house	No. families
To build one new outside brick on main house - the brickwork of outside wall of the building a the need of carrying the moke to remove 12 partition, putting in one car in one story frame added by them 1/6 in thickness with building them 1/6 in thickness with 15 one car are educated by them 1/6 in thickness with 15 one car are existing single dos	ell ka long, a o to ney, with fireplace on the chimney is to be o t the point where the pipe through the outsi 4st spruce for support ition on rear of build law with sheets of co t joints filled with of to double garage door	first floor, woutheast side of orbelled so as to pass through the smokepipe enters so as to obviete de wall.  t, to provide space 12' x 20' for ing - the inside of the garage will mbined asbestos and cement not less ement morter
It is understood that this permit does not include instal	lation of heating apparatus which i	s to be taken out separately by and in the name of
It is understood that this permit does not include instal the heating contractor.  Size, frontdepthNo To be erected on solid or filled land?  Material of foundation	Details of New Work	
	Height averag	ge grade to top of plates
Size, frontdepthNo	o. storiesHeight average	ge grade to highest point of Tool
To be erected on solid or filled land?  Material of foundation ell has concrete	foundation earth	or rock! Walker
Material of foundation	Thickness, top	bottom
Material of underpinning	Height	Thickness
Kind of Roof Tet Rise per f	oot Za Roof covering	Anphelt roofing Oless C Und. Leb.
No. of chinneys 1 Material of chin	mneysbrick	of lining 1110
No. of chinneys 1 Material of chin	Type of fuel	Is gas fitting involved?
Corner posts Sills Gi	rt or ledger board (	
Material columns under girders	Size	Max. on centers
Studs (outside walls and carrying partitions) span over 8 feet. Sills and corner posts all or con Joists and rafters: 1st floor	2x4-16" O. C. Girders 6x8 on piece in cross section. crete floor in garage	larger. Bridging in every floor and flat root
3 '		
	4,	height?
. If one story building with masonry walls, thic		negnt:
B. C. S. Million Co.	If a Garage	'Ÿ' M
No, cars now accommodated on same lot		accommodated /
Total number commercial cars to be accommed		4.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1
Will automobile repairing be done other than		y stored in the proposed building i no
	Miscellaneous	
Will above work require removal or disturbing	g of any shade tree on a public	street?
Will there be in charge of the above work a	person competent to see that the	e State and City requirements pertaining thereto
are observed? Yos	Mrg. ger	trydo Thomas
INSPECTION COPY AND SIGNATURE	of fowner Ex	oesen

CIMEP OF PARE DEPT.

	,	
. "		
1000000	4/29/36- yana9	
3/16/7	a 2 mac that car	
Ward 8 Permit No. 36/1.15	The state of the s	
ion 7 alington St.	WEAD OF THE ONLY	
100	103 Obligo beenward	
other yestundo Thomas.	for prolection and this	
	in molecular com	
Date of permit 3/4/36.	Bir 1) 18 - 2 mely harlord and	
·	COUNTY	
No jin	activeen make and	
Inspn. closing-in	gorage Jold Ceaning	
Alispin creating	To de ture	
Fin:	Thomas Unat entire	
Final INSPECTION NOT COMPLETED	wall must be con	4
Final III A FLOT IVI	by + 31 ft rate anexage	1
Cert. of Occupancy issued	unth two litcheness	
Cert. of Occupancy issued  NOTES  NOTES  3/11/36- Works Marie	al Bartecture material	
I I I I I I I I I I I I I I I I I I I	of processing	
311136-1001	I Workender house	
A C C LL	tact controd with	
3/10/66 - Went over f. c.	and the state of t	
3/10/06- WPAN 000	anotal Trop more	the state of the s
1320 condantion	The show	
water materia and	- Harris and a fresh	•
and the manufacture of the second		
3/18/26 - Fine Hace Core	There other matters.	- <del>-</del>
- Jan Die Carloste	Con to determine the contract of the contract	
- 3/18/3 - Fire Back at atte	表 30 Q d	
margaret Lord	The The Chalacrenty	and the second s
Tailor Daline, orderine -	4149	
3/24/36- Gave green	5/17/30 - Cyprarently	
tagtodose in new	watters ax	
		•
touthat work		
t mithal ir on		
marate la conte		the second secon
inguals is in		
the sine and so it will be a	A A	
1 Lallenort	<u>i</u> _ <del>1</del>	
Wend over There		
Wend over the rain		The second of th
- Consider -	<u> </u>	•
+ convenent		
The think	• •	A .
farigue - hander		

----

	TATE OF THE PARTY
DF	RMIT ISSUID
, 1	Permit No.
DEPAIR	S BANCOHAS
DERMIT TO KEY	
Class Building	100 A 100 with the
PPLICATION FOR PERMIT TO REPAIR  Third Class Building  Portland, Maine Portland, Maine Super sedies applied building super sedies building described building super sedies described building described bui	ding in accordance
TOTALAND, ME. repair the following specifications	s Dist. No.
Within fire land of Portland, and the Within fire land of Portland, and the Within fire land of Portland, and the Bound of Portla	Telephone 2-1704
PPLICATION FOR PERTIAN Class Building  Portland, Maine, Supersedes building Supersedes for a permit to repair the following described building to the INSPECTOR OF BUILDINGS, PORTLAND, ME. repair the following specifications of the undersigned hereby applies for a permit to repair the following specifications.  Ward 17 White Street  Location 17 Arlington Street  Location 18 Vickers, 2844 Congress St. Ac Andres Street  Location 19 Arlington Street  Locati	1900 500 Stories
o the Most undersigned Code of The undersigned Building Code of The undersigned Building Code of The undersigned Building Street  Location 17 Arlington Street  Location 17 Arlington Mrs. Arthur J. Thomas, 17 Wards St. A. Andrew  Location 27 Arlington Street Wrs. Arthur J. Thomas, 17 Wards St. A. Andrew  Location 27 Arlington Street Wrs. Arthur J. Thomas, 17 Wards St. Andrew  Location 27 Arlington Street Wrs. Arthur J. Thomas, 17 Wards St. A. Andrew  Location 27 Arlington Street Wrs. Arthur J. Thomas, 18 Wards St. A. Andrew  Location 27 Arlington Street Wrs. Arthur J. Thomas, 18 Wards St. Arthur J.	plus.
o the INSPECTOR OF BUILDINGs for a per Portland, and B Winner The undersigned hereby applies for a per Portland, and B Winner The undersigned hereby applies for a per Portland, and B Winner The undersigned hereby applies for a per Portland, and B Winner The undersigned hereby applies for a per Portland, and I Ward 17 Winner St. Arthur J. Thomas 17 Winner St. Andres Ward 17 Winner St. Arthur J. Thomas 17 Winner St. Andres II. Ms. Vickers, 2843 Congress St. A. Andres Contractor's name and address II. Ms. Vickers, 2843 Congress St. A. Andres Contractor's name and address II. Ms. Vickers, 2843 Congress St. A. Andres Contractor's name and address II. Ms. Vickers, 2843 Congress St. A. Andres Sq. It., Style of II. Sty	and come the fire occurrence of the control of the
Owner's name and address He was a sq. tt., Gross area  Contractor's name and address He was a sq. tt., Gross area  Use of building Height as was a square of New Works are a s	chimney first constructor bove the first constructor
Use of building  Height  No. stories  No. stories  No. stories  No. stories  Opening  General Description of New Works  Belling  General Description of New Works  Responsible to the stories of the stor	tireration and From filther the little at the little of the material.
Type of present is to be shored with the transfer so the	with incombustions
To Repetiting chimies built with Builtisting is to be replaced. This existing character with now existing is to be replaced. This exists new irreplaced with the placety and to be replaced.	enewed CERTIFICATE OF OGNUTARICY
precisely in in the manife of the first sweet to be Repaired of the good of ming is to be Repaired	sq. ft.
online who the country If Roof Covering Area then the only what are	No. plies
When last repaired?  When last repaired?  Are repairs, or renewal due to damage by fire?  Area of roof to be repaired now?  Area of roof to be repaired now?	
When fast repaired? When fast repaired? When fast repaired? When fast repaired for damage by fire?	Fee \$ 13
	Alua 3/
Time of four ande of four	<i>n</i> )/
Trade name and graude  Trade cost \$  Signature of owner-By	and the second section is a second se
INSPECTION COPY	
INDI TO	

Date of permit 1/1 / 7 / 3 ×

Notific closing in 1/1/5/54

Inspect closing

-

•	Permit No.
PPLICATION FOR PERMI	TO DEPAIR BUILDING
FOR PERMI	T TO RELITION
PPLICATION FOR PERMI	is Building
Por	rtland, Maine, Howelibur, 15, 1952
THE DUNGS, PORTLAND, ME.	ollowing described of the control of
the INSPECTOR OF BUILDING for a permittional, and the state of the City of Portland, and the state of the city of the ci	Within fire limits Telephone
the INSPECTOR OF BUILDINGS, FORTLAND, ME.  The undersigned hereby applies for a permit to repair the form the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies for a permit to repair the undersigned hereby applies f	Artington St. Telephone
Location 17 Arlington Sto  Location 17 Arlington Sto  Cowner's name and address 12 Archur J. Thomas 17  Contractor's name and address 12 Archur J. Thomas Const.  Contractor's name and address 12 Archur J. Thomas Const.	ross
Owner's name and address have the same	sq. ft, Style of roof
Use of building Duoling House ft Gross area	Or Work
Use of building Declinis  No. stories  Type of present roof covering  General Description  General Description  Ropsir after fire, no alterations. Around firepla	di Nevrat iloore
Type of Fire, no alterations. Around	CERTIFICATE OF CALLEY MALE
Repair arous	REQUIREMENTAL IS WAIVED.
	Wenaired or Renewedsq. ft.
Roof Covering is to be	ea then repaired sq. ft.
	ea then repaired
When fast repaired to damage by he	
Are repaiks or reneward now?  Area of roof to be repaired now?	Fee \$ +25
Type of roofing to be used  Type of roofing to be used  Trade name and grade of roof covering to be used	Mrs Arthur J. Thomas
Trade name and grade  Estimated cost \$ 250  Signature of owner.	by Arthur J. Thomas
	1°
INSPECTION COPY	•



	:
	narm receirs
PE	RMIT ISSUED
Pe	RMIT ISSUED 1844 BUILDING
PPLICATION FOR PERMIT TO REPAIR	APHIDING *
DOLICATION FOR PERMIT TO REPAIR	
Third Class Building	•
Notice November	G. 1984
Supersedes application	n in accordance with the
To the INSPECTOR OF BUILDINGS, PORTLAND, Miles for the following described dutients, and hereby applies for a permit to repair the following specifications:	41
Third Class Building  Portland, Maine, November Supersedes application  To the INSPECTOR OF BUILDINGS, PORTLAND, MR.  The undersigned hereby applies for a permit to repair the following described building.  The undersigned hereby applies for a permit to repair the following specifications:  Laws of Maine, the Building Code of the City of Portland, and the following specifications:  Yelington Street  Ward  Relington Street	no Dist. No
Location 17 Arlington Street Ward 17 Arlington St.	Telephone
To the INSPECTOR OF Both Street The undersigned hereby applies for a permit to repair the following specifications:  Laws of Maine, the Building Code of the City of Portland, and the following specifications:  Location 17 Arlington Street Ward 8 Within fire limits?  Location 17 Arlington Street Ward 17 Arlington St.  Owner's name and address He Mrs. Arthur J. Thomas, 17 Arlington St.  Owner's name and address He Mrs. Vickers, 2843 Congress St A. Andreasen 12 Mrs.	Telephone 2-1704
Owner's name and address Ho H. Vickers, 284 Congress St A. Andreasen Contractor's name and address Ho H. Vickers, 284 Congress St A. Andreasen dwelling house	
Use of buildingsq. ft., Style of root	<u></u>
Contractor's name and address in the Use of building dwelling house  Use of building dwelling house  No. stories 13 Height ft., Gross area sq. ft., Style of roof.  Type of present roof covering asphisht  To Repair after Fire, and to build a finite recommended to the chimne of the existing chimney is to be shored with a difficult distance above to the revisiting chimney is to be shored with the old flue, the fireplane built to connect with the old flue, the fireplane of the woodwork in the manufaction of the planter is to be made so that fire while woodwork in the manufaction of the planter is to be recoved for the will be eliminated. All of the planter is to be replaced with it chimney to the coiling of the first story and to be replaced.	
No. stories 13 Height 11, Olds The Work 12 Property of present roof covering asphalt  Type of present roof covering asphalt  General Description of New Work 2 Primare Control	y where the fire occurred.
of the Fire, and to will a line and distance above t	he first floor and comp
This existing chimney is to be shored by the the old flue, the literation of the existing chimney is to be shored with the old flue, the literation of the existing chimney is to be shored by the the old flue, the literation of the existing chimney is to be shored by the the old flue, the literation of the existing chimney is to be shored by the theory of the literature of the existing chimney is to be shored by the the old flue, the literature of the existing chimney is to be shored by the theory of the existing chimney is to be shored by the theory of the existing chimney is to be shored by the theory of the existing chimney is to be shored by the theory of the existing chimney is to be shored by the existing chimney is to be shored by the theory of the existing chimney is to be shored by the existing chimney in the existing chimney is to be shored by the existing chimney in the existing chimney is to be shored by the existing chimney in the existing chimney is the existing chimney in the existing chimney in the existing chimney is the existing chimney in the existing	on and adjustment of
plete new interpace with Building to be made so that fire	entire width of the
the woodwork in the manufacture the plaster is to be replaced with in	JOOMPHILET DIA, MITTOGRAP
chimmy to the coiling of the live serviced or Renewed  If Roof Covering is to be Repaired or Renewed	CERTIFICATE
When last repaired?	
Are repairs or renewal due to damage by firer	sq. ft.
Area of roof to be repaired now?	
a to be used	
Trade name and grade of roof covering to be used.	1,5
Estimated cost \$ 100.  Estimated cost \$ 100.	
Signature of owner—By	•
INSPECTION COPY	<i>•</i> 9 <sup>3</sup>



# APPLICATION FOR PERMIT 1790

JUN 14 1934

Class of Building or Type of Structure. Third Class Portland, Maine, 6/13/34

		Corpleted	6/13/34		
the INSPECTOR OF BUILDIN	IGS, PORTLAND, ME.	1	owing building stri	iciure equipment	ırı ii
The undersigned hereby app	olies for a permit to erect a	g Code of the City	of Portland, plans	and specifications,	-1
ordance with the the the f	ollowing specifications.	_	20	Diet No	
17 Arlington Street	t Ward	Within Pr	re minus	7-688	
ation	4. J. Tlames, 1	7 Erlington St.	<u>*</u> l	elejnione	
ration	Parcert Vickers,		T	'elephone	
ntractor's name and address				The second secon	
ontractor's name and address rehitect's name and address  7	r garago		Nc	, families	
chitect's name and address- roposed use of building 2 cs ther buildings on same lot 2	coult dealing hus	8			
ther buildings on same lot 2	23/1662	No. c.l	sheet.		
roposed use of building ther buildings on same lot 2 lans filed as part of this application	m? <u>po seu 35/2002</u>	110. 01		I'ce \$	
			Alteract		
1	Description of Presca	) nilding to be	Arteroa Ros	ofing	
No ctories	Heat	Style of roof		le families	
No, storiesNo.				(0. 13HHHC3	
ast use	General Descrip	tion of New Wo	ork	tion before Laire Osincin is waived	,z,
•	General Descrip	•••	,c*	TION BEFORE LATER DSING IN IS WAIVED	
e erect oue car frome g	Blege To. Y		KOTUTON	OSING IN C	
			Ou	CONBENENT IS NOT	,··
			CER	TUTICATE OF IS A	
			E1	Cours	
Size, front tepth.  To be erected on solid or filled exist	Details o	Height averag	or rock?		
Size, front deput.  To be erected on solid or filled exist  Material of foundation.	land!	ess tob	Fottor	11	
Material of foundation	THICKI	Unight	Thic	kness	
as the interpretation		7	sembalt roofi	is Class C und	u_lithidi.u.
Kind of Roof ret (pitch	Rise per foot	KOOL COACHUB-	of li	ning	
No of chinneys	Material of chimneysType o		In one fitting	involved?	
NO. Of Chanter	Type o	of fuel	Is gas accom		
<b>420</b> 93	ls 4x5 Girt or ledge	er hoard?		utore	
Corner posts Silver Silver Studs (outside walls and carry over 8 feet, Sills and	0.0.0	Size	Max on	to overy floor and	flat roo
Material columns under grow		D. C. Girders 6x8 (	of larger. Drug-me	•	
Studs (outside walls and car span over 8 feet. Sills and	corner posts all one piece in	i cross section.	3rd	, roof_&x&	
Joists and rafters:	1st 1100r				
On conters:	1st floor concrete	, 2nd	, 014	roof_717	
Maximum span:  If one story building with a	1st floor	, 2nd	, 353	height?	
Maximum spair.	nasoury walls, thickness of	walls?			
If one story building with i	nasoniy week	If a Garage		_	
			be accommodated	1	
No. cars now accommodate	d on same lot	uonsencu			
Total number commercial c	d on same lotr	-waire to care habitu	ally stored in the pr	oposed building?	EV3
seem constille recuiring	ars to be accommodatedr be done other than minor r cunoval or disturbing of any	Chart			
Will above work require r	ent at any most a person C	ompetent to see that	the State and City	requirements perta	
Will there be in charge of yes	emoval or disturbing of any I the above work a person e	s. y. Thom	0 / //	chers.	عمسانيت رنسينيا وارس

STATEBUIT ACCOMPANYING APPLICATION FOR BUILDING PERMER for lear Erama garaga Date 10/28/35 17 Arlington Street a'. In whose name in the title of the property now recorded? Little 2. Are the boundaries of the project in the vicinity of the proposed work shown clearly on the ground, and how? "I'm Manual" 8. Is the outline of the proposed work now staked out upon the ground? LVG. WE not, will you notify the Intraction Office when the work is staked out and base fore any of the work is commenced? 4. That is to be maximum projection or overhang of eaves or drip?\_\_ 5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete continuous the continuous statement of the continuous statement outline of the proposed work on the ground, including bay warlows, worches, and other projections? 6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? 7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? inhous +11

•			AND ALL REPORTS AND A STATE OF THE	CHEROLOGIC PROPERTY OF THE PARTY OF THE PART
The second secon	All Server	Landa Austa M	ext Spring.	
To place concrete alab	for future garage	to be mire	NOTIFICATION NOTIF	TUTA!
				ELORE ANYLY
			CATION	il b
	能。2014年1月1日 1880年 - 1980年1月1日		NOTH CLOSUS	PHI
	wilder word and the second		0	OCUPANYA OCUPANYA OCUPANYA
		which is to be take	n out separated by	ndan the name of
It is understood that this permit does not include in	istallation of nearing apparace		CERTILIREM	
A is understood that this period does not anclude in the healting contractor	Details of New V	VOIK	top of plate	
Size, front 121 deptir 161	Triege	t average grade to	highest point of ro	of
Size from 121 deptie	No. storiesneigi	Wavelage g.	Terth	
Size, front. L2 depth.  To be erected on solid or filled land? So		earth of fock	POST DESCRIPTION AND ADDRESS OF THE PARTY OF	
Material of underpinning	Thickness, top. Height	2,445,300 m., *254,414 	Thickness	VALUE OF STREET
	er foot Roof co	yering	14 15. 5. 4	
	<b>使性性的。在新聞歌的的記念</b>	<b>在,在中国的国际</b>	of lining	
No of clinneys Material of	Type of fuel	AND THE	gas fitting involved	
Kind of hear	Type of tuel	SANS (PM 70)	Size	
Kind of heat Sills Sills	Girt or ledger board			
				door and flat roof
Material columns under girders  Studs (outside walls and carrying partitio	ns) 2x4-16" O. C. Girde	rs 6x8 or larger.	Bridging in every	
Studs (outside walls and carrying partition spain over 8 feet. Sills and corner posts a	Congrete 2nd	2.4	roc	1
Joists and rafters: 1st floor	Constant Alexand	CHECK PROPERTY.	100	
On centers : 1st floor	, 2nd	and	THE STATE OF THE S	of
Maximum span! 1st floor	2nd	3.07 6-187 33-13 8FQ 11	Service Services	A TWANT THE
44 one story building with masonry walls,			height	NACOS SILVE
S. Aug Wills Stoll & Dillion	anag	e		
	Manager 1	to be accomin	odated	gerigio solvendensol Notablio solvendensolv
No cars now accommodated on same lot.	Zanewania wa Walio			
Fotal number commercial cars to be accom	ninodated. Note		and proposed but	lding? No
Will automobile repairing be done other	than minor repairs to cars	s nanitually stored		
是我们是有多数的企业,但是不是一个的。	Miscellane	ous .	A STATE OF THE STA	
Will above work require removal or distr	irbing of any shade tree o	n a public street i-	No.	NAME OF THE PERSON NAME OF THE P
Will above work require removal of distribution will there be in charge of the above wo	rk a person competent to s	ee that the State a	nd City requiremen	its pertaining thereto
		T. Wanasi A	MARIA	
die observed - Yes	nurs of switch By	M. OW.	Vienco	STANDARD AND AND AND AND AND AND AND AND AND AN
	Sautora			
	and parameter whether the parameter in t			
CIL	A Lien Lead.		FOR SECTION OF THE PARTY.	Callinessing Sept. 10 designation of the con-

(R) GENERAL RESIDENCE ZONG



		APDL	- DIDENCE	ZONE.	On	
TATE	Class	VLHT!	CATION F	OR DE-	3 Pstwir	No.
3	Citiss,	of Building or Ty	yte of Som	OIL PEP	CMIT * PEF	RMITT
$T_{\alpha} \leftrightarrow \cdots$	NSPECTOR OF			S THURSE A	7	7.
Th	e undersi-	LDINGS, PORTLAND, M applies for a permit the State of Maine, the ite following specification Street	Portla	nd, Maine	ionet on	811-
accordance	e with the Laws of t	conngs, portland, m applies for a permit the State of Maine, the ise following specifications Street	· E,	y saune,	Bubb 85, 1988	
Location	15-17 And th	te State of Maine, the	o erect alter install	the following	. Albani	
Owner's	- Total Arlingt	on Street	ions:	the City of Port	milding siructure	equinment
Contract	Lessee's name and ad	dress Mrs. In.	-Ward_8	ithin re	- Prans and sp	ecifications
d'robie	name and address 1	lerbert Welson	Ward 8 W Thomas, 25 C	Enborlena A.	s? No Dist	No
Pro-	name and address	on Street  dress Mrs. Arthus  dress Vickers,	284g Congress	Street	Telephone	110
Tuposed use	e of building D	welling House (			Telephone_	No
anter minidin	gs on come		Duplex)			
		исле			No. families_	2
Estimated cos	\$ 50	None			- tamines_	
•	Da	•	No.	of slicets		
	loou No storie 7	scription of Preser	nt Baila:		-	0
Last use	Dwelling	IIHeat	Saiding to b	e Altered	Fee \$ -5	
	e .		Tool tool	TLOOD	Roofing	
r or	SMATTA T.	General Descrip	41		N- 6	
double mul	Lion Findon	General Descrip on front side es attractural change 38-88 window on f	tion of New Wo	ork	tan.ilies	8
To 61	large extens	ATITIO A	- LOCALLY AND WE	No. 44.		
o doubl	e mullion winds	6 - 6 window on f , using 4 x 6 a windows in front	mond can	O ####	replace with	1.
To ou	t two new at on	windows in front windows in front de installation of heating a  Details of N	header on co	erly end of	hard to die	
h is understood that	ura Bredu	windows in front	hells se	pening,	parading to	
ane neating contractor	ints permit does not inclu-	de installation	or build	lirg.	ERTIFICATE OF OCCUREMENT IN SINE MAN	
		Dec :	opparatus which is to b	*.4( No. (m.).	EQUIRENTE OF OCC	
Size, front	- daut	Details of N	ew Work	out separa	tely by and in the	PANCY
To be erected on sol	id or en	Details of N  No. storics  Thickness, top	Height average grad	de to ton ac .		is Edu.
Material of foundati	ion mice land?		Preight average grad	le to highest		
Material of underpin	nin-	Thickness	carth or roc	k?_	t of roof	<u> </u>
Kind of Roof_	mug		)	house		
No. of chimneys	Rise po	er footRoof	L	- Cottom		
Kind of hone	Material of	Root	covering	Thickness.		
Corner posts  Material columns under Studs (outside walls an span over 8 feet. Sills  Joists and rafters		Tr.				
Material		71				
Studs (outside walls an span over 8 feet, Sills Joists and rafters: On centers: Maximum span:	girders	of ledger board?_	-,,18	gas litting involv	red ?	
span over 8 feet. Sills	d carrying partitions)	Size		Size		
Joists and rafters:	and corner posts all o	ne piece in cross	rs 6x8 or large.	ax, on centers_		— in the state of
On centers:	1st floor	2nd	n. S. larger. B	<sup>ridging</sup> in every	floor and gai	<u>.</u>
Maximum span :	1st floor	, 2nd	, 3rd, 3rd		and hat roof	
If one story building with	1st floor	2-1	, 3rd			
If one story building with	masonry walls, thick	ness of well a	, 3rd	, roo	f	: * ;
No. cars now accommodate Fotal number commercial co Vill automobile repairing E	_	Tf - C	, 3rd	, roof		
Cotal number commendate	d on same lot	a Garage		neight?_		
Vill automobile	irs to be accommodate	d ,	to be accommode.	•		
tepairing b	e done other than		uouated		-	
*** GURIVO **** **		4	MULLY STORAL :	_		7
ill there is	loval or disturbing	Wiscellaneous	stored in the p	proposed Landing	2	
observed the charge of the	e above work	any shade tree on a pul	blic stu	G		
fill above work require renill there be in charge of the charge yed? Yes	work a persor	a competent to see that	the G	-		,
ill there be in charge of the charge ved? You	Signatur-		the State and City r	equirmente no	initial Control	
	of own	ner_Tels	with C	In peri	aming thereto	
C (e' (, ,	· ·		THE CONTRACTOR OF THE PARTY OF	VL TO	C.O.A	<b>S</b> r
p	Carpent to many Burgan	0.00		T- KU	- Ciril	p