E2-54 COYLE STREET

(2)

e j

را الع

PERMIT ISSUED

of PURTLAND

APPLICATION FOR PERMIT FOR HEATING. COOKING OR POWER EQUIPMENT

505	HEATING.	nland	Maine Sept	. 20, 1955		
HALL STATE OF THE		1,04510110	,			isment in accord-
the INSPECTO	OR OF BUILDIN	GS, PORTLAND, s for a permit	to install the fo	ollowing heating, colland, and the following	ooking or power equ owing specifications: g No. Stories	mpine in the
The undersi	of Maine, the Bui	lding Code of t	he City of 1 or	dwellin	g No. Stories	NewBuilding Existing "
		Use of	Building 1-f	amily dwelling	•	
ocation 52. Coy	te pus	1	pannas. 52	COATE 20.	Telephone	2-6304
ame and address	s of owner of appli and address Harri	s Oil Co.,	202 Commerc	101 000		
astaller's name a	IN add to	Genera	l Description	on of Work	ant.	
	culating hot	water boile	r and oil b	urning equatur	J	
To install cir	culating nos			_		
(re	eplacement)	1F HEA	TER OR PO	WER BOILER	- Longath?	10
		Any	burnzble mater	al in floor surface Kind of fue	or beneau	
Location of appl	iance basement			Kand or rea	-1.	21
If so, how prote	rcted?	terial, from top	of appliance of	casing top of fur	n sides or back of a	appliance over 3'
Minimum distar	nce to burnaout	From from	t of appliance	e flue none		•
	noke pipe 2!	Other conn	ections to same	Rated ma	ximum demar.d per	hour .
Size of chimne	ow vented? fresh air be supplied			per and safe combo	istion? yes	
If gas med, i	fresh air be supplied	i to the applianc	e to mante pro			
Will Stilleren				T 111ad	he underwiners "	boratories? yes
•	of hurner	General El	ectric	lu line feed fro	om top or bottom of	tank? top
Name and typ	be always in atten	dance?	Does oil st	Size of vent pipe	110	-275 gal.
Will operator	beneath burner	0		Number and cape	icity of tarms	
		Transferre			N	lo.
Type of floor	oil storage	basembht	N.F1		_	
Location of	oil storage		Ma'	How many tai	_	
Location of c	oil storage hut	fact from any f	lame; yes	How many tai non€	_	
Location of c	oil storage hut	feet from any f	lame? yes or furnace burn	ers none	iks enclosed?	
Location of c	oil storage	feet from any f	lame? yes or furnace burn	ers none	iks enclosed?	_{eneath} ?
Location of c Low water sl Will all tank Total capaci	oil storage that s be more than five ity of any existing	feet from any f	lame? yes or furnace burn IF COOKING Any l	ers none G APPLIANCE Durnable materic ()	nks enclosed? u floor surface or be bt of Legs, if any	
Location of Low water sl Will all tank Total expect	oil storage hut s be more than five ity of any existing s appliance	feet from any f	lame? yes or furnace burn IF COOKING Any l	ers none G APPLIANCE Durnable materic ()	nks enclosed? In floor surface or bo ht of Legs, if any	ance?
Location of Low water sl Will all tank Total expect	oil storage that s be more than five ity of any existing s appliance protected?	feet from any f	lame yes or furnace burn IF COOKING Any b	ers none 3 APPLIANCE ournable materic () Heig combustible mater	nks enclosed? u floor surface or be	ance?
Location of Low water sl Will all tank Total capaci Location of If so, how so	oil storage that 1 s be more than five ity of any existing s appliance protected?	feet from any f storage tanks fo	lame yes or furnace burn IF COOKING Any l Distance to	ers none 3 APPLIANCE ournable materic () Heig combustible mater eack	nks enclosed? In floor surface or be the of Lægs, if any ial from top of appli From top of st	ance? mokepipe
Location of Low water st Will all tank. Total expection of Location of If so, how the Skirting at From from	oil storage that s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance	feet from any f storage tanks fo	lame? yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to	ers none G APPLIANCE purnable materic i Heig combustible matericack same flue	n floor surface or be ht of Lægs, it any ial from top of appli From top of st	ance? nokepipe gravity?
Location of Low water st Will all tank. Total expection of Location of If so, how the Skirting at From from Size of che	oil storage that s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance nimney flue	feet from any f storage tanks for ee?	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, if any ial from top of appli From top of st Forces or	ance? nokepipe gravity? d per hour
Location of Low water si Will all tank. Total expection of Location of Location of Skirting at From from Size of ch. Is hood to	oil storage that s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance nimney flue	feet from any f storage tanks for ee?	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, if any ial from top of appli From top of st Forces or	ance? nokepipe gravity? d per hour
Location of Low water si Will all tank. Total expection of Location of Location of Skirting at From from Size of ch. Is hood to	oil storage that s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance nimney flue	feet from any f storage tanks for ee?	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, if any ial from top of appli From top of st Forces or	ance? nokepipe gravity? d per hour
Location of Low water si Will all tank. Total expection of Location of Location of Skirting at From from Size of ch. Is hood to	oil storage that s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance nimney flue	feet from any f storage tanks for ee?	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, it any ial from top of appli From top of st	ance? nokepipe gravity? d per hour
Location of Low water si Will all tank. Total expection of Location of Location of Skirting at From from Size of ch. Is hood to	oil storage that is be more than five ity of any existing s appliance protected? bottom of appliance at of appliance aimney flue be provided? ed, how vented? MIS	feet from any f storage tanks for ee?	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, if any ial from top of appli From top of st Forces or	ance? nuokepipe gravity? d per hour
Location of Low water si Will all tank. Total expect Location of If so, how Skirting at From from Size of ch Is hood to If gas fire	oil storage that i s be more than five ity of any existing s appliance protected? toottom of appliance at of appliance aimney flue be provided? ed, how vented? MIS	feet from any f storage tanks for ee?	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, if any ial from top of appli From top of st Forces or	ance? nokepipe gravity? d per hour
Location of Low water sl Will all tank Total expect Location of If so, how skirting at From from Size of ch Is hood to If gas fire	oil storage that 1 s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance immey due be provided? ed, how vented? MIS	feet from any f storage tanks for ee?	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, if any ial from top of appli From top of st Forces or	ance? nuokepipe gravity? d per hour
Location of Low water sl Will all tank Total capaci Location of If so, how Skirting at From from Size of ch Is hood to If gas fire	oil storage that s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance aimney flue be provided? ed, how vented? MIS	feet from any fostorage tanks for the see? FOR Other SCELLANEO	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how	ers none G APPLIANCE purnable materix () Heig combustible mater cack same flue vented? Rate	n floor surface or be ht of Lægs, if any ial from top of appli From top of st Forces or	ance? nuokepipe gravity? d per hour
Location of Low water sl Will all tank Total capaci Location of If so, how Skirting at From from Size of ch Is hood to If gas fire	oil storage that 1 s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance immey due be provided? ed, how vented? MIS	feet from any for storage tanks for storage tanks for storage tanks for storage. FOR SCELLANEO	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how US EQUIPM	ers none 3 APPLIANCE ournable materic () Heig combustible mater eack same flue vented? Rate ENT OR SPEC	n floor surface or be ht of Legs, it any ial from top of appli From top of st Forces or d maximum deman	ance? mokepipe gravity? d per hour
Location of Low water sl Will all tank. Total expect. Location of If so, how Skirting at From from Size of ch Is hood to If gas fire.	oil storage that 1 s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance immey flue be provided? ed, how vented? MIS	feet from any for storage tanks for storage tanks for storage tanks for storage. FOR SCELLANEO	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how US EQUIPM	ers none 3 APPLIANCE ournable materic () Heig combustible mater cack same flue vented? Rate ENT OR SPEC	n floor surface or be the of Legs, if any ial from top of appli From top of st Forces or ad maximum deman IAL INFORMAT	ance? mokepipe gravity? d per hour TON additional heater, etc., in s
Location of Low water sl Will all tank. Total capacitation of If so, how Skirting at From from Size of characteristics and the If gas fire. Amound building the same statement of the same shows the same statement of the	oil storage that i s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance immey flue be provided? ed, how vented? MIS mut of fee enclosed? at same time.)	feet from any for storage tanks for storage tanks for storage tanks for storage. FOR SCELLANEO	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how US EQUIPM	ers none 3 APPLIANCE purnable materic () Heig combustible mater cack same flue vented? Rate ENT OR SPEC	n floor surface or be ht of Lægs, it any ial from top of appli From top of sr Forces' or ed maximum deman	ance? mokepipe gravity? d per hour TON additional heater, etc., in s
Location of Low water sl Will all tank. Total expect. Location of If so, how Skirting at From from Size of ch Is hood to If gas fire.	oil storage that i s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance immey flue be provided? ed, how vented? MIS mut of fee enclosed? at same time.)	feet from any for storage tanks for the stor	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how US EQUIPM	ers none 3 APPLIANCE ournable materic () Heig combustible mater eack same flue vented? Rate ENT OR SPEC where, etc., 50 cents Will there be in see that the See	n floor surface or be ht of Lægs, it any ial from top of appli From top of sr Forces' or ed maximum deman	ance? mokepipe gravity? d per hour
Location of Low water sl Will all tank. Total capacitation of If so, how Skirting at From from Size of characteristics and the If gas fire. Amound building the same statement of the same shows the same statement of the	oil storage that i s be more than five ity of any existing s appliance protected? bottom of appliance at of appliance at many flue be provided? ed, how vented? MIS must of fee enclosed? at same time.)	feet from any for storage tanks for the stor	lame yes or furnace burn IF COOKING Any l Distance to rom sides and l connections to If so, how US EQUIPM	ers none 3 APPLIANCE purnable materic () Heig combustible mater cack same flue vented? Rate ENT OR SPEC	in floor surface or be the of Legs, it any ial from top of appli From top of si Forces' or ad maximum deman IAL INFORMAT additional for each in charge of the abo state and City requiyes	ance? mokepipe gravity? d per hour TON additional heater, etc., in s

Signature of Installeby:

INSPECTION COPY

C17-254-1M MARKS

O.

NOTES I militaria 8 Vani Pipe & Kind of Mear 4 Burner Rigidity & Supportung S Named Libel -5 Stack Control. 7 Blab Limit Control. 8 liemon Control Piping Support & Proteodon 10 Valves in Supply Line Il Capacity of Tanks. ix Tank Rigidity & Supports..... to Tast Distance. 14-Oll Gusgon 16 Instruction s and 16 Low Weier Statett



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

DEC 1/ 195,

and the second s	d, Maine, December 17, 1951 Ull of PURILA
To the INSPECTOR OF BUILDINGS, PORPLAND	, MÉ.
	to install the following heating, cooking or power compinen; in accor-
	Building - family dwelling No Stories Mos Buildi
Name and address of owner of appliance dohn	
Installer's name and address Community Oil Co.	
	• • • •
	Description of Work
10 mstati bil burning en ipment in some	ection with existing steem heating system
IR HEAT	ER. OR POWER BOILER
Location of appliance or source of heat	
If wood, how protected?	Type of floor beneath appliance Kind of fuel
	from top of appliance or easing top of furnace
	appliance From sides or back of appliance
	ons to same flue
I' gas ared, sow ented?	Rated maximum demand per hour
11	F OIL BURNER
	T 1 11 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Does oil supply line feed from top or bottom of tank? bottom
Location of oil storage basement	Number and capacity of tanks existing 1-275 gal.
If two 275-gallon tanks, will three-way valve be pro-	
Will all tanks be more than five feet from any flame	
Total capacity of any existing storage tanks for furna	•
Location of appliance Kind of f	OKING APPLIANCE
	uel Type of floor beneath appliance
Minimum distance to wood or combustible material fr	
	and back From top of smokepipe
	ons to same flue
	nted?
If gas fired, how vented?	Rated maximum demand per hour
MISCELLANEOUS EQUI	PMENT OR SPECIAL INFORMATION
	te e contrata de la companione de la compa
	the state of the s
ere e sa la companya da la companya	
	And the second of the second o
	* ** v vv
Amount of fee enclosed? 2.00 (\$2.00 for one h	eater, etc., 56 ants additional for each additional heater, etc., in san
Annuality of the enclosed. (\$4.00 for one in	eater, etc., 56 ants additional for each additional heater, etc., in san
building a same time.)	eater, etc., 56 ants additional for each additional heater, etc., in san
building a same time.)	
building a same time.)	Will there and by go of the above work a person competent to
building a same time.)	

Signature of Installer by: William S. Wirely.

INSPECTION COPY

* Kind of Heat # W. TE'		Locatio Owner Date of Approv
d Burrer Bigidicy & Supports		Location Owner C Date of pern Approved
Name a Label	The second section of the section of the second section of the section of the second section of the sectio	
6 Stack Countral		1 = 1/01
7 High Lin.it (Justice)		
8 Remote C. atted		1 8 60
9 Piping support a Protection		
Valvee in Supply Line		Leev. 1
1 Capacity of Traks		V 3 K
2 Tank Bigt ity a Supports		
8 Tank Distance	era como que a a como como en en encolor de la como en encolor de	7 8 1
Oil Guage		1 4 1-1 1
instructon Card	, 55	
	1	The state of the s
	1	
-		
		A STATE OF THE CONTRACT OF THE
		, de :
	A CONTRACTOR OF THE PROPERTY O	

₽.

PLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, June 25th, 1909

Permit No.

To the INSPECTOR OF BUILDINGS, Portland, Me.

The undersigned hereby applies for a permit to install the following heating, cocking or power equipment in accordance with the laws of Maine, the Building Code of the City of Portland, and the following specifics

Location

59 Joyla 'treat

Use of Building

Pesidence

Name and address of owner

Mrs. Victoria " 1th

Contractor's name and address Ballard Oil & Equipment Co., 124 Telephone P.2380

General Description of Work Migh St., Fortland, 18

Oil Eurner To in tall

IF HEATER, POWER BOILER OR COOKING DEVICE

Is heater or source of heat to be in cellar? Yes If not, which story

Kind of Fuel 011

Material of supports of heater or equipment concrete floor or what kind)

Concrete

Minimum distance to wood or combustible material, from top of boiler or casing top of furnace,

from top of smoke pipe

, from front of heat.

from sides or back of heater

IF OIL BURNER

Name and type of burner

Super

Approved by Underwriters' Laboratories? Yes

Location oil storage

Cellar

No. and capacity of tanks 1-275 gallor

Will all tanks be more than seven feet from any flame? Yes How many tanks fireproofed? lione

Amount of fee enclosed? \$1.00 \$1.00 for one heater, etc. 50 cents additional for each in same building at same time.

Signature of contractor Rallacd U1/4 G

Signature of contractor Balland Wil & Ggs file of Millione.



APPLICATION FOR PERMIT

Class of Building or Type of Structure____

Portland, Meine, John 25 1928 18 Ser -

T'n tha	INSPECTOR	\mathbf{OF}	BUILDINGS.	PORTLAND.	ME

The eccordance any, submi	unders gnd l with the Lat tted herewith	tereby applies for us of the State of and the followin	a permit to ere Maine, the Buil g specifications:	c e alter int ding Code	tall the following of the City of P	g l- uilding stru ortlend, plans a	olure equipment in nd specifications, i
Location	52 Coyle	Street	Wa	rd 8	Within Fire Li	indis? E5	_ Dist. No

Owner's or bessee's name and address Victoria Saith, 52 Coyle St. Contractor's name and address Ballard Sil - Collegent Co., 184 High St. Telephone Architect's name and address____ Proposed use of building dres line Other buildings on same lot____

Description of Present Building to be Altered

___No. stories _ Last use .

General Description of New Wors

To install Oil Eurner

Details of New Work

		,50tm15 01 11011 110.			
Size, front	depth	No. stories Height a	verage grade to high	est point of roof	
To be erected on solid or	filled land?		earth or rock?		
Saterial of foundation					
Material of underpinning		Height	т	hickness	
Kind of roof		Roof cover	ing		
No. of chimneys	Material of o	chimneys		f lining	
				Distance, heater to chimney	
				ize	
				on centers	
Studs (outside walls and span over 8 feet. Sills a	nd corner posts all	one piece in cross section.		ing in every floor and flat roo	
Joists and rafters:				, roof	
On centers:				, roof	
Maximum span:				_, roof	
If one story building wit	h masonry walls, t	hickness of walls?		height?	
		If a Garage			
				tå	
		nodated			
Will automobile repairing	g be done other th	an minor repairs to cars hab	itually stored in the	proposed building?	
		Miscellane aus			
Will above work require	removal or disturb	ing of any shade tree on a p	rablic street? mo		
Plans filed as part of th	is application?		No. sheets		
Estimated cost \$				Fee \$1.00	
Will there be in charge of are observed?		a person competent to see tha	at the State and City	requirements pertaining there	
		re of owner			
INSPECTION COPY	-			96	
				96	

Wari 8 Perm t No. 29/1188
Location 52 Carple St.
Owner Victoria Smith
Date of permit 6/26/29
Net desing-in
Inspn. closing-in
Final Notif.
Piuzi Inspn.
Cert of Occupancy issued
NOTES
Mid D. Frank Land of
and the second of
90142
- 4/10/30 /s we flower
$\sim 2 \sim 1 \sim 1$
Totale to a Congle
aller franchis
the state of the s
10/1/29- he are home.
À }:
10/24/29- Jame 0,22
ula ba 2 stallates
11/20/29- Inetallation

5° - 4

OFFICE HOURS



City of Portland, Maine

OFFICE OF INSPECTOR OF BUILDINGS

	pector of Buil ings of	(ME (11) 1, 1 20 114				
- -	The understand resid	ecufully makes a	polication for a pe	rout to erect	entarge a build	inz on
		•	et, at number		to be	
	الوسينية المداد الأولونية والدادة والداد الدور			ter o k loomer	10 50	
	= -			et long, -		
	also an ad lition to			∟ high,		
et long,		icet	wide, and to be us	ed as a	¥₹_ ₹.	
	WALL - To be con	_	· to b	e	inches wide	on bottom and
		iches on top.		•		
	PINNING — To be		Height of under	_	-	all to pottom of
	ill ft.		o bei			
XTERI	OR WALLS - To b	e constructed of	. І	f of Brick, S	wae, etc. Tota	-
	ft	inches.	Thickness of 1st	2d	3 d	4t ²
-	iti. 6th to be used.	story walls.	If of reinforced	concrete, sta	ite mix and rei	nforcing system
wood e	onstruction, sills to b	oe Girde	rs Floor	l'imbers	Spaced	on Center:
	Post	Cirts	Studs	,	to be spaced	
1	If for manufacturing weight to be carried Number of families o	by the floor)	urposes state cha	racter of bus.	nes and amou	int of estimated
•	I d number of fan	iilies				
	M ufacturing (state	character)				
	Est, mated load on flo	_				_
	Mercantile business		and load nerso ft)		
	visions of the building	ig Laws icamin	ig dividing partition	us snall be a		e following pro- te Law re. t'lis.;
TREST	— OPS — All bearing ar and between each se	nd center partiti t of floor timber:	ons will have firest s. Where ledger b	ops cut in the	dhered to (Quo ght on top of ea ed there shall be	te Law re. this.; teh partition cap t firestops cut in
TRESTO	— OPS — All bearing an and between each se tight against bottom Buildings may consid	nd center partiti t of floor timbers n of ledger board are necessary	ons will have firest s. Where ledger b , of same size as v	ops cut in the card are use vali studs.	dhered to (Quo ght on top of ea ed there shall be	te Law re. this.; teh partition cap e firestop, cut in the Inspector of
TAIRW	DPS — All bearing are and between each settight against bottom Buildings may consider AYS — No. in buildings	nd center partiti t of floor timbers t of ledger board tier necessary	ons will have firest s. Where ledger b , of same size as s locat	ops cut in the part are use vali studs.	dhered to (Quo ght on top of ea d there shall be Also wherever	te Law re. this.; teh partition cap t firestops cut in
TAIRW	DPS — All bearing an and between each se tight against bottom Buildings may consid AYS — No. in buildi with	nd center partiti t of floor timbers t of ledger board ter necessary ing walls to be	ons will have firest s. Where ledger t , of some size as v locat lathed with	ops cut in ta ward are use wali studs.	dhered to (Quo ght on top of ea d there shall be Also wherever	te Law re. this. the partition cap firestop, cut in the inspector of to be enclosed
IRESTO	DPS — All bearing an and between each se tight against bottom Buildings may consider the buildings may consider the buildings may buildings may be buildings may buildings	ad center partiti t of floor timbers t of ledger board ter necessary ing walls to be	ons will have firest s. Where ledger t , of same size as v locat lathed with . Rafters to be	ops cut in tar ward are use vali studs.	dhered to (Quo ght on top of eg d there shall be Also whereverlathing inches to b	te Law re. this., tch partition cap e firestop, cut in the Inspector o to be enclosed
IRESTO	DPS — All bearing an and between each se tight against bottom Buildings may consider the buildings may consider the buildings may buildings may be buildings may buildings	ad center partiti t of floor timbers t of ledger board ter necessary ing walls to be	ons will have firest s. Where ledger t , of same size as v locat lathed with . Rafters to be of to be covered v	ops cut in the react are used and stude.	dhered to (Quo ght on top of eg d there shall be Also whereverlathing inches to b	te Law re. this. the partition cap firestop, cut in the inspector of to be enclosed
IREST(DPS — All bearing an and between each se tight against bottom Buildings may consider the buildings may consider the buildings may buildings may be buildings may buildings	ad center partiti t of floor timbers t of ledger board ter necessary ing walls to be	ons will have firest s. Where ledger t , of same size as v locat lathed with . Rafters to be	ops cut in the react are used and stude.	dhered to (Quo ght on top of eg d there shall be Also whereverlathing inches to b	te Law re. this. the partition cap firestop, cut if the inspector of to be enclosed
TAIRW	DPS — All bearing an and between each se tight against bottom Buildings may consider AYS — No. in building with. To be constructed on the beckes	ad center partiti t of floor timbers t of ledger board ter necessary ing walls to be	ons will have firest s. Where ledger t , of same size as v locat lathed with . Rafters to be of to be covered v	ops cut in the vard are used valid stude.	dhered to (Quo ght on top of eg d there shall be Also whereverlathing inches to b	te Law re. this. the partition call firestops, cut in the inspector of to be enclosed
TAIRW	DPS — All bearing an and between each se tight against bottom Buildings may consider AYS — No. in building with inches to be made of	ad center partiti t of floor timbers of ledger board her necessary ing walls to be i	ons will have firest s. Where ledger b continued on some size as t boat lathed with . Rafters to b cof to be covered t Comines to b	ops cut in the ward are used vali studs. ion with oe made of with	dhered to (Quo ght on top of eg d there shall be Also whereverlathing inches to b	te Law re. this. the partition call firestops, cut in the inspector of to be enclosed
TAIRW OOF— Sutters t ay Wind	DPS — All bearing an and between each se tight against bottom Buildings may consider AYS — No. in building with inches to be made of dows to be made of	ad center partiti t of floor timbers of ledger board her necessary ing walls to be i	bons will have firests. Where ledger by the	ops cut in the ward are used vali studs. ion e with oe made of with ered	dhered to (Quo ght on top of ea d there shall be Also wherever lathing inches to b	te Law re. this. teh partition call firestops, cut in the Inspector of the Enclosed e spared
TAIRW OOF— Sutters t say Windormer V himneys	DPS — All bearing an and between each se tight against bottom Buildings may consider AYS — No. in building with inches to be made of the constructed of the c	ad center partiti t of floor timbers of ledger board her necessary ing walls to be i	bons will have firests. Where ledger by the	ops cut in the ward are used vali studs. ion e with oe made of with ered	dhered to (Quo ght on top of ea d there shall be Also wherever lathing inches to b	te Law re. this. teh partition call firestops, cut in the Inspector of the Enclosed e spared
TAIRW OOF— Outters t ay Wind ormer V himneys	DPS — All bearing an and between each setight against bottom Buildings may consider AYS — No. in building with. To be constructed on the inches to be made of dows to be made of Windows to be made. S. Smoke Flues to be an inside collar to go	ad center partiti- t of floor timbers of ledger board her necessary ing walls to be i	bons will have firests. Where ledger be bond for some size as a bond lathed with Rafters to be covered a confines to leto be covered to be covered and the flue.	ops cut in the ward are used valistuds. ion evith oe made of with ered d provided w	dhered to (Quo ght on top of ea d there shall be Also wherever lathing inches to b	te Law re. this. teh partition call firestops, cut in the Inspector of the Enclosed e spaced.
TAIRW OOF— outters t ay Wind ormer V himneys stimate NSPEC	DPS — All bearing an and between each se tight against bottom Buildings may consider. AYS — No. in building with. To be constructed on the bear inches to be made of dows to be made of Windows to be made. Some an inside collar to go de Cost of Building: TION — The Inspect	ad center partiti t of floor timbers of ledger board her necessary ing walls to be i	bons will have firests. Where ledger be bond for some size as a bond lathed with Rafters to be covered a confines to leto be covered to be covered and the flue.	ops cut in the word are used valistuds. ion evith oe made of with ered d provided ween building the search with the control of the search with the control of the search was a search with the control of the search was a search with the control of the search was a search with the control of the search was a search with the search was a search was a search with the search was a	dhered to (Quo ght on top of ea d there shall be Also wherever lathing inches to b	te Law re. this. teh partition call firestops, cut in the Inspector of the Enclosed e spaced.
TAIRW OOF— Gutters to ay Wine Oormer V himneys Stimate NSPEC	DPS — All bearing an and between each se tight against bottom Buildings may consic AYS — No. in buildi with. To be constructed of inches to be made of dows to be made of Windows to be made, Smoke Flues to be an inside collar to go d Cost of Building: TION — The Inspect 24 hours betwee the liding is	ad center partiti t of floor timbers of ledger board her necessary ing walls to be i	bons will have firests. Where ledger by the	ops cut in the word are used valistuds. ion e with one made of with ered d provided when building the with the control of the word when building the word was a second was a	dhered to (Quo ght on top of ea d there shall be Also wherever lathing inches to b with a 10-inch o	te Law re. this. Ich partition call firestops, cut in the Inspector of the Enclosed espaced. It is partition to be enclosed espaced. It is partition to be enclosed espaced.
TAIRW COOF— Gutters to lay Wine Cormer V. Chimneys Cstimate NSPEC The Built Che Arch	DPS — All bearing an and between each se tight against better Buildings may consider. AYS — No. in building with. To be constructed on the inches to be made of dows to be made of windows to be made. So, Smoke Flues to be an inside collar to go decorated to be	od center partiti- t of floor timbers of ledger board her necessary ing walls to be i con centers. Ro	ons will have firest s. Where ledger to the firest as to least lathed with . Rafters to be covered to the flue.	ops cut in the word are used vali studs. ion e with one made of with cred d provided water the world with the cred the wilding the world water building the world water building the world water the world w	dhered to (Quo ght on top of ea d there shall be Also wherever lathing inches to b with a 10-inch o	te Law re. this. Ich partition call firestops, cut in the Inspector of the Enclosed espaced. It is partition to be enclosed espaced. It is partition to be enclosed espaced.
TAIRW COOF— Cutters to say Wine Cormer Winneys Costimate NSPEC The Build Che Arch	DPS — All bearing an and between each se tight against bottom Buildings may consider. AYS — No. in building with. To be constructed or inches to be made of dows to be made of Windows to be made of Windows to be made an inside collar to go d Cost of Building: TION — The Inspect 24 hours betwee the liding is itect is	ad center partiti t of floor timbers of ledger board ner necessary ing walls to be i	ons will have firest s. Where ledger b cot same size as a least lathed with . Rafters to b cof to be covered a to be covered a to be covered a to be covered a Address Address Address	ops cut in the word are used vali studs. ion e with one made of with cred d provided water building the control of the control of the control of the cred of the	dhered to (Quo ght on top of exit there shall be Also wherever lathing inches to b with a 10-inch o	te Law re. this. Ich partition cap firestops, cut in the Inspector of to be enclosed e spaced utside collar and ning and at leas
TAIRW COOF— Gutters to Bay Wind Cormer Windowners Stimate NSPEC The Build The Arch The Own No Devia	DPS—All bearing an and between each se tight against bottom Buildings may consider. AYS—No. in building with inches to be made of dows to be made of Windows to be made. Some Flues to be an inside collar to go d Cost of Building: TION—The Inspect 24 hours betwee the inding is itect is er is	od center partiti t of floor timbers of ledger board her necessary ing walls to be f for on centers. Re of lined with to the inside of tor of Buildings i athing is begun.	bons will have firests. Where ledger be some size as to bont lathed with . Rafters to be covered to be a stifled when the flue. Address Address Address catton without writing the covered to be a stifled when the covered to be covered to be a stifled when the covered to be covered	ops cut in the word are used vali studs. ion e with one made of with cred d provided water building the control of the control of the control of the cred of the	dhered to (Quo ght on top of exit there shall be Also wherever lathing inches to b with a 10-inch o	te Law re. this. Ich partition cap firestop, cut in the Inspector of to be enclosed e spared utside collar and ning and at leas ector of Building
TAIRW COOF— Gutters to Bay Wind Cormer Windowners Stimate NSPEC The Build The Arch The Own No Devia	DPS — All bearing an and between each se tight against bottom Buildings may consider. AYS — No. in building with. To be constructed on the bear inches to be made of the down to be made of the windows to be windows to be made of the windows to be windows to be made of the windows to be windows to be made of the windows to be windows to be made of the windows to be w	od center partiti t of floor timbers of ledger board her necessary ing walls to be f for on centers. Re of lined with to the inside of tor of Buildings i athing is begun.	bons will have firests. Where ledger be some size as to bont lathed with . Rafters to be covered to be a stifled when the flue. Address Address Address catton without writing the covered to be a stifled when the covered to be covered to be a stifled when the covered to be covered	ops cut in transaction and the stude. sion e with be made of with cred d provided with ten building	dhered to (Quo ght on top of exit there shall be Also wherever lathing inches to b with a 10-inch o	te Law re. this ch partition cap christop, cut in the Inspector o to be enclosed e spaced utside collar and ning and at lease

Applicant to sign here Brown 18 Penny.

·

52 Coule St.

DATI OF ISSUE Mov. 1st-15-1 LOCATION

.1 _



APPLICATION FOR PERMIT DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

To the Ch	Hara				
Theun	ELECTR'CAL	* * .			
Maire the	dersigned her on app fortigned her on app Fortland Electrical of OF WORK: 52 AME: Vi & Lo	SPECTOR		Date	pril 22, 1992 , 19 nd Permit number 4371 Coordinate with the laws of pwirg specifications:
LOCATION	Fortland Elicitics	les for Cont	hind Moun	Recains	PETI 22, 1982
OWNER	F WORK.	dinance of the to	make al	- Little	ed Permit number 19
0 ;	ALAE: VI 32	Covie st the No	Conel Pi	usel install	number 4371
OUTLETS.	C Lo	ring	- Electru	al Code unous in a	You I
12.	-			and the foll	COTOL.RCe with the
FIXTT. Rece	Ptac		- ADDRES	SS: 55	wirg specificant laws of
TORES:	(mumb Switch	. .		32 Coy13 30	- J-ations:
FIXTURES: Incan	der of)	ties Di.			•
Strip Strip	Fig. Pie	- Luga	mold _	a .	
SERVICES:	toniescent _ rout	escent		IL TOTAL	FILES
Overh	Upgrade from f	t (x	20t string ma		
METERS.	ptac s Switch (number of) descent Flourescent Upgrade from ad Undergrou mber of) al over HEATING: as (number of union)	ού - 100 ····		TAL	
TOPO '-W	THE CAN THE REST OF	ind			******
Francisco (IIII)	aber of	Temp	10en		
i i i i i i i i i i i i i i i i i i i	over HEATING: is (number of units) number of rooms) R !NDUSTRIAS			Tollar	
RESIDENTIAL Oil or G	over	· - •	• • • • • • • • • • • • • • • • • • • •	TAL INTERP	
CHIAL I	LEATING	*******	-	auteres	15.00
Oil or G	is (mi	******	*****		-3.00
COMPANIE	number of union			*****	-
MERCIAL	number of rome;		• • • • • • • • • • • • • • • • • • • •		****
Oil or Co.	NDUSTRIA -				
Q, - Cas	Iby a THIRL HE	A Comme			
Eleren Gas	(b) separate couler)_		*******		
APPLIANCES: (nu Ranges	nder 20 L. units)	••••••			•••••
Row (nu	imber (***				****
Contraction	01)	- Uver 20 kwe	• • • • • • • • • • • • • • • • • • • •	**********	-
Cook Tops					****
Wall Ovens			••••	•••••	
Dryers ens	(by separate units) name 20 kws mber 01)	Wat	ter Heaters	******	
Pens		D_{is}	Man J.		
MISCELL AND TOTAL		LATEN	****		
MISCELLANEOUS: (Branch Panels		Com	Dacto		
Branch r	S Central Unit Separate Units (win fit.	ንthe	Le (7		
Transf			" (denote)		
Air C		****	*****		
Conditioner	× C-	•••••	•		
Si-	Central Run.		*****	• • • • • • • • • • • • • • • • • • • •	.
urgns 20 sq. ft	Separate Unite		••••	*******	
Over 20 -	na under wir	idows)		•••••	
THE Property			• • •	****	
a . 05/2	S Central Unit Separate Units (wind under ft. Above Ground In Ground ns Residential Commercial		• • • • • • • • • • • • • • • • • • • •		
Fire/Burglan	In Ground	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
Heavy D.	Continuential		*******		
Duty Outlet	s 220 mercial				
Circus	Above Ground In Ground In Residential Commercial s, 220 Volt (such as w		• • • • • • • • • • • • • • • • • • • •		
Alterations to wires Repairs after fire	Above Ground In Ground In Residential Commercial s, 220 Volt (such as w	elders) 30			
Renai Renai to winn		on amps a	und under	•••••	
Panergency Lie		•••			
Wilderman To 1 & h	244				
FOR ADD					
FOR DESTRICTIONAL		••••	*****	-	
Emergency Lights, be Emergency Character for Emergency Character for Emergency Character for ADDITIONAL WORK NOT A "STOP A"STOP WILL be ready on 4-22 ONTRACTOR'S NAME.	Or ou		******	-	
A "STO	OPPO ORIGINAT	INC			
lta-	ONDER" (301 16.	PERMIT "ISTA	LLATION -		
INDEXTORNAL	1-4.01		11/1/200	45. 137779	
Win ·		• • • • • • • • • • • • • • • • • • • •	-our FE	E DUE.	
NTRACTO Pe read on		TOT	AL A		
ONTRACTOR'S NAME:	1-92 812		AL AMOUN	T Dim	
ADDRESS	Paca 5: 00 19	m liere.		- Jue. —	-
STreet Tree	Test Electric	* Will Call			5.00
Will be ready on 4-2: ONTRACTOR'S NAME: ADDRESS: TEL: OTED LICENSE NO:	667 Lewiston pa				-
LICENSE NO.:	137-3621 AG	Gray		_	
TITED LICENSE NO.:	23/1				-
	371	SIGNATURE OF			•
		JUNE OF	CONTIN.		•
	,	-Jess -	RACI	OR.	
	INSFECTOR -		and the	> "	
	OFFICE COM	FY - WHITE			
	F1. 2 CAM.				

Service cated in 11.25 Am

Closing-in

PROGRESS INSPECTIONS:

DATE: Rivirks:

INSFECTOR'S COPY — WHITE
OFFICE COPY — CANARY
CONTRACTOR'S COPY — GREEN

