

56-58 COOMAN STREET

SHANGHAI

Full cut #920R - Half cut #920R - Third cut #920R - Fifth cut #920R

PERMIT TO INSTALL PLUMBING

Address 51 Colman Street PERMIT NUMBER 17655

Installation For: 1 fam. dwelling

Owner of Bldg. Robert S. Gamble

Owner's Address: 51 Colman St.

Plumber: Nelson Tripp, 363 Cumberland Ave. (E. H. Cunningham Co.) Date: 9-26-67

Date Issued Sept. 26, 1967
 Portland Plumbing Inspector
 By ERNOLD R. GOODWIN

App. First Insp.
 Date 10 2 1967
 By ERNOLD R. GOODWIN

App. Final Insp.
 Date SEP 25 1967
 By ERNOLD R. GOODWIN

- Type of Bldg.
- Commercial
 - Residential
 - Single
 - Multi Family
 - New Construction
 - Remodeling

NEW	REPL		NO	TEE
		SINKS		
		LAVATORIES		
	1	TOILETS	1	2.00
	1	BATH TUBS	1	2.00
		SHOWERS		
		DRAINS FLOOR SURFACE		
		HOT WATER TANKS		
		TANKLESS WATER HEATERS		
		GARBAG. DISPOSALS		
		SEPTIC TANKS		
		HOUSE SEWERS		
		ROOF LEADERS		
		AUTOMATIC WASHERS		
		DISHWASHERS		
		OTHER		
			TOTAL	4.00

Building and Inspection Services Dept. Plumbing Inspection



(RAA) RESIDENCE ZONE - RA
 FILL IN AND SIGN WITH INK
**APPLICATION FOR PERMIT FOR
 HEATING, COOKING OR POWER EQUIPMENT**

01908
 OCT 3 1946

Portland, Maine, October 2, 1946

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 58 Codman Street Use of Building Dwelling No. Stories 1 1/2 Building Existing
 Name and address of owner of appliance Richard Gamble, 58 Codman Street
 Installer's name and address Randall & McAllister, 84 Commercial St. Telephone 3-2941

General Description of Work

To install oil burning equipment in connection with existing steam heat. *DA 10-246*
 NOTIFICATION BEFORE LATHING OR CLOSING UP IS WAIVED

IF HEATER, OR POWER BOILER

CERTIFICATE OF OCCUPANCY REQUIREMENT IS WAIVED

Location of appliance or source of heat Type of floor beneath appliance Kind of fuel
 If wood, how protected?
 Minimum distance to wood or combustible material, from top of appliance or casing top of furnace
 From top of smoke pipe From front of appliance From sides or back of appliance
 Size of chimney flue Other connections to same flue
 If gas fired, how vented? Rated maximum demand per hour

IF OIL BURNER

Name and type of burner Tinken Labeled by underwriters' laboratories? Yes
 Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? Bottom
 Type of floor beneath burner Cement
 Location of oil storage Cellar Number and capacity of tanks 1-220 gallon
 If two 275-gallon tanks, will three-way valve be provided?
 Will all tanks be more than five feet from any flame? Yes How many tanks fire proofed?

IF COOKING APPLIANCE

Location of appliance Kind of fuel Type of floor beneath appliance
 If wood, how protected?
 Minimum distance to wood or combustible material from top of appliance
 From front of appliance From sides and back From top of smokepipe
 Size of chimney flue Other connections to same flue
 Is hood to be provided? If so, how vented?
 If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

.....

Amount of fee enclosed? \$1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

INSPECTION COPY
 Signature of Installer By: Randall & McAllister *Richard Kelly*

Permit No. 46/1908
Location 58 Codman St.
Owner Richard Gamble
Date of permit 10/3/46
Approved 11-20-46 *[Signature]*

NOTES

- 1. Fill Pipe
- 2. Vent Pipe
- 3. Kind of Oil Schell
- 4. Burner Rating & Supports
- 5. Name & Label
- 6. Check Control
- 7. High Limit Control
- 8. Remote Control
- 9. Flying Support & Protection
- 10. Valves in Supply Line
- 11. Capacity of Tank
- 12. Tank Rating & Supports
- 13. Tank Distance
- 14. Oil Storage
- 15. Tank Label



Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

Application for Permit to Build

(31 CLASS BUILDING)

Portland, Me. January 31, 1914

To THE INSPECTOR OF BUILDINGS:

The undersigned hereby applies for a permit to build, according to the following Specifications:—

Plans must be submitted in duplicate, one set to be filed with the Department and the duplicate set thereof (bearing the approval of the Inspector of Buildings) shall be kept on the work and exhibited on demand

PERMIT MUST BE RECEIVED BEFORE BEGINNING WORK.

35-58

Location, Codman St
 Name of owner is? Frederick W. Graham Address, Fidelity Building
 Name of mechanic is? Brown & Berry " Pres. V. Bldg.
 Name of architect is? " " " "
 Proposed occupancy of building (purpose)? dwelling
 If a dwelling or tenement house, for how many families? One
 Are there to be stores in lower story? No No. —
 Size of lot, No. of feet front? 50; No. of feet rear? —; No. of feet deep? 150
 Size of buildg., No. of feet front? 27; No. of feet rear? —; No. of feet deep? 32' 8"
 No. of stories, front? One; rear? One
 No. of feet in height from the mean grade of street to the highest part of the roof?
 Distance from lot lines, front? — feet; side? — feet; rear? — feet
 Firestop to be used? Yes
 Will the building be erected on solid or filled land? Solid
 Will the foundation be laid on earth, rock, or piles? Earth
 If on piles, No. of rows? — distance on centres? — length of? —
 Diameter, top of? — diameter, bottom of? —
 Size of posts? 4x6 Roof Rafters 2x6 2 1/2" x 2 1/2" x 2 1/2"
 " girts? Plate 4x4 girders 6x8 sill 6x8
 " floor timbers? 1st floor 2x10 2d. — 3d. — 4th. —
 O.C. " " " " 16 " " " " " "
 Span " " " " 14 " " " " " "
 Braces, how put in?
 Building, how framed? ledger
 Material of foundation? stone thickness of? 20 laid with mortar? Yes
 Underpinning, material of? Bricks height of? 30" thickness 8"
 Will the roof be flat, pitch, mansard, or hip? pitch Material of roofing? Asphalt
 Will the building be heated by steam, furnaces, stoves or grates? Steam Will the flues be lined? Yes
 Will the building conform to the requirements of the law? Yes
 No. of brick walls? — and where placed?
 Means of egress? One

If the building is to be occupied as a Tenement House, give the following particulars:

What is the height of cellar or basement? —
 What will be the clear height of first story? — second? — third? —
 State what means of egress is to be provided? —
 Scuttle and stepladder to roof? —

Estimated Cost, \$ 7600
 Signature of owner or authorized representative, Brown & Berry
 Address, —

Plans submitted? — Received by? —

56 - 58 CODMAN STREET





APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES

ELECTRICAL INSTALLATIONS

Date August 16, 19 82
 Receipt and Permit number A78750

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of
 Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 58 Codman Street
 OWNER'S NAME: Jeff Johnson ADDRESS: Lives there

OUTLETS: Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL _____ FEES _____

FIXTURES: (number of) Incandescent _____ Fluorescent _____ (not strip) TOTAL _____
 Strip Fluorescent _____ ft. _____

SERVICES: Overhead _____ X Underground _____ Temporary _____ TOTAL amperes _____

METERS: (number of) _____

MOTORS: (number of) Fractional _____ 1 HP or over _____

RESIDENTIAL HEATING: Oil or Gas (number of units) _____
 Electric (number of rooms) _____

COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) _____
 Oil or Gas (by separate units) _____
 Electric Under 20 kws _____ Over 20 kws _____

APPLIANCES: (number of) Ranges _____ Water Heaters _____
 Cook Tops _____ Disposals _____
 Wall Ovens _____ Dishwashers _____
 Dryers _____ Compactors _____
 Fans _____ Others (denote) _____
 TOTAL _____

MISCELLANEOUS: (number of) Branch Panels _____
 Transformers _____
 Air Conditioners Central Unit _____ Separate Units (windows) _____
 Signs 20 sq. ft. and under _____ Over 20 sq. ft. _____
 Swimming Pools Above Ground _____ In Ground _____
 Fire/Burglar Alarms Residential _____ Commercial _____
 Heavy Duty Outlets, 220 Volt (such as welders) 30 amps and under _____ over 30 amps _____
 Circus, Fairs, etc. _____
 Alterations to wires _____
 Repairs after fire _____
 Emergency Lights, battery _____
 Emergency Generators _____

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT INSTALLATION FEE DUE:
 FOR REMOVAL OF A "STOP ORDER" (304-16.b) DOUBLE FEE DUE:
 TOTAL AMOUNT DUE: 3.50

INSPECTION: Will be ready on _____, 19____; or Will Call
 CONTRACTOR'S NAME: Anthony Cartonio
 ADDRESS: 181 Cottage Rd. So. Portland
 TEL: 799-8088
 MASTER LICENSE NO.: 4538 SIGNATURE OF CONTRACTOR: [Signature]
 LIMITED LICENSE NO.: _____

INSPECTOR'S COPY — WHITE
 OFFICE COPY — CANARY
 CONTRACTOR'S COPY — GREEN



CITY OF PORTLAND

JOSEPH E. GRAY, JR.
DIRECTOR OF PLANNING
AND URBAN DEVELOPMENT

Date. October 15, 1982

Donald F. & Alice E. Haskell
22 Codman Street
Portland, Maine 04103

OK
BY *[Signature]*
DATE 10-18-82

Subject: Deck Construction - No permit - 129-H-5
Dear Mr. & Mrs. Haskell:

A recent inspection at the above named address of which you are listed the present owner, showed that alterations have been completed, or are in the process of being completed, that require building permits from the City of Portland as defined in the 1981 BOCA Building Code and/or Portland Municipal Code.

It is therefore necessary for you to come to City Hall, 389 Congress Street, Room 317, to file an application for these required permits. This must be done within five (5) days of receipt of this letter. Failure to abide by this request could result in court action and a fine of up to \$50 to \$1,000 per day for each day this violation exists.

I look forward to your cooperation.

Yours truly,

P. Samuel Hoffses
Chief of Inspection Services

[Signature]
Code Enforcement Officer - Addato (7)

jmr



CITY OF PORTLAND

JOSEPH E. GRAY, JR.
DIRECTOR OF PLANNING
AND URBAN DEVELOPMENT

October 15, 1982

Alicia M. & Peter A. Coyne
24-26 Codman Street
Portland, Maine 04103

OK
BY *[Signature]*
DATE 10-18-82

Subject: Alterations without permit - 129-H-6

Dear Mr. & Mrs. Coyne:

A recent inspection at the above named address of which you are listed the present owner, showed that alterations have been completed, or are in the process of being completed, that require building permits from the City of Portland as defined in the 1981 BOCA Building Code and/or Portland Municipal Code.

It is therefore necessary for you to come to City Hall, 389 Congress Street, Room 317, to file an application for these required permits. This must be done within five (5) days of receipt of this letter. Failure to abide by this request could result in court action and a fine of up to \$50 to \$1,000 per day for each day this violation exists.

I look forward to your cooperation.

Yours truly,

[Signature]
P. Samuel Hoffgas
Chief of Inspection Services

[Signature]
Code Enforcement Officer - Addato (7)

jmr

APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. USE GROUP 01250
B.O.C.A. TYPE OF CONSTRUCTION

SEP 19 1985

ZONING LOCATION ... R-3 ... PORTLAND, MAINE Sept: 1985 City of Portland

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

- LOCATION ... 58. Codman St. ... 04103 ... Fire District #1 [] #2 []
1. Owner's name and address ... Jeffrey Johnson ... lives there ... Telephone H773-1563.
2. Lessee's name and address ... Telephone W. 797-1257
3. Contractor's name and address ... dwelling with home occupation ... Telephone

Proposed use of building No. of sheets
Last use No. families
Material No. stories Heat Style of roof Roofing
Other buildings on same lot
Estimated contractual cost \$ 1,000

FIELD INSPECTOR--Mr. @ 775-5451

Appeal Fees \$
Base Fee ... 25.00...
Late Fee ... 25.00...
TOTAL \$... 50.00...

Change of use from single family to single family with home occupation hair dressing alterations structural changes no

Stamp of Special Conditions

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

DETAILS OF NEW WORK

Is any plumbing involved in this work? ... yes ... Is any electrical work involved in this work? ... YES ...
Is connection to be made to public sewer? ... existing If not, what is proposed for sewage? ...
Has septic tank notice been sent? ... Form notice sent? ...
Height average grade to top of plate ... Height average grade to highest point of roof ...
Sire, front ... depth ... No. stories ... solid or filled land? ... earth or rock? ...
Material of foundation ... Thickness, top ... bottom ... cellar ...
Kind of roof ... Rise per foot ... Roof covering ...
No. of chimneys ... Material of chimneys ... of lining ... Kind of heat ... fuel ...
Framing Lumber-- Kind ... Dressed or full size? ... Corner posts ... Sills ...
Size Girder ... Columns under girders ... Size ... Max. on centers ...
Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.
Joists and rafters: 1st floor ... 2nd ... 3rd ... roof ...
On centers: 1st floor ... 2nd ... 3rd ... roof ...
Maximum span: 1st floor ... 2nd ... 3rd ... roof ...
If one story building with masonry walls, thickness of walls? ... height?

IF A GARAGE

No. cars now accommodated on same lot ... to be accommodated ... number commercial cars to be accommodated ...
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY: DATE

MISCELLANEOUS

BUILDING INSPECTION--PLAN EXAMINER ...
ZONING: ...
BUILDING CODE: ...
Fire Dept: ...
Health Dept: ...
Others: ...

Will work require disturbing of any tree on a public street? ...
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed?

Signature of Applicant ... Jeffrey S. Johnson ... Phone # ... same ...
Type Name of above ... Jeffrey Johnson ... 1 [] 2 [] 3 [] 4 []
Other ...
and Address

ELECTRICAL INSTALLATIONS —

Permit Number 24531

Location 58 Cedarhurst

Owner Jeffrey Johnson

Date of Permit 9/10/86

Final Inspection 10/21/86

By Inspector E. P. [Signature]

Permit Application Register Page No. 123

INSPECTIONS: Service _____ by _____

Service called in _____

Closing-in _____ by _____

PROGRESS INSPECTIONS: 9/10/86 | _____ | _____

10/21/86 | _____ | _____

_____ | _____ | _____

_____ | _____ | _____

_____ | _____ | _____

_____ | _____ | _____

DATE:	REMARKS:
9/10/86	I told Mr Johnson to consult with a Licensed Master Electrician D.R.
10/21/86	John Manning did punch work, ok for [Signature]

5/1/82 DK



APPLICATION FOR PERMIT
DEPARTMENT OF BUILDING INSPECTIONS SERVICES
ELECTRICAL INSTALLATIONS

Date Sept. 9, 19 86
 Receipt and Permit number D 24531

To the CHIEF ELECTRICAL INSPECTOR, Portland, Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the Portland Electrical Ordinance, the National Electrical Code and the following specifications:

LOCATION OF WORK: 58 Codman Street
 OWNER'S NAME: Jeffrey Johnson ADDRESS: lives there

OUTLETS:	FEE
Receptacles _____ Switches _____ Plugmold _____ ft. TOTAL <u>1-30</u>	<u>3.00</u>
FIXTURES: (number of)	
Incandescent _____ Fluorescent <u>x</u> (not strip) TOTAL <u>1-10</u>	<u>3.00</u>
Strip Fluorescent _____ ft.	
SERVICES:	
Overhead _____ Underground _____ Temporary _____ TOTAL amperes _____ ..	
METERS: (number of) _____	
MOTORS: (number of)	
Fractional _____	
1 HP or over _____	
RESIDENTIAL HEATING:	
Oil or Gas (number of units) _____	
Electric (number of rooms) _____	
COMMERCIAL OR INDUSTRIAL HEATING:	
Oil or Gas (by a main boiler) _____	
Oil or Gas (by separate units) _____	
Electric Under 20 kws _____ Over 20 kws _____	
APPLIANCES: (number of)	
Ranges _____ Water Heaters _____	
Cook Tops _____ Disposals _____	
Wall Ovens _____ Dishwashers _____	
Dryers _____ Compactors _____	
Fans _____ Others (denote) _____	
TOTAL _____	
MISCELLANEOUS: (number of)	
Branch Panels _____	
Transformers _____	
Air Conditioners Central Unit _____	
Separate Units (windows) _____	
Signs 20 sq. ft. and under _____	
Over 20 sq. ft. _____	
Swimming Pools Above Ground _____	
In Ground _____	
Fire/Burglar Alarms Residential _____	
Commercial _____	
Heavy Duty Outlets, 120 Volt (such as welders) 30 amps and under _____	
over 30 amps _____	
Circus, Fairs, etc. _____	
Alterations to wires _____	
Repairs after fire _____	
Emergency Lights, battery _____	
Emergency Generators _____	

FOR ADDITIONAL WORK NOT ON ORIGINAL PERMIT INSTALLATION FEE DUE:
 FOR REMOVAL OF A "STOP ORDER" (304-16.b) DOUBLE FEE DUE:
 TOTAL AMOUNT DUE: 6.00

INSPECTION:
 Will be ready on _____, 19__; or Will Call xxx
 CONTRACTOR'S NAME: Jeffrey Johnson
 ADDRESS: same
 TEL.: 773-1563
 MASTER LICENSE NO.: Home owner SIGNATURE OF CONTRACTOR:
 LIMITED LICENSE NO.: _____ *Jeffrey S. Johnson*

INSPECTOR'S COPY — WHITE
 OFFICE COPY — CANARY
 CONTRACTOR'S COPY — GREEN

PLUMBING APPLICATION

Department of Human Services
Division of Health Engineering
(207) 289-3828

PROPERTY ADDRESS

Town Or Plantation: _____
Street: _____
Subdivision Lot #: _____

PROPERTY OWNERS NAME

Last: _____ First: _____

Applicant Name: _____

Mailing Address of Owner/Applicant (if different): _____

PORTLAND PERMIT # 1,934 TOWN COPY

Date: 09/18/86

Local Plumbing Inspector Signature: _____

L.P.I. #: _____

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

Signature of Owner/Applicant: _____ Date: _____

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature: _____ Date Approved: OCT 20 1986

PERMIT INFORMATION

This Application is for:

1. NEW PLUMBING
2. RELOCATED PLUMBING
SEP 10 1986

Type Of Structure To Be Served:

1. SINGLE FAMILY DWELLING
2. MODULAR OR MOBILE HOME
3. MULTIPLE FAMILY DWELLING
4. OTHER - SPECIFY _____

Plumbing To Be Installed By:

1. MASTER PLUMBER OCT 20 1986
2. OIL BURNERMAN
3. MFG'D HOUSING DEALER/MECHANIC
4. PUBLIC UTILITY EMPLOYEE
5. PROPERTY OWNER
LICENSE # _____

Number	Hook-Ups And Piping Relocation	Number	Column 2 Type Of Fixture	Number	Column 1 Type Of Fixture
	HOOK-UP to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District		Hosebibb / Sillcock		Bathtub and Shower
			Floor Drain		Shower (Separate)
			Urinal		Sink
	HOOK-UP to an existing subsurface wastewater disposal system.		Drinking Fountain		Wash Basin
			Indirect Waste		Water Closet (Toilet)
			Water Treatment Softener, Filter, etc.		Clothes Washer
	PIPING RELOCATION of sanitary lines, drains and piping without new fixtures		Grease/Oil Separator		Dish Washer
			Dental Cuspidor		Garbage Disposal
			Bidet		Laundry Tub
	Hook-Ups (Subtotal)		Other: _____		Water Heater
\$	Hook-Up Fee		Fixtures (Subtotal) Column 2		Fixtures (Subtotal) Column 1
					Fixtures (Subtotal) Column 2
					Total Fixtures
				\$	Fixture Fee
				\$	Hook-Up Fee
				\$	Permit Fee (Total)

APPLICATION FOR PERMIT

PERMIT ISSUED

B.O.C.A. USE GROUP 01250

SEP 18 1986

B.O.C.A. TYPE OF CONSTRUCTION

ZONING LOCATION ... R-3 ... PORTLAND, MAINE Sept. 9, 1986

City of Portland

To the CHIEF OF BUILDING & INSPECTION SERVICES, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect, alter, repair, demolish, move or install the following building, structure, equipment or change use in accordance with the Laws of the State of Maine, the Portland B.O.C.A. Building Code and Zoning Ordinance of the City of Portland with plans and specifications, if any, submitted herewith and the following specifications:

LOCATION ... 58. Codman St. ... 04103 ... Fire District #1 , #2

1. Owner's name and address .. Jeffrey Johnson - lives there ... Telephone #773-1563.

2. Lessee's name and address ... Telephone # 797-1857

3. Contractor's name and address dwelling with home occupation ... Telephone

..... No. of sheets

Proposed use of building No. families

Last use No. families

Material No. stories Heat Style of roof Roofing

Other buildings on same lot

Estimated contractual cost \$ 1,000

FIELD INSPECTOR—Mr. Appeal Fees \$

@ 775-5451 Base Fee ... 25.00...

Late Fee ... 25.00...

TOTAL \$ 50.00...

Change of use from single family to single family with home occupation hair dressing alterations structural changes no

Stamp of Special Conditions

NOTE TO APPLICANT: Separate permits are required by the installers and subcontractors of heating, plumbing, electrical and mechanicals.

DETAILS OF NEW WORK

Is any plumbing involved in this work? ... YES ... Is any electrical work involved in this work? ... YES ...

Is connection to be made to public sewer? ... existing If not, what is proposed for sewage?

Has septic tank notice been sent? Form notice sent?

Height average grade to top of plate Height average grade to highest point of roof

Size, front depth No. stories solid or filled land? earth or rock?

Material of foundation Thickness, top bottom cellar

Kind of roof Rise per foot Roof covering

No. of chimneys Material of chimneys of lining Kind of heat fuel

Framing Lumber—Kind Dressed or full size? Corner posts Sills

Size Girder Columns under girders Size Max. on centers

Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet.

Joists and rafters: 1st floor 2nd 3rd roof

On centers. 1st floor 2nd 3rd roof

Maximum span: 1st floor 2nd 3rd roof

If one story building with masonry walls, thickness of walls? height?

IF A GARAGE

No. cars now accommodated on same lot to be accommodated number commercial cars to be accommodated

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building?

APPROVALS BY: BUILDING INSPECTION PLAN EXAMINER DATE MISCELLANEOUS

ZONING: O.K. (Sept. 9, 1986) Will work require disturbing of any tree on a public street?

BUILDING CODE: Will there be in charge of the above work a person competent

Fire Dept.: to see that the State and City requirements pertaining thereto

Health Dept.: are observed?

Other:

Signature of Applicant Jeffrey S. Johnson Phone # ... same

Type Name of above Jeffrey Johnson 1 2 3 4

Other and Address

NOTES

OK ON CHANGS OF USE *TL*

Permit No. *86/1350*

Location *51st Street*

Owner *J. J. Johnson*

Date of permit *9-9-86*

Approved *9-19-86*

Issuing *Change of use*



Garage

Alteration

~~Large section of lined notes, crossed out with a large diagonal line.~~


RECEIVED
SEP 6 1956

DEPT. OF BUILDING INSPECTIONS
CITY OF PORTLAND



PREPARED BY JEFF JOHNSON


This page is what
the rest of cellar looks like




BEAUTY SHOP ↑

FURNACE


CHIMNEY



RECEIVED
SEP 9 1986
DEPT. OF BUILDING INSPECTIONS
CITY OF PORTLAND



WINDOW
23'-0"



City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction 58 Codman St		Owner Sandy Johnson		Phone 773-1563		Permit No: 940816	
Owner Address SAA Portland, ME 04103		Leasee/Buyer's Name		Phone		Business Name	
Contractor Name Ledgevater Pools, Inc.		Address 223 Woodville Rd Falmouth, ME		Phone 04105 797-7752		Permit Issued: Mary Gresik	
Past Use 1-fam		Proposed Use 1-fam w/Iground Pool		COST OF WORK: \$ 8,500.		PERMIT FEE: \$ 65.00	
Proposed Project Description Install Inground Pool as per plans		FIRE DEPT <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group Type		Zone: CBL: 128-A-010	
		Signature		Signature		Zoning Approval: <i>[Signature]</i>	
		PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.)				Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <input type="checkbox"/> major <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
		Action Approved Approved with Conditions Denied		Signature		Date	

- This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules
- Building permits do not include plumbing, septic or electrical work
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: *8/5/94*

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.

PERMIT ISSUED WITH REQUIREMENTS

SIGNATURE OF APPLICANT: *Sandy Johnson* ADDRESS: *58 Codman St* DATE: 05 August 1994 PHONE: 773-1563

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: _____ PHONE: _____

White-Permit Desk Green-Assessor's Office-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT **6**
M.R. ROWE

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-0716

Location of Construction: 58 Codman St		Owner Sandy Johnson		Phone 773-1563		Permit No: 940816	
Owner Address: SAA Portland, ME 04103		Leasee/Buyer's Name:		Phone		Business Name: Mary Greath	
Contractor Name: Ladgewater Pools, Inc.		Address: 223 Woodville Rd Falmouth, ME		Phone: 04105 797-7752		Permit Issued: PERMIT ISSUED	
Past Use: 1-fam		Proposed Use: 1-fam w/Inground Pool		COST OF WORK: \$ 8,500.		PERMIT FEE: \$ 65.00	
				FIRE DEPT <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group Type:	
Proposed Project Description: ME Install Inground Pool as per plans				Signature:		Signature:	
				Signature		Date.	

Zone: CBL: 126-A-010

Zoning Approval:

Special Zone or Reviews:

Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan map minor ma.

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules
2. Building permits do not include plumbing, septic or electrical work
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

**PERMIT ISSUED
WITH REQUIREMENTS**

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

Action:

Approved
 Approved with Conditions
 Denied

Date: 7/8/94

SIGNATURE OF APPLICANT: Sandy Johnson ADDRESS: DATE: 05 August 1994 PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT 6


11/4 4000

COMMENTS

2/6/95
OK Done
Alouse

Type	Inspection Record	Date
Foundation:	_____	_____
Framing:	_____	_____
Plumbing:	_____	_____
Final:	_____	_____
Other:	_____	_____

45 CHENERY BACK YARD



PROPERTY LINE

PROPERTY LINE

54 CODMAN ST

31'

32'

16'

PROPOSED POOL

18'

PROPERTY LINE

60 CODMAN

58 CODMAN ST HOME

25'

TARRED DRIVEWAY

75'


8'

50'

CODMAN ST


In addition, a series of specialized supports significantly adds to the quality and strength of your pool. Deck braces help support the weight of the surrounding deck and prevent shifting under changing climatic conditions. Skimmers have their own special mounting bracket, and jigs both align and support the ladder and handrail for strength and safety.

All liners feature a handsome tile and print pattern and are constructed from premium grade 20 mil virgin vinyl. Filtration and circulation systems as well as aluminum coping are fabricated from a variety of high technology materials which are highly resistant to corrosion.



Construction technique depicted. Dimensions are suggested standards only. Soil bearing capacity may vary.

- | | | |
|---|-----------------------------|---------------------------|
| ① Galvanized Steel Wall Panels | ④ Concrete Bottom | ⑤ Coping with Tile Border |
| ② Adjustable Steel A frame with Optional Anchor Plate | ③ Aluminum Handrail Support | ⑥ Deck |
| ③ Automatic Skimmer | | |



hotel erected above the ground floor of a building where the ground floor is designed exclusively for business purposes
(Code 1968, § 602.19.J)

Sec. 14-432. Swimming pools.

Outdoor swimming pools accessory to dwellings, apartment houses, hotels or motels shall be permitted on lots, provided the following conditions are met.

(1) No swimming pool shall be sited in the front yard.

(2) No part of any swimming pool shall be located closer than ten (10) feet from the principal structure, nor closer than ten (10) feet from the side or rear lot lines.
(Code 1968, § 602.19.K; Ord. No. 271-77, 5-16-77, Ord. No. 90-88, 7-19-88)

Editor's note—Ord. No. 90-88, adopted July 19, 1988, amended § 14-432 to read as herein set out. See also the editor's note to Art. III of this chapter for additional provisions relative to Ord. No. 90-88.

Sec. 14-433. Lots of record and accessory structure setbacks for existing buildings.

Any lot of record as of June 5, 1957, and held under separate and distinct ownership from adjacent lots and having a street frontage of forty (40) feet, or to which a means of access has been previously approved by the city council as provided elsewhere in this article, may be considered a buildable lot in any residential zone except as provided below for island residential zones, with a minimum lot size of five thousand (5,000) square feet, except that a lot in the R-6 zone may have a minimum lot size of three thousand (3,000) square feet, provided that the applicable yard dimensions can be met.

A lot in the R-1, R-2, R-3, R-4, R-5, R-5A or R-6 zones that was described in a subdivision plat approved by the planning board after June 5, 1981, or a lot of record that conformed to the applicable lot size requirement, lot width and street frontage as of June 5, 1984, shall be considered a buildable lot, provided that the applicable yard dimensions can be met.

Where such a lot has a principal structure which existed as of July 19, 1988, an accessory structure or building addition may be located within the following side and rear yards, provided that the normal applicable yard requirements cannot be met.

a. *R-1, R-2:*

Rear yard: Ten (10) feet.

Side yard: Five (5) feet.

b. *R-3, R-4, R-5, R-5A, R-6:*

Rear yard: Five (5) feet.

Side yard: Five (5) feet.

Any lot of record as of July 15, 1965, and held under separate and distinct ownership from adjacent lots and meeting the applicable street frontage requirements of that time may be

signed and constructed to comply with all of the requirements of this code for on-site and prefabricated construction.

420.2 Construction: Residential mobile units shall be of an approved design and shall be constructed in accordance with the applicable ordinances and statutes. All other mobile units shall be designed and constructed in accordance with the requirements of this code. All mobile units on a permanent foundation shall be evaluated, inspected and labeled in plant in accordance with Section 1703.3.

420.3 Location: Mobile units shall be located in approved spaces. The provisions of this code shall not be construed to repeal, modify or constitute an alternative to any lawful zoning regulations. In case of conflict between this code and any other ordinance or statute, the most rigid requirements shall apply.

420.3.1 Anchorage and tie-down: Every parking space for mobile units shall be provided with devices for anchoring the unit to prevent overturning or uplift. The owner of the parking space shall anchor or cause to be anchored all mobile units located on the parking space. Where concrete platforms are provided for the parking of mobile units, anchorage shall be provided by eyelets embedded in the concrete with adequate anchor plates or hooks, or other suitable means. The anchorage shall be adequate to withstand wind forces and uplift as required in Chapter 16 for buildings and structures, based upon the size and weight of the units.

SECTION 421.0 SWIMMING POOLS

421.1 General: Swimming and bathing pools shall conform to the requirements of this section provided that these regulations shall not be applicable to any such pool less than 24 inches (610 mm) deep or having a surface area less than 250 square feet (23.25 m²), except where such pools are permanently equipped with a water-recirculating system or involve structural materials. For the purposes of this code, pools are classified as private swimming pools or public swimming pools, as defined in Section 421.2. Materials and constructions used in swimming pools shall comply with the applicable requirements of this code.

421.2 Definitions: The following words and terms shall, for the purposes of this section and as used elsewhere in this code, have the meanings shown herein.

Pools, swimming, hot tubs and spas

Above-ground/on-ground pool: See definition of private swimming pool.

Barrier: A fence, a wall, a building wall or a combination thereof which completely surrounds the swimming pool and obstructs access to the swimming pool.

Hot tub: See definition of private swimming pool.

In-ground pool: See definition of private swimming pool.

Private swimming pool: Any structure that contains water over 24 inches (610 mm) in depth and which is used, or intended to be used, for swimming or recreational bathing in connection with an occupancy in Use Group R-3 and which is available only to the family and guests of the householder. This includes in-ground, above-ground and on-ground swimming pools, hot tubs and spas.

Private swimming pool, indoor: Any private swimming pool that is totally contained within a private structure and surrounded on all four sides by walls of said structure.

Private swimming pool, outdoor: Any private swimming pool that is not an indoor pool.

Public swimming pool: Any swimming pool other than a private swimming pool.

Spa: See definition of private swimming pool.

421.3 Permits and construction documents: A swimming pool or appurtenances thereto shall not be constructed, installed, enlarged or altered until construction documents have been submitted and a permit has been obtained from the code official. The approval of all city, county and state authorities having jurisdiction over swimming pools shall be obtained before applying to the code official for a permit. Certified copies of these approvals shall be filed as part of the supporting data for the permit application.

421.3.1 Construction documents: Construction documents shall accurately show dimensions and construction of the pool and appurtenances and properly established distances to lot lines, buildings, walks and fences, as well as details of the water supply system, drainage and water disposal systems, and all appurtenances pertaining to the swimming pool. Detailed construction documents of structures, vertical elevations and sections through the pool showing depth shall be included.

421.4 Locations: Private swimming pools shall not encroach on any front or side yard required by this code or by the governing zoning law, unless in accordance with specific rules of the jurisdiction in which the pool is located. A wall of a swimming pool shall not be located less than 6 feet (1829 mm) from any rear or side property line or 10 feet (3049 mm) from any street property line, unless in accordance with specific rules of the jurisdiction in which the pool is located.

421.5 Structural design: The pool structure shall be engineered and designed to withstand the expected forces to which the pool will be subjected.

421.5.1 Wall slopes: To a depth up to 2 feet 9 inches (838 mm) from the top, the wall slope shall not be more than one unit horizontal in five units vertical (1:5).

421.5.2 Floor slopes: The slope of the floor on the shallow side of the transition point shall not exceed one unit vertical to seven units horizontal (1:7). For public pools greater than 1,200 square feet (111.6 m²), the slope of the floor on the shallow side of the transition point shall not exceed one unit vertical to ten units horizontal (1:10). The transition point between shallow and deep water shall not be more than 5 feet (1524 mm) deep.

421.5.3 Surface cleaning: All swimming pools shall be provided with a recirculating skimming device or overflow gutters to remove scum and foreign matter from the surface of the water. Where skimmers are used for private pools, there shall be at least one skimming device for each 1,000 square feet (93 m²) of surface area or fraction thereof. For public pools where water skimmers are used, there shall be at least one skimming device for each 600 square feet (55.8 m²) of

surface area or fraction thereof. Overflow gutters shall not be less than 3 inches (76 mm) deep and shall be pitched to a slope of one unit vertical to 48 units horizontal (1:48) toward drains, and constructed so that such gutters are safe, cleanable and that matter entering the gutters will not be washed out by a sudden surge of entering water.

421.5.4 Walkways: All public swimming pools shall have walkways not less than 4 feet (1219 mm) in width extending entirely around the pool. Curbs or sidewalks around any swimming pool shall have a slip-resistant surface for a width of not less than 1 foot (305 mm) at the edge of the pool, and shall be so arranged as to prevent return of surface water to the pool.

421.5.5 Steps and ladders: At least one means of egress shall be provided from private pools. Public pools shall provide ladders to other means of egress at both sides of the diving section and at least one means of egress at the shallow section; or at least one means of egress in the deep section and the shallow section if diving boards are not provided. Treads of steps and ladders shall have slip-resistant surfaces and handrails on both sides, except that handrails are not required where there are not more than four steps or where the steps extend the full width of the side or end of the pool.

421.6 Water supply: All swimming pools shall be provided with a potable water supply, free of cross connections with the pool or its equipment.

421.6.1 Water treatment: Public swimming pools shall be designed and installed so that there is a pool water turnover at least once every 8 hours. Filters shall not filter water at a rate in excess of 3 gallons per minute per square foot (0.0020 m³/s · m²) of surface area. The treatment system shall be designed and installed so that at all times when the pool is occupied, the water is provided with excess chlorine of not less than 0.4 parts per million (ppm) or more than 0.6 ppm, or excess chloramine between 0.7 and 1.0 ppm, or disinfection shall be provided by other approved means. Acidity/alkalinity of the pool water shall not be below 7.0 or more than 7.5. All recirculating systems shall be provided with an approved hair and lint strainer installed in the system ahead of the pump.

Private swimming pools shall be designed and installed so that there is a pool water turnover at least once every 18 hours. Filters shall not filter water at a rate in excess of 5 gallons per minute per square foot (0.0034 m³/s · m²) of surface area. The pool owner shall be instructed in the care and maintenance of the pool by the supplier or builder, including treatment with high-test calcium hypochlorite (dry chlorine), sodium hypochlorite (liquid chlorine) or equally effective germicide and algicide, and the importance of proper pH (alkalinity and acidity) control.

421.6.2 Drainage systems: The swimming pool and equipment shall be equipped to be emptied completely of water and the discharged water shall be disposed of in an approved manner that will not create a nuisance to adjoining property.

421.7 Appurtenant structures: All appurtenant structures, installations and equipment, such as showers, dressing rooms, equipment houses or other buildings and structures, including

plumbing, heating and air conditioning systems, shall comply with all applicable requirements of this code.

421.7.1 Accessories: All swimming pool accessories shall be designed, constructed and installed so as not to be a safety hazard. Installations or structures for diving purposes shall be properly anchored to insure stability.

421.8 Equipment installations: Pumps, filters and other mechanical and electrical equipment for public swimming pools shall be enclosed in such a manner as to provide access only to authorized persons and not to be a safety hazard. Construction and drainage shall be arranged to avoid the enclosure and accumulation of water in the vicinity of electrical equipment.

421.9 Enclosures for public swimming pools: Public swimming pools shall be provided with an enclosure surrounding the pool area. The enclosure shall meet the provisions of Sections 421.9.1 through 421.9.3.

421.9.1 Enclosure: The enclosure shall extend not less than 4 feet (1219 mm) above the ground. All gates shall be self-closing and self-latching with latches placed at least 4 feet (1219 mm) above the ground.

421.9.2 Construction: Enclosure fences shall be constructed so as to prohibit the passage of a sphere larger than 4 inches (102 mm) in diameter through any opening or under the fence. Fences shall be designed to withstand a horizontal concentrated load of 200 pounds (91 kg) applied on a 1-square-foot (0.093 m²) area at any point of the fence.

421.9.3 Alternative devices: A natural barrier, pool cover or other protective device approved by the governing body shall be an acceptable enclosure as long as the degree of protection afforded by the substituted device or structure is not less than the protection afforded by the enclosure, gate and latch described herein.

421.10 Enclosures for private swimming pools, spas and hot tubs: Private swimming pools, spas and hot tubs shall be enclosed in accordance with Sections 421.10.1 through 421.10.4 or by other approved barriers.

421.10.1 Outdoor private swimming pool: An outdoor private swimming pool, including an in-ground, above-ground or on-ground pool, hot tub or spa shall be provided with a barrier which shall comply with the following.

1. The top of the barrier shall be at least 48 inches (1219 mm) above finished ground level measured on the side of the barrier which faces away from the swimming pool. The maximum vertical clearance between finished ground level and the barrier shall be 2 inches (51 mm) measured on the side of the barrier which faces away from the swimming pool. Where the top of the pool structure is above finished ground level, such as an above-ground pool, the barrier shall be at finished ground level, such as the pool structure, or shall be mounted on top of the pool structure. Where the barrier is mounted on top of the pool structure, the maximum vertical clearance between the top of the pool structure and the bottom of the barrier shall be 4 inches (102 mm).

2. Openings in the barrier shall not allow passage of a 4-inch (102 mm) diameter sphere.
3. Solid barriers shall not contain indentations or protrusions except for normal construction tolerances and tooled masonry joints.
4. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is less than 45 inches (1143 mm), the horizontal members shall be located on the swimming pool side of the fence. Spacing between vertical members shall not exceed 1 3/4 inches (44 mm) in width. Decorative cutouts shall not exceed 1 3/4 inches (44 mm) in width.
5. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is 45 inches (1143 mm) or more, spacing between vertical members shall not exceed 4 inches (102 mm). Decorative cutouts shall not exceed 1 3/4 inches (44 mm) in width.
6. Maximum mesh size for chain link fences shall be a 1 1/4-inch (32 mm) square unless the fence is provided with slats fastened at the top or the bottom which reduce the openings to not more than 1 3/4 inches (44 mm).
7. Where the barrier is composed of diagonal members, such as a lattice fence, the maximum opening formed by the diagonal members shall be not more than 1 3/4 inches (44 mm).
8. Access gates shall comply with the requirements of items 1 through 7 of Section 421.10.1, and shall be equipped to accommodate a locking device. Pedestrian access gates shall open outwards away from the pool and shall be self-closing and have a self-latching device. Gates other than pedestrian access gates shall have a self-latching device. Where the release mechanism of the self-latching device is located less than 54 inches (1372 mm) from the bottom of the gate: (a) the release mechanism shall be located on the pool side of the gate at least 3 inches (76 mm) below the top of the gate; and (b) the gate and barrier shall not have an opening greater than 1/2 inch (13 mm) within 18 inches (457 mm) of the release mechanism.
9. Where a wall of a dwelling serves as part of the barrier, one of the following shall apply:
 - 9.1. All doors with direct access to the pool through that wall shall be equipped with an alarm which produces an audible warning when the door and its screen, if present, are opened. The alarm shall sound continuously for a minimum of 30 seconds immediately after the door is opened. The alarm shall have a minimum sound pressure rating of 85 dBA at 10 feet (3048 mm) and the sound of the alarm shall be distinctive from other household sounds such as smoke alarms, telephones and door bells. The alarm shall automatically reset under all conditions. The alarm shall be equipped with manual means, such as touchpads or switches, to deactivate temporarily the alarm for a single opening from either direc-

tion. Such deactivation shall last for not more than 15 seconds. The deactivation touchpads or switches shall be located at least 54 inches (1372 mm) above the threshold of the door.

9.2. The pool shall be equipped with an approved power safety cover.

10. Where an above-ground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a fixed or removable ladder or steps, the ladder or steps shall be surrounded by a barrier which meets the requirements of items 1 through 9 of Section 421.10.1. A removable ladder shall not constitute an acceptable alternative to enclosure requirements.

421.10.2 Indoor private swimming pool: All walls surrounding an indoor private swimming pool shall comply with Section 421.10.1, item 9.

421.10.3 Prohibited locations: Barriers shall be located so as to prohibit permanent structures, equipment or similar objects from being used to climb the barriers.

421.10.4 Exemption: The following shall be exempt from the provisions of this section.

1. A spa or hot tub with an approved safety cover.
2. Fixtures which are drained after each use.

421.11 Diving boards: Minimum water depths and distances for diving hoppers for pools, based on board height above water, shall comply with Table 421.11(1) for public pools and Table 421.11(2) for private pools.

The maximum slope permitted between point D₂ and the transition point shall not exceed one unit vertical to three units horizontal (1:3) in private and public pools. D₁ is the point directly under the end of the diving boards. D₂ is the point at which the floor begins to slope upwards to the transition point. See Figure 421.11.




Figure 421.11
MINIMUM WATER DEPTHS AND DISTANCES BASED ON BOARD HEIGHT FOR PUBLIC AND PRIVATE POOLS

Table 421.11(1)
MINIMUM WATER DEPTHS AND DISTANCES BASED ON BOARD
HEIGHT FOR PUBLIC POOLS

Board height	Minimum depth ^a at D ₁ directly under end of board	Distance ^a between D ₁ and D ₂	Minimum depth ^a at D ₂
2'2" (2/3 meter)	7'0"	8'0"	8'6"
2'6" (3/4 meter)	7'6"	9'0"	9'0"
1 meter	8'6"	10'0"	10'0"
3 meter	11'0"	10'0"	12'0"

Note a. 1 foot = 304.8 mm.

Table 421.11(2)
MINIMUM WATER DEPTHS AND DISTANCES BASED ON BOARD
HEIGHT FOR PRIVATE POOLS

Board height	Minimum depth ^a at D ₁ directly under end of board	Distance ^a between D ₁ and D ₂	Minimum depth ^a at D ₂
1'8" (1/2 meter)	6'0"	7'0"	7'6"
2'2" (2/3 meter)	6'10"	7'6"	8'0"
2'6" (3/4 meter)	7'5"	8'0"	8'0"
3'4" (1 meter)	8'6"	9'0"	9'0"

Note a. 1 foot = 304.8 mm