



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

•	OWER EQUIPMENT	CHERT COLUMN
To the INSPECTOR OF	Portland, Maine,Oct	DIA-0-
The undersioned	DUILDINGS, PORTLAND, ME	OCI ST 1822
once with the Laws of Maine	the Posts	CIPE OF MUSICAND
Location	Marris Oil Co., 202 Commercial St.	A TOTAL AND LAND
Name /3=75 Bayviey	S. Drive	ower equipment in accord-
Track and address of owner of	of application Use of Building 1-family due 12:	cations:
anstaller's name and address	Hannia C. Howard Whipped 86 Sans	s New Date
	Marita Oll Co., 202 Commercial St.	Existing "
To inset	M. Drive Use of Building 1-family dwe'ling No. Storic Harris Oil Co., 202 Commercial St. General Description of the following specific structure of the state of the following specific structure of the followin	L 2 500
circulating	of appliance Howard Whippat, 86 Spring St. Harris Oil Co., 202 Commercial St. General Description of Work Warm air heating system and oil burning equipment IF HEATER OR Description of Work	none<-8304
***************************************	man. neating system and oil hours	
	WARTH AIR Description of Work WARTH AIR LEASTING SYSTEM and oil burning equipment IF HEATER, OR POWER BOILER	
Location of appliance	IF HEATER, OR POWER BOILER Any burnable material in floor surface or beneath? Kind of fuel? OIL	***************************************
If so, how protest to	entAny large Mark BOILER	***********************************
Minimum dia	material in floor surface and	
From ton	aterial from Kind of C.	00
Size of smoke pipe	From plance or casing top as 4" from plantille	
If	Out Front of applianceover 11 -	nambereld
gas fired, how vented?	Any burnable material in floor surface or beneath? Kind of fuel? All from top of appliance or casing top of furnace with shi From front of appliance were 4! From sides or back of appliance to same flue	Diane Over 21
will sufficient fresh air be supplied	none	Avenue AASL 31
	the appliance to insure pear	***************************************
Name and 4	" unit combustion? " " "	***************************************
Will open I	JE OIL BURNER	4
Type of a lways in attendance	Yokan.	***********
Type of floor beneath burner	IF OIL BURNER Labelled by underwriters' laboraters or other size of vent pipe 11. Number and capacity of tanks 1-275 get 1. Number and capacity of tanks 1. Number and capacity of tanks 1-275 get 1. Number and capacity of tanks 1. Number and capacity o	loria. 3
Location of oil storage	erete Size of	ories? yes
40W 109fo	dinen i	· on DOETAM
Total capacity of any and it	Does oil supply line feed from top or bottom of tank Size of vent pipe 11.0 Number and capacity of tanks 1-275 gg om any flame? Yes How many tanks	II.
or any existing storage	Size of vent pipe 1½ Number and capacity of tanks 1-275 ge Make No Tanks for furnace burners	***************************************
Location a	The state of the s	***************************************
If so, how protest	IF COOKING APPLIANCE Any burnable material in floor surface or beneath? Height of Legs, if any Distance to combustible paterials	***************************************
so, now protected?	Any burnable many	······································
Skirting at bottom of appliance 3	material in floor surface or housest	
From front of appliance	Distance to combined the	*************************
DIZE Of Chima a	Prom -! 1	Marian.
If gas fired hem	If so to	***************************************
***************************************	The state of the s	Personal Control of the Control of t
MISCEL	Rated manifest Proceed or gravity?	***************************************
ZSCELLANE(OUS EQUIDMENT	***************************************

4619-11-11		***************************************

	The second secon	***************************************

there.		
Amount of fee enclosed?	The second secon	an manne
sunding at same time.) \$2.00 (\$2.00	for one heater, etc., 50 cents additional for each additional heater, etc.	110000000000000000000000000000000000000
ROVED:	cic., 50 cents additional for each and	uning series in
	each additional heater, etc	e in same
15-10/21/55- allan		saine
allhan	Win 4.	
decrees the contract of the co	will there be in charge of the above	,
- Colorbian	Will there be in charge of the above work a person comsee that the State and City requirements pertaining the	Deteny **
The state of the s	observed?yes	Later 10
The state of the s	Harris on a	acto are
	Harris Oil Co.	ť
NSPECTION COPY Signature of	Install .	
- www.		
	CIT-254-1M-MARKS	

APPLICATION FOR PERMIT

PERMIT ISSUL

SEP 22 1981

ZONING LOCATION 13 PORTLA	ND, MAINE, Sept. 21, XXXX. CITY OF PORTLAND.
To the DIRECTOR OF BUILDING & INSPECT!ON SERVIO	repair, demolish, move or install the following building, struc-
ture, equipment or change use in accordance with the Laws of Zoning Ordinance of the City of Portland with plans and speci	the State of Maine, the Portland B.O.C.A. Building Code and
. O and oldress WWWYWXXX Janice E. Us	Fire District #1 _, #2 _ urter - 22002 78 Bayyiew Dr. Tolephone 772-8621
m v	Telephone
3. Contractor's name and address . Ken .LowerySo	ifications Plans No. of sheets
manual and of building Committee Committee	No. tarintes
Last use same	Style of roof
Other buildings on same lot	Fee \$. 15.00
FIELD INSPECTOR—Mr. Adams.	
Dwelling Ext. 234 To c	onstruct a 6' x 12' tool shed.
	d purchased from "Family Patch")
Masonry Bldg	Stamp of Special Conditions
Alterations	
Demolitions	
Chileren.	the intellege and subcontractors of heating plumbing, electri-
NOTE TO APPLICANT: Separate permits are required by call and mechanicals.	the installers and subcontractors of heating, plumbing, electri-
PERMIT IS TO BE ISSUED	TO 1 □ 2 □ 3 □ 4 □
	Other:
DETAILS O	F NEW WORK
2	Is any electrical work involved in this work? .no If not, what is proposed for sewage?
TV	Form notice sent?
at come 101 doubt 6! No stories	solid of filled lands, social and carried focks and the
Thickness	ton 8" pollom culai
reint as most pitch Discover toot 0"/16	Roof covering asphalt shingles full of lining full shingles.
Framing Lumber-Kind graves Dress of full Size?	.dressed Comer posts
Size Girder Columns under gitders	Size Wax. on centers
Studs (outside walls and carrying partitions) 2x4-16" O. Joists and rafters: 1st floor 2x4	and 1001 .zx3
On centers: 1st floor 16"	2nd, 3rd, roof .16
Maximum span: 1st floor	2nd, 3rd, roof?
IF A	GARAGE
No new accommodated on same lot to be accommodated	mmodated number commercial cars to be accommodated
Will automobile repairing be done other than minor repair	rs to cars habitually stored in the proposed building.
APPROVALS BY: DATE	MISCELLANEOUS Will work require disturbing of any tree on a public atreet? no
BUILDING INSPECTION—PLAN EXAMINER	
BUILDING CODE: 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto
Fire Dept.:	are observed? yes
Health Dept.: Others:	
Signature of Applicant	enier E. Cartei Phone # 772-8621
Type Name of above	se. E., Carter 1 🖸 2 🖂 3 🖂 4 🗒
FIELD INSPECTOR'S COPY	Other
THE HOLESTON OF THE	/

APPLICATION FOR AMENDMENT TO PERMIT Amendment No.... Portland, Maine, Oct. 186

PERMIT ISSUED

OCT 19 1955

CITY of PORTLAND

37 64/51	- - ·	
	DIALCS PORTLAND, MAINE	
(VITATIO	TATCC BARTLAND, MINING	

The undersigned hereby applies for amendment to Permit No.55/11/2 pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the original application in accordance with the Laws of the State of Moine, the following specifications:

The undersigned in accordance	if any submitted hereton,	Timits? DISL TVO.
in the original approach blans and specifical	Within Fire	Telephone
the City of Portions, 73-75. Bayview	ions, if any, submitted hereton, within Fire prive ipple, 86 Sming St. have adden, 119 Brentwood t.	Telephone
Locationdadress .Howard .Wh	dayden, 119 Brentwood t.	Telephone 2-7826
Owner's name and address	trood t	was No of sheets
Lessee's name and address Carl	dayden, 119 Brenove	Plans filedyes No.
Contractor's name and a dress Master	dayden, 119 Brentwood t.	No. taranes
Architect	lwelling house and garage	No. families
Proposed use of building	IWD DATE.	Additional fee
Proposed as-		_
Last use 500.	Proposed Wor	k
Last use	Description of Proposed Wor	

Description of Proposed Work

To partition off two rooms in lower level as per plan.

	to be issued to Carl Hayde	r
	agued to var	
	to be leaded	
Amendment	Wew WOLK	

any plumbing involved in thi	Amendment to be	tails of New Wor	k	in this work?	***************************************
	ре	Is any electri	ical work involved	oint of roof	
hing involved in this	s work?	Height average g	rade to highest po	earth or roo	k?
any plumbing involved in this eight average grade to top of ize, front	plate	solid or fille	d land?	cellar	***************************************
eight average s depth .	No. stories	hickness, top	bottom	Thickness	********************
ize, frontdation	,	Height	***************************************		***********************
Laterial of underphining	Rise per foot			"" Of HITTIP	
Kind of root	Material of chimney	'S 2	full size?		***************************************
No. of chimneys		board?	***************************************	Max. 011	centers
Framing lumber—Kind	Citte Girt	f or leaker non	Size		Q feet.
No. of chimneys	Columns u	nder gracio	in every floor and	I flat toor span-	***************************************
Girders	arrying partitions) 2x	4-16" O. C. Dillo	3rd	roof	*************
Studa (outside Walls					
Joists and latters	1st floor	9nd	, 3rd	lowal	ed Murbbrb
On centers:	1st floor	, 2nd		7-1. He	messy
Maximum span:	000	Sig	nature of Owner	ьу	
Maximum span: Approved: N-10 19	155-afri	Ар	proved:	ST. LU	Inspector of Buildings
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	C-10-154-5C-Marks			



APPLICATION FOR PERMIT

Class of Building or Type of Structure ... Third Glass

Portland, Maine, Aug. 23, 1955 To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to erect absorbed involved in the following building successes endonmentin accordance with the Laws of tie State of Maine, the Building Code and Zoning Ordinance of the City of Port-

land, plans and specifications, if any, submitted herewith and the following specifications: Contractor's name and address Carl Hayden, 119 Brentwood St. Telephone 2-7826 Other building on same lot Estimated cost \$.12,000 Fee \$ 12.00

General Description of New Work

To construct lastory frame dwelling house 35 x 366 with basement garage

The inside of the garage will be covered, where required by law, with perforated gypsum lath covered with one-half inch trickness gypsum plaster. A solid wood core door 1 3/4" thick will be provided between garage and the rest of building.

Comit Issued with Lette

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in

Details of New Work

Is any plumbing involved in this work? Is any electrical work involved in this work? Height average grade to top of plate ... 9! Height average grade to highest point of roof ... 16! Size, front depth to No. stories 12 solid or filled land? solid earth or rock? earth Material of foundation concrete to least 4' below grade 12" bottom 12" cellar yes Kind of roof ...pitch-gable Rise per fcot Roof covering Asphalt Class C Und Lab.... Framing lumber—Kind hemlock Dressed or full size? dressed

Corner posts 4x6. Sills box 4x6. Girt or ledger board? Size Girders ... yes...... Size ..6x10.... ... Columns under girders .. Lally ... Size $3\frac{1}{2}$ Max. on centers 7! 8" Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. 1st fluor. 2x8conc ., 2nd , 3rd. , roof ...2x6........ 1st floor 16" , 2nd , 3rd , roof 16" Maximum span: 1st floor_13!, 2nd, 3rd....., roof, roof If one story building with masonry walls, thickness of walls? height?

No. cars now accommodated on same tot. .. Q, to be accommodated . I number commercial cars to be accommodated . O Will automobile repairing be done other than minor repairs to ears habitually stored in the proposed building? APPROVED:

O. Kurth Celler By ags

Miscellaneous

Will work require disturbing of any tree on a public street? .no...... Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are

INSPECTION COPY Signature of owner by: Call W Haydey

COPY)

OF PORTLAND, MANNE

CITY OF PORTLAND, MANNE

Department of Building

FORTLAND, MANNE

LOCATION 73-75 Bayviow Drive

LOCATION 73-75 Bayviow Drive

LOCATION 73-75 Bayviow Jon., in 1956

LOCATION 73-75 Bayviow Jon., in

August 25, 1955

AP--73-75 Bey View Drive

Contractor-Mr. Carl Hayden
119 Brentwood St.

Owner-Mr. Howard Whipple 86 Spring St.

Architect-Mr.TJ. Hennessy 39 Balfield St.

building permit for construction of a single family dwelling approximately 26 feet by 42 feet with barage in basement is issued herewith based on plans filed with application for permit, but subject to the following conditions:

- 1. Corner posts in the migher section of the building are required to extend in one length from the /x6 sills to the double 2x/4
- 2. Stude above first floor in wall. this section are required to extern down to the double 2x4 girts supporting floor time-
- 3. If plastered ceilings are to be provided, the Zm timbers over living room on a span of about 14 feet will need to be of Douglas fir lumber if the 16 inch spacing is followed or to be spaced no more than 12 inches on centers if hemlock or spruce lumber is used in order to prevent excessive deflection and possible cracking of ceiling.

AJS/B

Warren ...Clonald Inspector of Eulldings

Check List for Staking Out	
Check set back of building on adjoint la Co.	Dot -
lots, if any.	Pin-Check List
This Corner on -1.	
1B. Check shape of lot.	shown on location plan Re-check / Continue plan
Front Yard Side Yards	Re-check/location plan Check form thickness and depth
TRACH V- 1	Check form thickness and depth
Lay and character of lay of land	Bearing soil conditions
and character of lay of land	
Closing in all	
Closing-in Check List (dwg.&Alts) Check all plumbing	
Check all plumbing and electrical to	Final Inspection Check, List
Cellar:	platfoils and staps
001	n'atra
Bearing of and	Height of chimney above roof
Bearing of sill on underpinning Soundness of foundation	Fill and vent pipes
Soundness of foundation walls Chimney in cellar:	
Firestops	Fastening of Lally columns
Flue lining	Nailing of bridging
Fireplace hearts	Look over conduction of foundation
TAG ODAnin-	walls condition of foundation Check any conditions noted on closing. Pick up gas rag, 15 ope 45
165 floor from 1	in the conditions noted on class
supports and bridging Firestopping out	Pick up gas rag, if one is needed Closnout door and whether chim
	Cloanout door and is needed
	Cloanout door and whether chimney
1st Ficor:	
Fireston have	flue is clear Grade level inside foundation walls of buildings without cellar Heating and oil burning
between strapping of non-bearing partitions	Heating and oil burning equipment
Dartition - Ton beauty	Safety oflier for smokepipe opening
	Depth of fireplace hearth
stops around firedace and fire- Fireplace hearth and reveal	Firestopping in attic
	Attached games attic
Trestone	protection
Firestops around pipes	Check List for Ou
Watt and Board	Check List for Other Than Dwellings True to class of construction Construction of any angle of the construction of the const
2nd floor framing	T- CONSTRUCT - THE CENTER OF THE CONSTRUCTION
2nd floor framing, bridging and bearing partitions	Fine and Cally Time com-
Above 1st floor	
	c. Threshold
Miso:	- Any fire windows - Fireproof steel
A Check warm octails	
Outside.	Bonding of masonny
Height charles	-Bonding of masorry walls or vencer -Thickness of masorry wells -Placement of masorry wells
Porchas and above roof	-Placement of reinforcement
911608	Placement of reinforcement of concrete
Fire renight	a. For steel b. For wood
1 - Cool 1914	"RUOT" COVERA
maised threshold	Cercified wolls
	Jook Ing Adulance
	W. HODO And
<i>j</i>	b. Mechanical refrigeration c. Mechanical vertile
	c. Mechanical refrigeration Enclosure of sheet wentilation
Special re-	Enclosure of shaftway
Memo or Tott	- oquipment
Sp	ecial Details by
Control of the same of the sam	ecial Details by Memo or Lutter
the state of the s	
These species of the state of t	and the state of t
	Andrew and the same of the sam
and a standard drop and a standard design and the standard and a s	and the same of th
- many	A S construint, and a despitation of soft . The Laboratory
the state of the s	The state of the s
Special Control of the Control of th	Annual Control of the
	The second secon
The same and the s	
	- A prompted at the prompted a
The said on the same of the said of the sa	the state of the s
	Statement of the statem
and the same of th	Andrew Control of Cont
	Agent aggress company of a company of agent confidence of a company of the compan
	The state of the s


•

/

(RAA) and the

APPLICATION FOR PERMIT

PERMIT ISSUED UL 27 1955



CITY of PORTLAND

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE	i Iilding eleneluse
The undersigned hereby applies for a permit to erect alter repair aemoitsh instalt ite John equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordina that the following stycifications:	
	. Dist. 200
Towns With the CO DP4485	
4 11	Telephone 2-7820
and address Carl Hayden, 119 Brentwood Dt.	Letephane
Specifications	
duelling house	110. 14
	No. families
TT4 Style Of TOOL	220 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Material	Fee \$ 1.00
	F60 \$ 1400
General Description of New Work	on with
To excavate only for proposed 1-story frame dwelling house 39' 5" x 36' attached garage 12' x 22' 8". Contractor tents to determine of ledge.	location
Permit Issued wit	h Messo
It is understood that this permit does not include installation of heating apparatus which is to be take the name of the heating contractor. PERMIT TO BE ISSUED TO Car'l Hayden	en out separately by and in
the name of the heating contractor. PERMIT TO Detells of New Work	
Dotalis of New Work involved in the	nis work?
Is any plumbing involved in this work?	
Is any plumbing involved in this work?	
Height	THE COD I IN THE
Material of underpinning	fuel
ng the filling of the state of	
Tind	in
Corner posts Sills Girt or ledger hoard? Size	Max on centers
	of span over 8 feet.
Girders Size Columns under greets Street (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat root for the following floor and rafters: 1st floor, 2nd	
Joists and rafters: 1st floor, 2nd, 2nd, 3rd, 3rd.	, roof
On centers: 1st floor, 2nd, 3rd, 3rd, 3rd	roof
Maximum spar: 1st floor, 2nd, 2nd	. (leight?
If one story building with masonry walls, thickness of walls?	•
If a Garage	
No. cars now accommodated on same lot, to be accommodated number commercial co	ars to be accommodated
No. cars now accommodated on same for, to be accommodated. Will automobile repairing be done other than minor repairs to cars habitually stored in the pro-	oposed building?
Will automobile repairing be delice that Miscellane	ous
APPROVED: Will work require disturbing of any tre	
Will work require disturbing of any ite	work a person competent (9)
Will there be in charge of the above	monts pertaining thereto are
See that the Da	ments pertaining mereto are
observed? .y.e	
Howard Whipple	1
Call W Hast d	EM
Signature of owner by: CON COPY C16-234-IM-Marks	dere bereitrefentungsbeitr eitgeeftenber eine beitre besteht
INSPECTION COPY C16-234-1M-Marks	

Memorandum from Department of Building Inspection, Portland, Maine

Advance parent for excavation call for foundation of proposed dwelling and garage at the above location is issued herealth on the understanding that a new location plan with all required statements and information thereon is to be filed with application for general construction permit.

AJS/D

Copy to: Mr. howard Whipple 86 Spring St.

68-27

(Signed) Warren McDonald Inspector of Buildings