19-21 AMHERST STREET

SHAWWALKER

Full out #920R . Hart out #9202R - Third out #9203R - Fifth out #9205R)



APPLICATION FOR PERMIT

DEPARTMENT OF BUILDING INSPECTIONS SERVICES

ELECTRICAL INSTALLATIONS

	Receipt and Fermit number _A=00068
	Receipt and Lemma names.
Doesland Flectrical Oralisance, the Huttonia Literature	taine: e electrical installations in accordance with the laws of Maine, Code and the following specifications:
OCATION OF WORK: 19 Amherst St	ADDRESS:same
OWNER'S NAME: Robt, F. Michaud	ADDRESS.
OUTLETS: (number of)	TEES
Lights ———	FEES
Receptacles ————————————————————————————————————	
Plugmold (number of feet)	
FIXTURES: (number of)	
Incandescent (Do not include strip	fluorescent)
TOTAL	fluorescent)
Strip Fluorescent, in feet	
SERVICES:	
Permanent, total amperes	
remporary	•••••
METERS: (number of)	
MOTORS: (number of) Fractional	
1 HP or over	
RESIDENTIAL HEATING: Oil or Gas (number of units)	(replacement)3.00
Electric (number of rooms) ——— · · · ·	•••
COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler)	·····
APPLIANCES: (number of)	
Ranges	Water Heaters Disposals
Cook Tops	Dishwashers ———
Wall Ovens	Compactors
Dryers Faus	Others (denote)
· · · · · · · · · · · · · · · · ·	Officis (denote)
MISCELLANEOUS: (number of)	
A :- Conditioners	
M1 4.111	*****
Fire/Burglar Alarms	***************************************
Circus, Fairs, etc.	
Panaire after fire	
Heavy Cart. 220y outlets	
Emergency Lights, battery	
211.0.5	INSTABLITATION AND A DO
FOR ADDITIONAL WORK NOT ON ORIGINAL	
FOR ADDITIONAL WISTOP ORDER" (304-16 FOR PERFORMING WORK WITHOUT A PERI	L PERMIT
INSPECTION: Will be ready on, 19	or Will Call _K
CONTRACTOR'S NAME: _ Eastern_Oil_	Corp.
ADDRESS:	
TEL: — 772-8337 —	
MASTER LICENSE NO.:	Casteman Work 17 7 min
THUTED LICENSE NO.:	- <i>y</i>

INSPECTOR'S COPY

MASTER LICENSE NO.: ---LIMITED LICENSE NO.: .__

INSPECTIONS: PROGRESS INS	Serviceby
CODE COMPLIANO COMPLETE DATE3-22	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
DATE:	REMARKS:
3.10.77	NO ONE HOME

FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING. COOKING OR POWER EQUIPMENT

Portland, Maine, 3-7-77

MAR 7 1911 OLOS CITY of PURITAND

PERMIT ISSUED

o the INSPECTOR OF BUILDINGS, FORTLAND, ME.
The undersigned hereby applies for a permit to install the following specifications:
nce with the Laws of Maine, the Building
nce with the Laws of Maine, the Building Dwelling No. Stories 2 New Building Existing " Ocation 19 Amherst St. Use of Building Dwelling No. Stories 2 Existing "
to disconst supper of appliance RODL, F. P. F. P. F. C. T. C.
ocation 19 Amherst St. Use of Building Action 19 Amherst St. Use of Bu
forced warm air heating unit - Replacement
Co instr.ll
IF HEATER, OR POWER BOILER
Location of appliance basement Any burnable material in floor surface or beneath? No
Minimum distance to burnable material, from top of appliance or casing top of furnace ### Link of tach. ### Etc. ### To back of appliance ### To back of appliance ### To back of appliance ### Link of appliance ### Link of appliance ### Link of appliance #### Link of appliance #### Link of appliance ### Link of appliance #### Link of appliance ##### Link of appliance ##### Link of appliance ##### Link of appliance ####################################
Minimum distance to burnable material, from top of appliance or casing top of infrace. So the From side of appliance or back or back of appliance or back o
From top of smoke pipe 312ft. From front of appliance Yes Size of chimney flue 8"x10" Other connections to same flue Yes Rated maximum demand per hour
Size of chimney flue 8"x10" Other connections to same flue 2.5. Rated maximum demand per hour
If gas fired, how vented?
Tabelled by underwriters' laboratories'. Yes.
Name and type of burner Mobil
Will operator be always in attendance? Bots of apply the strains //Tc// 1_3"
Type of floor beneath burner Concrete the type of floor beneath burner two ea 275
Location of oil storage Dasement
Low water shut off
Will all tanks be more than five feet from any flame? Yes. How many ta his cheeper and the standard of any existing storage tanks for furnace burners 500gal.
Total capacity of any existing storage tanks for furnace management of the capacity of any existing storage tanks for furnace management of the capacity of any existing storage tanks for furnace management of the capacity
IF COOKING APPLIANCE
Location of appliance Height of Legs, if any
If so, how protected?
Skirting at bottom of appliance?
From front of applian a From sides and both
Size of chimney flue
Size of chimney flue
C. A. Lane mosted?
MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION
the state of the s
Amount of fee enclosed? 5.00
Will there be in charge of the above work a person competent to
see that the State and City requirements pertaining thereto are
observed?
A STATE OF THE STA
8-1 10 1, 0 I Filis
cs 300 Signature of Installer Castlynul Coop B.F. Filies
Signature of Annual

INSPECTION COPY

		·/1	Lourn & Oruhay	
	Address	O INSTALL PLUMBING 1 Amherst Street 1 For: Dealling	PERMIT NUMBER	18321
Date Issued 5/11/68 Portland Plumbing Inspector	Owner of	Bldg.: Wr. Robert Kicks ddress: 19 Amburat Stre	Dote: . s // L	/69
By ERNOLD R. GOODWIN	NEW REF		NO. 🚱 😲	2.00
Date SANOLD A GOULWIN By SANOLD A GOULWIN BUT THE BOOK TO THE BOOK		LAVATORIES TOILETS BATH TÜBS SHOWERS DRAIMS FLOOR HOT WATER TANKS TANKLESS WATER H	SURFACE EATERS	
By	1	GARBAGE DISPOSAI SEPTIC TANKS HOUSE SEWERS ROOF LEADERS AUTOMATIC WASHI DISHWASHERS OTHER		2.00

Building and Inspection Services Dept.; Plumbing Inspection

FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

PERMIT ISSUED

CITY of PORTLANI

Portland, Maine, June 29, 1954

1 1	••
To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE	Il the following heating, cooking or power equipment in accord- of Portland, and the following specifications:
The undersigned hereby applies for a permit to instance.	f Portland, and the following specifications:
ince with the Laws of Maine, the Buttaing occur	New Building No. Stories "Fristing "
Location	E. Fuller, 19 Amherst St. Main St. Westbrook Telephone 492
Name and address of owner of appliance Mrs. Myrute.	Main St. Westbrook Telephone 492
Installer's name and address Hugnes OII	A Control of the Cont
Count Dage	rintion of Work
Tourstall oil burning equipment in connection	n with existing warm air heating system
(conversion)	
Location of appliance	material in floor surface of Bencath
If so, how protected aterial, from top of app	pliance or casing top of furnace From sides or back of appliance
Minimum distance to burnable distance from front of applian	rece From sides or back of appliance
From top of smoke pipe Profit from top of smoke pipe Other connections to	o same flue
Size of ch. ney flue	o same flue Rated maximum demand per hour
If gas fired, how vented?	insure proper and safe combustion?
	y to the discondensariter's laboratories
Name and type of burner Quiet. Heat	oil supply line feed from top or ottom of tank? bottom Size of vent pipe 11.
Will operator be always in attendancer	711
Torne of floor beneath burner CONCLEDE	1 - 475 gal
Location of oil storage basement	No
Low water shut off	toute enclosed?
Will all tanks be more than five feet from any flame?	the burners
Total capacity of any existing storage tanks for furnice	,
IF COOK	KING APPLIANCE
	decreurface or beneath!
Location of appliance	ry burnable material in noor surface of combustible material from top of appliance?
If so, how protected? Distan	ce to combustible material from top of appliance?
Skirting at bottom of appliancer	to same flue
From front of appliance	s to same flue
Size of chimney flue	s to same flue
Is hood to be provided?	Rated maximum demand per hour
If gas fired, how vented?	OR SPECIAL INFORMATION
MISCELLANEOUS EQUIP	MENT OR SPECIAL INFORMATION
and the second s	a communication of the second
production of the second secon	
and the second s	
and the state of t	and the second control of the second control
w the manner was	a cram to the man and a support the support to the
manuscript of the second of th	and the state of the same
Amount of fee enclosed?2_00(\$2.00 for one he building at same time.)	eater, etc., 50 cents additional for each additional heater, etc., in same
APPROVED: 1 COLVER TO !	Will there be in charge of the above work a person competent of
Vr.6.27.1 . 41111	see that the State and City requirements pertaining thereto a
William Time 2 Ty artis	
port a summa manus mas a summa	observed? JAS
	Hughes Oil Co.
	L. C. Strank
	L / Chi m V

Signature of Installer by 1 6 h Hughes



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

•			
7	Ç	COPTI	ANI

	Portland Maine August 17. 19	950
	Portland, Maine, August 17, 19	
o the INSPECTOR OF BUILDI		
nce with the Laws of Maine, the Br	ies for a permit to install the following heating, ce kilding Code of the City of Portland, and the followi	ng specifications:
ocation 19 Amherst	Use of Building dwelling	No. Stories 2 New Building Existing "
lame and address of owner of appl	iance Percy Farr, 19 Amheret	
nstaller's name and addressHug	hes Oil Co. 747 Main St. Westhrack	Telephone492
1/2	General Description of Work	v
		erite warm afr
	pment in connection with existing gr	
	IF HEATER, OR POWER BOILER	n international control contro
ocation of appliance		beneath?
6 so how projected?	Kind of fue	17
i so, now protected	terial, from top of appliance or casing top of fur	rnace:
Tininum distance to barnable ma	From front of appliance From sides	c. back of appliance
rom top of smc' 'De	Other connections to same flue	or back of apphance
ize of chimney flue	Other connections to same rice	a demand nor house
f gas fired, how vented?	I to the appliance to insure proper and safe com	bustion?
vill sufficient fresh air be supplied	*	
	IF OIL BURNER	
Name and type of burner Qui	et Heat Labelied by unc	lerwriter's laboratories?
Will operator be always in attende	unce? Does oil supply line feed from to	p or bottom of tank? DOTTUM
Type of floor beneath burner	ement	
ocation of oil storage basen	ent Number and capacity	of tanks 1-275 Gal.
f two 275-gallon tanks, will three	way valve be provided?	
Vill all tanks be more than five f	eet from any flame?Yes How many tanks	fire proofed?
Total capacity of any existing sto	rage tanks for furnace burners non	0
	IF COOKING APPLIANCE	
	Any burnable material in floor	surface or beneath?
Location of appliance	Kind of fue	13
Minimum distance to wood or con	bustible material from top of appliance	om top of employing
From front of appliance	From sides and backFrom	our top or smokepipe
Size of chimney flue	Other connections to same flue	Forced or gravity?
s hood to be provided?	If so, how vented? Rated maximum	m demand per hour
MISCELLA	NEOUS EQUIPMENT OR SPECIAL IN	FORMATION
ali profinimisto) - randinimistana antistana a marang		ono naman chamminananananananananananananananananana
. 14" went nine		
***************************************	manufacture of the second seco	
	manufacture of the transfer of	···· ··· ··· · · · · · · · · · · · · ·
Approximate construction of account of their the account of their sections.		ne a magas continuona to mana e de annocambe e ne mora continuo mun
Amount of fee enclosed? 2,00 building at same time.)	(\$2.00 for one	or each additional heater, etc , in same
ROYED:	Will there be in charge of	the above work a person competent to
98.8.17v3.0	see that the State and Cit	ty requirements perfaining thereto are
95.8.17.03.0		ty requirements pertaining thereto are



APPLICATION FOR PERMIT



Class of Building or Type of Structure 278 Peo. 36 1929

To the INSPECTOR OF E	RIIII DINGS nourras		tiand, Aame,	
			Bill the tollowing build	ling of A. W. 1991 Edithment in
accordance with the Laws of any, submitted herewith an	of the State of Maine and the following speci	the Builling Code fications:	of the city of Portland	ling #A. 446 Spinpmen: in , plans and specifications, ij
Location 17-18 Ambore	t St.	Wari 8	_Wi lon Fire L mits	no Dist. No.
Owner's or the se's name	and addres: Myrt	6 B. Miler	1.7 Arbinist 54.	l'elephone
Contractor's name and add	ress_ J. B. Eaton	17 aheast	<u> 9t. </u>	Telephone F 5306%
• •				
				No families
Other buildings on same lo	t			
	Description of	Present Buildi	g to be Altered	
Material wood No.	storiesHeat	Style o	of roof	_Roofing
Last use Dwelling Lor	16 0			N farnilles
		Description of N		
To fluid o	er are very fir a			
				«ابدا _{» ،}
			St. Art. Co.	,
•			1	مر ا
				· .P
		Details of New W		
	-			est point of soof
				and the state of t
				ttom
				ickness
No. of chimneys	Material of chimn	eys	of	living
				r to chimney
				an physical communication and the second code
				and province on the production of the second
				the special control of
				20
Material columns under g	iraers	Size	Max.	on centers
Studs (outside walls and o span over 8 feet. Sills and				ng in every floor and flat roof
Joists and rafters:				
On centers:				
Maximum span:				
If one story building with	masonry walls, thickr			Land height?
		If a Garage		
Vo. cars now recommo	red on same lot		to be accommodate	ه د موهمین شانسهاستان . سام بیانید باید د آن
				فاحدث فرديد والمستهدمة مقاسية والمستوانية والمستوانية والمستوانية والمستوانية والمستوانية والمستوانية والمستوانية
Will automobile repairing	be done other than m			proposed building?
		Miscellaneou		
Will above work require r	emoval or disturbing	of any shade tree on	a public street?	110
rlans filed as part of this	application?	<u> </u>	No. sheets	age or age or age or a special party of the second of the special or an age of the special or age of the speci
Lstimateu cost \$ 75.89				ifee (1 - 280
Will there he in charge of	the above work a per	rson competent to see	that the State and City	requirements pertaining thermo
are observed? yes				
	Signature of	owner Mys	Le S	72421 15Kmmm
inspection copy		م پسائ	· Ked of	err ul