

FILL IN COMPLETELY AND SIGN WITH INK

PERMIT ISSUE

Permit No. 7 26 1941

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT Portland, Maine, May 25, 1941

Portland, Maine, May 25, 1941

Portland, Maine, May 25, 1941

To the INSPECTOR OF BUILDINGS, PORKLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in cooking or power equipment in the Inspector of Portland, and the following specifications:

New Building Code of the City of Portland, and the following specifications:

Accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: he Building Code of the City of Portland, and the Journal New Building

West Building No. Stories 2 Kristing "

Use of Building dwelling house No. Stories 2 Kristing " Name and address of owner of appliance N. B. Vaylor, 44 Richardson St. Location 87 Bay View Drive Installer's name and address ____A. E. Hoory 171 Auburn Ste To install 011 Burning Unit [forged hot rater] IF HEATER, POWER BOILER OR COOKING DEVICE Kind of Fuel 011 .____ concrete

Is appliance or source of heat to be in cellar? You If not, which story Minimum distance to wood or combustible material, from top of appliance or casing top of furnace, __from sides or back of appliance__3! Material of supports of appliance (concrete floor or what kind) from top of smoke pipe 19" from front of appliance ____Labeled and approved by Underwriters' Laboratories?______ Size of chimney flue Bri2 Other connections to same flue No, and capacity of tanks 1 275 gal. Amount of fee enclosed?

Amount of fee enclosed?

Signuture of Installer

Signuture of Installer Name and type of burner______hutohaut-Will all tanks be more than seven feet from any flame? Yes How many tanks fireproofed?... Will operator be always in attendance?___ Location oil storage__

INSPECTION COPY



APPLICATION FOR PERMIT

PF Class of Building or Type of Structure Third Class

P. A. INCRUCTOR OF		P	ortiana. Mame.	ADTA 12.		
to the INSPECTOR OF I	BUILDINGS, FORGLAND	D. ME.				त द 1947
The undersigned hereb with the Laws of the State of and the following specifications	y applier for a permit to Maine, the Building Cod s:	o crect al ter-install i de of the City of Po				
Location 83-87 Bey Vi	low Lrivo		_ Within Fire	Limits?nc	Dist. N	n.
Owner's or 1<i>s</i>essee's- name a	and addressNorria	F. Tyulor, 11	Richardson	St.	Telephone	2 2000
Contractor's name and add	rcss	dimer			T-11	:
Architect	4			Plane file	reconone	f chapte 1
Proposed use of building_	dwelling house	with one car g	arege		vo ramilias	i siiccis
Other buildings on same lot			O		vo. ranninev	
Estimated cost \$ 5500.					Car. Fee \$3	1,30
-	Description of	Present Build	ing to be Alt	ered	Gee 4	.25 \$3225
daterialNo. s					oofing	
ast use			<u> </u>	1	lo, families	
	General 1	Description of	New Work			
o erect one family	frame dwelling he	ouse with one	car garage	atteched		
			INSPE	CTION N	OT COMP	LETED
					•	
is understood that this permit beating contractor.	does not include installatio	on of heating apparatu	is which is to be ta	ken out separ	ately by and in	the name of
		tails of New V				
s any plumbing work invol	De	tails of New V				
s any plumbing work invol	De ved in this work? <u>ye</u>	etails of New V	Vork			
s any plumbing work involutions any electrical work involute, front 50° dep	De ved in this work? You ved in this work? You but 321 No. st	etails of New V	Vork	to top of pla	te 181	261
s any plumbing work involutions any electrical work involutions, front 50 dep	De ved in this work? You ved in this work? You but 321 No. st	etails of New V	Vork	to top of pla	te 181	261
any plumbing work involute, any electrical work involute, front 50 deposition of the	De ved in this work? Ye ved in this work? Ye oth 32 No. steed land? 2011d concrete transcrete	etails of New V s Heigh ories 2 Heigh nch wall under Chickness, top. 10°	Nork ht average grade ht average grade earth or rock; gargge 8" bottom 12"	to top of pla to highest po entop 10° bo	te181 int of roof ttom_41 be yes	561
s any plumbing work invol- ize, front 50 dep to be erected on solid or fill laterial of foundation 201	De ved in this work? Ye ved in this work? Ye oth 32 No. steed land? 2011d concrete transcrete	etails of New V s Heigh ories 2 Heigh nch wall under Chickness, top. 10°	Nork ht average grade ht average grade earth or rock; gargge 8" bottom 12"	to top of pla to highest po entop 10° bo	te181 int of roof ttom_41 be yes	561
any plumbing work involutions any electrical work involute, front 50° deposite on solid or fill faterial of foundation 601 (aterial of underpinning	ved in this work? ye ved in this work? ye oth 32 No. st ed land? 2011d courrete tree orete	etails of New Vos BB Height ories 2 Height Thickness, top 10° Height	Nork Int average grade int average grade earth or rock; garges 8" t bottom 12"	to top of pla to highest po op 10° bo cellar Thickne	te 181 int of roof_ th ttom 41 be yes ss 5"	Slow Suege
any plumbing work involute, any electrical work involute, front 50 deposition of the	ved in this work?	etails of New V ss B Height ories 2 Height Thickness, top 10° Height Roof co	Nork Int average grade Int average grade Carth or rock; Cargye 8" t Dottom 12" 15" Vering Asphal	to top of plate to highest poor 10° 50° cellar	tels! int of roof ttom 4, be yes ess5"	26 Pelow grade
any plumbing work involute, any electrical work involute, front 50 deposite of the erected on solid or fill aterial of foundation 600 aterial of underpinning ind of roof h1p of chinneys 1	ved in this work? Ye ved in this work? Ye ved in this work? Ye obl 32! No. st ed land? 2011d concrete tre brick Rise per foot Material of chimney	etails of New V s Height nch wall under Thickness, top 10° Height Roof cor s brick	Nork Introduction average grade The earth or rock is garged 8" is bottom 12" 15" Vering Apphal	to top of pla to highest po to p 10* bo cellar Thicknot t roofing	int of roofth ttom 4 be yes Class C L	26 Polow grade
any plumbing work involute, any electrical work involute, front 50! depote be erected on solid or fill aterial of foundation. Contact aterial of underpinning ind of roof hip to of chimneys ind of heat hot water	ved in this work? Ye ved in this work? Ye oth 32 No. st ed land? 2011d coucrete tro brick Rise per foot Material of chimney	etails of New V ss Height Thickness, top 10" Height Roof cor s. brick Type of fuel	Nork In average grade In average grade Carth or rock; Sargye 8" t Dottom 12" 15" Vering Asphal	to top of plate to highest poor 10° be cellar Thickness to finite gas fitting in	int of roof th ttom A* be yes class C! gtile	26)
s any plumbing work involutes any electrical work involutes, front 50° depote the property of the second solid or fill laterial of foundation contact and of roof hip of chimneys ind of heat hot water raming lumber—Kind —	ved in this work? ye ved in this work? ye ved in this work? ye oth	etails of New V ss B	Nork Introduced the average grade the average grade to the control of the contro	to top of pla to highest po top 10* 5c cellar Thicknet t roofing gas fitting in dressed	tels! int of roof th ttom 4, be yesss5" Clear C U	26 Pelow grade
s any plumbing work involutes any electrical work involutes, front 50° depote the control of the control of foundation. Control of the contro	ved in this work? Ye ved in this work? Ye oth 32! No. st ed land? 2011d courrete tro brick Rise per foot Material of chimney c bealoak dils 5x6 Girt or	etails of New V 18	Nork In average grade In average grade Carth or rock; Sargge 8" t Dottom 12" 15" Vering Asphal oil Is or full size; girt	to top of plate to highest poor 10° book book book book book book book boo	int of roof the tom 4, be yes class 5, g tile yolved? ye	26) plow grade
any plumbing work involute, front 50. deprive front fr	ved in this work? Ye one set in this work? Ye called Sourcete tree brick Rise per foot Material of chimney heplock ills 436 Girt or ers 1700 columns	etails of New V s Height Roof cors brick Type of fuel Dressed ledger board? Size Lift O. C. Girls 18" O. C. Girls	Nork In average grade In average grade Earth or rock? Sargye 8" t Bottom 12" 15" Vering Asphal oil Is or full size? girt	to top of plate to highest poor loss because the reofins as fitting in dressed as on center as on center to the content of the	te 181 int of roof_ th ttom 4 be yes class 5" class C l yes volved? yes	26°
any plumbing work involute, any electrical work involute, front 501 deposite of the electrical of foundation 601 aterial of foundation 601 aterial of underpinning 602 aterial of heat 602 water from 603 from 604 water from 605 fr	ved in this work? Ye ved in this work? Ye ved in this work? Ye on 32* No. st ed land? 201id concrete tro briok Rise per foot Material of chinney C	etails of New V 18	Nork Introduction with a verage grade Introduction and a verage grade grade Introduction and a verage grade gra	to top of plate to highest por 10° 50° cellar — Thickness fitting in drassed ax. on center 3 ridging in o	int of roof in	26) Slow grade Jud. Leb., dilat roof
any plumbing work involute, any electrical work involute, front 50 depth of the erected on solid or fill aterial of foundation 600 aterial of underpinning ind of roof h1p of chinneys 1 ind of heat h0t water aming lumber—Kind—saming lumber—Kind—saming lumber—Kind—saming lumber—Kind—saming lumber—Side Side aterial columns under gird uds (outside walls and can over 8 feet. Sills and can over 8 feet. Sills and can foists and rafters:	ved in this work? ye one all and?	etails of New V 18 Height B* Roof cors brick Type of fuel Dressed ledger board? Size 4* 16" O. C. Girders e in cross section. , 2nd 2x8	Nork Introduction with a verage grade Interpreted a vera	to top of plate to highest pop 10* 5c cellar Thickness of linings fitting in drassed ax. on center Sridging in the x8 unf	int of roof_ the team 4, be yes 5, 5, clean G I ag tile volved? yes every floor an year of 278	26 Pales Leb.,
any plumbing work involute, any electrical work involute, front 50! depote the property of the	ved in this work? Ye one and and? 2011d concrete tre brick Rise per foot Material of chimney Thenlock Sills 436 Girt or vers 1700 columns rrying partitions) 2x4- orner posts all one piece 1st floor 2x8 1st floor 16*	rtails of New V s Height Roof cors brick Type of fuel Dressed ledger board? Size 16" O. C. Girders e in cross section. 2nd 2x8 2nd 16"	Vork ht average grade ht average grade carth or rock; gargge 8" t bottom 12" 15" vering Asphal oil Is or full size? girt 6x8 or larger. 1 3rd 2 3rd 4	to top of plate highest por 10° bc cellar	telet int of roof th ttom 4 be yes	26) Plow grade Ind. Leb., d flat roof
any plumbing work involute, any electrical work involute, front 50! deposite of the erected on solid or fill aterial of foundation 60 aterial of underpinning and of roof 11 p. 12 p. of chimneys 1 aming lumber—Kind—armer posts 4x6 Sinterial columns under gird adds (outside walls and earn over 8 feet. Sills and earn over 8 feet. Sills and columns under gird adds (outside walls and earn over 8 feet. Sills and columns under gird adds (outside walls and earn over 8 feet. Sills and columns under gird adds (outside walls and call over 8 feet. Sills and columns and rafters:	ved in this work? Ye ved in this work? Ye ved in this work? Ye on 32* No. st ed land? 2011d coucrate tro brick Rise per foot Material of chimney bealoge ills £x6 Girt or ers 1ron columns rrying partitions) 2xd- orner posts all one piece 1st floor 2x8 1st floor 16* Ist floor 2con	etails of New V ss B	Nork Int average grade Int average grade Int average grade Interest average grade Control	to top of plate to highest poor 10° 50° cellar. Thickness of limit gas fitting in drassed ax. on cente 3ridging in ax.	tels! int of roof the team 4* be yes 5" Clanc U g tile volved? ye volved? ye very floor an , roof 228 -, roof 208 -, roof	26) slow grade had. Leb., d flat roof
any plumbing work involute, any electrical work involute, front 50 depth	ved in this work? Ye ved in this work? Ye ved in this work? Ye on 32* No. st ed land? 2011d coucrate tro brick Rise per foot Material of chimney bealoge ills £x6 Girt or ers 1ron columns rrying partitions) 2xd- orner posts all one piece 1st floor 2x8 1st floor 16* Ist floor 2con	etails of New V ss B	Nork Int average grade Int average grade Int average grade Interest average grade Control	to top of plate to highest poor 10° 50° cellar. Thickness of limit gas fitting in drassed ax. on cente 3ridging in ax.	tels! int of roof the team 4* be yes 5" Clanc U g tile volved? ye volved? ye very floor an , roof 228 -, roof 208 -, roof	26) clow grade dilat roof
any plumbing work involute, any electrical work involute, front 50° deposite of the erected on solid or fill aterial of foundation 600 aterial of underpinning and of roof htp of chimneys 1 and of heat hot water aming tumber—Kind—somer posts 4x6—Sinterial columns under gird adds (outside walls and earn over 8 feet. Sills and columns over 8 feet.	ved in this work? Ye ved in this work? Ye oth 32° No. st ed land? 201id Goucrate tro briok Rise per foot Material of chimney benlock ills 516 Girt or ers 170n columns rrying partitions) 2x4- orner posts all one piece 1st floor 2x8 1st floor 16 ^w Ist floor 12° concessoory walls, thickness	etails of New V ss BB Height ories 2 Height Thickness, top 10° Height B* Roof co s brick Type of fuel Dressed ledger board? Size 2° 16" O. C. Girders e in cross section. 2nd 2x8 2nd 16° oreth 11007 in of walls? If a Garage	Nork Int average grade Int av	to top of plate to highest policy for 10° bc cellar ———————————————————————————————————	int of roof	26 Palow grade
any plumbing work involute, front 50! dep of the erected on solid or fill aterial of foundation. COLUTE aterial of underpinning ind of roof hip of the erected on solid or fill aterial of underpinning ind of roof hip of the erected	ved in this work? Ye ved in the property of the proper	etails of New V ss B	Nork Int average grade Int average grade Int average grade Interest or rock; Interest of rock; Intere	to top of plate to highest por 10° 50° cellar. Thicknet to roofing of lining as fitting in drassed ax. on cente 3ridging in the state of the state	tels! int of roof the tom 4* be yes 5" Clara C I gtile volved?ye 2.274 rscroof20", roof20", roofglut?	26 Pade Pade Pade Leb., dilat roof
s any plumbing work involutes, any electrical work involutes, front 50° depote to be erected on solid or fill faterial of foundation. COLUMBER 100° of chimneys 100° of chimneys 100° of chimneys 100° of chimneys 100° or posts 175° Side aterial columns under gird uds (outside walls and car an over 8 feet. Sills and columber 100° or 10	ved in this work? Ye ved in th	tails of New V ss B	Nork Int average grade Int av	to top of plate highest por 10° bc cellar	telet int of roof th ttom 4° be yes class C l g tll yel volved? ye zery floor an , roof2ze , roof2om , roofight?	26) Plow grade Ind. Leb., d flat roof
any plumbing work involute, any electrical work involute, front 50. deposite of the property of the erected on solid or fill atterial of foundation 60 atterial of underpinning ind of roof 11. deposite of the property of the electric of the property of th	ved in this work? Ye ved in this work? Ye ved in this work? Ye out a 32° No. st ved land? 201d Courage troid occurred To briok Rise per foot Material of chimney Material of chimney C	etails of New V ss BB Heigh ories 2 Heigh nch wall under Thickness, top 10 Height Roof co s brick Type of fuel Dressed ledger board? Size 42 16" O. C. Girders e in cross section. , 2nd 2x8 , 2nd 16 or walls? If a Garage none r repairs to cars ha Miscellaneous	Nork Int average grade Int av	to top of plate to highest por 10° 50° 10° 50° 10° 50° 10° 50° 10° 10° 10° 10° 10° 10° 10° 10° 10° 1	int of roof	26) Slow grade Sad. Leb., d flat roof
any plumbing work involute, any electrical work involute, front 50! dep to be erected on solid or fill atterial of foundation. COLUTE atterial of underpinning ind of roof hip to of chimneys ind of heat hot water aming tumber—Kind—orner posts 4x6 Si atterial columns under gird and (outside walls and earn over 8 feet. Sills and columns over 8 feet. Sills and columns in over 8 feet. Sills and columns to centers: Maximum span: one story building with to be cars now accommodated and number commercial car all automobile repairing be sill above work require remail there be in charge of the	ved in this work? Ye ved in th	etails of New V ss B	Nork Int average grade Int average grade Int average grade Interest or rock? Interest of rock? Intere	to top of plate to highest por 10° 50° cellar. Thickness of lining as fitting in drassed ax. on cente 3ridging in cente	int of roof	26 Plow grade
any plumbing work involute, any electrical work involute, front 50! dep to be erected on solid or fill atterial of foundation. COLUTE atterial of underpinning ind of roof hip to of chimneys ind of heat hot water aming tumber—Kind—orner posts 4x6 Si atterial columns under gird and (outside walls and earn over 8 feet. Sills and columns over 8 feet. Sills and columns in over 8 feet. Sills and columns to centers: Maximum span: one story building with to be cars now accommodated and number commercial car all automobile repairing be sill above work require remail there be in charge of the	ved in this work? Ye ved in th	etails of New V ss B	Nork Int average grade Int average grade Int average grade Interest or rock? Interest of rock? Intere	to top of plate to highest por 10° 50° cellar. Thickness of lining as fitting in drassed ax. on cente 3ridging in cente	int of roof	26 Plow grade
any plumbing work involute, any electrical work involute, front 50. deposite of the property of the erected on solid or fill atterial of foundation 60 atterial of underpinning ind of roof 11. deposite of the property of the electric of the property of th	ved in this work? Ye ved in th	etails of New V ss B	Nork Int average grade Int average grade Int average grade Interest or rock? Interest of rock? Intere	to top of plate to highest por 10° 50° cellar. Thickness of lining as fitting in drassed ax. on cente 3ridging in cente	int of roof	26) slow grade and Leb., d flat roof

Notif. closing-in 5/23/4/
Inspn. Closing-in 5/23/4/
Final Notif. secues Expresses said 5/24/4/
Final Inspn.

Cort. of Occupancy assued as NOTE'S 2.4 2 de Sued a Succession of the succe 4 3 . == 含 7 67 ie . 27. 1 E 4 7 7 . -3

83-87 PAY VIEW DRIVE

PLUMBING APPLICATION Department of Human Services Division of Health Engineering (207) 289-3826 PROPERTY ADDRESS Town Or Plantation Street Subdivision Lot # 58 Bayview Drive 0110 PORTLAND *** 05170 *** \$ FEE Last: Applicant Name: Double Charged David Aaskov Inc Mailing Address of Owner/Applicant (If Different) 29 Vannah Ave. Port Owner/Applicant Statement Caution: Inspection Required I certify that the In-AUG 19 1983 STOSTURED Signature of Owner/Applicant Date Date Approved PERMIT INFORMATION This Application is for Type Of Structure To Be Served: Plumbing To Be installed By: 1.

NEW PLUMBING 1. T SINGLE FAMILY DWELLING 1. TA MASTER PLUMBER 2.

OIL BURNERMAN 2. TO RELOCATED X PLUMBING 2. MODULAR OR MOBIL ! HOME 3. MFG'D. HOUSING DEALER/MECHANIC 3. MULTIPLE FAMILY DWELLING 4.

PUBLIC UTILITY EMPLOYEE 4.
OTHER - SPECIFY: 5. PROPERTY OWNER LICENSE # 2 0.5.21 Hook-Ups And Piping Relocation Number Type of Fixture Type Of Fixture Number HOOK-UP: to public sewer in Hosebibb / Sillcock Bathtub (and Shower) those cases where the connection is not regulated and inspected by the local Sanitary District. Floor Drain Shower (Separate) Urinal Sink Drinking Fountain HOOK-UP: to an existing subsurface Wash Basin vastowater disposal system. Indirect W. . . Water Closet (Toilet) Water Treatment Softener, Filter, etc. Clothes Washer PIPING RELOCATION: of sanitary lines, drains, and piping without Grease/Oil Separator Dish Washer new fixtures. Dental Cuspidor Garbage Disposal Bidet Laundry Tub Hook-Ups (Subtotal) Other: Water Heater Fixtures (Subtotal) Hook-Up Feo Fixturos (Subtotal) Column 1 Column 2 Fixture: (Subtotal) Total Fixtures SEE PERI "IT FEE SCHEDULE FOR CALCULATING FEE Fixture Fee 9 00 Hook-Up Fee TOWN COPY Page 1 of 1 HHE - 211 Rev. 4/83



APPLICATION FOR PERMIT

A second of the second of the

The state of the second

DEPARTMENT OF BUILDING INSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

	de Dete July 18 10 33
	Date July 18 , 19 83 Receipt and Permit number E 08027
And the state of t	4. T
To the CHIEF ELECTRICAL INSPECTOR, Portland, M	
The undersigned hereby applies for a permit to make	electrical installations in accordance with the laws of
Maine, the Portland Electrical (Indinance, the National)	Electrical Code and the following specifications:
LOCATION OF WORK: 85 Sayview Paris Dri	ve
LOCATION OF WORK: 85 Sayview Form Dri OWNER'S NAME: Robert Glbbins A	DDRESS: lives there
	FEES
OUTLETS:	
Receptacles Switches Plugmold	ft. TOTAL 1-30 3.00
FIXTURES: (number of)	strip) TOTAL.
Incandescent Flourescent (not	strip) TOTAL
Strip Flourescent ft	
Strip Flourescent ftSERVICES:	
Overhead X Underground Tempor	ary TOTAL amperes 100 3.00
METERS: (number of) 1	<u>.50</u>
MOTORS: (number of)	•
Fractional	52 (
1 HP or over	(4)
RESIDENTIAL HEATING: Oil or Gas (number of units)	₹ ¹
Oil or Gas (number of units)	> 1
COMMERCIAL OR INDUSTRIAL HEATING: Oil or Gas (by a main boiler) Oil or Gas (by separate units) Electric Under 20 kws Over 20 kws	
Oil or Gas (by a main boiler)	<u></u>
Oil or Gas (by separate units)	<u></u>
Electric Under 20 kws Over 20 kws	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
APPLIANCES: (number of)	
	Water: Heaters
Cook Tops	Disposals
Wall Ovens	Jishwashers
Dryers	Compactors
Dryers (Others (denote)
MISCELLANEOUS: (number of)))
Branch Panels	
Transformers	
Air Conditioners Central Unit	
Separate Units (windows).	
Signs 20 sq. ft. and under	
Over 20 sq. ft	
Swimming Pools Above Ground	
Fire/Burglar Alarms Residential	
	ä,
Heavy Duty On lets, 220 Volt (such as welders)	-
	over 30 amps
Circus, Fairs, etc.	
Alterations to wires	
Repairs after fire	्रा । १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ - १९११ -
Emergency Lights, battery Emergency Generators	
	INSTALLATION FEE DUE:
FOR ADDITIONAL WORK NOT ON ORIGINAL PERM	
FOR REMOVAL OF A "STOF ORDER" (304-16.b)	TOTAL AMOUNT DUE: 6.50
·····································	TOTAL AMOUNT DUE: 6.50
INSPECTION:	
	Will Call XX
CONTRACTOR'S NAME: Bradley Electric	
ADDRESS: Garden Ave. Gorham	
TEL.:	
MASTER LICENSE NO.: 03134	SIGNATURE OF CONTRACTOR:
LIMITED LICENSE NO.:	
LIMITED INCEROR RO	SIGNATURE OF CONTRACTOR:

INSPECTOR'S COPY — WHITE OFFICE COPY — CANARY

a the state of the state of the

CONTRACTOR'S COPY --- GREEN