

FILL IN COMPLETELY AND SIGN WITH INK

PERMIT :



# APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPA

Portland, Maine, ]-2]-4]

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

New Building Residence No. Stories New Building Residence No. Stories No. St Installer's name and address The Boyd Corp., 180 Middle St., Fortland, Me. Telephone 3-0274 —<del>INSPECTION NOT COMPLETE</del> To install General Electric Oil Furnace IF HEATER, POWER BOILER OR COOKING DEVICE appliance or source of heat to be in cellar? Yes If not, which story aterial of supports of appliance (concrete floor or what kind) imum distance to wood or combustible material, from top of appliance or casing top of furnace, top of smoke pipe If from front of appliance was from sides or back of appliance 8.4 C' Other connections to same fine راة type of burner المعاونة والمعاونة المعاونة Type of oil feed (gravity or pressure) \_\_\_\_Freasure\_\_\_ \_\_\_\_No, and capacity of tanks\_ tor be always in attendance?\_ be more than seven feet from any flame? VES How many tanks fireproofed? enclosed? 10 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same of time.)

Signature of Installar (1994)

#### AGGOURANTING APPLICATION FOR BUILDING PERMIT

	STATEMENT ACCOMPANYING APPLICATION FOR BUILDING
	for one family dwelling house with one car garage at Lot 9 Bay View Drive Date 12/18/40
	In whose name is the title of the property now recorded?
2.	Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how?
3.	Is the outline of the proposed work now staked out upon the ground? If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced?
4.	What is to be maximum projection or overhang of eaves or drip?
5.	Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections?
	annestness of all statements in
8.	the application concerning the building?
7.	Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made?

•	

"Bar a controver of a APPLICATION FOR PERMIT Class of Building or Type of Structure Third Class To the INSPECTOR OF BUILDINGS, PORTLAND, ME. Portland, Maine, December 10, 1940 23 Mall The undersigned hereby applies for a vermit to erect atter-treath the following building steursme equipment in accordance with the Laws of the State of Maine, the Building Cede of the City of Portland, plans and specifications, if any, submitted herewith Location Lot 9 Bry View Drive (44-48) - Within Fire Limits? no Dist. No. Owner's or Lessee's name and address John C. Jacobson, Hillside Ave. So. Portland elephone 3 2795 Contractor's name and address\_\_\_\_\_Owner Proposed use of building dwelling house with one car garage Other buildings on same lot\_\_\_\_ Estimated cost \$ 6.000. D. scription of Present Building to be Altered Material\_\_\_\_\_No. stories\_\_\_\_Heat\_\_\_\_Style of roof\_\_\_\_\_Roofing\_ General Description of New Work To erect one femily frame dwelling house with one car garage uttocked The inside of the garage will be covered, where required by law, with perforated gyprant lath covered with one-half inch thickness gypsum planter

#### INSPECTION NOT COMPLETED

	MSTECTION NOT COMPLETED
It is unde stood the	tat this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of
and brounding	Work involved in this work?
", any electrical	Work involved to at t
To be erected on	solid or filled land? solid. Theight average grade to highest p int of roof.
Material of foun	dation concrete outside wall of gar, 6% top of cock? sarth and rock
Material of unde	rpinning to sill at least 8" shows bottom 12" cellar yes trade
Kind of roof	solid or filled land? solid dation concrete outside wall of gar to plant to plant average grade to highest p int of roof 23  dation concrete outside wall of gar to plant for rock? sorth and rock  Thickness to bottom 12 cellar yes (partial)  pitch Thickness Roof covering Asphalt makes
No. of chimneys_	1 Kool covering Asphalt roofing Class C
Kind of heat	St even
Framing lumber	Type of fuel of1
Corner posts 42	Type of fuel oil is gas fitting involved? yes.    Dressed or full size? dressed
Motorial automate	Sills 410 Girt or ledger board? none
Study Contride well	inder girders briok 54.0rg Size 8rg
span over 8 feet S	ander girders brick 5/3078 Size 828 Max. on centers 31
Joists and rafte	
On centers:	1st floor 2x10
Maximum span	11 1st from 161 - , 31d root 207
If one story building	tst floor 16. , and 16. , and 16. , roof 20. , roof 20. , roof gwith masonry walls, thickness of walls?
No. cars now accom	If a Garage  nodated on tame lot none to be accommodated 1
Total number comme	creial cars to be accommodated. aono.
Will automobile repa	iving be deue other than minor repairs to cars habitually stored in the proposed building? RO
i cin	ming be dene other than minor repairs to cars habitually stored in the
Will above work requ	Miscellaneous tire removal or disturbing of any shade tree on a public street? none
Will there be in charg	ge of the above work a remaining of any smale tive on a public street? - none
are observed? Yes	ge of the above work a person competent to see that the State and htty requirements pertaining thereto
INSPECTION CORV	ge of the above work a person competent to see that the State and hity requirements pertaining thereto  John C. Jacobson  Signature of otener  By  C.
	By J. C. Coharty
•	

at Low 9 Bay View Drive, relating to the Location of a proposed combined dwelling house and garage closer to the rear property line than ordinarily Cone where the property is Located, be sustained and that a building permit the Building Code;

EECAUSE enforcement of the Ordinance in this specific case would cause unnecessary hardship by needless interforence with the planned arrangement of the development; and desirable relief may be granted without substantially derogating from the intent and purpose of the Ordinance in that the location of the proposed building would not interfere with light and air of or increase fire hazard to the neighboring property.



## City of Portland, Maine

12/23/40

Appeal to the Municipal Officers to Change the Decision of the

Inspector of Buildings Relating to the Property Owned

John G. Jacobson

Lot 9 Day View Drive

December 18, 19 40

To the Municipal Officers:

Johnge, Jacobson
Your appellant,

Lot 9 Bay View Dalve

who is the

of property at

respectfully pentions the Municipal Officers of the City of Portland to change the decision of the Inspector of Buildings relating to this property, as provided by Section 13, Paragraph c, of the Zoning Ordinance, on the ground that the enforcement of the ordinance in this case involves unnecessary hardship and because relief may be granted without substantially derogating from the intent and purpose of the Zoning Ordinance.

construction We described desting decreases the fact is ordinarily required by the rear property line in a case where 16 feet is ordinarily required by the process terms of the Ordinance in the General Resisance Zone where the process is located. property is located.

The depth of the lot is only 80 feet and the Quidance menuines that the front of the house bet 20 feet from the street line. On this basis it is not possible to build the desired house planned and maintain the depth of rear yard stipulated by the Ordinance. It is the belief of the appellant that the proposed location will not interfere with light and air of or increase the five hazard to the neighboring property. the neighboring property.

John C. Jecobson

PERMIT TO INSTALL PLUMBING


| Date | Address |

;

The second

•

.



46-48 BAY STREET (Lot 15)

## CITY OF PORTLAND, MAINE MEMORANDUM

DATE: NOV. 22, 1963

John E. Menario, Administrative Assistant FROM: Albert J. Sears, Building Inspection Edrector

Subject: Storage on Bay Street

All three of these conditions had been called to the attention of this department and had been investigated prior to receipt of your memorandum. A department and had been investigated prior to receipt of your memorandum. A dem-fixeld inspector has been trying for several months to get debris from the dem-olition of the been cleared up but without success. I wrate the owner Tield inspector has been trying for several months to get debris from the demolition of the term cleared up but without success. I wrote the owner his atomic success, and the need for getting them cleaned up without destruction to the conditions and the need for getting them can do under the tention to the conditions and the need for getting them can do under the tention to the conditions and the need for getting them can do under the tention to the conditions and the need for getting them can do under the tention to the conditions of the compel him to do go.

This does not, there is little that this department can do under the lay. If he does not, there is little that this department can do under the lay. If he does not, there is little that this department can do under the lay. May. II he does not, there is into the doportule name to do eo.

One of the other locations involves storage of old refrigerators, shingles, One of the other locations involves storage of old refrigerators, shingles, boxes, panels, chicken wire lumber, cartons, and miscellanvous junk on Leavitt, boxes, panels, chicken wire lumber. I have written the owner, a Mr. him to beside the dwalling at 46 Bay Street. Soming Ordinance and directing him to notifying him he is in violation of the Zoming Ordinance and directing him to beside the dwelling at 40 May street. I have written the owner, a mr. Leavitt him to rotifying him he is in violation of the Zoning Ordinance and directing him to do so correct the violation. Just how successful we may be in estimate him to do so notifying nim ne is in violation of the zoning ordinance and directing nim to do so correct the violation. Just how successful we may be in getting him to do so the problematical.

A third low the plane to speed a house there in the action. We have now a third is a to a to a to a the meterial removed which a touched him and he has recorded to get the meterial removed which a tagted him and he has recorded to get the meterial removed which a a nouse bullder, who plans to erect a nouse there in the apring. We at the material removed right away. is problematical.

Another location is on the rear of the property at 71 Read Street, which Another location is on the rear of the property at 71 Read Street, which extends back to Bay Street. There is a file of building materials and several location as Street. There is a file of building material may be left from old awimming pool filter tanks stored on the property. The street and I imagine that this material may be left from is in the swimming pool business and I imagine that extends back to Bay Street. There is a Mile of building materials and several. Described McCausland in a owner, Described McCausland in a owner, Described in the swimming pool filter tanks stored on the property. The owner, Described in the swimming pool business and I imagine that this material may be left from is in the swimming pool business and I imagine that this material may be a swimming pool and roof over patio on his own some of his tons or from work on a swimming pool and roof over patio. is in the swiming pool business and I imagine that this material may be left from the of from work on a swimming pool and roof over patio on his own some of his jobs or from work on a swimming pool and roof the complaint reproperty which he has been construction. I have written him of the complaint reproperty which he has been construction. some of his jobs or from work on a swimming pool and roof over patio on his own I have written him of the complaint reproperty which he has been constructing. Setting the violation corrected. I exceed the convergence of th property which he has been constructing. I have written him of the complaint received and requested his cooperation in getting the violation corrected. I expect that he will probably do so without too much delay. that he will blopapia do so Mithort too much delahe

In this connection I would like to note that it is impossible with all of In this connection I would like to note that it is impossible with all of Ordinance other work involved in enforcement of the Building Code and Zouing of total of the keep abreast of the complaints. Already this year we have received a total of two other work involved in enforcement of the Building Code and Zoning Ordinance to keep abreast of the complaints. Already this year we have received a to find to keep abreast of the complaints. Not only is it, difficult for mu to get as compared with 65 for all of 1962. Not only is it, difficult, but it is more 85 as compared with 65 for all of 1962. Not only is it, difficult, but it is more time to issue written orders in regard to individual complaints, but it is more time to issue written orders in regard to individual complaints we can under time to issue written to follow them up further when the field inspectors are time to find time to follow them up further when the best we can under inficult to find time to follow them up further when the complaints involving continuable to get corrections made. We will continue to complaints involving continuable to get corrections and will pay special attention to complaints. unable to get corrections made. We will continue to do the best we can under complaint involving continue circumstances and will pay special attention to complaint involving continue ditions where safety to life and limb are involved. the circumstances and will pay special attention to ditions where safety to life and limb are involved.

Albert J. Sears

AJS:m

## CITY OF PORTLAND, MAINE EXECUTIVE DEPARTMENT

#### MEMORANDUM

To: Albert J. Sears, Building Inspection Elrector Carl P. Johnson, Fire Chief boris Vanadzin, M. D., Health Officer November 20, 1965

From: John R. Menario, Administrative Assistant

Subject: Bay Street


Councilman Lea, at the afternoon meeting of the City Council on November 18, 1963, informed the City Manager of several unsightly and hazardous conditions existing on Bay Street. Mr. Lea stated that one vacant lot is being used by a contractor for the storage of building materials and another lot for the storage of used furniture. He also noted that a barn had been demolished and the debris and material never removed, creating a fire bezara and a baven for rats.

After inspecting the area I would appreciate a report on the conditions of and violations noted and the appropriate action taken.

John E. Menario Administrative Assictant

ec - Graham W. Watt, City Manager





FU- E.S. S. - 12-7-63 Coppe 63/63 FS-THE BEA SELECOP November 22, 1963 bear of miscellaneous chicken wire, of which special so the strenge of miscellaneous chicken wire, of which special solution of miscellaneous chicken wire, of which special solution is an an special solution of miscellaneous chicken wire, of which special solution is a strength of miscellaneous chicken wire, of which special solutions at the miss property is a located allowable owner.

The strength of this department has been called to the correct of the control of t Wr. Llowellyn A. Losytth ur. Pronorman Dear lire Leavitte to have this violation in quickly correcting necessary.

to report the violation in quickly report to the violation in quickly report to the violation in quickly report to the violation in quickly report the violation in q Albert J. Sears Building Inspection Director

APPLICATION FOR PERMIT FOR MAINTAIN MAI

APPLICA'	TION FOR PERMIT	ONDMENT
MEATING COOL	TION FOR PERMIT  KING OR POWER I	EQHIPMENT TO THE OF THE PARTY O
A HEATING	Jan	ON THE PARTY OF TH
TATIS!	Portlana, Maine,	Late is accord-
the INSPECTOR OF BUILDINGS, FO	ORTLAND, MAINE	ting or homer equipment in
the INSPECTOR OF BUILDINGS, Re The undersigned hereby applies for a ce with the Laws of Maine, the Building (	permit to install the Jon	id, and the following specifications:
The undersigned heres, the Building (	Jode of the City of I brown	No. Stories 2 Product "
e with the Land	Use of Building Dwe.	Ctreet
cation 48 Bay Street	Llewellyn Leavitt	New Building No. Stories 2 New Building 11 inc. No. Stories 3-6671.  Telephone 3-6671.
ame and address of owner of appliance	e Co. 441 Fore St	reet
	General Description	of Work
hes	ting system	and the same of th
o installforced_warm_air_bea	I want to a sun many amount on a	
	f Heater, or po	WER BOILER  Type of thor beneath appliance concrete  Kind of fuel coal  appliance of casing top of furnace gu with shield  ter 4. Krom sides or back of appliance over 3!
	F HEATER, OR TO	Type of floor beneath appliance
is an or source of heat.	cellar	Kind of fuel
Location of appliance of some	*** ***********************************	liano of casing top of furnace Bu With State
If wood, how protected and or combust	ible material, from top of	appliance of casing top of furnace gu with shield er h! Know sides or back of appliance over 3!
From top of smoke Lipe	ther connections to same	appliance of casing top of furnace over 31  ger 4! From sides or back of appliance over 31  flue fone  Recognazimum demand per hour
Size of chimney nue		Natural Natural
If gas fired, how vented?	TR OIL RI	JRNER Labelled by underwriter's laboratories?
- 5	IL OIL DO	Labelled by underwriter's laboratories?
to an of burnet		Labelled by underwriter's laboratories.
Name and type of burnes in attendance	2?Does on sup	oply line feed from top or bottom of tankr
Will operator be aways in		Number and capacity of tanks  How many tanks fire proofed?
Type of floor beneath burner		Number and capacity of tanks
- of oil Stoldse	dadi	and the state of t
If two 275-gallon tanks, will the five feet	from any flame?	TIOW MILETY CO.
Will all tanks be more than	ge tanks for furnace burn	1ers
Total capacity of any calours	COOKING	APPLIANCE
	+ ( (vol	Type of floor beneath apprairie
and appliance	Kind of fuer	of appliance From top of smokepipe
distance to wood or	' d back	C
d at at atinitality		ame fille
From Iront of approx	Other connections to a	The state of the s
Is hood to be provided.	***************************************	Rated maximum demand per hour  OR SPECIAL INFORMATION
If gas fired, how vented,	NUOLIS EQUIPMEN	T OR SPECIAL INFORMATION
The second secon		
****** *******************************		
***************************************		
\$4.000 pt 10.000	CONTROL MAN : Sebre mode adiabas a resonantementaria deliber.	
***************************************	pages and constructing all the second of the control of the contro	The state of the s
P44 ***********************************	41 4200 (4100 (1100 (411)) 1204 (1100)(1100 (1100)(1100 (1100)(1100 (1100)(1100 (1100 (1100 (1100 (1100 (1100)(1100	THE PROPERTY OF THE PROPERTY O
Total Control of the	***************************************	And the state of t
derestereditereditereditered about the contraction of the contraction	anna ann 180 Mhailteann an Thailteann an Shailteann an Thailteann an Thailteann an Thailteann an Thailteann an	To cente additional for each additional heater, etc., in same
- 13 2 OC	\$2.00 for one heate	er, etc., 50 cents additional for each additional heater, etc., in same
Amount of fee enclosed	an a marks	
building at same time.)		
	0 11.1	Will there be in charge of the above work a person competent to
APPROVED:	X 1/1649	Will there be in charge of the above work a personnel see that the State and City requirements pertaining thereto are
0.15.6		see that the state and
taring attended to the same of	- Herringson and American Company of the	observed?yes
deldad demokra da sanga kupi ya kiki a jene a sanakina a sa kata a na ga da ka sa sa sa sa sa sa sa sa da da d		The Paine Company
		by: Milfuel Thiskey.
And the state of t		Milhuel Mashery
	Signature of Installer	Dy make many fine or a second
INSPECTION COPY	megicaniii - F	•

INSPECTION COPY

		1 1						
	The figure of the state of the	~ ·			· · · · · · · · · · · · · · · · · · ·			en e
Permit No. 49/121					,† 			
Location 47 Day	21						erineria. Popularia	and a great section of the section o
Owner Lewellyn	Leauth					See Miles		
Date of permit //97 Approved //9 NOTES	149						101 18 18 18 18 18 18 18 18 18 18 18 18 18	
Approved Ally				4212 7 3 4				
NOTES						<u>jan stantar i f</u> Kalandaria		
	court							图4的 113
Later Kingar	le D	10000000000000000000000000000000000000						
Harlie Z	De and			<u>- 1750年</u> - 1760年 - 1867年 - 18674 - 1	\		~	
De la Company	The all		1. S. C. S.					
a lo be con	40 8 mg	02-0		11. O. 11.				
planeum share	40 romano	ore					4	
Bank oldans	en Your	mally 0					1/2	
ReaciD -do	Cole Cole	son l			***	# T - 1	and the second	and the
2000	- C SON	To De	3		and the second			
186149- Propos	anders C	22	N. Carlotte		도 및 작가 기			
Cone. O. See.	20 met	& Boxes	\$		2			
plenem clambo	20	2000				经有效的		<u>And District State</u>
28/49- m , Co der	288							
200 To 100 To 10		· · · · · · · · · · · · · · · · · · ·						
					Post of the second seco			
在一直到自己的								
					1 1 1 - 2 1 1 2 m			
								1 1 5 T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
								<u>- 19 4 23 4 34 4</u> 
				on the control of the				
		AT RESPECTATION OF A SECOND						
	A CONTRACTOR CONTRACTO		#West Constitution			The state of the s		

DATE

PERMIT Men Hame

NODIRY

GOMPLANN

Throat open poel

Me woof, about 445.

At le will

Montangeling

for an invacion of

olds and and of least

4' below from

Live and because

Series of the world but

Live and because

Me was working by

inde alog for the devent

inde alog for the devent

inde alog for the devent

in dismin disputantiquio

220 Highs ST

(RC) RESIDENCE ZONE-C

ICATION FOR PERMIT

PERMIT 1886 AD MAR 91 50

erangerikisi Ci	as of Building	or Type of Structus	re			
	•	Portland, Maine	Mar ch 38, 1948	<u></u>	CITY of PORTLAN	D_
To the INSPECT	OR OF BUILD.	LNGS, PORTLAND, ME.				
The undersigneed with the	med hereby applie Laws of the State (	s for a permit to crect of Maine, the Building C coping specifications:	alter repair demolish install the lode and Zoning Ordinance of th			
Vocation 48 Ba	av Sareat (L	ot 15)	Within Fire	Limits?	IIO Dist. No.	,
	111116	Liewellvn Les	vitt 52 Bay Street		Telephone	-
Lessee's name and	address				Telephone.	.,
C	to-bleson	Robert Cornev.	956 Washington Ave.		I elepnone.	4
			Specifications	Liui5 X	110. 01 01.000	
December was of	building	Dwelling			No, rammes	-
Troposca ase or	Dill : 11. (1—————————————————————————————————				No. families	
Material	No. stories.	i:at	Style of root		Koomig	-
Other buildings of	on same lot					-
Estimated cost \$.	8000				Fec \$	
			scription of New Work	ζ.		
To const:	ruet 1½ stor	y frame dwelling	3 40'x24'			

Permit Issued with Memo Permit Issued with Letter Appeal sustained. It is understood that this pennit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contracter. Details of New Work Is any plumbing work involved in this work? yas Is any electrical work involved in this work? Height average grade to highest point of roof 221 Size, front 24' depth 40' No. storics 12 solid or filled land? Solid earth or rock? earth Material of foundation to rore to blooks Thickness, top 10" bottom 12 cellar yea

Material of underprinning " to \$111 Height 24" Thickness 2"

Kind of roof 110 Rise per foot 8" Roof covering asphalt roofing Class C Und. Lab. Kind of roof his Rise per foot Roof covering Coal

No. of chimneys Material of chimneys brick of lining tile Kind of heat hot airfuel coal

Framing lumber Find hemlock Dressed or full size? dressed

Corner posts 6.08 Silk Sox Sirt or ledger board? Size

Girders vos Size Garden Max. on centers Studs (outside walls and ( ... rying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet. Joists and rafters: A list floor 2x8 , 2nd 2x8 stairway dormars on centers: A list floor 16" , 2nd 16" , 3rd Maximum span list floor 14' , 2nd 14' , 3rd ... If one story building was masonry walls, thick ress of walls?

If a Gara No cars now accommodated an same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_number commercial cars to be accommodated\_\_\_\_\_\_ Will automobile pairing be done other than minor repairs to cars habitually stored in the proposed building?... Miscellaneous Will work require disturbing of any tree on a public street; no APPROVED: Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are YUS Signature of owner flewelly a. Leavist

Does Office Department Consults Consults Consults	
Around and a contract of the c	Z. 530e
Return to Decision	7
Shed and Number of Building Inapection.  REGISTERES ARRESTS	#
No. Mouse A Hall	
TORTLAND	.•
MAINE	1

(RC) RESIDENCE ZONE - C APPLICATION FOR PERMIT Class of Building or Type of Structure Third Class Portland, Maine, March 28, 1948

CITY of PORTLAND

			The second secon	
٦,	the INSPE	CTOR O	F BUILDINGS, PORTLAND, A	IE.

Estimated cost \$\_8000.

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.  The undersigned dereby applies for a permit to creet alter to cre	repair demolish install the following building structure equipmen: in ad Zoning Ordinance of the City of Portland, plans and specifications,
accordance with the Laws of the State of specifications: if any, submitted herewith the following specifications:	Within Fire Limits? no Dist. No.
	Within Fire Limits!Within Fire Limits!
Location 48 Bay Street (Lot 15)	t, 52 Bay Street
Owner's name and address Llowettyn Leavitt	Telephone
Lessee's name and address	Washington Ave Telephone 7 - 4547
Robert Carney, 956	Washington Aven
Contractor's name and address	ceifications Plans Yes No. of sheets 3
ArchitectSpe	
n -11 inc	No. families 1
Proposed use of building Dwelling	M. Camillian

\_Style of roof\_\_\_\_ \_No. stories\_ Other buildings on same lot\_

General Description of New Work

To construct  $l_8^1$  story frame dwelling 40'x24'

Permit Issued with Memo

Permit Issued with Letter

Appeal sustained \_\_\_

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Llewellyn Loavitt

he heating contractor.	•	TTOWOTEN		
	Detai	ls of New Work		
	a ta dista marle? VA	sIs any electrical work	involved in this work?	yes
is any plumbing work involv	101	Hoight average grade to l	nighest point of roof	22.
Height average grade to top	of plate	Height average grade to l	solid _earth or rock?	_earth
Size, front 24: dep	th at least 4(be)	Height average grade to be subjected by the subjected by	12"cellar yea	
Material of foundation Co.	cretu blooks Thic	ckness, topottom	Thickness 8t	1
Material of underprinting.	A	. eanhs	alt roofing organ	Olive man
Kind of roof	-Z 1Qse per 100t	4410	hot air	COST
No. of chimneys	Material of chimneys	orick of lining	dressed	
Corner posts 6x8	Ills 2x8 BOX Girt or le	edger board? girdersIron_pipeSize	4" May on cent	ers. 71
Girders yes Size	Columns under	girders Tion Pape Size	and flat roof sym over	8 feet.
Studs (outside walls and c	arrying partitions) 2x4-16	"O. C. Bridging in every no	-dormers	2x6
joists and rafters:	1st flogr 2x8	" O. C. Bridging in every flores, 2x8 stallway, 3rd 2x8 , 3r	·	24"
On centers:	1st floor	, 2nd	d, root	12'
Maximum span				
If one story building with	masonry walls, thickness o	of walls?		
	/ 12	It a Crarage		
No and now adressment to	d an same lot to be	accommodatednumber	commercial cars to be acco	mmodated
No. cars now accommodate	1 -21 other than minur	repairs to cars habitually sto	red in the proposed buildir	ıg?
Will automobile fepairing	he done other than minor	7	Aiscellancous	
DOVED.	16	Will work require disturbi	ar of any teer on a public	street ? no
PROVED:		Will work require disturn	e de aboro mark a perse	on competent to
	i⊈ •}	Will there be in charge of	of the above work a person	dow thereto are
	<u> </u>	see that the State and	City requirements pertain	ang thereto are
	.9 1/	observed?yes		

Signature of owner Llewellyn a. Lewitt

101/19-MA ICANA BY Permit No. 48/380 94 149 26/400 Mot Sea 99 to Clase 126/400 Mos con D registration Location 48 Bay St.
Owner Cleuselly Search
Date of permit 3/3/1/46 Bosset chanter of Francisco de Comercia G. T. To Clase. Thiering 424/49- Throng open now agount allenoiled Cert of Occupancy issued 8/15/149 Final Inspin. NOTES NOTES him to parter me Oning G123/49 Left word with how 12/1/48- Dad westion of 1/19/19 - 14 our contractor & Spring to Call may & && home call my & 88. why with the Mil uma Ras But a 7/21/1/9 Dty Co instant of mell me with front - Status low 280 promit Elle dansofi 7-1- 1-3936 white han is my

BP LE/JECL

June 25, 1948

Mr. Llowellyn Leavitt 52 Bay Stroet Portland, Maine

Subject: Location of foundation for new dwelling at 48 Bay Street too close to street line

Dear Sir:

We find that the foundation for this building has been constructed with the front wall only about 19 feet from the line of Bay Street, some ten to twelve inches closer to the street than is the front wall of the existing house on the adjoining lot. The Zoning Ordinance provides that no part of an exterior wall of any building in the Residence C Zone where your property is situated shall be located closer to the line of any street than the exterior wall closest to the same street line of any building used for habitation on an adjoining lot.

Our records show that on the location plan filed with the original permit for the work, the selback from the street was given as 21 feet and that an inspector from this department checked the actual staking out of the location on the ground as agreeing with this plan. It he evident that someone must have made an error in locating the position of the building at a later date, perhaps after the excavation was made.

No have no authority to allow the work to proceed on this building which has been located contrary to the requirements of the Zoning Crdinance. This letter is a formal stop order on any further work on the building, given under Section 1078 of the Building Code and is being sent by registered sail as required by law. No lifting of this order can take place until some way out of this difficulty that will meet Zoning Ordinance requirements has been found.

While we have no way of knowing whether the Board of Appeals would look favorably upon granting your relief from compliance with the predise terms of the ordinance and do not wish to appear in any way to encourage such proceedings, you do have the right to seek a variance if you wish to do so. After careful consideration of the situation, should you desire to exercise your appeal rights and will notify us to that affect, we will send you an outline of the appeal procedure and certify the case to the Assistant Corporation Counsel, who handles the appeals.

Very truly yours,

Improctor of Buildings

AJ3/3

CC: Hr. Robert Carney 856 Washington Avenue

١,

THE ME

Memorandum from Department of Building Inspection, Portland, Maine

48 Bay Street—Permit for construction of new dwelling for blevellyn A. Leavitt by Robert Carney-3/30/14

Enclosed with the permit is a copy of the letter which was sent to owner at the time of issuance of permit, since lapsed, for the construction of the same building as in most contemplated.

1,38/5

CC: Kr. kobert Carney 956 Washington Avanue



(Signed) Warren McDonald Inspector of Buildings



CITY OF PORTLAND, MAINE Department of Building Inspection

## Certificate of Occupancy

Issued to Llewellyn Leavitt

Date of Issue August 15, 1949

Thus in in crefting that the building, premises, or part thereof, indicated below, and built—

thered—shorted as to use at 1.6-1.8 Bay Street

under Building Permit No. 48/380, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

· One-family Dwalling House

Inspector of Buildings

which provides the destination of the certificate identifies in real use of building or members, and ought to be transferred from name to owner when property changes hands. Copy will be furnished to evener or lesses for one deliar.

BP 49/380-I (48 Bay Street) 8/2/49/M

July 25, 1949

Mr. Llewellyn Leavitt 52 Bay Street Pertland, Maine

Subject: Forch of new dwelling at 48 Bay Street

Doar Mr. Leavitt:

Following my latter of July 14: our inspector reports that you have cleared up all the deficiencies in this new dwelling except those relating to the front porch. He talked with a gentlemen who, he assumed, is your father, who said that you intend as soon as possible to change out this wooden porch and steps to a masonry platform and steps.

We do not wish to be unduly hard on anyone in this connection, and if you will write me a letter and tell me approximately what time you expect to have the platform and steps changed out to the masonry, I think I shall be able to issue to you a temporary certificate of occupancy by letter pending the time when the platform and steps have been made to conform with Building Code requirements.

Before this changeout is made, it is necessary that you apply for and secure an amendment to the permit now issued, the application for the amendment to cover the kind of construction that you are to use, including the fact that the foundation of platform and steps are to be of masonry extending no less than 4' below the surface of the ground. In event you are unable to start this masonry platform and steps before five months have clapsed from the date of our letter of the temporary certificate of occupancy, it will be necessary to apply for an entirely new building permit to make the age. I hope that you will be able to make the change long before that, however, as we would like to clear up the job by issuing the final certificate of occupancy with the porch construction all in order and it, conformity with

of compancy with the porch construction all in order and in conformity with the Building Code.

May I hear from you in this regard before August 2, 1949?

Very truly yours,

Inspector of Buildings

WMoD/G

DP 49/380 \$ 140 Tage Singe() 2/19/49 250

70 y 16 1046

ic. Liowollyn Leaviet 52 Bay Street Portland, Maine

Subjects Force attached to new Avolting at do Say Street constructed contrary to the Esquirquents of the hullding Sode.

Denr Mr. Loavitt,

An unfortunate afturation has developed with relation to the Swelling in that the front worth has been constructed contrary to the requirements of house which you have under construction and nearly completed at 48 Bay Street in that the front forch has been constructed contrary to the requirements of on the plane filed with the application for the details of construction shown by your former contractor as your agent. ph home topmen contracton as and remainment on the bream track areas areas and and and track areas areas on the same of the sa

Ing Colle which requires no less than 4x6, all one piece of lumber in cross section. The floor joists of the perch have been supported merely by spiking Section 512-6-3.12 of the code which requires that such joists, contrary to spiked to the sides of the sills or upon no less than 2x3 nailing strips

Although at time of inspection the platform was practically completed.

ing Code requires a verificy of foundations has been provided although the builded countered at a less depth. Refer to Section 507-e of the Building Code.

Four plan, filed with the application for the permit, indicated solid 4x6 columns of the surface diameter to extend through bearing on sulfilly and pige from the ground.

ontractors, but it is clear that both centractors were responsible for them al-

I had propored a formal notice of violation of the code and an order to do by the Building Code; but it seemed like rather a harsh may to go about this with a copy to hir. DiPletrantonio and thus avoid the poulivently by this lotter proceeding which would do no one any good.

July 14, 1949 a taportent that you get in touch with Mr. Essars of this office no later to pursuascunder to comply with the touch you proce to pursuascunder to comply with the later and tell him what course the Morch be reconstructed without invoking the later to cocomplish this objective without invoking to cortain but to require to cocomplish this objective without meder to cocomplish this objective without the would rester to cocomplish this objective. The buil ding is nowing completion and before the building may be interested that or interest of the building of the transfer of the building of the transfer of the building of the transfer of the building company in requires that you a cantificate the building common company that you a cantification.

The building is nowing completion and before the building from notify that you notificate or the building common that you notificate or the building of the building of that of the building o ur Livio Danistruntonio 220 Hicks Street

1. In whose name is the title of the property now recorded? Mr. through deadly and the property in the vicinity of the property of the property in the vicinity of the property of the property in the vicinity of the property of the property in the vicinity of the property of the property in the vicinity of the property of the propert

AS 48 Bay Street-I

June 25, 1947

Mr. Llewellyn Leavitt 52 Bay Street Portland, Maine

Subject: Permit for construction of new dwelling 24' x 40' at 1/3 Bay 3treet

Dear Sir:

Although answers to all of questions raised in our letter of April 24, 1947, have not been answered by the revised plans filed in this office June 21, 1947, for above work is issued herewith, subject to the following:

- 1. Framing of domer windows has not been shown. Walls are required to be framed with 2x4, studs, no more than 16" on centers and roof may be constructed of 2x4's no more than 24" on centers.
- 2. No header is indicated for mullion window in bedroom. Unless a stud is to be provided between windows, the header should be no less than 4x6.
- 3. According to the best authority available, the glass block panels to be proposed in the front wall should be no more than five feet in either length or height of panel. Flan shows these panels to be 4' x 6'. We strongly recommend that the five foot dimension be not exceeded. Of course there are also the details of expansion joints around edges of panels, reinforcement of mortar joints anchoring of panels to framing, etc. which should be followed in erecting these panels.
- 4. The 6xl0 dressed hemlock girder indicated on application is required rather than the 6x3 shown on the plan, since the latter does not figure out. Likewise, since the 2x3-16" on centers given in application rather than the 2x6-24" on centers
- 5. The owner, who is acting as his own contractor, will have to assume full responsibility for providing construction in compliance with Building Code regulations. We have no authority to waive any of these requirements because work has been done in an illegal manner through error or lack of knowledge of the precise requirements of the Code. In case such errors occur, we have the unpleasant dity of requiring that all illegal details be made to comply with law regardless of how expensive that may be to the ahead...
- or otherwise closing-in from view any walls, partitions or ceilings, this notice only to be given after electric wiring and plumbing has been installed and approved and all will be given authorizing the closing-in of the building.

Before the building is occupied, another inspection is required, at which time the final certificate of occupancy will be issued if everything is found in accordance with law.

Very truly yours,

AJS/3 CC: L. C. Andrew 187 Brighton Avenue

Inspector of Buildings

24. 25.

vasstavenījās

1

AP 48 Bay Street-I

Llewellyn Leavist 52 Bay Street Portland, Maine

April 24, 1947

Dear Sir:

Subject: Application for permit for construction of one family wood frame dwelling at 43 Eay Street Considerable more information will be needed before we shall be able to issue much for the above work. Some of details show on plans subsisted with apoli-Considerable more information will be needed before we shall be able to issue cation and also given in application itself do not comply with Juilding Code requirements and in other respects not enough information is given to enable us to make sure. cation and also given in application itself do not comply with Juilding Code requirements and in other respects not enough information is given to enable us to make sure, be met.

i. If foundation well is to be of stone laid in morter as given in application, thickness of wall allowed is 16" instead of the 12" given.

quired to be doubled at end walls where it runs parallel to floor joists.

if warm air neat is to be provided because, if flush framing is used, with tops of girder, these joists being notched over 2x3 nailing strips of floor passage of warm air ducts up into stud space quired strengthening of notched girder, it can be planned for when framing is done and thus the required. Some and thus the re-

4. It is not clear from plan in which direction rafters are to run. The appliance that they are to be or an 131 aren. which is not they half of the length cation states that they are to be on an 131 span, which is neither half of the width of the building. If they are to run crosswise of building of the length which tho wall, roof and girder framing can be shown.

headers over large window openings, framing and foundation at least 41 below grade of .

a new departure for use in dwelling houses, particularly in a wood frame wall. While section 303c of the Gode specifies that tyres or mothods of masonry construction not be authorities which we have available, the size of glass block of or organization not specifically in a wood frame wall. While to the latest authoritative methods shall be designed and details provided so not not authorities which we have available, the size of glass block panels are limited in the supported on wood frame. authorities which we have available, the size of glass block panels are limited in size to an area of five feet by five feet when they are to be supported in the size of panels are limited in glanels to framing, as well as in requirement there are specifications as to expansion have assurance from you that those specifications will be followed. We shall need

April 24, 1947

7. Although the above stems are those about which we need further information as to compliance with requirements before we can issue the permit; there are many more requirements of the Building Code too numerous to mention which will have to be met as work on building progresses. For this reason we would appreciate assurance from you that you yoursalf, who is given as contractor in application, and will see to it that they will be observed.

Very truly yours,

Inspector of Buildings

WMcD/S

CITY OF PORTLAND, MAINE
BOARD OF APPEALS

July 14, 1948

Abner N.Senborn Heirs 52 Bay Street Portland, Maine

Gentlemen:

The Board of Appeals will hold a public hearing in the Council Chember, City Hell, Portland, Maine on Friday, July 16, 1948 at ten-thirty o'clock in the foremon to hear the appeal under the Zoning Ordinance of Llewellyn Leavitt requesting exception to permit construction of new dwelling at 48 Bay Street.

This permit is not issuable at present because the foundation wall has been built lar closer to the street line of Bay Street than the front wall of the dwelling house existing on the adjoining lot, contrary to Section 15J of the Ordinance, this property being located in a Residence C Zone.

If you wish to be heard either for or  $\epsilon_{\rm d} ainst$  this appeal, please be present or be represented at the above hearing.

Very truly yours, BOARD OF APPLALS

Robert L. Getchell

Chairman

Auly 10, 1948

Mr. Llowellyn Leavitt 52 Bay Street Portland, Maine

Nr. Robert Carnoy 956 Machington Avenue Portland, Natrie Contland,

Subject: Foundation of dwelling under Abject: Foundation of ewelling under construction too close to the street line at 48 Bay Street, and proposed zoning appeal relating thereto

Contloinen:

It was necessary for us to issue a stop order on the construction of this new dwelling on June 25, 1948 because an inspector from this office found that, through none error between the time he cheefed the location and the constructing of the concrete forms, the foundation will has been built ing house existing on the adjoining lot; contrary to Section 154 of the dwelling Ordinance, the property being located in a Residence C zone.

Mr. Leavitt has notified us of his decire to seek an exception from the Board of Appeals to the und that he may be permitted to continue with the superstructure on the foundation where it now stands. Accordingly there is enclosed an outline of the appeal procedure,

He expressed a desire to get this matter before the Board of Appeals at a public hearing already scheduled on July 16. The decision as to that the best public, but I recommend that you file the appeal there the appeal to give them the best possible chance to must your desired.

Very truly yours,

Inspector of Duildings

MicD/3

Enclosure to each addresses: Outline of appeal procedure CC: Eduard T. Cignous

Assistant Corporation Council

July 21, 1948 Hr. Llewellyn Leavitt 52 Bay Street Portland, Maine Subject: Lifting of stop order on construction of new dwallsing at 52 Bay Street Dear Sir: Now that your appeal under the Zoning Ordinance has been sustained by the Board of Appeals, you may consider this letter as netification of the lifting of the stop order of June 25, 1943. Work upon the building may now be continued vacaover you are ready. Very truly yours, Inspector of Buildings CO: Mr. Robert Carney 856 Washington Avanue

Granted 2/16/48 119

### City of Portland, Maine Board of Appeals —ZONING—

July 14,

, 19 48

To the Board of Appeals:

Your appellant, Llewellyn Leavitt , who is the owner of property at 48 Bay Street , respectfully petitions the Board of Appeals of the City of Portland to permit an exception to the regulations of the Zoning Ordinance relating to this property, as provided by Section 17, Paragraph E of the Zoning Ordinance,

Building permit for construction of new dwelling is not new issuable because the foundation wall has been built 12" closer to the street line of Bay Street than the front wall of the dwelling house existing on the adjoing lot, contrary to Section 15J of the Zoning Ordinance, property being located in a Residence C Zone.

The facts and conditions which make this exception legally permissible are as follows:-

An exception is necessary in this case to grant reasonable use of property and avoid unnecessary hardship and can be granted without Zondang Ordinance.

Hewelly Ma Larith

City of Portland, Maine

Board of Appeals

John Composition

Decision

As Bey Street

Decision

Decis

The Board finds that an exception is staticed without substantially and avoid unnecessary in this case to grant in this specific case.

It is, therefore, determined that exception to the Zoning Ordinance may be permitted.

Let a specific case to grant that exception to the Zoning Ordinance may be permitted.

Let a specific case to grant that exception to the Zoning Ordinance may be permitted.

July 16, 1948

HEARING ON APPEAL UNDER THE ZONING ORDINANCE OF LIEVELLYN LEAVILL ALA Eay Street

. Public hearing on above

appeal was held before

Present for City

the BOARD OF APPEALS

Board of Boning Appeals members:- .

coday.

VOTE

Yes No

Mr. Getchell Mrs. Frost Mr. Holbrook Mr. Colc Mr. Lake

Municipal Officers:-

MR. LEAVITT - 1: too close to Fay Street by error

Mrs. Sanborn - neighbor next door - no objection City officials:-

CITY OF PORTLAND, MAINE MCDOWALD WILLIAM Department of Building Inspection Or reply refer to File ED 1/360-1 toph mo surp Subject: Foundation of dwelling under abjects foundation of dwelling under construction to close to the street line at 18 Bay Street. And proposed soning appeal relating thursts Her Edwardlyn Loaning 52 Bay Street Portlands Hains It was necessary for us to insue a step error on the construction and afthis new dwolling on June 25, 1918 because an inspector from this office of this new dwolling on stroy between the time he checked the location and found that, through some error between the foundation wall has been built found that, through some concrete force, the foundation wall for the dweller to constructing of the concrete force, the foundation wall for the agree the constructing of the concrete force, the foundation of the adjoining located in a Residence C tone, ing house existing on the adjoining located in a Residence of the property being located in a Residence of the property being located in a Residence of the property being located in a feeting of the located He Robert Carney 956 Washington Avoing Portland, Mains Gentlamen: Mr. Leavitt has notified us of his dusive to seek an exception from the Board of Appeals to the end that he may be leavitted to continue the Board of Appeals to the foundation where it now stands.

the superstructure on the foundation procedure.

is enclosed an outline of the appeal procedure. lie expressed a desire to get this matter before the Board of Appeals

lie expressed a desire to get this matter before the Board of that

a public hearing already scheduled on July 16. The decision as to the appeal

to be made in the Corporation Counsel's office where immediately

the have to be made in the Corporation file the appeal there is additionally

to be filed, but I recommend that you file the appeal to be filed, but I recommend to meet your desires. (Bigned) WARREN MCDONALD inspector of Bulldings Evelosma to each equisaseas oughing of shheaf brocodnes a\doign CC: Edward To Cignous Assistant Corporation Counsel

. • •		
	(RC) RESIDENCE ZONE - C APPLICATION FOR PERMIT	(a line) - 100)
(Slas		mit No. Office
	Portland, Maine, April 18, 1947	JUN 25 1947
To be INSPECTOR OF B	BUILDINGS, PORTLAND, ME. New plans 6/21/17	
The undersigned hereby seth the Laws of the State of and the following specifications:	y applies for a permit to erect alternatively the following building structure equipments the Building Code of the City of Portland, plans and specifications, if any,	nent in accordance submitted herewith
Location 48 Bay Stree	et Lot 15 Within Fire Limits? no D	ict No
Owner's or Lessec's name as	and address Liewallyn Leavitt, 52 Bay St. Telep	hone
Contractor's name and addr	ressownerTelep	
Architect	Plans filed yes	
Proposed use of hailding	Dwelling No. fam	
Other buildings on same lot_	-/	
Estimated cost \$ 5500.80	ii aa	\$ 4.00
	Description of Present Building to be Altered	V
MaterialNo. sto	toriesRoofingRoofing	
Last use		lies
	General Description of New Work	
	2/2/6	
To construct 14 st	tory frame dwelling 40'x24'	
÷		
	Permit Issued w	th Letter
The terrorism state of the stat	K)	
the heat ng contractor,	doc not include installation of heating apparatus which is to be taken out separately by	and in the name of
Is any p'umbing work involv	Details of New Work	
Size, from t 24 dept	II a grant to the or human	
To be erected on solic or 611d	th 40' No. stories 2: Height average grade to highest point of re	oof22*
Material of foundation	cd land? solled carth or rock? earth  at least 4 below grade  the land of the	
Material of undersinging	Inickness, top 12" bottom 12" cellar yes	,
Kind of roof hin	"to sill on store Height 24" Thickness 8	***************************************
	Rise per foot 129 8" Roof covering asphalt roofing Cla	sa C Und. Lab.
Kind of heat hot of m	Material of chimneys brick of lining t1	16
Framing lumber Kind	Type of fuel coal ls gas fitting involved?	
Corner posts by City	hemlock Dressed or full size? dressed	
eorner posts	u. 3-3	
Material columns under sinds	lls 2x8 Girt or ledger board? Size	
Material columns under girde	Ils 2x8 Girt or ledger board? Size crs trop pipe Size 4" Max, on centers 7	mananaga kanananaga ya ka
Material columns under girde Studs (outside walls and carr span over 8 feet. Sills and co	Ils 2x8 Girt or ledger board? Size Crs 1ron pipe Size 4" Max. on centers 7 rrying par itions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floorner posts all one piece in cross section. dormers	or and flat roof
Material columns under girde Studs (outside walls and cars span over 8 feet. Sills and co Joists and rafters;	Ils 2x8 Girt or ledger board? Size crs 1ron pipe Size 4" Max. on centers 7  rrying par: tions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floorner posts all one piece in cross section. dormers stairwey xxiiixx  1st floor 2x8 , 2nd 2x8 , 3rd 2x6 , roof	or and flat roof
Material columns under girde Studs (outside walls and cars span over 8 feet. Sills and co Joists and rafters; On centers:	Ils 2x8 Girt or ledger board? Size	or and flat roof  2x6
Maximum span:	Ils 2x8 Girt or ledger board? Size	or and flat roof
Maximum span:	Size	or and flat roof
Material columns under girde Studs (outside walls and cars span over 8 feet. Sills and co Joists and rafters: On centers: Maximum span: If one story building with ma	Ils 2x8 Girt or ledger board? Size ——  crs_iren_pipe —— Size 4" —— Max. on centers — 7  rrying par: tions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floorner posts all one piece in cross section. dormers stairwey —— Rxillys —— Rx	2x6 18! 12'
Material columns under girde Studs (outside walls and cars span over 8 feet. Sills and co Joists and rafters: On centers: Maximum span: If one story building with ma No. cars now accommodated o	Ils 2x8 Girt or ledger board? Size crs_tron pipe Size 4" Max. on centers 7  rrying par: tions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floorner posts all one piece in cross section. dormers xxixixxx  1st floor 2x2 , 2nd 2x8 , 3rd 2x8 , roof 1st floor 16" , 2nd 16" , 3rd 16" , roof 1st floor 14t , 2nd 14t , 3rd , roof 1st floor 14t , 2nd 14t , 3rd , roof 2x10 girder asonry walls, thickness of walls? height?  If a Garage  on same lot , to be accommodated	or and flat roof  2x6  16n 24
Material columns under girde Studs (outside walls and car span over 8 feet. Sills and co Joists and rafters: On centers: Maximum span: If one story building with ma No. cars now accommodated o Total number commercial cars	Ils 2x8 Girt or ledger board? Size crs. 1ron pipe Size 4" Max. on centers. 7  rrying par: tions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floorner posts all one piece in cross section. dormers stairwey Rxiling  1st floor. 2x2 , 2nd 2x8 , 3rd xx6 , roof.  1st floor. 16" , 2nd 16" , 3rd 16" , roof.  1st floor. 14' , 2nd 14' , 3rd , roof.  6x10 girder assonry walls, thickness of walls? height?  If a Garage  on same lot. , to be accommodated.	or and flat roof  2x6  181 /2'
Material columns under girde Studs (outside walls and cars span over 8 feet. Sills and co Joists and rafters: On centers: Maximum span: If one story building with ma No. cars now accommodated o Total number commercial cars Will automobile repairing be	Ils 2x8 Girt or ledger board? Size	2x6 16n 24' 18! /2'
Material columns under girde Studs (outside walls and cars span over 8 feet. Sills and co Joists and rafters: On centers: Maximum span: If one story building with ma No. cars now accommodated o Total number commercial cars Will automobile repairing be	Ils 2x8 Girt or ledger board? Size crs. 1ron pipe Size 4" Max. on centers. 7  rrying par: tions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floorner posts all one piece in cross section. dormers stairwey Rxiling  1st floor. 2x2 , 2nd 2x8 , 3rd xx6 , roof.  1st floor. 16" , 2nd 16" , 3rd 16" , roof.  1st floor. 14' , 2nd 14' , 3rd , roof.  6x10 girder assonry walls, thickness of walls? height?  If a Garage  on same lot. , to be accommodated.	or and flat roof  2x6  16n 24'  18! /2'

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto

observed? yen



## APPLICATION FOR PERMIT

## DEPARTMENT OF BUILDING IMSPECTIONS SERVICES ELECTRICAL INSTALLATIONS

, para ma	Date1/30/91	: (S====================================
· <b>m</b> ž iš	Receipt and Permit number	er <u>013/5</u>
To the CHIEF ELECTRICAL INSPECTOR, Portland The undersigned hereby applies for a permit to me	l, Maine:	the laws of
The undersigned hereby applies for a permit to me	ake electrical installations in accordance with	ions:
The undersigned hereby applies for a permit to me Maine, the Portland Electrical Ordinance, the Nation	ial Electrical Code and the following specifical	
Maine, the Portland Electrical Ordinance, the Nation LOCATION OF WORK: 46 Bayview Dr. OWNER'S NAME: Daniell Slater		
OWNERS NAME: DanielleSlater	ADDRESS:same	FEES
OUTLETS: Switches Plugn		
OUTLETS: Switches Plugn	nold ft. TOTAL	
Receptacies builties		
FIXTURES: (number of)	not strip) TOTAL	
Incandescent Ploutescent	aot strip) 101AB	
Strip Flourescent 1t.		
SERVICES:	nporaryTOTAL amperes 100	<u>15.</u> 00
Overhead X Underground ren METERS: (number of)	ipotary	
METERS: (number of)	•••	
MOTORS: (number of)		
Fractional	*** ***********************************	
1 HP or over	,	
RESIDENTIAL HEATING:	••••	
Oil or Gas (number of units)		,
Flectric (number of rooms)	••••	
COMMERCIAL OR INDUSTRIAL HEATING:		
	••••	
Oil or Gas (by separate units)	- Luc	
Electric Under 20 kws Over 20	kws	
AFPLIANCES: (number of)		
	water Heaters	
Ranges	Disposals	
Cook Tops	Dishwashers	
Wall Ovens	Compactors	
Dryers ———	Others (denote)	
Fans	Outers (de tote)	
TOTAL	······	
MISCELLANEOUS: (number of)		
	***************************************	
Transformers		
Separate Units (windows	s)	
Swimming Pools Above Ground	************************************	
II D_=idential		
Commercial	***************************************	
20 Volt (such as well	Jame) 20 aming and Huder	
Heavy Duty Outlets, 220, voit (Such as were	over 30 amps	
·		
Circus, Fairs, etc.		
Alterations to wires		
Repairs after fire		
Emergency Lights, battery		
Emergency Generators	INSTALLATION FEE DUE:	
FOR ADDITIONAL WORK NOT ON ORIGINAL	, PERMIT DOUBLE FEE DOES.	
FOR ADDITIONAL WORK NOT ON ORIGINAL FOR REMOVAL OF A "STOP ORDER" (304-16.)		15.00
FOR ISBNIC VILLE OF	TOTAL AMOUNT DUE:	
TAXADA ANTONIO		
INSPECTION: Will be ready on, 19, 19	or Will Call X	
Will be ready on, 10	tric	
CONTRACTOR'S NAME: Hannon's Field	<u> </u>	
ADDRESS: SO PETU		
TEL.: 767-2471	SIGNATURE OF GONTRACTOR:	
MASTER LICENSE NO.: R Hannan #2885 LIMITED LICENSE NO.:	— Siching of the second	
LIMITED LICENSE NO.:	- July / Vum	
	/ '	

INSPECTOR'S COPY — WHIFE
OFFICE COPY — CAMARY
CONTRACTOR'S COPY — GREEN

INSPECTIONS: PROGRESS INS	Service called in 2-11-91 - 11:30 PLM of Permit Application by by
DATE:	REMARKS:
-	
1.2	
<u> </u>	