WADSWORTH & BOSTON , ARCHITEC'TS Philip Shirley Wadsworth, A.I.A. 57 EXCHANGE STREET , PORTLAND 3 , MAINE Royal Boston, Jr., A.I.A. Ernest F. Spaulding Douglas K. Goodspeed July 7, 1955

Mr. Warren McDonald Inspector of Buildings City Hall Portland, Maine

Dear Mr. McDonald: I am writing you concerning the addition to the building of the Congdon Transportation Company about which our Mr. Parkinson has been talking to

We find that the areas in the old and new building are as on the enclosed tabulation. The net floor area inside of exterior walls is 24,055 square feet. The fire wall which was discussed which separates the office area from the freight house area has been built and has fire doors in it.

Very truly yours,

WADSWORTH & BOSTON

WADSWORTH & BOSTON · ARCHI CCTS

Congdon Transportation Co. Building

1 Story Building

Areas

Existing

Office Area = 58' x 39' Toilets = 11' x 11' Freight House = 39' x 128' = 4,992 Trucking Area = 128' x 47' = 6,016 / New Storage Area = 124' x 86'= 10,664 TOTAL....24,055 SF

These are interior dimensions.

(I) INDUSTRIAL ZONE



PERMIT ISSUED

estov;

CON AL HOMENT

a baaidaadinaa ili aas	he Laws of the State	of Maine, the Bu	uding Code and 2	coning Ordinance	y ine usty of Portla	na, pians and
zbechegmin' fi and	submitted herewith 6	and the following :	s респрсанопя: '	"41.1 Ti T !!4	no Diet	No.
Location	52 Canco Road		N	Rimina Bria mini	Ctoti Palakas	140
Owner's name and	addressCongdon	Transportati	ion lio., lox	r, Monutorus	CLEEDRON	
Lessee's name and	addressand address _Chase		1		Telephone	
	and addressCha.se	Transider C	o., 25 Comme	rcial St.	Telephone	
Architect		<u> </u>	specifications	Plans	No. of	sheets
Proposed use of bui	lding <u>Dri ve</u> store	ge of certain	n truck docu	ments.	No. famil	ies
Material Wood	No. storiessame lotoffi	Heat	Style of r	oof	Rooling	- ~-·*
_		ica and termi	nal		Fee \$	
Estimated cost \$		** **	÷	į		
-1-4		General Descr	ription of Ne	w.Work -	K = -	Adopted services
	,		TO TOO	titati kia t	o shove const	ion ""."
To move 1-s	story frame buil	lding from \$	rear of 500	rorest ave. (O AUDVO TOCAL	LOII
_ r w, a	na cuange dae (or nativative o			"a	3,50
enc.		4				
• •	دون مورد از	والمعارفين ويستي	, _	مري سيسيس يترك	· · · · · · · · · · · · · · · · · · ·	
rnig pluipt			ı	. ,		
rmer tendst right to kol dan publicis	horë adë	riction r	HV.	# - ·		
ridhy to not	thing years	ang tundu	(Same and the same	s — <u>arte</u> k _{arm} akka n _a nceksnap : m = ta v		·
t er publi c s	TREETS OF E	re cive		ا ماد أنظم		- 4 -
	t this permit does no		en lexinen a	transláin mhíob io li	hà lahan aut sahas	ก็ไปนี้ ที่นี้ ก็แก้ เ
if is understood that	is this permit aces we ing contractor. PEB	n manage mananan MIT TO BR	ion of neuting ap	Chase Transfe	r oe iaken out separ. P	ares) of and i
the name of the near	ing community 2 222				- ,	
		_ Details	of New-Wo	rk	*-	٠, ٠,
Is any plumbing in	ivolved in this work e made to public se	:?	Is any elec	urical work involv	ed in this work?	
Is connection to be	e made to public set	wer?	If not, wh	at is proposed for	sewage?	
Has septic tank ne	otice been sent?		Form not	ce sent?		
Height average gra	ade to top of plate.		Height averag	e grade to highest	point of roof	
			, =			1-7
Size, front	qebtji	No. stories	solid or fill	ed land?	earm of roc	<u> </u>
Size, front Material of founda	deptly ntion _concrete_b	No. stories ontop_c lockslnick	solid or fill of ground ness, top	ed land?bottom	earth or roc	**************************************
Size, front Material of founda Material of under	depth ition _concrete_b pinning	No. stories — on top c locks — I nick	solid or fill of ground ness, top Height	ed land?bottom	cellar	
Kind of roof	Rise	per foot	solid or fill of ground ness, top Height Roof cove	ring	· · · · · · · · · · · · · · · · · · ·	
Kind of roof	depth ation _concrete_b pinningRise	per foot	solid or fill of ground ness, top Height Roof cove	ring	· · · · · · · · · · · · · · · · · · ·	
Kind of roof No. of chimneys	Rise	per foot	solid or fill of ground ness, top Height Roof cove	ring	· · · · · · · · · · · · · · · · · · ·	
Kind of roof No. of chimneys Framing lumber— Corner posts	Rise Materi -Kind Sills	e per foot	solid or fill of ground ness, top Height Roof cove of lining Dressed of	ring	· · · · · · · · · · · · · · · · · · ·	
Kind of roof No. of chimneys Framing lumber— Corner posts	Rise Materi -Kind Sills	e per foot	solid or fill of ground ness, top Height Roof cove of lining Dressed of	ring	l of heat	fuel
Kind of roof	Rise Kind Sills	e per foot	solid or fill of ground ness, top Height Roof cove of lining Dressed or dger board?	ring King full size?	l of heatSizeMax. on cen	fuel
Kind of roof	Rise Materi Kind Sills Size.	e per foot	solid or fill of ground iness, top Height Roof cove of lining Dressed of dger board? irders O. C Bridging i	ring King full size?	Size Max. on cen	fuel
Kind of roof	Rise Materi Kind Sills Size Size	ger foot	solid or fill of ground iness, top Height Roof cove of lining Dressed of liger board? inders O. C. Bridging i	King King Size Size n every floor and	Size Max. on cen	fuel
Kind of roof No. of chimneys Framing lumber Corner posts Girders Studs (outside wa Joists and raf On centers:	Rise Materi Kind Silts Size Ils and carrying par Iters: 1st flo	ger foot	solid or fill of ground ness, top Height Roof cove of lining Dressed or dger board? inders O. C. Bridging i 2nd 2nd	full size? Size n every floor and	Size Max. on cen flat roof span over	fuel
Kind of roof No. of chimneys Framing lumber— Corner posts Girders Studs (outside wa Joists and rai On centers: Maximum sp	Rise Materi Kind Sills Size Ils and carrying par Iters: 1st flo 1st flo 1st flo	ger foot	solid or fill of ground ness, top Height Roof cove of lining Dressed of dger board? indera O. C. Bridging i 2nd 2nd	Size n every floor and , 3rd	Size Max. on cen flat roof span over roof roof roof roof	fuel
Kind of roof No. of chimneys Framing lumber— Corner posts Girders Studs (outside wa Joists and raid On centers: Maximum sp	Rise Materi Kind Silts Size Ils and carrying par Iters: 1st flo	ger foot	solid or fill of ground ness, top Height Roof cove of lining Dressed of dger board? irders O. C. Bridging i 2nd 2nd yand walls?	Size n every floor and , 3rd , 3rd	Size Max. on cen flat roof span ove	fuel
Kind of roof No. of chimneys Framing lumber— Corner posts Girders Studs (outside wa Joists and rat On centers: Maximum sp If one story build	Rise Materi Kind Sills Size Ils and carrying par (ters: 1st flo 1st flo an: 1st flo ing with masonry w	ger foot	solid or fill of ground ness, top Height Roof cove of lining Dressed or dger board? girdera O. C. Bridging i 2nd 2nd 2nd walls?	Size n every floor and 3rd , 3rd	Size Max. on cen flat roof span over , roof , roof , roof height?	fueliers
Kind of roof No. of chimneys Framing lumber Corner posts Girders Studs (outside wa Joists and rai On centers: Maximum sp If one story build	Rise Materi Kind Sills Size Ils and carrying par Iters: 1st flo 1st flo an: 1st flo an: where the same of the same	girt or lec Columns under g ritions) 2x4-16" or alls, thickness of	solid or fill of ground iness, top Height Roof cove of lining Dressed of dger board? indera O. C. Bridging i 2nd 2nd 2nd walls?	Size n every floor and , 3rd , 3rd number commer	Size Max. on cen flat roof span over roof roof roof height?	fuel
Kind of roof No. of chimneys Framing lumber Corner posts Girders Studs (outside wa Joists and rai On centers: Maximum sp If one story build	Rise Materi Kind Sills Size Ils and carrying par (ters: 1st flo 1st flo an: 1st flo ing with masonry w	girt or lec Columns under g ritions) 2x4-16" or alls, thickness of	solid or fill of ground iness, top Height Roof cove of lining Dressed of dger board? indera O. C. Bridging i 2nd 2nd 2nd walls?	Size n every floor and , 3rd , 3rd number commer	Size Max. on cen flat roof span over roof roof roof height?	fuel
Kind of roof No. of chimneys Framing lumber— Corner posts Girders Studs (outside wa Joists and rat On centers: Maximum sp If one story build No. cars now according to the content of the conten	Rise Materi Kind Sills Size Ils and carrying par Iters: 1st flo 1st flo an: 1st flo an: where the same of the same	girt or lec Columns under g ritions) 2x4-16" or alls, thickness of	solid or fill of ground iness, top Height Roof cove of lining Dressed of dger board? indera O. C. Bridging i 2nd 2nd 2nd walls?	Size n every floor and , 3rd , 3rd number commer	Size Max. on cen flat roof span ove , roof , roof , roof height? cial cars to be acco	fuel
Kind of roof No. of chimneys Framing lumber Corner posts Girders Studs (outside wa Joists and rai On centers: Maximum sp If one story build	Rise Materi Kind Sills Size Ils and carrying par Iters: 1st flo 1st flo an: 1st flo an: where the same of the same	Girt or lec Columns under g ritions) 2x4-16" or alls, thickness of lot, to be acher than minor re	solid or fill of ground mess, top Height Roof cove of lining Dressed of dger board? girders O. C. Bridging i 2nd 2nd 2nd walls? If a Garage commudated pairs to cars hal	Size n every floor and , 3rd , 3rd number commer	Size Max. on cen flat roof span over , roof , roof height? cial cars to be acco the proposed buildi	fuel
Kind of roof No. of chimneys Framing lumber— Corner posts Girders Studs (outside wa Joists and rat On centers: Maximum sp If one story build No. cars now according to the content of the conten	Rise Materi Kind Sills Size Ils and carrying par Iters: 1st flo 1st flo an: 1st flo an: where the same of the same	Girt or lec Columns under g titions) 2x4-16" or alls, thickness of lot, to be acher than minor re	solid or fill of ground mess, top Height Roof cove of lining Dressed of dger board? girders O. C. Bridging i 2nd 2nd 2nd walls? If a Garage commodated pairs to cars hal	Size n every floor and 3rd number commer itually stored in the Miscell e disturbing of an	Size Max. on cen flat roof span over roof roof roof height? cial cars to be acco the proposed buildi aneous y tree on a public s	fuel
Kind of roof No. of chimneys Framing lumber— Corner posts Girders Studs (outside wa Joists and rat On centers: Maximum sp If one story build No. cars now according to the content of the conten	Rise Materi Kind Sills Size Ils and carrying par Iters: 1st flo 1st flo an: 1st flo an: where the same of the same	Girt or lee Columns under getitions) 2x4-16" or or alls, thickness of leet than minor re	solid or fill of ground iness, top Height Roof cove of lining Dressed of liger board? girders O. C. Bridging i 2nd 2nd 2nd 2nd 3nd 3nd 4nd 4nd 4nd 4nd 4nd 4nd 4nd 4nd 4nd 4	Size Size n every floor and 3rd 3rd 3rd number commer situally stored in the Miscell e disturbing of an and the harge of the all	Size Max. on cen flat roof span over roof roof height? cial cars to be acco the proposed buildi aneous y tree on a public sove work a perso	fuel
Kind of roof No. of chimneys Framing lumber— Corner posts Girders Studs (outside wa Joists and rat On centers: Maximum sp If one story build No. cars now according to the content of the conten	Rise Materi Kind Sills Size Ils and carrying par Iters: 1st flo 1st flo an: 1st flo an: where the same of the same	Girt or lec Columns under g titions) 2x4-16" or alls, thickness of her than minor re	solid or fill of ground iness, top Height Roof cove of lining Dressed of liger board? girders O. C. Bridging i 2nd 2nd 2nd 2nd 3nd 3nd 4nd 4nd 4nd 4nd 4nd 4nd 4nd 4nd 4nd 4	Size Size n every floor and , 3rd , 3rd number commer itually stored in the store of the all ate and City received.	Size Max. on cen flat roof span over roof roof roof height? cial cars to be acco the proposed buildi aneous y tree on a public s	fuel

INSPECTION COPY

· 42] 养 Staking Out Notice
Form Check Notice NOTES Inspn. closing-in Cert. of Occupancy issued Final Notif. 1. ` # t p6 $\mathcal{W}_{i}, \mathcal{T}_{L^{i}}$ 30,531

Esy 27, 1954

AP 52 Canco Road-Moving building

Comer—Congdon Transporation Co.

Box F, Woodfords Station

Contr. Chase Transfer Co. 25 Connercial St.

Building permit for above work is issued herewith subject to the following conditions:

- -although the application for permit staced that the proposed use of the building was to be a rest and recreation room for drivers and storage of truck documents, the permit is being issued on the basis of Er. Hilliken's statement that the building is to be used for storage purposes only. It is only under such a condition that the use of supports for the building not extending at least four feet below grade are allowable under the Building Code. Therefore if the building is supported on concrete blocks on top of the ground as indicated, it will be unlawful to use it for any purpose in which its occupancy by people is involved unless and until supports extending at least four feet below grade or to ledge have been provided. A permit would be needed to cover the construction of such a foundation.
- -since the building is to be used only for storage, it is assumed that the heat originally indicated for the building will not be provided. Therefore this permit is issued on the basis to the hailding is to be unheated. If heat is to be provide, inquiry should be made at this office as to the type of venting arrangements required for the kind of fuel to be used.
- -it appears from the location plan filed with the application for the permit for construction of the main buildings on the lot that there is a proposed street on which the property atuts. If these buildings are located from this proposed street the same distance as indicated on the plot plan and if the building to be moved is to be located as shown on the location plan filed with the application for this permit, it appears that it will project somedast into the area of the proposed street. Since this street does not appear on the master plan of the City, question of issuance of the permit on this continuous intervals, but we thought that if you are unaware of the situation, you might wish to make sure that the building is placed so that it will not occupy any of this proposed street area.

Inspector of Buildings

AJ3/B

CONGDON TRANSPORTATION

BOX F., WOODFORDS STATION PORTLAND 5, MAINE

MARRY L. MILLIKEN
PRESIDENT

GILBERT CONGDON, JR.
VICE-PRESIDENT
TREASURER

May 25, 1954

PLEASE QUOTE THIS SUBJECT WHEN REPLYING

Mr. Kenneth Stahl c/o Chase Transfer 25 Commercial Street Portland, Maine

Gentlemen:

Reference is made to our telephone conversation of this afternoon concerning the building you are moving for us and the use to which it is to be put.

please be advised that the building will be used for driver's rest room or represation room and storage of certain truck documents. I am enclosing a rough sketch of the location of the building and trust this will serve the purpose.

The building will contain a natural gas space heater which will be converted to the use of propane or bottled gas. It will not be located within 100 feet of any of our existing properties.

Very truly yours,

CONGDON TRANSFORTATION

F. Gilbert Congdon, Jr.

Tseasurer

FGC Jr/g Enclosure

RECEIVED

MAY 25 1954

DEPT. OF BLD'G. INSP.

COMMON CARRIER

CARLOAD DISTRIBUTION

CONTRACT CARRIER

LUCAL CARTAGE

CITY OF PORTLAND, MAINE

BUILDING INSPECTOR

hay 25, 1954

To. Bryar O. Whitney, Commissioner of Fublic Works

. FROM: Warren EcDoneld, Inspector of Euildings

SUBJECT: Foring building from rear of 500 Forest Ave. to 52 Canco Road We have application for permit to move 1-story frame 28' x 18' building

We are checking the proposition against Zoning Ordinance and Building Code and will delay issuance of the permit until we hear from you that permit as above. for moving through the streets is cleared sufficiently. When that point is reached, will you be kind enough to write "OK to issue building permit" on the bottom of this memorandum and return.

5/26 = 7 OK to viene furnit & a Joseph

RECEIVED MAY 27 1954

DEPT. OF BLD'G. INSP.
CITY OF PORTLAND

(1) INDUSTRIAL ZONE APPLICATION FOR PERMIT

PERFUT ISSUED DEC 8 1951

Class of Building or Type of Struck	ture Third Class	CITY of PORTLAND
Portland, Ma	inc, _ Becember 4, 1951	City of Contigues
To the INSPECTOR OF BUILDINGS, PORTLAND	, MAINE	
The undersigned hereby applies for a permit to in accordance with the Laws of the State of Maine, th specifications, if any, submitted herewith and the follow	e Building Code and Zoning Ordinance of ving specifications:	the City of Portland, plans and
Location 52 Canco Road		
Owner's name and address .Congdon_Transport		•
Lessee's name and address		
Contractor's name and address H. H. Fisk, "O		-
Architect		
Proposed use of buildingoffice		
Last use		
Material Krikawood No. stories 1 Heat		
Other buildings on same lot		
Estimated cost \$ 250.	escription of New Work	Fee \$ 2.00
To enclose and provide roof over exist and steps.	sting outside front platform ap	oproximately 4' x 4' sued with Memo
		CATE OF OCCUPANCY
It is understood that this permit does not include inst the name of the heating contractor. PERMIT TO 1	allation of heating apparatus which Bio	RESIGNT IS WAIVED Vaken out separately by and in
Is any plumbing involved in this work?		! 4b! 1.3
Height average grade to top of plate		
Size, front		
Material of foundation existing T		
Material of underpinningRise per foot		
No. of chimneys Material of chimney		
Framing lumber—Kind hemlock	-	
Corner posts <u>Levil</u> Sills Girt o		
Girders Size Columns und		
Studs (outside walls and carrying partitions) 2- 1-1	=	
	₹ , ?nd, 3rd	
On centers: 1st floor		
Maximum span: 1st floor	, 2nd, 3rd	
If one story building with masonry walls, thickness		
		The Pricate
No. cars now accommodated on same lot to be Will automobile repairing be done other tha mino	e accommodatednumber commercial	cars to be accommodated
and a spaining or done office of at him	•	
PROVED: O.K. with Letter by African	Miscelland Will work require disturbing of any to	
	Will there be in charge of the above see that the State and City require	e work a person competent to
	Will there be in charge of the above	e work a person competent to
	Will there be in charge of the above see that the State and City require	e work a person competent to

INSPECTION COPY

NOTES 12/19/51- MO Della tartella della d	Permit No. 5/ 24/96 Location 62 County Search Owner Carphonit 2 6 65 Date of permit 2 6 65 Notif. closing-in Inspn. closing-in Final Notif. Final Inspn. 3/10/5 2 Cert. of Occupancy issued
	rope of their
36.3.3	
	t. 07.77 3 18.77 - 13
2. 3.51	े का स्वतार । है है,
ienal Verschytisch of Ner Violi.	
	v colose e.
	•
1	1
2 P. B. B. S.	1
- A	* 1
10 to	190
Soloma Sint	4 (1 99)
	1 1
to the second and the second of	the eage of
en (a) Mary	A M MARK IN THE STATE OF THE ST
Fr. talk to a set organization of a git to se	
	n was set on the
1 -	
,	. २११५ (१९६) वर्षाहरू, विश्वर [े] (४८८)
if a Garage	7
west to a stranger of and both consider.	The state of the state of the second of the
अर्था वर कर रंग हैरे मा सम्प्रेस १३० मा तीर्थ कर रहे वर विस्त	as the constituent of successful to the same of
et 0% cal 32017)	स्य । १६
The Common Common Section 19 1 And Common Section 19 1	C. K. will I Have by
the state of the s	
2,50,00	
. 3. 4 30	
112 C16	Authority of the Author
	to have been been been been been been been be

-

,

F 64.00

Memorandum from Department of Building Inspection, Portland, Maine

52 Canco Road—Enclosing and providing roof over existing front platform and steps for Congdon Transportation Company by H. H. Fisk—12/6/51

Building permit for providing enclosure over the existing front entrance platform and steps of the office section of the building at the above location is issued herewith subject to the condition that all parts of the enclosure, including the bottom of the steps, are to have foundations extending at least four feet below grade.

AJS/G

CO: Congdon Transportation Company 52 Canco Road

(Signed) Warren McDonald Inspector of Buildings



(I) INDUSTRIAL ZONE APPLICATION FOR PERMIT

PURMIT ISSUED 01151 JUL 1 1946

Class of Buttaing or Type of Stru	course Gasoline Storage
Portland, Ma	ine_ Iwie 26, 1946
To the INSPECTOR OF BUILDINGS, FORTLAND, 1	
	rect where we have dish install the following building structure equipment in an Code and Loning Ordinance of the City of Portland, plans and specifications,
Location 34-64 Canco Road	Within Fire Limits?noDist. No
	Sa, Canco Road Telephone
	Telephone Telephone
	ction Co., 562 Congress Street Telephone
	Specifications Plans ves No. of sheets 1
	No. of sneers.
	No. families
Material No stories II	Style of roof Roofing
Estimated cost \$	Fee \$_1.00
General D	escription of New Work
To install 1-5000 gallon tank for gase Tank to be buried 3' below grade - label- new installation - piping fr	oline - 1 electric pump for private use. coated with asphaltum - bears Underwriters!' rom tank to pump log".
,	
* * * * * * * * * * * * * * * * * * *	,
,	Regulation Fire Dept. 6/28/46 Requirement is WAIVED
the heating contractor. Det	of heating apparatus which is to be taken out separately by and in the name of tails of New Work
	Is any electrical work involved in this work?
	Height average grade to highest point of roof
	riessolid or filled land?earth or rock?
	hickness, top
	Height Thickness
	Roof covering
	of lining Kind of heat fuel
	Dressed or full size?
· ·	ledger board?Size
	er girders Size Max. on centers
	16" O. C. Bridging in every floor and flat roof span over 8 feet.
	, 2nd, rooi
	2nd, 3rd, roof
	, 2nd , roof , roof
It one story building with masonry walls, thickness	of walls?height?
	If a Garage
	r repairs to cars habitually stored in the proposed building?
Mo A	Miscellaneous
ROVED Claser I see bour.	Will work require disturbing of any tree on a public street? no
CHIEF OF FIRE DAP.	Will there be in charge of the above work a person competent to
2	see that the State and City requirements pertaining thereto are
-, 1	observed? Yes
\	Hamingwey Bros.

Brown Construction Co.

PECTION COPY

	,
Permit No. 46/1151	
Location 34-64 Canca Board	- 医表面部的 电电流
7	現る こうきょうちゅう なる 生産者
	3
	· · · · · · · · · · · · · · · · · · ·
	18 自由 [1] 自由 [1] [2] [2]
Filial Molit. 2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 · 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1 ·
Final Inspn. 7/F/46	3 - 2 1 3 3 4 4
Cert, of Occupancy issued	1 3 5 第2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
K E E NOTES CO I I	
\$ 0 1 1 1 0 1 1 0 1 1 1 1 1 1 1 1 1 1 1	1
हिंदी व विकित्त । विकित्त । विकित्त । विकित्त ।	
NATURAL PROPERTY OF THE PROPER	State of the state
	11、 李维是22人 [卷] 卷] [4] [6]
	· 一直直通
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	一
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 25 7 1 8 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	क इन्हें दिन देखा देखा है।
	· · · · · · · · · · · · · · · · · · ·
1/20 1/20	5
(A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	्राह्म । राष्ट्री । राष्ट्री के राष्ट्री
	The second of th
to all the state of the state o	
The second of th	The same that th



APPLICATION FOR PERMIT FOR HEATING. COOKING OR POWER EQUIPMENT

PERMIT ISSUED 010'74 JUN 14 1946


- Portland,.	Haine, June 12, 1946
To the INSPECTOR OF BUILDINGS, PORTLAND,	ME .
The undersigned hereby applies for a permit to ance with the Laws of Maine, the Building Code of th	install the following heating, cooking or power equipment in accord-
Location Canco Road Use of 1	
Name and address of owner of appliance F. G. Ballard Oil & Equi pmont C	Congdon, 501 Forest Ave.
General :	_
IF HEATE	R, OR POWER BOILER 413HG-OK-OS
Location of appliance or source of heat Basemen	
If wood, how protected?	Kind of fuel . Oil
Minimum distance to wood or combustible material,	from top of appliance or easing top of furnace
From top of smoke pipe From front of	appliance From sides or back of appliance
Size of chimney flue Other connection	·
, If gas fired, how vented?	Rated maximum demand per hour
	OIL BURNER
- · · · · · · · · · · · · · · · · · · ·	pes oil supply line feed fre
Location of oil storage Outside undergro	und Number and capacity of tanks 1-1500
Will all tanks be more than five feet from any flame?	4.7
. IF COO	OKING APPLIANCE
Location of appliance Kind of for	Type of floor beneath appliance
Minimum distance to wood or combustible material fr	om top of appliance
From front of appliance . From sides	and back From top of smokepipe
Size of chimney flue Other connection	ns to same flue
•	ited?,
If gas fired, bow vented?	, , , , , . Rated maximum demand per hour
MISCELLANEOUS EQUI	PMENT OR SPECIAL INFORMATION
	the state of the s
_ , , , , , , , , , , , , , , , , , , ,	
	7 :
· · · · · · · · · · · · · · · · · · ·	ren en e
- · · · · · · · · · · · · · · · · · · ·	
11 VALES - 11	•
Amount of fee enclosed? . \$1.00 for one building at same time.)	eater, etc., 50 cents additional for each additional heater, etc., in same
PROVED:	
	Will there be in charge of the above work a person competent to
	see that the State and City requirements pertaining thereto are
	observed?Yes
Zagara a sa	_ · · · · · · · · · · · · · · · · · · ·

Jasp. FIFE COPY

Signature of Installer . . . By

(3) INDUSTRIAL ZUIVE

APPLICATION FOR PERMIT





MAPO 778

	Class of Building or Type of Structure_ Installation
	Class of Building or Type of Structure_ Installation Portland, Maine, May 3, 1946
A INSPE	TOR OF BUILDINGS, PORTLAND, MR.

To the INSPECTOR OF BUILDINGS, PORTLAND, M	ik.		
The undersigned hereby applies for a permit to ere accordance with the Laws of the State of Maine, the Mulding if any, submitted herewith and the following specifications:			
Location 34-64 Canco Road	Within F	ire Limits?_	noDist. No
Owner's .ame and address F. U. Congdon Comp Lessee's name and address Tide Enter Associa	oony		Telephone Pontland
Lessee's name and addressTide_Ebter_Associa	sted Oil Company, 17	Main St.	Telephone
Contractor's name and address_ M. I. Frsking	. 24 Bishon St., So.	Portland	Telephone_2_7004
Architect	Specifications	Plans	No. of sheets
Proposed use of building	<u></u>		No. families
Last use			No. families
MaterialNo. storiesHeat	Style of roof		_Roofing
Other buildings on same lot			
Estimated cost \$ 375			Fee \$ 1.00
	escription of New Wo	rk	
to install 2000 gallon tank ar for ga	esoline. Storage to	be for pri	vate use. Tanks
will be buried, under ground, and label. Two pumps to be installed	painted with asphalt	un. Tank	bears Underwriters
			. الم
	CERTIFICATE OF C	OCCUPANCY IS WAIVED	Board from Pros Expression (C)
Is any plumbing work involved in this work?	tails of New Work Is any electrical we	ork involved i to highest poi	n this work?
Size, frontdepthNo, sto	riessolid or filled land?	<u> </u>	earth or rock?
Material of foundationT	hickness, topbottom.	cellar_	
Material of underninging	Height	TI	nickness
Kind of roof Rise per foot	Roof covering		
No. of chimneys Material of chimneys	of lining	Kind of l	neatfuel
Framing lumber—Kind	Dressed or full siz	ze?	
Corner postsSillsGirt or	ledger board?	S	ize
Girders Size Columns und	ler girdersSi	ize	Max. on centers
Studs (outside walls and carrying partitions) 2x4-	16" O. C. Bridging in every	floor and flat	roof span over 8 feet.
Joists and rafters: 1st floor	2nd	3rd	, roof
On centers: 1st floor.	2nd	3rd	, roof
			, roof
If one story building with masonry walls, thickness	of walls?		height?
we due nearly managed them produced them sellenger	If a Garage		
	_	ne commercial	cars to . c accommodated
No. cars now accommodated on same int, to i	oe accommodated	tored in the p	roposed building?
Will automobile repairing be done other than intio			
Williams of the lower] ₂ _	Miscellane	
11 1 1 1 1 1	Will work require distur	Miscellane	ce on a public street?no
PROVED:	Will work require disturb	Miscellane bing of any tre of the above	ee on a public street? no
PROVED:	Will work require disturb	Miscellane bing of any tre of the above	ce on a public street?no

F! G. Congdon Company

Signature of owner by: My Gestains

INSPECTION COPY

*			,
Permit No. 46/778			
Location 34-64 Canea Road			
Owner J. Con and a contract of	——————————————————————————————————————	1	
Date of permit 5/ 7/46		33	TUIE TO THE TOTAL
Notif. closing-in	-		The second secon
Inspn. closing-in		<u> </u>	mag zmbdia mea
เก็บ พลิน 🔻 💢			三年 五 五
Final Inspn. 5/5/46		2	
Cert. of Occupancy issued Moure		E	12 13 14 15 17 17
NOTES	, k		Para Para Para Para Para Para Para Para
* SHY-PIT-a)	-		10 10 10 10 10 10 10 10 10 10 10 10 10 1
3 2 4 3		Y	
	1 1	-	also at a same
			' ' ' ' ' ' ' ' ' ' ' '
	*		The second secon
	*		2 1 0 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1
	<u> </u>		
	*		
		2	1.0
<u> </u>			
	* * * *		67 G.
		i	# # # # # # # # # # # # # # # # # # #
	*		<u>څ ۶ څ</u>
1			
		,	
Are a second sec			



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING. COOKING OR POWER EQUIPMENT

Portland, Maine, April 10,1946

PUREIT ICHUD

To the INSPECTOR OF BUILLINGS, PORTLAND, ME. The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications: Location 72 94/ Conco Rd. Use of Building Garage and offiqub.building Name and address of owner of appliance Condon Transportation Co. Canco Rd. Installer's name and address Fels Co. 42 Union St. . Telephone 2-1939 General Description of Work ORT: 4-11-46 To install Steam heating system, foregroof boiler room IF HEATER, OR POWER BOILER Location of appliance or source of heat first If wood, how protected?

Kind of fucl later. Type of floor beneath appliance ... concrete Minimum distance to wood or combustible material, from top of appliance or easing top of furnace concrete. const. From top of smoke pipe concrete Panstront of appliance concrete rom sides or back of appliance concrete If gas fired, how vented? IF OIL BURNER Name and type of burner Labelled by underwriters' laboratories? Will operator be always in attendance? Does oil supply line feed from top or bottom of tank?..... If two 275-gallon tanks, will three-way valve be provided? Will all tanks be more than five feet from any flame? IF COOKING APPLIANCE Location of appliance . . Kind of fuel If wood, how protected? Minimum distance to wood or combustible material from top of appliance From front of appliance .. From sides and back From top of smokepipe Size of chimney flue ... Other connections to same flue TO I FER DOOR HE TEROPORTEE & Is hood to be provided? . . If so, how vented? If gas fired, how vented? Rated maximum demand per hour MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same APPROVED: Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed > yes Signature of Installer Fels Co. INSPECTION COPY

Charles H Welson

Memorandum from Department of Building Inspection, Portland, Maine

54-36 Canco Road—Lacondwent to building permit 45/1621 relating to changes in garage, freight shed and office for F. G. Congdon Company by Brown Construction Co., builders 1/19/46

To Omner and Builders

New stairs from dispatcher's office to building clerky office requires a hondrail, full length, on at least one side.

CC: F. G. Congdon Company 501 Forest Avenue

W. O.Hutchins 57 Exchange Street

(Signed) Warren McDonald Inspector of Buildings



Original Permit No. 11111111111111111111111111111111111	Ì
---	---

	AMENDMENT	TO A	PPL!CATION	FOR	JAN 23/1946 PERMIT	
TANK TO THE TANK THE					ز .	1
To the INSPECTOR OF	RIHIDINGS populars		Portland, Mai	ine, Jan	1946	
	•		IT		Proposition of the Park of the Control of the Contr	
prised in the original applica and specifications, if any, sub	tion in accordance with the I	aws of the	State of Maine, the Bi	ertaining t uilding Cot	e the building or structure com- le of the City of Portland, plans	
Loc tion 31-25 Cane	o Road		Within Fire L	imits?	no Dist. No.	
Owner's or Lessee's name	and address F. C.	Congdon	Co., 501 Fores	t Ave.		
Contractor's name and ad	dress Brown Const	ruction	Co., 562 Congr.	esa Str	et	
Plans filed as put of this	Amendment yes me	rked in	red No. of She	ets		
					in this work?	1
Incfeased cost of work-	_				Iditional fee - 25	,
Framing Lumber Kind?			Dressed or Full Siz			
	Description	on of Pro	posed Work			
on original pla						
"o oliminate swin	ging fire door het l	onding 1	nto corridor a	ָק יוייר אָ	lan.	
				Sfat in	Fire Doys . 1/16/46	
		4	th Mode	Reo,d 1	rem Bir. Dept. /13/4/	
10/1 000	I limer &	samed in	F. G.	Congdon	: Co.	
Approvedite 172.	Permit I		Brown C Signature of Owner By		the Freeze	
	Chief of Pire Department.		1/10	1		
-O	mnissioner of Public Works.		Approved: 21_Z/	76 - 6	Inspector of Rulldings,	

WILBURY O. HUTCHINS STRUCTURAL ENGINEER 57 Exchange Street · Portland 3 · Maine = Telephone 3-4507 :

November 24, 1945

Re: F. G. Congdon, Freight House, Garage & Office, 34-36 Canco Road.

RECEIVED NOV 26 1945 BEPT, OF BLD'G. INSP. CITY OF PORTLAND

RECEIVED NOV 26 1945 BEPT. OF BLD'G. INSP. CITY OF PORTLAND

Mr. Warren McDonlad, Inspector of Buildings, Portland, Maine.

Dear Sir:

In compliance with your memo dated November, we have specified details of construction for the subject project as follows:

- (1) All windows, except those in the Office Portion and one in the Despatcher's office, North Elevation of the Freight House, will be steel sash and wire glass will be used in those closer than thirty feet to the Office Building.
- (2) We have left the double fire doors as shown on the plans. The opening between the Billing Clerk's office and the Despatcher's office will be provided with an automatic closing metal shutter with metal guides, as shown on the plans.
- (3) The fact that whe buildings are to be sprinklered is indicated on the plans by the location of sprinkler valve or Sheet No. 4.
- (4) Agreement in regard to this paragraph was effected by telephone.
- (5) Hand rails are to be provided on both sides of the er ... ace steps to the Office, also on both sides of the steps at the end of the corridor leading to the Freight House. Pipe rails are to be provided on the outside of the concrete steps from Garage floor to Freight House floor.
- (6) Either a Boosey or a Solus grease and oil separator is to be provided in connection with the floor drains in the Garage.
- Skylights ere to be standard metal ribbed skylights, glazed with 1/4" wire glass and erected on a metal covered wood curb.
- The construction of the roof of the Office Portion, 2 x 10 joists, 2 x 6 ceiling joists and 1 x ℓ web members, was intended to form a truss which would be adequate, but it is my understanding at this time that Douglass Fir will be used for the 2 x 10s anyway.
 We have changed the sill of the Office Portion to be a soild 4 x 6, rather then allowing 2-2 x 6s, although we had the "Box" sill in mind when noting that double 2 x 6 could be used, and believe the cross section of the building

cc: Erown Const. Co.

Yours very truly, J.O. Hutchin R. C. Hutchins, Engineer.

A/ 51-64 Cames Funt-1 Vroight house, garage & milice

Royeaber 14, 1345

From Construction Company
582 Congress Street
F. G. Congdon Company
501 Forest Avenue

Subject: but.ding pury the cover-construction of freight hasse, garden and office at 34-64. Cancer Road

Gantia ion:

Above permit is insued to the contractors, subject to adjustment of certain features which have been taken up direct with the architect. No doubt he will, above the subject of the plan or by supplementary specifications.

The orchitect tells so that the building is to be subped with a standarding automatic sprinkles system which is necessary on account of the extended area of the garage portion. Bill the contractor note that install ion of the sprinkler wastes is to be covered by a deparate poralt from this department, application for such persit to be made by and the persit being issuable only to the actual installer, and with the application should be flied the installer's given of the up it bearing upon it the application of the How England Insurance Sating Burshy.

Very truly yours,

Inspector of Buildings

.atic9/s

CC) Hr: F: O. flutching

To do not seed to have your statesont of design for this larger building

ITY OF PURTLAND.....DEPT. OF BUILDING INSPECTION

Hovember 14, 1945

ist of Compliance with Building Code and Zoning Ordinance Requirements

Job Location 34 36 Canco Road Freight house. Owner F. G. Congdon Company Garres & Office 316

Architect W. O. Hutchins Brown Construction Company Contractor .

References at left are to sections of Building Code where applicable. If plan maker disagrees with statements below, he should seek a conference by phone or in person at this office. If he agrees, plans should to revised or supplementary specifications issued and fresh copies furnished to this office with a letter of transmi'tal showing that contractor and owner have copies of revisions.

Water Care Sec. 20464. Presumably all of the windows are metal sash, but any windows in east wall of garage closer than 30 feet to wood office building require mire glass.

Sec. 212bl. Despite my telephone conversation some time ago with Ur. Hutchins as to fire doors to be used in separation wall between garage and office, it is made clear in this section that "all uses shall be cut off from all parts of the same building of a less protective class of construction than required for that use by separations of 2-hour fire resistance." Therefore, fire doors are required on only one side of each opening, and the minimum is standard Class B (labelled), all doors to be ofther automaticclosing or self-closing (the latter by standard door closer; the former by tomatic-closing hardware). This will include a fire door to stañáard window opening between dispatcher's office and building clerk's protect office. all of this information ought to be shown on the plan or by supplemental specifications. Ho objection to using double doors, of course, especially if it would save the owner any penalty on incurance rate.

204cl. Mr. Hutchins said over the ohono that the building is to be sprinklered: It is required due to large area of garage portion, and should be shown on plans or supplementary specifications.

Sec. 212el. Since the 8-foot wide doors in the loading platform section cannot be counted as means of egress, the exits from this section are not well enough distributed for safety. Since the principal hazard no doubt exists in the motor truck area, and since the loading platform area is 140 feet long, it is recommended that you provide an ordinary size exit door at either end of loading platform either in or close to the exterior wall of the building with all of the 8-foot doors in it. Or, one or more wicket doors no less than 2 feet wide and no less than 6 feet 4 inches high could be provided in the 8-foot wide doors. In view of the comperison of the small number of men involved, double hung windows could be provided to serve these purposes with bottom half of sash capable of affording an opening no less then 24 inches wide and 28 inches high when wide op m. If doors are used, there caght to be'n platform with stees outside with propar foundations, but if double hung windows are used, no platform would be necessary in view of the fact that all people in this section would doubtless be men and merely the window ought to furnish a satisfactory energency means of getting out to the ground.

Sec. 212e5.2. Handrails required on at least one side of all steps, full length, and both sides of inside and outside steps in office portion, both of which appear to be more than 42 inches wide.

Sec. 2041. Brile A grease separator or trap required in connection with floor 5 - 16 15 TO 1 drains in gruck space.

Sec. 313d. Progugably skylights will be metal each. Wire glass is required if the skylight has a pitch of less than 45 degrees from the horizontal. Metal covered curb or equivalent is required.

General Structural. (1) The 2x10 roof joists over the office section do not seem to figure out if of dressed hemlock. Architect's letter of Sept. 17 says that all roof framing timbers are to be Douglas Fir full size. Genuine Louglas Fir dressed would figure out all right for these Ex10's, but I am not sure that the architect had the office portion is mind when the letter was written. If he did, it would be well to clear up the species definitely by revision of the plans or supplemental specifications.
(2) A note on Sheet 3 specifies that sill of office portion may be either 4x6 or doubled 2x6. See Schedule, Section 311c where sill of solid lumber in cross-section is required unless you want to use the "box" sill allowed thurn.

(Above information furnished to architect only)

Hovenber 9, 1846 osa Construction Company Subjects Building persit for construction of cose EEE Congress Street bines bise on, men to , stack on C. Congdon Cospeny The ir thop at 36-of Care, build SUL Korest Avenue gr. v. d. Autorios 57 Exchange Street Centre service. Walloung note that the above building partit issued heres, the to the contradition The first the specific building and not the point in the freight terminal and gareze. For the freignt terminal and govern an endwance parall t cover anceration. and consection only had boom loaned with the quory ar to shother the figur area The building was to be reduced to estate the estemble without a sprinkler reveton or whother a standard auto-stic sprincier spoten would be installed in the authline. Trundordend that it has been decided to equip the, allding with a streething iversity sprinktor system and that the place are being review to show the filter the the bullding oven greater than on the plant on one tave. ver they yours, Inspector of Ballalags



September 17, 1945

Re: F. G. Congdon, Truck Terminal, Your File: AP 34-64, Canco Road-I Freight House.

RECEIVED SEP 18 1945 DEPT. OF BLD'G. INSP. CHY OF PORTLAND

Wr. Warren McDonald, Inspector of Buildings, Portland, Maine.

Dear Sir:

This, together with revised drawings Nos. 1 & 2, is in reply to your letter dated September 1, 1945.

- (1) The species of lumber intended to be used in this building has been noted on the plans as follows: All roof framing timbers Douglas Fir full size, 4" x 6" posts Douglas Fir S4S. All other framing Hemlock S4S. Boof plank 2" T & G Hemlock S4S. I have taken loads as follows: L.L. 40 lbs. per sq. ft., Tar & Gravel Roofing 6 lbs. Plank 4.5 lbs. Timber 5.5 lbs., Total 54. lbs per square foot of roof area. The size of timbers indicated provide sufficient section modulus for this load, based upon a unit stress of 1500 lbs. per sq. inch, with some to spare. The construction of the awning has been changed, the roof timbers being carried out continuously for the overhang. The timbers supporting the skylights are designed as you assume.
- (2) In the Office portion of the building the framing has been changed so that a 4" x 6" post will come directly under each roof timber and in the freight house the timber over the 8' Ou door openings has been changed to a 6" x 12"
- (3) In reply to this paragraph it seems necessary to say only that at. no time is it expected that there will be as many as twenty persons in the building at the same time.
- (4) The outside stairs have been noted on the plans as being of wood construction, 7-1/2" risers, 10" treads, head rails both sides.
- (5) The ventilators for the tollet rooms have been indicated as 10" diam. galvanized iron ventilators, through the roof.
 - (6) Roof drains and leaders have been indicated on the plans.

Yours very truly,

W. O. Hutchins.

ce: Brown Construction Co.

CONTRACTOR OF THE STATE OF THE Tank FOR has 25 1000 gel 7ill System ^ (^{*}/₂/2 NEW ENgland Public Warehouse

BUILDING PERHIT REPORT

DATE: 6/7/95				
ADDRESS:	52 lever 12d			
ŘÉŽŠOH POR I	PERHIT: Init. 1/	ABOVE GROUND L/P TANKS		
				
BUILDING OW	HER: New England P.	Usla Woreheren		
CONTRACTOR:	National Program			
PERHIT APPL	ICANT Scott Hom	11113 1000		
Approved:	. d DENIET			
COMITTON O	9 177701112 00 00001	•		

CONDITION OF APPROVAL OR DEHIAL:

- 1.) All above ground L/P storage tanks shall be located in accordance with NFPA #58 standards.
- 2.) Any tank located near the path of vehicle movement shall be protected with appropriate permenant barricades.
- 3.) All piping shall be protected from possible mechanical damage and vandalism.


	COMMENTS	
	COMMENTAL	-
The state of the s		
h		
Since of the state	<u> </u>	
4 - 1 - 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
` <u></u>		
*		
	Inspection Record	
	Туре	Date
	Foundation:	
	Framing:	
	Plumbing:	9/8/95
	Final:OKAR	7/8/20

Location of Construction:	Owner England	พรบร สะยันเรา		Permit N 9 50593
Owner Address: 12- South Paris, ME	Leasee/Buyer's Name.	Phone:	Bu: InessNanier	-PERMILISSUED
Controlor Name: Propage Corp	Address: 304 35) - 0450	or1, 15 142/ Phone	5 (9-4)3	Permit Visional IOO CD
Past Use:	Proposed User	COST OF WOR	K: PERMIT FEE:	
	Aureponad R	Si FIRE DEPT. EX		CITY OF PORTLAND
	propone tanka =		Denied Use Group: Typ	e: CHY OF PURILAND
Proposed Project Description:	l	Silitarate. At	Signature: Arr	Zoolog Approval:
A STATE OF THE STA			Approved	Special Zone or Reviews:
Install propose tanks			Approved with Conditions: Denied	☐ ☐ Wetland
		Signature.	Date:	☐ Fluod Zone
Permit Token By: L. Guasa	Drte Applied For:	5/6/35	Date:	☐ Site Plan maj Ciminor Cimm ☐
A Section of the sect		_		Zoning Appaci
This permit application doesn't preclude the A		le State and Federal rules.	\$	☐ Vanance
2. Building permits do not include plumbi se	otic or electrical work.		~~~~/	☐ Vanance☐ Miscellaneous☐ Conditional Use
2. Building permits do not include plumbi se 3. Building permits are void if work is not star ed	otic or electrical work. within \$10(6) months of the date o		~~~~/	☐ Variance ☐ Miscellaneous
2. Building parmits do not include plumbi se	otic or electrical work. within \$10(6) months of the date o		~~~~/	☐ Vanance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation
2. Building permits do not include plumbi se 3. Building permits are void if work is not star ed	otic or electrical work. within \$10(6) months of the date o		Eve -	☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denled
2. Building permits do not include plumbi se 3. Building permits are void if work is not star ed	otic or electrical work. within \$10(6) months of the date o		Eve -	☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
2. Building permits do not include plumble, see	otic or electrical work. within \$10(6) months of the date o		Eve -	☐ Vanance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
2. Building permits do not include plumble, see	otic or electrical work. within \$10(6) months of the date o		Eve -	☐ Vanance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
2. Building permits do not include plumble, see	otic or electrical work. within 4 ((6) months of the date o all work	of assuance False informa-	Eve -	Vanance Miscellaneous Conditional Use Interpretation Approved Denled Blatoric Preservation Denled Blatoric Preservation Doca Not in District or Landmark Doca Not Require Review Requirer Review Action:
2. Building permits do not include plumbic, see 3. Building permits are void if work is not star action may invalidate a building permit and stop 1 hereby certify that I am the owner of record of the	otic or electrical work. within \(\(\) (6) months of the date of all work CERTIFICATION named property, or that the propose	of issuance False informa-	the owner of record and that I have	Variance Miscellaneous Conditional Use Interpretation Approved Denled Historic Preservation Mot in District or Landmark Doca Not Require Review Requirer Review Action: Approved with Conditions
Building permits do not include plumbine, see 3. Building permits are void if work is not stan action may invalidate a building permit and stop I hereby certify that I am the owner of record of the authorized by the owner to make this application.	otic or electrical work. within \(\(\) (6) months of the date of all work CERTIFICATION named property, or that the proposes his authorized agent and I agree:	of issuance False informa-	the owner of record and that I have le laws of this jurisdiction. In ad-	Vanance Miscellaneous Conditional Use Interpretation Approved Denied Denied Denied Denied Denied Approved Denied Approved Action: Approved Appro
2. Building permits do not include plurable, as see 3. Building permits are void if work is not star as the may invalidate a building permit and stop the start of the start o	otic or electrical work. within \(\(\) (6) months of the date of all work CERTIFICATION named property, or that the proposes his authorized agent and I agree is used, I certify that the code official	of issuance False informa- tion work is authorized by the to conform to all applicables authorized representati	the owner of record and that I have le laws of this jurisdiction. In addive shall have the authority to er	Variance Miscellaneous Conditional Use Interpretation Approved Denled Denled Denled Denled Denled Approved A
2. Building permits do not include plurable, a, set 3. Building permits are void if work is not star at tion may invalidate a building permit and stop invalidate a building permit and stop in the representation in the sufficient of the authorized by the owner to make this application if a permit for work described in the application is	otic or electrical work. within \(\(\) (6) months of the date of all work CERTIFICATION named property, or that the proposes his authorized agent and I agree is used, I certify that the code official	of issuance False informa- tion work is authorized by the to conform to all applicables authorized representati	the owner of record and that I have le laws of this jurisdiction. In addive shall have the authority to er	Vanance Miscellaneous Conditional Use Interpretation Approved Denied Denied Denied Denied Denied Denied Denied Denied Approved Denied Approved Denied Approved Approved Approved Approved Approved Approved Denied Den
Building permits do not include plurable, as set and stone and sto	CERTIFICATION named property, or that the proposes his authorized agent and I agree issued, I certify that the code official or to enforce the provisions of the	of issuance False informa- sed work is nuthorized by the to conform to all applicable all's authorized representations	the owner of record and that I have le laws of this jurisdiction. In adiative shall have the authority to end permit	Vanance Miscellaneous Conditional Use Interpretation Approved Denied Denied Denied Denied Denied Denied Denied Denied Approved Denied Approved Denied Approved Approved Approved Approved Approved Approved Denied Den
Building permits do not include plumbine, see 3. Building permits are void if work is not stan action may invalidate a building permit and stop I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is	otic or electrical work. within \(\(\) (6) months of the date of all work CERTIFICATION named property, or that the proposes his authorized agent and I agree is used, I certify that the code official	of issuance False informa- tion work is authorized by the to conform to all applicables authorized representati	the owner of record and that I have le laws of this jurisdiction. In addive shall have the authority to er	Vanance Miscellaneous Conditional Use Interpretation Approved Denled D
Building permits do not include plurable, as see that any invalidate a building permit and stop that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable how	CERTIFICATION named property, or that the propos s his authorized agent and I agree issued, I certify that the code official or to enforce the provisions of the	of issuance False informa- sed work is nuthorized by the to conform to all applicable all's authorized representations	the owner of record and that I have le laws of this jurisdiction. In adiative shall have the authority to end permit	Variance

r,

City of Portland, Maine - Build	i.ng or Use Permit Applicat	ion 389 Congress S	treet, 04101, 1el: (20)/) 8/4-8/03	, FAA: 0/4-8/10
Location of Construction: 52 Canco Rd.		Ublic War nouse	Phone	Permit 1	950593
Owner Address: 148 Pine St- South Paris,	MF Leasee/Bt yer's Name:	Phone	BusidessName:	PERI	
Contractor Name: National Propane Corp	Address RR1 Box 950 - Oxfo	rd,ME 04270 5	39-4493	Parmit .	ssued: H - 8 1995
Past Use:	Proposed Use	COST OF WORK:	PERMIT FEE:		Ŷ Į
7.	warehouse w	FIRE DEPT. 13 A	proved INSPECTION:	CICIYO	PORTLAND
	propane tanks	Signature #	Him Signature Tel	pe:{ Zone:	CBL:
Proposed Project Description:			TIVITIES DISTRICT ON	(D.) Zonyng	Approval: 4/8/95
install propane tark	:s	Ai	oproved oproved with Conditions: enied	Sho	
ranger (n. 1942). Tangan dan salah s		Signature.	Date	☐ Sub	division
Permit Taken By: L Chase	Date Applied For:	6/6/95		LI Site	Plan maj 🗆 minor 🔾 mm 🗅
2. Building permits do not include plumbi- 3. 3. Building permits are void if work is not so tion may invalidate a building permit ar	started within six (6) months of the date of	f issuance. False informa-			
:			_	100 Doc	Interio Preservation in District or Landmark as Not Require Review quires Review
•		ny	PERMIT ISSUED TH REQUIREMENTS	Action	•
	CERTIFICATION		" ANTENENTS	Ap	uoved proved with Caridation
I hereby cartify that I am the owner of record authorized by the owner to make this applica- if a permit for work described in the applica-	ation as his authorized agent and I agree t tion issued, I certify that the code officia	ed work is authorized by the o conform to all applicable I's authorized representative	owner of record and that I had laws of this jurisdiction. In a e shall have the authority to o	ddition.	0/6/95
areas covered by such permit at any reasons		code(s) applicable to such p	539-1144 DLIONE:	<u> </u>	Thin of
SIGNATURE OF APPLICANT	ADDRESS: Dist. Mon	PARE.	SAMS		
RESPONSIBLE PERSON IN CHARGE OF	WORK, TITLE	n nu nitt nitt nit	PHONE:	CEO I	DISTRICT 6

が必然がある



Location of Construction: 52 Canco Rd	Owner: Congdon Corp		Phone: 774-5976	Permit No: 9 51.2.2	
Owner Address: 33 Edgeworth St- Pald ME		Phone:	BusinessName.	PERMIT ISSUED	
Contractor Name: Los Hilson & Sops	Address. Box 1028 - Westabrook	Phone:	854-458\$3	Perinit Issued:	
Past Use:	Proposed Use.	COST OF WORK:	PERMIT FEE:	NOV 2 0 1995	
Marchouse w two talks	warehouse	FIRE DEPT. G Approved INSPECTION: 1/2 Use Group: Type:		CITY OF PORTLAND	
		Signature: 11 M	Use Group: Type:	Zone: CBL·	
Proposed Project Description:		· ·	TIVITIES DISTRICT (F)(,D.)	Zoning, Approval:	
remove two u/atanks		Action. Approved Approved with Cor ations.		Special 20ne of Reviews: D Shoreland D Wetland	
		Signature	Date [,]	☐ Flood Zone ☐ Subdivision	
Permit Taken By: L Chase	Date Applied For 11/1			☐ Site Plan mrıj ☐ minor ☐ mm E	
 This penalt application doesn't preclude th Building permits do not include plambing. Building permits are void if work is not startion may invalidate a building permit and it. 	rted within six (6) months of the date of issu-	F-l	Par Ety	Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied	
			THE CUREMENTS	Historic Preservation Noted District or Landmark Carticles Not Require Review Requires Review	
			, 69	Action:	
Thought and Grates for the control of the control o	CERTIFICATION the named property, or that the proposed wo on as his authorized agent and I agree to con	form to all applicable I thorized representative	laws of this jurisdiction. In addition shall have the authority to enter a	Denied .	
authorized by the owner to make this applicated if a permit for work described in the application areas covered by such permit at any reasonable	hour to enforce the provisions of the code(s) applicable to such pe	smur	1/ 1/ 1/ 5	
authorized by the owner to make this application if a permit for work described in the application.	hour to enforce the provisions of the code(s) applicable to such pe	ermit	1/ 1/	

BUILDING PERKIT REPORT

Date:	11/20/95
Address:	52 lunes Rd
Type of Permit:	Remove tooks
Owner:	Cenidar trans
Contractor:	Las willia + la-
Applicant:	
	Paniade


Conditions:

- All underground tank removal(s) and/or-installation(s) shall be done in accordance with Department of Environmental Protection Regulations (Chapter 691).
- (Chapter 691).

 2. No cutting of tanks on site. Cutting of tanks to be done at an approved tank disposal site.
- 3. Fire Dispatcher must be notified 48 hours in advance of removal and/or transporation of tanks.

Mail original and yellow copy to DEP; pink copy to fire department; retain gold copy.

RETURN POSTCARD AFTER TANK(S) HAS BEEN REMOVED



1994 The server of the server

أريح المتنو عربهت			.~· .		:	PORTLAND I	BALTH DI	PARTHENT	•
REQUIS.	POR SERVIC	<u> </u>		244 *	·				ļ.,
7.0% - 1	KCKIVED	7784181	A Trust	4 14 15 m	Andrew St. St.	DISTRICT	-4	, L. J.	ļ
DATE O	St. Selfer	7	ก			PHOKE -		and a marginal of	į
	HAVE	1.5000	11.0.0	7.3. 1012	V = 1 1 1			150	i,
	ADDRESS.	33 Y	OD KOT	icl.	· · · · · · · · · · · · · · · · · · ·		,	-	1
<u> </u>	E NAJO	Concele	7. 1. F. Y		Tr. Tile	PROME		A Second	94.
1	APORESS	52 Cour	no Dias	سر سندر الع	e_e_e_asasas_	₹_======	ر بر ماحد	A. 13 A	-
<u>. 0</u>		13.00 (1.00)	<u> </u>	"	The second second		:		-3) -
Ĉ R	DPS			7 7	,	المعارض المرا	اک ، میں	An Section	_]
	Care Comp	month.	bet is	. * * * * * * * * * * * * * * * * * * *	17/11/0°		COMM	turalin.	3
, 8	S//	To Las	1 July 2		(v. thin		***	1 1 1000	3
· _ ₹	Willen	Sillifu	16 10	-0-17 r	MITTIN			535	×.
9.7776	TOT	SANITATION	HOUST	DRG	NORSING	CATHGORY	70.7		ŧ.
DIATE		ROUTINE		SPECIAL		٠	DATE	الموافقة الدول الموافقة الدول الموافقة الدول	*
PRIO	والمستعلمات والمستعلم	UHOENT		REFORT TO		V	DYIPI		7
	AL INSTRUCT	TORS V. CI	0600	1.63	0.770.58	<u> </u>		17 101.00	7.
SPEU.	- tı				تصالكان	<u> </u>	jaxdi		<u>_</u>
		history		rachi	tim. Ill	1101100	12117	11 17 17	_
COM		~ 		11101	Allel 7	M. MITI	irict		ائد
	<u> 77,620 m</u>	ico of wal				Burne	1000	2 kout	````
" ~ / "1	13 / 100/	(10/00	(W) (17)	(1) / 1 / /	1.5.7				

OMNER'S NAME: Congdon Trans. ADDRESS: 52 Canco Road Portland, Maine

COMPTAINANT'S NAME: Hazen Spearin ADDRESS: 53 Canco Road Portland, Maine

Congdon's lot is unsightly and dusty. The lot is full of old tires and automobiles, cans, and rubbish. They burn rubbish in their incinerator each morning about 6:30. Mr. Spearin has found half-burned biliheads in his yard. He has a respiratory condition. Major ACTION TAKEN: complaint is the dust.

Was told to contact Ralph Amergian.

INSPECTOR'S NAME:

52 Canco Road May 18, 1967